

Dynamic Line Ratings (DLR)

DLR Facilities section is available in TERM Main Menu for transmission users (TO).

View for DLR TO with dynamic equipment



View for TO without dynamic equipment



Dynamic equipment set up process:

- TO user submits a request via Equipment Report indicating equipment, dynamic status (Yes/No), ICCP Name and Proposed Eff. Date.
- PJM reviews and processes ticket.
- Requested changes are implemented when PJM completes ticket.

Equipment Report also used to identify equipment that are DLR or Not.

TERM DLR Equipment List										
<input type="radio"/> Own <input type="radio"/> Notifications <input checked="" type="radio"/> DLR Only <input type="radio"/> Non DLR Only <input type="radio"/> Both Active Only: <input checked="" type="checkbox"/>										
Company: <input type="text"/> Type: <input type="text" value="LINE"/> Station: <input type="text"/> Voltage: <input type="text"/> Equipment Name: <input type="text"/>										
Apply Filter			Refresh			Main Menu				
Company	Type	Station	Voltage	Equipment	End	DLR	Eff. Date	ICCP Name	Open Tickets	
PP&L Electric (Public) Corp. (the PP&L) (Public) (P&L)	LINE	ALLENSTOWN	138 KV	ALLENSTOWN-EMER, TR-ALL-EMER	END A	Yes	10/02/2007	NORM:TEST1_A EMER:TEST2_B SHED:TEST3_C STE:TEST4_PPL	New Ticket	
PP&L Electric (Public) Corp. (the PP&L) (Public) (P&L)	LINE	ELMWOOD	230 KV	ELMWOOD-EMER, TR-ELM-EMER	END A	Yes	01/06/2000		2206148	
PP&L Electric (Public) Corp. (the PP&L) (Public) (P&L)	LINE	CUMMIS Pt.	230 KV	CUMMIS Pt. - EMER, TR-CUM-EMER	END A	Yes	01/06/2000	NORM:TEST1_AA EMER:TEST2_BB SHED:TEST3_CC STE:TEST4_DD	22061105	
PP&L Electric (Public) Corp. (the PP&L) (Public) (P&L)	LINE	ELMWOOD	230 KV	ELMWOOD-EMER, TR-ELM-EMER	END A	Yes	03/11/2008		22061059	
PP&L Electric (Public) Corp. (the PP&L) (Public) (P&L)	LINE	ELMWOOD	230 KV	ELMWOOD-EMER, TR-ELM-EMER	END A	Yes	01/06/2000	NORM:TEST123_A2 EMER:TEST123_B12 SHED:TEST123_C12 STE:T_12	22061106	

[Refresh](#) [Main Menu](#)

TERM DLR Equipment List

Own
 Notifications
 DLR Only
 Non DLR Only
 Both
 Active Only:

Company: [Company Name] Type: **LINE** Station: [Station Name] Voltage: [Voltage] Equipment Name: [Equipment Name]

[Apply Filter](#) [Refresh](#) [Main Menu](#)

Company	Type	Station	Voltage	Equipment	End	DLR	Eff. Date	ICCP Name	Open Tickets
[Company Name]	LINE	[Station Name]	138 KV	[Equipment Name]	END A	Yes	10/02/2007	NORM:TEST1_A EMER:TEST2_B SHED:TEST3_C STE:TEST4_PPL	New Ticket

[Refresh](#) [Main Menu](#)

New TERM DLR Equipment Change Ticket

Company: [Company Name] Type: **LINE** Station: [Station Name] Voltage: **138 KV** Equipment: [Equipment Name] End: **END A**

Dynamic: Yes No Proposed Eff. Date: [Date]

ICCP NORM: [TEST1_A]
 ICCP EMER: [TEST2_B]
 ICCP SHED: [TEST3_C]
 ICCP STE: [TEST4_PPL]

Comments: [Text Area]

[Submit Form](#) [Refresh](#) [Back to Report](#) [Main Menu](#)

XML equivalent: **dlreqquipmentcreate** upload

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dlrEquipmentCreate xsi:schemaLocation="http://www.pjm.com/external/schemas/dlreqquipmentcreate/v1 dlreqquipmentcreate.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <equipmentId>1234</equipmentId>
  <dlrFlag>true</dlrFlag>
  <proposedEffectiveDate>2023-06-28</proposedEffectiveDate>
  <iccpName>NORM:TEST1_AA,EMER:TEST2_BB,SHED:TEST3_CC,STE:TEST4_DD</iccpName>
  <comments>Test Comment</comments>
</dlrEquipmentCreate>
```

TERM DLR Equipment List

Own Notifications DLR Only Non DLR Only Both Active Only:

Company: [PJM](#) Type: **XFMR** Station: Voltage: Equipment Name:

Company	Type	Station	Voltage	Equipment	End	DLR	Eff. Date	ICCP Name	Open Tickets
PJM	XFMR		230 KV		HIGH	Yes	12/17/2014	TESTBULKUPLOAD	22061107
PJM	XFMR		230 KV		LOW	Yes	12/17/2014	TESTBULKUPLOAD	New Ticket

TERM DLR Equipment Change Ticket

ID: **22061107** Status: **Submitted** Company: [PJM](#) Type: **XFMR** Station: Voltage: **230 KV** Equipment: End: **HIGH**

Dynamic: Yes No Proposed Eff. Date:

PJM Eff. Date:

ICCP NORM:
 ICCP EMER:
 ICCP SHED:
 ICCP STE:

Comments:
 PJM Comments:

History Log

Status	User	Timestamp
Submitted		06/27/2022 12:22

XML equivalent: **dlrequipmentrevise**

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<dlrEquipmentRevise xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrequipmentrevise/v1 dlrequipmentrevise.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <ticketId>22061055</ticketId>
  <status>Cancelled by Company</status>
  <dlrFlag>true</dlrFlag>
  <proposedEffectiveDate>2022-06-30</proposedEffectiveDate>
  <iccpName>NORM:TEST123,EMER:TEST234,SHED:TEST456,STE:TEST6789</iccpName>
</dlrEquipmentRevise>
```

DLR Equipment Request Report button is **red** if there are any tickets in 'Additional Info Needed' status.



TERM DLR Equipment Request Report											
Company: <input type="text"/> <input type="radio"/> Own <input type="radio"/> Notifications <input checked="" type="radio"/> Both Include Historical: <input type="checkbox"/> From Date: <input type="text"/> To Date: <input type="text"/>											
Status: <input checked="" type="checkbox"/> Submitted <input checked="" type="checkbox"/> Additional Info Needed <input checked="" type="checkbox"/> Received <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Completed <input checked="" type="checkbox"/> Denied <input checked="" type="checkbox"/> Cancelled by Company <input checked="" type="checkbox"/> Cancelled by PJM <input checked="" type="checkbox"/> Retired											
<input type="button" value="Apply Filter"/> <input checked="" type="button" value="XML Download"/> <input type="button" value="Refresh"/> <input type="button" value="Main Menu"/>											
Ticket ID	Company	Station	Voltage	Equipment	End	Current DLR Flag	Eff. Date	Status	Ticket DLR Flag	Last Status Change Date	XML Download
22061105	Test Company	CUMB PL	230 KV	CUMB PL JUNCTION BOX	END A	Yes	06/28/2022	Submitted	Yes	06/27/2022 08:47	Download
22061107	Test Company	ACAHELA	230 KV	ACAHELA JUNCTION BOX	HIGH	Yes	06/29/2022	Submitted	Yes	06/27/2022 12:22	Download
22061106	Test Company	HARWOOD	230 KV	HARWOOD JUNCTION BOX	END A	Yes	06/29/2022	Submitted	Yes	06/27/2022 09:01	Download

TERM DLR Equipment Request Report XML Download

Equipment ID:

Last Update:
mm/dd/yyyy hh24.mi

Save as a File?

Download the report, downloadtype=dlreport

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"??
<dlrEquipmentReport xsi:schemaLocation="http://www.pjm.com/external/schemas/dlreport/v1 dlreport.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <dlrEquipmentTicket>
    <ticketId>22061105</ticketId>
    <equipmentId>1111</equipmentId>
    <effectiveDate>2022-09-28</effectiveDate>
    <companyName>Test Company</companyName>
    <status>Submitted</status>
    <lastUpdate>2022-06-27</lastUpdate>
  </dlrEquipmentTicket>
</dlrEquipmentReport>
  
```

Equipment was retired as part of the model build

TERM DLR Equipment Request Report

Company: [PJM Electric Company](#) Own Notifications Both Include Historical: From Date: To Date:

Status: Submitted Additional Info Needed Received Approved Completed Denied Cancelled by Company Cancelled by PJM Retired

[Apply Filter](#) [XML Download](#) [Refresh](#) [Main Menu](#)

Ticket ID	Company	Station	Voltage	Equipment	End	Current DLR Flag	Eff. Date	Status	Ticket DLR Flag	Last Status Change Date	XML Download
22061105	PJM Electric Company	CUMB PL	230 KV	CUMB PL JUNCTION	END A	Yes	06/28/2022	Submitted	Yes	06/27/2022 08:47	Download
22061107	PJM Electric Company	ACAHELA	230 KV	ACAHELA JUNCTION	HIGH	Yes	06/29/2022	Submitted	Yes	06/27/2022 12:22	Download
22061106	PJM Electric Company	HARWOOD	230 KV	HARWOOD JUNCTION	END A	Yes	06/29/2022	Submitted	Yes	06/27/2022 09:01	Download

TERM DLR Equipment Change Ticket

ID: [22061107](#) Status: Company: [PJM Electric Company](#) Type: XFMR Station: [ACAHELA](#) Voltage: 230 KV Equipment: [ACAHELA JUNCTION](#) End: HIGH

Dynamic: Yes No Proposed Eff. Date: PJM Eff. Date: ICCP NORM:

ICCP EMER:

ICCP SHED:

ICCP STE:

Comments: PJM Comments:

History Log		
Status	User	Timestamp
Submitted	[User]	06/27/2022 12:22

[Submit Form](#) [Refresh](#) [Back to Report](#) [Main Menu](#)

TERM DLR Equipment Request Report											
Company: <input type="checkbox"/> Own <input type="checkbox"/> Notifications <input type="radio"/> Both Include Historical: <input type="checkbox"/> From Date: <input type="text"/> To Date: <input type="text"/>											
Status: <input checked="" type="checkbox"/> Submitted <input checked="" type="checkbox"/> Additional Info Needed <input checked="" type="checkbox"/> Received <input checked="" type="checkbox"/> Approved <input checked="" type="checkbox"/> Completed <input checked="" type="checkbox"/> Denied <input checked="" type="checkbox"/> Cancelled by Company <input checked="" type="checkbox"/> Cancelled by PJM <input checked="" type="checkbox"/> Retired											
<input type="button" value="Apply Filter"/> <input type="button" value="XML Download"/> <input type="button" value="Refresh"/> <input type="button" value="Main Menu"/>											
Ticket ID	Company	Station	Voltage	Equipment	End	Current DLR Flag	Eff. Date	Status	Ticket DLR Flag	Last Status Change Date	XML Download
22061105		CUMB PL	230 KV		END A	Yes	06/28/2022	Submitted	Yes	06/27/2022 08:47	Download
22061107		ACAHELA	230 KV		HIGH	Yes	06/29/2022	Submitted	Yes	06/27/2022 12:22	Download
22061106		HARWOOD	230 KV		END A	Yes	06/29/2022	Submitted	Yes	06/27/2022 09:01	Download

Download per ticket, downloadtype=**dlrequismentrevise**

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dlrEquipmentRevise xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrequismentrevise/v1 dlrequismentrevise.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <ticketId>22061107</ticketId>
  <status>submitted</status>
  <dlrFlag>true</dlrFlag>
  <proposedEffectiveDate>2022-06-29</proposedEffectiveDate>
  <iccpName>NORM: TEST1 , EMER: TEST2 , SHED: TEST3 , STE: TEST4</iccpName>
</dlrEquipmentRevise>
  
```

- Created by eDART based on ratings information from PJM's EMS.
- eDART will complete previous real time ticket if another one is created for the same equipment.

Real-Time Ratings Report												
<input type="radio"/> Own <input type="radio"/> Notifications Company: <input type="text"/> Type: <input type="text"/> Station: <input type="text"/> Voltage: <input type="text"/> Equipment Name: <input type="text"/>												
Incl. Identical: <input type="checkbox"/> Incl. Completed: <input type="checkbox"/> Incl. Historical: <input type="checkbox"/> From Date: <input type="text" value="07/01/2022"/> To Date: <input type="text" value="07/07/2022"/>												
<input type="button" value="Apply Filter"/> <input type="button" value="Refresh"/> <input type="button" value="Main Menu"/>												
Ticket ID	Company	Station	Voltage	Equipment	End	Status	Start Date	End Date	Normal	Long Term	Short Term	Load Dump
2207120	PJM	ACAHELA	230 KV		LOW	Implemented	07/01/2022 12:37		221	272	272	289
2207107	PJM	CUMB PL	230 KV		END A	Implemented	07/01/2022 12:37		547	618	618	710

- Hourly forecast ratings ticket that can be created for dynamic equipment only.
- Ticket start hour is next HE from current time. E.g. HE 11 if current time is 09:30.
- Min requirement: 48 hours
- 72 hours of forecast can be submitted.
- Tickets are automatically approved and then completed when time expires or another ticket is created.

Daylight Savings Forecast

Spring: HE 03 not available

HE	Normal	Long Term	Short Term	Load Dump
01	7	6	77	6
02	767	6	6	7
NA				
04	7	7	67	67
05	67	7	7	6

Fall: Additional HE 02 available

HE	Normal	Long Term	Short Term	Load Dump	HE	Normal	Long Term	Short Term	Load Dump
01					01				
02					02				
NA					02				
03					03				
04					04				

XML equivalent: **dlrForecastTicket** upload

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dlrForecastTicket xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrforecast/v1 dlrforecastticket.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <equipmentId>12345</equipmentId>
  <hourlyValues>
    <hourlyValue>
      <hourEndGmt>09/29/2022 00</hourEndGmt>
      <normal>111</normal>
      <longTerm>111</longTerm>
      <shortTerm>111</shortTerm>
      <loadDump>111</loadDump>
    </hourlyValue>
    <hourlyValue>
      <hourEndGmt>09/29/2022 01</hourEndGmt>
      <normal>222</normal>
      <longTerm>222</longTerm>
      <shortTerm>222</shortTerm>
      <loadDump>222</loadDump>
    </hourlyValue>
    ...
  </hourlyValues>
</dlrForecastTicket>
```

Equipment was retired as part of the model build

Forecast Ticket Report

Company: Own Notifications Type: Station: Voltage: Equipment Name: End: Include Historical: Include Identical:

Status: Approved Completed Cancelled by Company (UI only) Cancelled by PJM (UI only) Retired (UI only) From Date: To Date: Occurred During Submitted

[Apply Filter](#) [XML Download](#) [Refresh](#) [Main Menu](#)

Ticket ID	Company	Station	Voltage	Equipment	End	Status	Start Date	End Date	Submitted Date	Last Status Change Date	XML Download
3023			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3021			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3025			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download

Download the report, downloadtype=dlrforecastreport

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dlrForecastTicketsReport xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrforecastreport/v1 dlrforecastreport.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <dlrForecastTicket>
    <ticketId>3023</ticketId>
    <equipmentId>1234</equipmentId>
    <startDateGmt>06/08/2022 01</startDateGmt>
    <endDateGmt>06/10/2022 00</endDateGmt>
    <companyName>Test</companyName>
    <status>Approved</status>
    <submittedTimestamp>06/07/2022 23:58</submittedTimestamp>
    ...
  </dlrForecastTicket>
</dlrForecastTicketsReport>
```

Forecast Ticket Report

Company: Own Notifications Type: Station: Voltage: Equipment Name: End: Include Historical: Include Identical:

Status: Approved Completed Cancelled by Company (UI only) Cancelled by PJM (UI only) Retired (UI only) From Date: To Date: Occurred During Submitted

[Apply Filter](#) [XML Download](#) [Refresh](#) [Main Menu](#)

Ticket ID	Company	Station	Voltage	Equipment	End	Status	Start Date	End Date	Submitted Date	Last Status Change Date	XML Download
3023			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3021			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3025			230 KV		END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download

Forecasted Ticket

Ticket ID	Company	Type	Station Name	Voltage	Equipment Name	End	Status	Submitted Date	Last Status Change
3023		LINE	CUMB PL	230 KV		END A	Approved	08/03/2022 13:50	08/03/2022 13:50

Comments: Bulk Upload PJM Comments:

08/03/2022					08/04/2022				08/05/2022				08/06/2022						
HE	Normal	Long Term	Short Term	Load Dump	HE	Normal	Long Term	Short Term	Load Dump	HE	Normal	Long Term	Short Term	Load Dump	HE	Normal	Long Term	Short Term	Load Dump
01					01	580.75	669.78	669.78	770.25	01	563.15	652.23	652.23	750.06	01				
02					02	579.87	668.37	668.37	768.62	02	561.29	649.84	649.84	747.31	02				
03					03	577.54	665.44	665.44	765.26	03	560.61	650.08	650.08	747.59	03				
04					04	573.11	661.21	661.21	760.39	04	559.81	651.22	651.22	748.91	04				
05					05	563.86	654.55	654.55	752.73	05	561.2	652.37	652.37	750.22	05				
06					06	565.24	655.69	655.69	754.04	06	562.59	653.51	653.51	751.53	06				
07					07	542.39	636.59	636.59	732.08	07	536.72	633.37	633.37	728.38	07				
08					08	525.73	622.85	622.85	716.28	08	534.67	626.96	626.96	721	08				
09					09	512.89	612.35	612.35	704.2	09	529.37	624.88	624.88	718.61	09				
10					10	528.66	626.06	626.06	719.96	10	532.52	630.48	630.48	725.05	10				
11					11	530.22	631.9	631.9	726.68	11	532.58	632.25	632.25	727.08	11				
12					12	539.69	644.08	644.08	740.69	12	537.2	639.15	639.15	735.02	12				
13					13	549.16	655.38	655.38	753.69	13	539.54	643.84	643.84	740.41	13				
14					14	551.11	658.37	658.37	757.13	14	572.27	668.85	668.85	769.18	14				
15	591.29	701.16	701.16	806.33	15	560.18	670.37	670.37	770.92	15					15				
16	590.13	700.34	700.34	805.4	16	576.17	685.33	685.33	788.13	16					16				
17	586.91	695.73	695.73	800.08	17	570.87	677.43	677.43	779.04	17					17				
18	584.28	690.94	690.94	794.58	18	561.65	666.11	666.11	766.02	18					18				
19	584.8	688.27	688.27	791.51	19	566.3	668.36	668.36	768.61	19					19				
20	589.69	687.65	687.65	790.79	20	581.32	678.7	678.7	780.51	20					20				
21	598.99	692.83	692.83	796.75	21	591.45	685.24	685.24	788.03	21					21				
22	600.56	692.79	692.79	796.71	22	585.23	677.2	677.2	778.78	22					22				
23	593.94	684.8	684.8	787.52	23	576.61	667.04	667.04	767.1	23					23				
00	584.97	674.72	674.72	775.93	00	562.26	651.66	651.66	749.41	00					00				

[Submit Form](#) [Refresh](#) [Back to Report](#) [Main Menu](#)

Forecast Ticket Report											
Company: PJM Electric Company (PJM) (Active) <input type="radio"/> Own <input type="radio"/> Notifications Type: <input type="text"/> Station: <input type="text"/> Voltage: <input type="text"/> Equipment Name: <input type="text"/> End: <input type="text"/> Include Historical: <input type="checkbox"/> Include Identical: <input type="checkbox"/>											
Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Completed <input type="checkbox"/> Cancelled by Company (UI only) <input type="checkbox"/> Cancelled by PJM (UI only) <input type="checkbox"/> Retired (UI only) From Date: <input type="text"/> To Date: <input type="text"/> <input type="radio"/> Occurred During <input type="radio"/> Submitted											
<input type="button" value="Apply Filter"/> <input type="button" value="XML Download"/> <input type="button" value="Refresh"/> <input type="button" value="Main Menu"/>											
Ticket ID	Company	Station	Voltage	Equipment	End	Status	Start Date	End Date	Submitted Date	Last Status Change Date	XML Download
3023	PJM Electric Company (PJM) (Active)	PJM	230 KV	EUMS PL-DUMPERA 230V	END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3021	PJM Electric Company (PJM) (Active)	PJM	230 KV	EUMS PL-DUMPERA 230V	END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download
3025	PJM Electric Company (PJM) (Active)	PJM	230 KV	EUMS PL-DUMPERA 230V	END A	Approved	08/03/2022 15:00	08/05/2022 14:00	08/03/2022 13:50	08/03/2022 13:50	Download

Download per ticket, downloadtype=dlrforecassicket

```

<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<dlrForecastTicket xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrforecassicket/v1 dlrforecassicket.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <ticketId>3023</ticketId>
  <equipmentId>1234</equipmentId>
  <hourlyValues>
    <hourlyValue>
      <hourEndGmt>08/03/2022 20</hourEndGmt>
      <normal>569.52</normal>
      <longTerm>678.19</longTerm>
      <shortTerm>678.19</shortTerm>
      <loadDump>779.92</loadDump>
    </hourlyValue>
    ...
  </hourlyValues>
  <comments>Bulk Upload</comments>
  <status>Approved</status>
</dlrForecastTicket>
    
```

- Forecast tickets created from uploaded files.
- If tickets cannot be created but file passes other validations, file will still be uploaded but no tickets created.

TERM DLR Ratings Forecast

Company: [PJM Electric System Corp. aka PJM Electric \(PJM\)](#) Last 2 hours From Date: To Date:

File to Upload: No file chosen [File Example](#)

Download	Upload Time	Company	User	Last Eff. Date	Rejected	Upload Type	Comments
<input type="checkbox"/>	06/26/2022 20:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 21:00	Yes	XML	TERM ID: 4118. System Error: 271588565
<input type="checkbox"/>	06/26/2022 20:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 21:00	No	XML	
<input type="checkbox"/>	06/26/2022 20:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 21:00	No	XML	
<input type="checkbox"/>	06/26/2022 19:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 20:00	No	XML	
<input type="checkbox"/>	06/26/2022 19:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 20:00	No	XML	
<input type="checkbox"/>	06/26/2022 19:50	PJM Electric System Corp. aka PJM Electric (PJM)	[User]	06/28/2022 20:00	Yes	XML	TERM ID: 3072. System Error: 271588561

dlr_upload_example

HourEndGMT	Station	Voltage	Equipment	End	Normal	LongTerm	ShortTerm	LoadDump
04/21/2021 19	STATIONA	69 KV	EQUIPMENT X	END A	100	101	102	103

Report of current and future hourly forecasted ratings.

Download the report, downloadtype= forecastvalue

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dlrForecastValues xsi:schemaLocation="http://www.pjm.com/external/schemas/dlrforecastvalue/v1 dlrforecastvalue.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <dlrForecastValue>
    <equipmentId>1234</equipmentId>
    <hourEndGmt>09/01/2022 15</hourEndGmt>
    <normal>111</normal>
    <longTerm>111</longTerm>
    <shortTerm>111</shortTerm>
    <loadDump>111</loadDump>
  </dlrForecastValue>
  ...
</dlrForecastValues>
```

Forecast Value Report

Company: Type: Station: Voltage: Equipment Name: End: From Date: To Date: Order by: Equipment Date

Include: All Facilities PPL Facilities Only PPL Notifications Only PPL Facilities and Notifications Only

Ticket ID	Company	Type	Station	Voltage	Equipment	End	Hour End EPT	Normal	Long Term	Short Term	Load Dump
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/26/2022 22	636.56	729.48	729.48	838.91
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/26/2022 23	627.99	720.66	720.66	828.76
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 00	620.86	712.97	712.97	819.91
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 01	616.01	708.15	708.15	814.38
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 02	618.43	710.34	710.34	816.89
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 03	615.11	706.36	706.36	812.32
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 04	612.17	702.81	702.81	808.23
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 05	613.45	704.35	704.35	810
2206250	PPL Electric Utilities Company (PPL Electric LLC)	LINE	COMPPL	230 KV	COMPPL-AMNHV-2006	END A	06/27/2022 06	615.52	708.02	708.02	814.22



Forecast Compare Report

Report to compare hourly ratings from forecasted ticket, regular TERM tickets and real time (if available).

Forecast Compare Report														
Company:		Type:		Station:		Voltage:		Equipment Name:		End:				
From Date:		Hour:		To Date:		Hour:		Temperature:		Day		Night		Day Ahead Only:
<input type="button" value="Apply Filter"/> <input type="button" value="Download"/> <input type="button" value="Refresh"/> <input type="button" value="Main Menu"/>														
Base	Submit Time	Ticket ID	Hour End: 05/25/2022 01				MVA vs. Base				% vs. Base			
			Normal	Short Term	Long Term	Load Dump	Normal	Short Term	Long Term	Load Dump	Normal	Short Term	Long Term	Load Dump
<input type="radio"/>	05/23/2022 13:55	2205110	56	56	56	56	-676711	-20	-20	49	-99.99%	-26.32%	-26.32%	700.00%
<input type="radio"/>	05/23/2022 14:53	2205111	56	56	56	56	-676711	-20	-20	49	-99.99%	-26.32%	-26.32%	700.00%
<input checked="" type="radio"/>	05/24/2022 15:26	2205205	676767	76	76	7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<input type="radio"/>	05/24/2022 15:38	2205206	676767	76	76	7	0	0	0	0	0.00%	0.00%	0.00%	0.00%
<input type="radio"/>	TERM	1564779	647	801	801	896	-676120	725	725	889	-99.90%	953.95%	953.95%	12700.00%
	Min Forecasted		56	56	56	7	-676711	-20	-20	0	-99.99%	-26.32%	-26.32%	0.00%
	Max Forecasted		676767	76	76	56	0	0	0	49	0.00%	0.00%	0.00%	700.00%
Base	Submit Time	Ticket ID	Hour End: 05/25/2022 02				MVA vs. Base				% vs. Base			
			Normal	Short Term	Long Term	Load Dump	Normal	Short Term	Long Term	Load Dump	Normal	Short Term	Long Term	Load Dump
<input type="radio"/>	05/23/2022 13:55	2205110	56	56	56	56	49	-11	-11	49	700.00%	-16.42%	-16.42%	700.00%
<input type="radio"/>	05/23/2022 14:53	2205111	56	56	56	56	49	-11	-11	49	700.00%	-16.42%	-16.42%	700.00%
<input checked="" type="radio"/>	05/24/2022 15:26	2205205	7	67	67	7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<input type="radio"/>	05/24/2022 15:38	2205206	7	67	67	7	0	0	0	0	0.00%	0.00%	0.00%	0.00%
<input type="radio"/>	TERM	1564779	647	801	801	896	640	734	734	889	9142.86%	1095.52%	1095.52%	12700.00%
	Min Forecasted		7	56	56	7	0	-11	-11	0	0.00%	-16.42%	-16.42%	0.00%
	Max Forecasted		56	67	67	56	49	0	0	49	700.00%	0.00%	0.00%	700.00%

TERM Dynamic Ratings XML download

- downloadtype = **dynamicratings**

Note: Date range cannot be more than 31 days



eDART TERM Dynamic Ratings XML File Download

Choose Download Type


Start Date (MM/DD/YYYY) End Date (MM/DD/YYYY)

Save as a File?

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dynamicRatings xsi:schemaLocation="http://www.pjm.com/external/schemas/dynamicratings/v1 dynamicratings.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <dynamicRecord>
    <hourEndGmt>06/06/2022 21</hourEndGmt>
    <equipmentId>3072</equipmentId>
    <normal>641.29</normal>
    <longTerm>745.61</longTerm>
    <shortTerm>745.61</shortTerm>
    <loadDump>857.45</loadDump>
  </dynamicRecord>
  <dynamicRecord>
    <hourEndGmt>06/06/2022 22</hourEndGmt>
    <equipmentId>3072</equipmentId>
    <normal>642.79</normal>
    <longTerm>745.63</longTerm>
    <shortTerm>745.63</shortTerm>
    <loadDump>857.47</loadDump>
  </dynamicRecord>
  <dynamicRecord>
    <hourEndGmt>06/06/2022 23</hourEndGmt>
    <equipmentId>3072</equipmentId>
    <normal>647.69</normal>
    <longTerm>748.09</longTerm>
    <shortTerm>748.09</shortTerm>
    <loadDump>860.31</loadDump>
  </dynamicRecord>
</dynamicRatings>
  
```

TERM Equipment Report XML download

```

<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<edart xsi:schemaLocation="http://www.pjm.com/external/schemas/termequipmentreport/v1 termequipmentreport.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <term_equipment_info>
    <equipment_info>
      <equipment_id>1234</equipment_id>
      <ta_id>12345</ta_id>
      <type>LINE</type>
      <impedance_r>0.0028</impedance_r>
      <impedance_x>0.0217</impedance_x>
      <congestion_status>MONITORED</congestion_status>
      <charging_b>0.0398</charging_b>
      <dynamic>true</dynamic>
      <iccp_name>NORM:TEST1_AA,EMER:TEST2_BB,SHED:TEST3_CC,STE:TEST4_DD</iccp_name>
    </equipment_info>
  </term_equipment_info>
</edart>
  
```

Browserless:

- downloadtype = terme
- ICCP Name
- Parameter: dlr
- Values = 1, 2, 3

1 = DLR Only

2 = Non-DLR Only

3 = Both (default)

Ratings files on [OASIS](#) and eDART Public Files

- DLR:Y and DLR:N identify if equipment is set up for dynamic ratings (Y) or not (N).
 - Ratings file
 - Temporary Ratings file
 - NERC Alert Ratings file
- Real Time Ratings file
- Dynamic Ratings Forecast files are combined into 1 per company. Files are posted as uploaded by company and could be 1 or more files per equipment.

Posted at 05-31-2022 12:09:25

----- Company: AE -----

Substn: ABSECON kV: 69 KV Dev: SERIES1 End: END B
 Descr: ABSECON SERIES1 SER DEV DLR: N

----- Day ----- Night -----

Degf	Norm	Long	Shrt	Dump	Norm	Long	Shrt	Dump
95	77	94	94	108	77	94	94	108

- PJM eDART page

<https://www.pjm.com/markets-and-operations/etools/edart>

- eDART User Guide

<https://www.pjm.com/-/media/etools/edart/edart-user-guide.ashx>

- DART User Guide

<https://www.pjm.com/-/media/etools/edart/dart-browserless-user-guide.ashx>

- eDART XML Documents page

<https://www.pjm.com/pub/etools/edart/xmldocs/xmldoc.html>