

UTC Uplift Allocation Compliance Filing (EL14-37)

Thomas DeVita, Sr. Counsel Ray Fernandez, Manager, Market Settlements Development

Market Implementation Committee August 5, 2020

www.pjm.com | Public PJM©2020



UTC Uplift Allocation Compliance Filing

	39	
Action Required	Deadline	Who May Be Affected
Provide feedback on FERC compliance directive, if any, to PJM.	08/20/2020	Entities who receive Day-ahead and Balancing Operating Reserve charges.
	10	5)"

Recap of July 16, 2020 Order

- FPA 206 action on an investigation that began in August, <u>2014</u> regarding:
 - How uplift is, or should be, allocated to all virtual transactions in PJM;
 - PJM's different treatment of UTCs as compared to INCs and DECs for purposes of allocating uplift.
- PJM's current uplift allocation rules are unjust, unreasonable, and unduly preferential because they do not allocate uplift to UTCs.
- PJM is directed to submit a replacement rate that revises PJM's current uplift allocation rules to allocate uplift to UTCs in a manner that treats a UTC, for uplift allocation purposes, as if the UTC were equivalent to a DEC at the sink point of the UTC.
 - As a result, UTCs will be allocated both real-time uplift and day-ahead uplift.

www.pjm.com | Public 9JM©202



- Compliance filing due <u>August 31, 2020</u>.
- The order states that "[t]he Commission will establish an effective date for these provisions after reviewing the compliance filing."
 - PJM will recommend that the Commission establish an effective date of November 1, 2020.



- Day-ahead Operating Reserve Charges
 - Cleared Up-To Congestion bids will be allocated Day-ahead
 Operating Reserve charges at the sink end of the transaction.
 - The daily total cost of Day-ahead Operating Reserve will be allocated and charged to market participants in proportion to their cleared day-ahead demand, decrement bids, and *up-to* congestion bids plus their cleared day-ahead exports.



- Balancing Operating Reserve Deviation Charges
 - PJM will treat the sink side of the cleared UTC in a similar manner to cleared decrement bids for withdrawal deviations.
 - The sink side of the UTC will be included in the Day-ahead withdrawal bucket and included to net against real-time withdrawals at the same location.





Thomas DeVita; Thomas.Devita@pjm.com

Ray Fernandez;
Raymond.Fernandez@pjm.com

Please send feedback on compliance directive, if any, to the above contacts.



Member Hotline

(610) 666 - 8980

(866) 400 - 8980

custsvc@pjm.com