

Firm Flow Entitlement

Asanga Perera
Senior Lead Engineer
URMSTF External Capacity Enhancement


www.pjm.com PJM©2016



- Firm Flow Entitlement FFE
- Firm Flow Limit FFL
- Market Flow MF
- Congestion Management Process CMP
- Market to Market M2M
- Transmission Load Relief TLR
- Designated Network Resource DNR
- Transmission Service Request TSR
- Flowgate FG



- Electricity flows through the path of least resistance
- RTOs utilize each others networks
 - Results in unscheduled loop flows
- These unscheduled flows are measured as MF
 - Transmission Constraints (Flowgates)





Congestion Management Process (CMP)

- CMP was initiated by MISO and PJM
 - Additional entities joined CMP over the years
- Intent is to coordinate and take actions to minimize MF



- In order to minimize MF, entities agreed to the following:
 - Certain levels of MF would be considered as firm flow
 - MF beyond firm flows are liabilities



In M2M, PJM and MISO's entitled firm usage is classified as FFE

In TLR*, Market Entities' entitled firm usage is classified as FFL

FFE/FFL is used as financial limits in FTR, DA and RT

Process	MF	FFE / FFL	Firm MF	Non Firm MF
M2M / TLR	100	75	75	25


^{*}TLR utilized for non-market entities




Calculated to grandfather historical flows assuming NO RTOs formed

Pre integration (Local BA)

Post Integration (Consolidated BA)





COMED MF = 50 AEP MF = 25 FFE = COMED MF + AEP MF = 75 PJM MF = 100 FFE = COMED MF + AEP MF = 75 PJM Non Firm MF = 25



 To grandfather historical flows a freeze date was established (4/1/2004)

Resource Type	Met Freeze Date?	Eligible to receive FFE/FFL?
DNRs	Yes	All
TSRs	Yes	All
Non DNRs	No	Some
Pseudo Ties	N/A	None



- Attaining BA calculates MFs for Pseudo Ties
- FFE/FFL Pseudo Tie Rules:

Pseudo Tie Scenario	Pseudo Tie FFE/FFL
1) Pseudo Tie Only Host Attaining	Host BA
2) Pseudo Tie + Load Host Attaining	Attaining BA



Firm Flow Calculator

Load Forecast



Resource Priority (DNRs, TSRs & Non DNRs)



Outages




FG Information (Owner, Rating)




NNL Calculator

(Native and Network Load Calculator)

Interchange Distribution Calculator Model





FG FFE/FFL

RT every 15 min






FFE/FFL Eligible Parties



Owner



Reciprocal Entity



Non Reciprocal Entity (3rd party)





Capacity Item	Owner	Reciprocal Entity	3 rd Party
>= 5% Impacts	Yes	Yes	Yes
< 5% Impacts	Eligible	Eligible	NA
Excess Capacity	Eligible	Eligible	NA

FFE/FFL Allocation Example 1

Item	Owner	Reciprocal	3 rd Party
>= 5%	100	100	100
< 5%	50	50	NA
Excess	50	50	NA
Final	200	200	100



Item	Owner	Reciprocal	3 rd Party
>= 5%	100	100	100
< 5%	50 50		NA
Excess	0	0	NA
Final	130	130	100



FFE/FFL Allocation Example 3 (Hypothetical Pseudo Tie)


FG Capacity is 360 MW

Item	Owner	Reciprocal	3 rd Party
>= 5%	200	0	100
< 5%	50	50	NA
Excess	0	0	NA
Final	250	10	100

www.pjm.com 14 PJM©2016



Hypothetical Pseudo Tie Example Setup



www.pjm.com 15 PJM©2016



Hypothetical Pseudo Tie Example Continue

Item	Owner		Reciprocal		3 rd Party	
	FFE	MF	FFE	MF	FFE	MF
>= 5%	200	100	0	100	100	100
< 5%	50	50	50	50	0	0
Final	250	150	10	150	100	100
Outcome				140 \$\$\$		



Item	Owner		Reciprocal		3 rd Party	
	FFE	MF	FFE	MF	FFE	MF
>= 5%	100	100	100	100	100	100
< 5%	50	50	50	50	0	0
Final	130	150	130	150	100	100
Outcome	130 130		\$			



Item	Owner		Reciprocal		3 rd Party	
	FFE	MF	FFE	MF	FFE	MF
>= 5%	100	100	100	100	100	100
< 5%	50	50	50	50	0	0
Final	150	150	110	150	100	100
Outcome			40 \$			