



PJM Quality Project – Behind the Meter Generation Proposed Modification to PJM Tariff, Section 36.1A.2

- Section 36.1A.2 requires:

In addition to the information described in Section 36.1 of the Tariff, a Generation Interconnection Request for Behind The Meter Generation shall include (1) the type and size of the load located (or to be located) at the site of such generation; (2) a description of the electrical connection between the generation facility and the load; and (3) the amount of the facility's generating capacity for which the customer seeks Capacity Interconnection Rights or that will be an Energy Resource. *The amount of capacity included in the election pursuant to section (3) of the preceding sentence may be reduced, but shall not be increased, during the interconnection study process in accordance with any rules and procedures stated in PJM manuals.*

- The Quality Project found that no rules or procedures for a Generation Interconnection Request for Behind The Meter Generation were included in the PJM Manuals.

- Section 36.2A of the PJM Tariff addresses modification of an Interconnection Request.
- Specifically, section 36.2A addresses the handling of modifications that are deemed not to be a Material Modification. Additionally, sections 36.2A.1 and 36.2A.2 include rules and procedures regarding modification
 - prior to return of a System Impact Study Agreement, and
 - after return of an executed System Impact Study Agreement
- Given that such rules and procedures are already included in Section 36.2A of the PJM Tariff for all Interconnection Requests, PJM proposes the following change to Section 36.1A.2:
- *The amount of generating capacity included in the election pursuant to section (3) of the preceding sentence may be reduced, but shall not be increased, during the interconnection study process in accordance with ~~any rules and procedures stated in the PJM Manuals~~ Section 36.2A of the PJM Tariff.*