

May 12, 2017

Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, D.C. 20426-0001

Re: *PJM Interconnection, L.L.C.*, Docket No. ER17-____-000

Dear Ms. Bose:

PJM Interconnection, L.L.C. (“PJM”), pursuant to section 205 of the Federal Power Act (“FPA”),¹ and the Federal Energy Regulatory Commission’s (“Commission”) regulations,² hereby submits revisions to the PJM Open Access Transmission Tariff (“Tariff”), Attachment K-Appendix and the Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”), Schedule 1³ to reflect changes related to how PJM determines the price of reserves it procures in the Real-time Energy Market⁴ that exceed its normal real-time reserve requirements. In particular, PJM proposes to add a permanent second step to the Operating Reserve demand curves (“ORDC”) that are embedded within PJM’s real-time market clearing engines. Notably, the revisions proposed herein were endorsed and approved by PJM’s stakeholders by acclimation with no objections and no abstentions.⁵

PJM requests that the Commission issue an order by no later than July 12, 2017, with an effective date of July 12, 2017, for the proposed revisions, in accordance with the 60-day notice requirement in section 35.3(a)(1) of the Commission’s Regulations.⁶

¹ 16 U.S.C. § 824d.

² 18 C.F.R. part 35.

³ Because Tariff, Attachment K-Appendix and Operating Agreement, Schedule 1 are identical, for convenience, PJM will reference only the Tariff throughout this letter.

⁴ Capitalized terms used and not otherwise defined herein shall have the meaning set forth in the Tariff and Operating Agreement.

⁵ Members Committee, *Agenda*, PJM Interconnection L.L.C., 1 (Consent Agenda Item B) (Apr. 27, 2017), <http://www.pjm.com/~media/committees-groups/committees/mc/20170427/20170427-agenda.ashx>.

⁶ 18 C.F.R. § 35.3(a)(1).

I. Background

A. The Commission’s Shortage Pricing Reforms in Order No. 825

On June 16, 2016, the Commission issued Order No. 825⁷ which, *inter alia*, revised the Commission’s regulations to require that each regional transmission organization (“RTO”) and independent system operator (“ISO”) trigger shortage pricing for any dispatch interval during which a shortage of energy or operating reserves occurs.⁸ In that rulemaking proceeding, PJM explained that a general, universal shortage pricing rule that required related prices for transient circumstances would require PJM to implement an ORDC that distinguished prices relative to varying degrees of shortage.⁹ In response, the Commission stated that “the appropriate forum to make such . . . a change is through an FPA section 205 filing.”¹⁰ This filing proposes such changes to the ORDC.

Additionally, in compliance with the Commission’s directives in Order No. 825, on January 11, 2017, PJM submitted revisions to the Tariff, Operating Agreement, and the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region to, *inter alia*, establish a mechanism to trigger shortage pricing for any interval in which a shortage of energy or ancillary services is indicated during the pricing of resources for that interval.¹¹ In a letter submitted on March 2, 2017, PJM requested that the Commission issue an order by March 31, 2017, allowing PJM to implement these shortage pricing reforms in February 2018 in conjunction with its proposed implementation date for five-minute settlements.¹² PJM indicated therein that if it did not receive an order from the Commission approving its request by March 31, 2017, PJM would proceed with implementing the shortage pricing reforms on May 11, 2017, in compliance with Order No. 825’s directives.¹³ Given that PJM received no such order by

⁷ *Settlement Intervals and Shortage Pricing in Markets Operated by Regional Transmission Organizations and Independent System Operators*, Order No. 825, III FERC Stats. & Regs., Regs. Preambles ¶ 31,384 (2016).

⁸ Order No. 825 at P 161.

⁹ Joint Comments of PJM Interconnection, L.L.C. and Southwest Power Pool, Inc. Addressing Shortage Pricing, Docket No. RM15-24-000, at 7-8 (Nov. 30, 2015).

¹⁰ Order No. 825 at P 173.

¹¹ *See* Order No. 825 Compliance Filing of PJM Interconnection, L.L.C., Docket No. ER17-775-000, at 24-32 (Jan. 11, 2017) (“Order No. 825 Compliance Filing”).

¹² *See* Implementation of order No. 825 Shortage Pricing Reforms of PJM Interconnection, L.L.C. Docket No. ER17-775-000, at 2 (Mar. 2, 2017) (Letter from Steven Shparber, Counsel, PJM to Kimberly D. Bose, Secretary, FERC); Order No. 825 Compliance Filing at 33.

¹³ *See id.*

March 31, 2017, PJM implemented Order No. 825's shortage pricing reforms on May 11, 2017.

B. PJM's Current Reserve Markets

PJM establishes a Primary Reserve Requirement and Synchronized Reserve Requirement for each Reserve Zone and Reserve Sub-zone, and procures sufficient Primary Reserve¹⁴ and Synchronized Reserve¹⁵ to meet those requirements. PJM procures Synchronized Reserve in the Synchronized Reserve Market and Non-Synchronized Reserve in the Non-Synchronized Reserve Market in order to maintain system reliability.¹⁶ For each Operating Day, PJM schedules sufficient reserves to maintain both its Primary Reserve Requirement and Synchronized Reserve Requirement, in addition to meeting the forecasted load.

With regard to clearing the Synchronized Reserve and Non-Synchronized Reserve Markets, PJM uses separate ORDCs for the Primary Reserve and Synchronized Reserve. Under normal conditions, the ORDC is a single-step function defined by a reserve requirement on the x-axis and Reserve Penalty Factor on the y-axis. The Reserve Penalty Factor is "the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone."¹⁷ The Reserve Penalty Factor also establishes a maximum willingness to pay for that reserve product. When the applicable reserve requirement cannot be met, the reserve shortage is valued utilizing the Reserve Penalty Factors for the applicable reserve requirement. The ORDC acts as a resource with infinite reserve capability at the Reserve Penalty Factor price to ensure that dispatch is "solvable" under reserve shortage conditions. PJM uses the ORDC to satisfy the remainder of the reserve requirement, which is referred to as "shortage pricing."

¹⁴ Primary Reserve refers to "the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized and Non-Synchronized Reserve." Tariff § I (Definitions-O-P-Q). Primary Reserve always consists of a specified amount of Synchronized Reserve, with the remaining amount consisting of the most economic combination of Synchronized Reserve and Non-Synchronized Reserve.

¹⁵ Synchronized Reserve refers only to the reserve capability provided by equipment that is electrically synchronized to the Transmission System. Tariff § I (Definitions-R-S).

¹⁶ PJM's Non-Synchronized Reserve Market is used to procure the balance of the Primary Reserve Requirement that is not met by Synchronized Reserves. *See* Tariff § I (Definitions-L-M-N).

¹⁷ Tariff § I (Definitions-R-S).

Each ORDC accordingly sends a clear, transparent signal to Market Participants that, as the reserve market clearing price reaches the Reserve Penalty Factor, the system's ability to maintain reserves is becoming increasingly uncertain and a reserve shortage may occur, or has already occurred. To avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a reserve shortage, PJM only prices a deficit of reserves as a shortage using the ORDC if the deficit was forecast by PJM's Intermediate-Term Security Constrained Economic Dispatch ("IT SCED") application and then observed in real-time by the Real-Time Security Constrained Economic Dispatch ("RT SCED") application.

PJM procures reserves up to the applicable reserve requirement, as long as the reserves can be procured at a price that is less than or equal to the Reserve Penalty Factor. The ORDC acts as a price cap on each individual reserve product because reserves that would otherwise cost more than the penalty factor are not procured by the market clearing engine. When clearing the Non-Synchronized Reserve and Synchronized Reserve Markets, once the applicable reserve requirements are met, any reserves available beyond those needed to meet the reserve requirement are valued at \$0/MWh.

The current ORDC rules were instituted in 2015 when, in response to the tight operational conditions and significantly high number of forced outages PJM experienced during the Polar Vortex,¹⁸ PJM implemented revisions to the ORDC to establish an Extended Primary Reserve Requirement¹⁹ and Extended Synchronized Reserve Requirement.²⁰ The revisions effectively created a "second step" on the ORDCs for Primary Reserve and Secondary Reserve by creating an extended reserve requirement and a new Reserve Penalty Factor for that requirement,²¹ as shown below in Figure 1.


¹⁸ The term "Polar Vortex" refers to extreme cold weather and high winds that occurred in much of the eastern half of the United States on January 6-8, 2014.

¹⁹ PJM currently defines the Extended Primary Reserve Requirement as "the Primary Reserve Requirement in a Reserve Zone of Reserve Sub-zone, plus additional reserves scheduled under emergency conditions necessary to address operational uncertainty." Tariff § I (Definitions-E-F).

²⁰ See Revisions to Open Access Transmission Tariff Attachment K-Appendix and Operating Agreement Schedule 1 Regarding Energy and Reserve Pricing of PJM Interconnection, L.L.C., Docket No. ER15-643-000 (Dec. 17, 2014) ("December 2014 Filing"). The Commission accepted the December 2014 Filing on April 10, 2015. *PJM Interconnection, L.L.C.*, 151 FERC ¶ 61,017, *reh'g denied*, 152 FERC ¶ 61,182 (2015). The definition of Extended Synchronized Reserve Requirement refers only to the reserve capability provided by equipment that is electrically synchronized to the Transmission System. See Tariff § I (Definitions-E-F).

²¹ December 2014 Filing at 11.

Figure 1: Current ORDC



PJM models the second step (shown in Figure 1 as the “Extended Reserve Requirement”) of the ORDC only under a Cold Weather Alert, Hot Weather Alert, or when there is an escalating emergency condition²² and PJM has scheduled additional reserve capability in real-time. Under these conditions, resources will be incentivized to produce energy by responding to the \$300/MWh second step, thereby producing sufficient reserves that would ideally alleviate a more severe deficiency, which would have an \$850/MWh price from the first step, except in the most severe conditions. To the extent that emergency conditions are not present and no additional reserves are scheduled, the ORDC remains a single-step curve. Moreover, during emergency conditions, instead of being valued at \$0/MWh, reserves that PJM procures in excess of the Primary Reserve or Synchronized Reserve that are needed to maintain the extended reserve requirements are valued up to \$300/MWh.²³ The reserves from the first step of the ORDC are priced at a higher level because they are needed to account for major disruptions to the Transmission System and are related to maintaining reliability and compliance with North American Electric Reliability Corporation (“NERC”) standards.²⁴ The reserves from the second step of the ORDC also help maintain reliability, but, because falling short of the extended reserve requirement does not cause a potential reliability violation, they are assigned a lesser value than those on the first step of the ORDC.²⁵ Thus, PJM’s current ORDC design prevents the potentially price suppressive effect of scheduling additional reserve capability without modelling the additional demand for that capability, but also properly reflects the lower value of reserves needed to satisfy the second step relative to the first step of the ORDC.

²² System Operations Division, *PJM Manual 13: Emergency Operations*, PJM Interconnection, L.L.C., section 2.3 (Capacity Shortages) (Apr. 1, 2017), <http://www.pjm.com/~media/documents/manuals/m13.ashx> (“PJM Manual 13”) (describing escalating emergency procedures).

²³ See December 2014 Filing at 12.

²⁴ See *id.*

²⁵ *Id.* at 12-13.

II. Proposed Revisions

A. PJM's Proposal

As encouraged by the Commission in Order No. 825,²⁶ PJM is proposing revisions to its ORDC to properly distinguish reserve prices relative to these varying degrees of shortage by adding a permanent second step to the ORDC (i.e., not effective solely during Cold Weather Alert, Hot Weather Alert, or when there is an escalating emergency condition). The addition of a permanent second step to the ORDC with a corresponding lesser penalty factor relative to the first step will better reflect the lower reliability concern of small reserve deficiencies by creating better price signals prior to when reserves fall short of the “normal” reserve requirement (i.e., the Primary Reserve Requirement or Synchronized Reserve Requirement), because it will reflect the relatively lesser value of the reserves on the second step. As a result, resources will be incentivized earlier to provide additional energy to remediate the reserve deficiency by responding to the \$300/MWh price signal produced by the second step of the ORDC, thus potentially avoiding a larger reserve shortage at the \$850/MWh level.

Absent this change to the ORDC, the shortage pricing revisions PJM proposed in the Order No. 825 Compliance Filing will result in reserve prices of \$850/MWh during minimal or transient shortage periods, as even a minor (i.e., 1 MW) deficiency would be priced at \$850/MWh. Such pricing could overstate the severity of the conditions in PJM's markets, and PJM believes that this would likely result in operational volatility, if large numbers of Market Participants respond to transient events by suddenly self-scheduling their resources in order to take advantage of elevated, short-term \$850/MWh shortage pricing events.

As shown below in Figure 2, the Reserve Penalty Factor associated with the single largest online contingency, referred to as “Step 1,” will remain unchanged at \$850/MWh. The desired level of reserves for Step 1 (i.e., the Primary Reserve Requirement or Synchronized Reserve Requirement) will be set at the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone for the specified reserve product, as described in the definitions of Primary Reserve Requirement²⁷ and Synchronized Reserve Requirement.²⁸ For Synchronized Reserves, this will now

²⁶ See Order No. 825 at P 173.

²⁷ See Tariff § I (Definitions-O-P-Q) (“Primary Reserve Requirement’ shall mean the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone as Primary Reserve, absent any increase to account for additional reserves scheduled to address operational uncertainty. The Primary Reserve Requirement is calculated in accordance with the PJM Manuals.”).

²⁸ See Tariff § I (Definitions-R-S) (“Synchronized Reserve Requirement” shall mean the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone as Synchronized Reserve, absent any increase to account for additional

typically be equivalent to 100 percent of the actual output of the single-largest online contingency in the Reserve Zone or Sub-zone. For Primary Reserves, this will now typically be equivalent to 150 percent of the actual output of the single-largest online contingency in the Reserve Zone or Sub-zone. PJM's stakeholders endorsed making these changes to the calculation of the Primary Reserve Requirement and Synchronized Reserve Requirement by updating its manuals, which is consistent with the definitions for each of these terms.²⁹

These changes will normally lead to a reduction of the Primary Reserve Requirement and Synchronized Reserve Requirement relative to how those requirements are calculated pursuant to PJM Manual 11 today. This is because historically PJM used the Economic Maximum value of the largest unit on the system to calculate the Primary Reserve Requirement and Synchronized Reserve Requirement for the purposes of market clearing. Such amount is usually larger than the actual output of the single-largest online contingency, which is used to control for reliability concerns by PJM's operators when dispatching the system. In turn, this led to an overly conservative estimation in setting the first step on the ORDC because the Economic Maximum value of the largest unit on the system was not necessarily online or dispatched to its maximum output at the time of shortage conditions. In other words, this meant that a 1 MW shortage did not necessarily indicate that the system would be incapable of recovering from the loss of the largest online unit at the time. Thus, the \$850/MWh pricing that would arise from such an event would overstate the true severity of such a reserve deficiency. Taken together with the addition of the second permanent step described below, these enhancements to PJM's shortage pricing rules will ensure that the higher, \$850/MWh level will only apply during periods of reserve deficiencies with more significant operational impact.

The reserve requirement for the new permanent second step, which is shown as Step 2A on Figure 2 below, will be set at the Primary Reserve Requirement or Synchronized Reserve Requirement, plus 190 MW.³⁰ PJM proposes to use 190 MW for

reserves scheduled to address operational uncertainty. The Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.”).

²⁹ See *supra* notes 27-28. See also PJM's proposed revisions to PJM Manual 11: Energy & Ancillary Services Market Operations (“PJM Manual”), section 4.2.2.1. These revisions were endorsed by PJM's stakeholders at the March 23, 2017 meeting of the PJM Markets and Reliability Committee and the draft of this revised manual is located with the PJM Markets and Reliability Committee March 23, 2017 Meeting materials on PJM's website. Forward Market Operations, *PJM Manual 11: Energy and Ancillary Services Market Operations*, PJM Interconnection, L.L.C. (Mar. 16, 2017), <http://www.pjm.com/~media/committees-groups/committees/mrc/20170323/20170323-item-03-order-825-draft-m11-revisions.ashx> (“March 2017 Manual 11 Revisions”).

³⁰ See proposed Tariff § I (Definitions-E-F) (setting forth revised definitions of Extended Primary Reserve Requirement and Extended Synchronized Reserve


the permanent second step because it represents the statistical mean of the reserve deficits that were observed in real-time by PJM's RT SCED application over a 14-month historical period, but that were unable to be priced as shortages using the ORDC because the reserve deficit was not also observed by PJM's IT SCED application, plus one standard deviation.³¹ Because extension of the permanent second step will result in resources being incentivized by the \$300/MWh price signal to respond earlier than they are under the current ORDC, basing this amount on observed reserve shortages is a sound and reasonable approach, and will help ensure that the higher \$850/MWh first step is only triggered during times of more severe shortages. This approach also recognizes the additional, yet lower, reliability value provided by carrying additional reserve capability beyond what is needed to respond to the single largest contingency.

Accordingly, the reserve requirement for the extended second step, which is shown as "Step 2B" on Figure 2 below, will be set at the Primary Reserve Requirement or Synchronized Reserve Requirement, plus 190 MW, plus any additional reserves that PJM schedules under emergency conditions. The penalty factors for both the new permanent second step and the extended second step will be set at \$300/MWh.

Requirement). Additionally, PJM specified that this second step will be permanent by updating its Manual. *See* March 2017 Manual 11 Revisions. This is consistent with its definitions of Extended Primary Reserve Requirement and Extended Synchronized Reserve Requirement. *See* Tariff § I (Definitions-E-F) ("Extended Primary Reserve Requirement' shall equal the Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Primary Reserve Requirement is calculated in accordance with the PJM Manuals."); *id.* ("Extended Synchronized Reserve Requirement' shall equal the Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.").


³¹ For a discussion of the evaluation of synchronized reserve deficits in the Mid-Atlantic Dominion sub-zone from July 2015 through September 2016, see Markets and Reliability Committee-Special Session, *Shortage Pricing ORDC - Order 825, PJM Interconnection, L.L.C.* (Oct. 26, 2016), <http://www.pjm.com/~media/committees-groups/committees/mic/20161026-special/20161026-item-03-shortage-ordc.ashx>.

Figure 2: Proposed Permanent Two-Stepped ORDC



Because the Primary Reserve Requirement and Synchronized Reserve Requirement are based on the real-time output of the largest contingency, the MW value on the x-axis of the demand curves used in market clearing changes dynamically in each real-time market-clearing case. Figure 3 below sets forth an example of what the ORDC for Synchronized Reserves would look like if the single-largest contingency was 1,210 MW for the specific case execution.

Figure 3: Example of PJM’s Proposal for Synchronized Reserve



B. Summary of PJM’s Proposal

PJM’s proposed revisions are just and reasonable and should be accepted by the Commission. Reducing the first step of the ORDC will lower the likelihood of triggering \$850/MWh Reserve Penalty Factor pricing until the system conditions are more severe than when they would otherwise be triggered today. Moreover, adding the permanent second step, which is the topic of this filing, will lessen the operational volatility that can result from transient shortages by more accurately valuing small reserve deficiencies at a value lower than \$850/MWh. Accordingly, PJM’s proposal will provide a more rational linkage between market clearing prices and the level of reserve shortage, and provide a smoother transition into shortage conditions. This will in turn lead to less rate volatility as operational conditions worsen.

C. Tariff Revisions

The inclusion of the permanent second step to the ORDC will require minimal revisions to the Tariff and Operating Agreement. PJM proposes only to revise the definitions of Extended Primary Reserve Requirement and Extended Synchronized Reserve Requirement to include the additional 190 MW that is being added to the second step of the ORDC.³²

PJM also proposes minor revisions to Tariff, Attachment K-Appendix, section 2.5(b), which addresses the calculation of real-time prices. Specifically, PJM will add the word “lowest” before “applicable Reserve Penalty Factor” in two places to provide clarity as to which Penalty Factor will apply in the calculation of Locational Marginal Prices. This revision is necessary because, as a result of adding the second permanent step, the ORDC will now always have two Penalty Factors on the y-axis—one for the reserve requirement and one for the extended reserve requirement.

Finally, PJM is proposing other clarifying changes to Tariff, Attachment K-Appendix. Specifically, PJM is revising section 3.2.3A, which addresses Synchronized Reserve, to delete language regarding the phase-in of the Reserve Penalty Factors for the Synchronized Reserve Requirement and to clarify that the Reserve Penalty Factor shall be \$850/MWh. PJM is also properly capitalizing terms Voltage Reduction Action and Manual Load Dump Action in section 3.2.3A(d):

If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a ~~v~~Voltage ~~r~~Reduction ~~a~~Action as described in the PJM Manuals or a ~~m~~Manual ~~l~~Load ~~d~~Dump ~~a~~Action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

~~The Reserve Penalty Factors for the Synchronized Reserve Requirement shall each be phased in as described below:~~

- ~~i. \$250/MWh for the 2012/2013 Delivery Year;~~
- ~~ii. \$400/MWh for the 2013/2014 Delivery Year;~~
- ~~iii. \$550/MWh for the 2014/2015 Delivery Year; and~~
- ~~iv. \$850/MWh as of the 2015/2016 Delivery Year.~~

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.³³

³² See proposed Tariff § I (Definitions-E-F).

³³ See proposed Tariff, Attachment K-Appendix § 3.2.3A(d).

PJM is making similar revisions to section 3.2.3A.001, which addresses Non-Synchronized Reserve.³⁴

III. Stakeholder Review

On March 23, 2017, PJM's Markets and Reliability Committee endorsed the changes proposed herein by acclimation with no objections and one abstention.³⁵ On April 27, 2017, PJM's Members Committee endorsed and approved the changes proposed herein by acclimation with no objections and no abstentions.³⁶

IV. Effective Date

PJM requests that the Commission issue an order by no later than July 12, 2017, with an effective date of July 12, 2017 for the proposed revisions, in accordance with the 60-day notice requirement in section 35.3(a)(1) of the Commission's Regulations, 18 C.F.R. 35.3(a)(1). Alternatively, should no quorum of Commissioners exist as of April 11, 2017, PJM requests that these proposed revisions be allowed to go into effect by operation of law. Allowing these revisions to go into effect (should there be no Commission quorum) is in the public interest as this filing will provide a more rational linkage between market clearing prices and the level of reserve shortage, a smoother transition into shortage conditions, and less rate volatility.

V. Documents Enclosed

1. Attachment A – redline version of the revised sections of the electronic Tariff and Operating Agreement; and
2. Attachment B – clean version of the revised sections of the electronic Tariff and Operating Agreement.

³⁴ See proposed Tariff, Attachment K-Appendix § 3.2.3A.001(d).

³⁵ See Markets and Reliability Committee, *Minutes*, PJM Interconnection, L.L.C., 1 (Mar. 23, 2017), <http://www.pjm.com/~media/committees-groups/committees/mrc/20170427/20170427-item-01-draft-minutes-mrc-20170323.ashx>.

³⁶ See *supra* note 5.

VI. Communications

Correspondence and communications with respect to this filing should be sent to, and PJM requests that the Commission include on the official service list for this proceeding, the following individuals:³⁷

Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
Craig.Glazer@pjm.com

Steven Shparber
Counsel
PJM Interconnection, L.L.C.
2750 Monroe Blvd.
Audubon, PA 19403
(610) 666-8933 (phone)
(610) 666-8211 (fax)
Steven.Shparber@pjm.com

Paul M. Flynn
Ryan J. Collins
Brett K. White
Wright & Talisman, P.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 393-1200 (phone)
(202) 393-1240 (fax)
flynn@wrightlaw.com
collins@wrightlaw.com
white@wrightlaw.com

VII. Service

PJM has served a copy of this filing on all PJM members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission's regulations,³⁸ PJM will post a copy of this filing to the FERC filings section of its internet site, located at the following link: <http://www.pjm.com/documents/ferc-manuals/ferc-filings.aspx> with a specific link to the newly-filed document, and will send an e-mail on the same date as this filing to all PJM members and all state utility regulatory commissions in the PJM Region³⁹ alerting them that this filing has been made by PJM and is available by following such link. PJM also serves the parties listed on the Commission's official service list for this docket. If the document is not immediately available by using the referenced link, the document will be available through the referenced link within 24 hours of the filing. Also, a copy of this filing will be available on the FERC's eLibrary website located at the following link:

³⁷ PJM requests a waiver of Rule 203(b)(3) of the Commission's Rules of Practice and Procedure, 18 C.F.R. § 385.203(b)(3), to permit all of the individuals listed in this section to be included on the Commission's service list for this proceeding.

³⁸ See 18 C.F.R. §§ 35.2(e) and 385.2010(f)(3).

³⁹ PJM already maintains, updates and regularly uses e-mail lists for all PJM members and affected state commissions.

<http://www.ferc.gov/docs-filing/elibrary.asp> in accordance with the Commission's regulations and Order No. 714.

VIII. Conclusion

For all of the foregoing reasons, PJM respectfully requests that the Commission accept this Filing as just and reasonable, effective as discussed above.

Respectfully submitted,

/s/ Ryan J. Collins

Paul M. Flynn
Ryan J. Collins
Brett K. White
Wright & Talisman, P.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 393-1200 (phone)
(202) 393-1240 (fax)
flynn@wrightlaw.com
collins@wrightlaw.com
white@wrightlaw.com

Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
Craig.Glazer@pjm.com

Steven Shparber
Counsel
PJM Interconnection, L.L.C.
2750 Monroe Blvd.
Audubon, PA 19403
(610) 666-8933 (phone)
(610) 666-8211 (fax)
Steven.Shparber@pjm.com

*Attorneys for
PJM Interconnection, L.L.C.*

Attachment A

Revisions to the PJM Open Access Transmission Tariff and Operating Agreement

(Marked / Redline Format)

Revisions to the PJM Open Access Transmission Tariff

(Marked / Redline Format)

Definitions – E - F

Economic-based Enhancement or Expansion:

“Economic-based Enhancement or Expansion” shall have the same meaning provided in the Operating Agreement.

Economic Load Response Participant:

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Operating Agreement, Schedule 1, section 1.5A, and the parallel provisions of Tariff, Attachment K-Appendix, to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

Economic Maximum:

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Effective FTR Holder:

“Effective FTR Holder” shall mean:

- (i) For an FTR Holder that is either a (a) privately held company, or (b) a municipality or electric cooperative, as defined in the Federal Power Act, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other entity that is under common ownership, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (ii) For an FTR Holder that is a publicly traded company including a wholly owned subsidiary of a publicly traded company, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other PJM Member has over 10% common ownership with the FTR Holder, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (iii) an FTR Holder together with any other PJM Member, including also any Affiliate, subsidiary or parent of such other PJM Member, with which it shares common ownership, wholly or partly, directly or indirectly, in any third entity which is a PJM Member (e.g., a joint venture).

EFORd:

“EFORd” shall have the meaning specified in the PJM Reliability Assurance Agreement.

Electrical Distance:

“Electrical Distance” shall mean, for a Generation Capacity Resource geographically located outside the metered boundaries of the PJM Region, the measure of distance, based on impedance and in accordance with the PJM Manuals, from the Generation Capacity Resource to the PJM Region.

Eligible Customer:

“Eligible Customer” shall mean:

(i) Any electric utility (including any Transmission Owner and any power marketer), Federal power marketing agency, or any person generating electric energy for sale for resale is an Eligible Customer under the Tariff. Electric energy sold or produced by such entity may be electric energy produced in the United States, Canada or Mexico. However, with respect to transmission service that the Commission is prohibited from ordering by Section 212(h) of the Federal Power Act, such entity is eligible only if the service is provided pursuant to a state requirement that the Transmission Provider or Transmission Owner offer the unbundled transmission service, or pursuant to a voluntary offer of such service by a Transmission Owner.

(ii) Any retail customer taking unbundled transmission service pursuant to a state requirement that the Transmission Provider or a Transmission Owner offer the transmission service, or pursuant to a voluntary offer of such service by a Transmission Owner, is an Eligible Customer under the Tariff. As used in Tariff, Part VI, Eligible Customer shall mean only those Eligible Customers that have submitted a Completed Application.

Emergency Action:

“Emergency Action” shall mean any emergency action for locational or system-wide capacity shortages that either utilizes pre-emergency mandatory load management reductions or other emergency capacity, or initiates a more severe action including, but not limited to, a Voltage Reduction Warning, Voltage Reduction Action, Manual Load Dump Warning, or Manual Load Dump Action.

Emergency Condition:

“Emergency Condition” shall mean a condition or situation (i) that in the judgment of any Interconnection Party is imminently likely to endanger life or property; or (ii) that in the judgment of the Interconnected Transmission Owner or Transmission Provider is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Transmission System, the Interconnection Facilities, or the transmission systems or distribution systems to which the Transmission System is directly or indirectly connected; or (iii) that in the judgment of Interconnection Customer is imminently likely (as determined in a non-discriminatory manner) to cause damage to the Customer Facility or to the Customer Interconnection Facilities. System restoration and black start shall be considered Emergency Conditions, provided that a Generation Interconnection Customer is not

obligated by an Interconnection Service Agreement to possess black start capability. Any condition or situation that results from lack of sufficient generating capacity to meet load requirements or that results solely from economic conditions shall not constitute an Emergency Condition, unless one or more of the enumerated conditions or situations identified in this definition also exists.

Emergency Load Response Program:

“Emergency Load Response Program” shall mean the program by which Curtailment Service Providers may be compensated by PJM for Demand Resources that will reduce load when dispatched by PJM during emergency conditions, and is described in Operating Agreement, Schedule 1, section 8 and the parallel provisions of Tariff, Attachment K-Appendix.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

Energy Market Opportunity Cost:

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations, and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

Energy Resource:

“Energy Resource” shall mean a generating facility that is not a Capacity Resource.

Energy Settlement Area:

“Energy Settlement Area” shall mean the bus or distribution of busses that represents the physical location of Network Load and by which the obligations of the Network Customer to PJM are settled.

Energy Storage Resource:

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

Energy Transmission Injection Rights:

“Energy Transmission Injection Rights” shall mean the rights to schedule energy deliveries at a specified point on the Transmission System. Energy Transmission Injection Rights may be awarded only to a Merchant D.C. Transmission Facility that connects the Transmission System to another control area. Deliveries scheduled using Energy Transmission Injection Rights have rights similar to those under Non-Firm Point-to-Point Transmission Service.

Environmental Laws:

“Environmental Laws” shall mean applicable Laws or Regulations relating to pollution or protection of the environment, natural resources or human health and safety.

Environmentally-Limited Resource:

“Environmentally-Limited Resource” shall mean a resource which has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited by a governmental authority to operating only during declared PJM capacity emergencies.

Equivalent Load:

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

Export Credit Exposure:

“Export Credit Exposure” is determined for each Market Participant for a given Operating Day, and shall mean the sum of credit exposures for the Market Participant’s Export Transactions for that Operating Day and for the preceding Operating Day.

Export Nodal Reference Price:

“Export Nodal Reference Price” at each location is the 97th percentile, shall be, the real-time hourly integrated price experienced over the corresponding two-month period in the preceding calendar year, calculated separately for peak and off-peak time periods. The two-month time periods used in this calculation shall be January and February, March and April, May and June, July and August, September and October, and November and December.

Export Transaction:

“Export Transaction” shall be a transaction by a Market Participant that results in the transfer of energy from within the PJM Control Area to outside the PJM Control Area. Coordinated External Transactions that result in the transfer of energy from the PJM Control Area to an adjacent Control Area are one form of Export Transaction.

Export Transaction Price Factor:

“Export Transaction Price Factor” for a prospective time interval shall be the greater of (i) PJM’s forecast price for the time interval, if available, or (ii) the Export Nodal Reference Price, but shall not exceed the Export Transaction’s dispatch ceiling price cap, if any, for that time interval. The Export Transaction Price Factor for a past time interval shall be calculated in the same manner as for a prospective time interval, except that the Export Transaction Price Factor may use a tentative or final settlement price, as available. If an Export Nodal Reference Price is not available for a particular time interval, PJM may use an Export Transaction Price Factor for that time interval based on an appropriate alternate reference price.

Export Transaction Screening:

“Export Transaction Screening” shall be the process PJM uses to review the Export Credit Exposure of Export Transactions against the Credit Available for Export Transactions, and deny or curtail all or a portion of an Export Transaction, if the credit required for such transactions is greater than the credit available for the transactions.

Export Transactions Net Activity:

“Export Transactions Net Activity” shall mean the aggregate net total, resulting from Export Transactions, of (i) Spot Market Energy charges, (ii) Transmission Congestion Charges, and (iii) Transmission Loss Charges, calculated as set forth in Operating Agreement, Schedule 1 and the parallel provisions of Tariff, Attachment K-Appendix. Export Transactions Net Activity may be positive or negative.

Extended Primary Reserve Requirement:

“Extended Primary Reserve Requirement” shall equal the Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone, **plus 190 MW**, plus **any** additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Primary Reserve Requirement is calculated in accordance with the PJM Manuals.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

Extended Summer Resource Price Adder:

“Extended Summer Resource Price Adder” shall mean, for Delivery Years through May 31, 2018, an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

Extended Synchronized Reserve Requirement:

“Extended Synchronized Reserve Requirement” shall equal the Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus 190 MW, plus any additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

External Market Buyer:

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

External Resource:

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

Facilities Study:

“Facilities Study” shall be an engineering study conducted by the Transmission Provider (in coordination with the affected Transmission Owner(s)) to: (1) determine the required modifications to the Transmission Provider’s Transmission System necessary to implement the conclusions of the System Impact Study; and (2) complete any additional studies or analyses documented in the System Impact Study or required by PJM Manuals, and determine the required modifications to the Transmission Provider’s Transmission System based on the conclusions of such additional studies. The Facilities Study shall include the cost and scheduled completion date for such modifications, that will be required to provide the requested transmission service or to accommodate a New Service Request. As used in the Interconnection Service Agreement or Construction Service Agreement, Facilities Study shall mean that certain Facilities Study conducted by Transmission Provider (or at its direction) to determine the design and specification of the Customer Funded Upgrades necessary to accommodate the New Service Customer’s New Service Request in accordance with Tariff, Part VI, section 207.

Federal Power Act:

“Federal Power Act” shall mean the Federal Power Act, as amended, 16 U.S.C. §§ 791a, et seq.

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over the Tariff, Operating Agreement and Reliability Assurance Agreement.

FERC Market Rules:

“FERC Market Rules” mean the market behavior rules and the prohibition against electric energy market manipulation codified by the Commission in its Rules and Regulations at 18 CFR §§ 1c.2 and 35.37, respectively; the Commission-approved PJM Market Rules and any related proscriptions or any successor rules that the Commission from time to time may issue, approve or otherwise establish.

Final RTO Unforced Capacity Obligation:

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

Financial Close:

“Financial Close” shall mean the Capacity Market Seller has demonstrated that the Capacity Market Seller or its agent has completed the act of executing the material contracts and/or other documents necessary to (1) authorize construction of the project and (2) establish the necessary funding for the project under the control of an independent third-party entity. A sworn, notarized certification of an independent engineer certifying to such facts, and that the engineer has personal knowledge of, or has engaged in a diligent inquiry to determine, such facts, shall be sufficient to make such demonstration. For resources that do not have external financing, Financial Close shall mean the project has full funding available, and that the project has been duly authorized to proceed with full construction of the material portions of the project by the appropriate governing body of the company funding such project. A sworn, notarized certification by an officer of such company certifying to such facts, and that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, such facts, shall be sufficient to make such demonstration.

Financial Transmission Right:

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2 and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Obligation:

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(b), and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Option:

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(c), and the parallel provisions of Tariff, Attachment K-Appendix.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Transmission Service under the Tariff that is reserved and/or scheduled between specified Points of Receipt and Delivery pursuant to Tariff, Part II.

Firm Transmission Withdrawal Rights:

“Firm Transmission Withdrawal Rights” shall mean the rights to schedule energy and capacity withdrawals from a Point of Interconnection of a Merchant Transmission Facility with the Transmission System. Firm Transmission Withdrawal Rights may be awarded only to a Merchant D.C. Transmission Facility that connects the Transmission System with another control area. Withdrawals scheduled using Firm Transmission Withdrawal Rights have rights similar to those under Firm Point-to-Point Transmission Service.

First Incremental Auction:

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

Forecast Pool Requirement:

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

Foreign Guaranty:

“Foreign Guaranty” shall mean a Corporate Guaranty provided by an Affiliate of a Participant that is domiciled in a foreign country, and meets all of the provisions of Tariff, Attachment Q.

Form 715 Planning Criteria:

“Form 715 Planning Criteria” shall have the same meaning provided in the Operating Agreement.

FTR Credit Limit:

“FTR Credit Limit” shall mean the amount of credit established with PJMSettlement that an FTR Participant has specifically designated to be used for FTR activity in a specific customer account. Any such credit so set aside shall not be considered available to satisfy any other credit requirement the FTR Participant may have with PJMSettlement.

FTR Credit Requirement:

“FTR Credit Requirement” shall mean the amount of credit that a Participant must provide in order to support the FTR positions that it holds and/or for which it is bidding. The FTR Credit Requirement shall not include months for which the invoicing has already been completed, provided that PJM Settlement shall have up to two Business Days following the date of the invoice completion to make such adjustments in its credit systems. FTR Credit Requirements are calculated and applied separately for each separate customer account.

FTR Flow Undiversified:

“FTR Flow Undiversified” shall have the meaning established in Tariff, Attachment Q, section V.G.

FTR Historical Value:

For each FTR for each month, “FTR Historical Value” shall mean the historical weighted average value over three years for the FTR path using the following weightings: 50% - most recent year; 30% - second year; 20% - third year. FTR Historical Values shall be calculated separately for on-peak, off-peak, and 24-hour FTRs for each month of the year. FTR Historical Values shall be adjusted by plus or minus ten percent (10%) for cleared counterflow or normal flow FTRs, respectively, in order to mitigate exposure due to uncertainty and fluctuations in actual FTR value.

FTR Holder:

“FTR Holder” shall mean the PJM Member that has acquired and possesses an FTR.

FTR Monthly Credit Requirement Contribution:

For each FTR, for each month, “FTR Monthly Credit Requirement Contribution” shall mean the total FTR cost for the month, prorated on a daily basis, less the FTR Historical Value for the month. For cleared FTRs, this contribution may be negative; prior to clearing, FTRs with negative contribution shall be deemed to have zero contribution.

FTR Net Activity:

“FTR Net Activity” shall mean the aggregate net value of the billing line items for auction revenue rights credits, FTR auction charges, FTR auction credits, and FTR congestion credits, and shall also include day-ahead and balancing/real-time congestion charges up to a maximum net value of the sum of the foregoing auction revenue rights credits, FTR auction charges, FTR auction credits and FTR congestion credits.

FTR Participant:

“FTR Participant” shall mean any Market Participant that provides or is required to provide Collateral in order to participate in PJM’s FTR auctions.

FTR Portfolio Auction Value:

“FTR Portfolio Auction Value” shall mean for each customer account of a Market Participant, the sum, calculated on a monthly basis, across all FTRs, of the FTR price times the FTR volume in MW.

Full Notice to Proceed:

“Full Notice to Proceed” shall mean that all material third party contractors have been given the notice to proceed with construction by the Capacity Market Seller or its agent, with a guaranteed completion date backed by liquidated damages.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the lowest applicable Reserve Penalty Factor for those reserve requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor(s) shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the lowest applicable Reserve Penalty Factor(s) associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor(s) for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the

Interconnection may include, but are not limited to, the Maximum *Generation* Emergency Alert, Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the applicable Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve

Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Tie Lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unit-specific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer

in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by

historical performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

$$\text{Correlation Score} = r_{\text{Signal,Response}(\delta, \delta+5 \text{ Min})}; \\ \delta=0 \text{ to } 5 \text{ Min}$$

where δ is delay.

The Office of the Interconnection shall calculate the delay score using the following equation:

$$\text{Delay Score} = \text{Abs} ((\delta - 5 \text{ Minutes}) / (5 \text{ Minutes})).$$

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ϵ) as a function of the resource's Regulation capacity using the following equations:

$$\text{Energy Score} = 1 - 1/n \sum \text{Abs} (\text{Error});$$

Error = Average of Abs ((Response - Regulation Signal) / (Hourly Average Regulation Signal)); and

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

$$\text{Accuracy Score} = \text{max} ((\text{Delay Score}) + (\text{Correlation Score})) + (\text{Energy Score}).$$

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

(iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third supplier result in a residual supply index greater than 1.0, at which point the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA

Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource

can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for

which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A * B) - C$.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

- (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.
- (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:
 - 1) the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit,

minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as $(A*B) - (C+D)$. The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market, or

- 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output

from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for generation resources *not following dispatch*, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared (“Maximum Generation Emergency Alert”); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as “MaxGen Conditions”). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller’s lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the

unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described *below and* in the PJM Manuals.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum \leq 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum \geq 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = \frac{(\text{UDStarget}_{t-1} - \text{AOutput}_{t-1})}{(\text{UDSLAtime}_{t-1})}$$
$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is \leq 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.
- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is $\leq 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is $> 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh - Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual

reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined in section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of

load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

(r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.

(b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve

Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions (“Tier 2 Synchronized Reserve”) shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a ~~v~~Voltage ~~r~~Reduction ~~a~~Action as described in the PJM Manuals or a ~~m~~Manual ~~l~~Load ~~d~~Dump ~~a~~Action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

~~The Reserve Penalty Factors for the Synchronized Reserve Requirement shall each be phased in as described below:~~

- ~~i. \$250/MWh for the 2012/2013 Delivery Year;~~
- ~~ii. \$400/MWh for the 2013/2014 Delivery Year;~~
- ~~iii. \$550/MWh for the 2014/2015 Delivery Year; and~~
- ~~iv. \$850/MWh as of the 2015/2016 Delivery Year.~~

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the

generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the

end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes. .

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

~~The Reserve Penalty Factors for the Primary Reserve Requirement shall each be phased in as described below:~~

- ~~i. \$250/MWh for the 2012/2013 Delivery Year;~~
- ~~ii. \$400/MWh for the 2013/2014 Delivery Year;~~
- ~~iii. \$550/MWh for the 2014/2015 Delivery Year; and~~
- ~~iv. \$850/MWh as of the 2015/2016 Delivery Year.~~

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the

lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the *cleared megawatt quantity of Day-ahead Scheduling Reserves* in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement ("Base Day-ahead Scheduling Reserves credits") shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources, and are allocated as Base Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement ("Additional Day-ahead Scheduling Reserves credits") shall equal the ratio of the Additional Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves charges per paragraph (ii) below.

(i) A Market Participant's Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant's hourly obligation to the total hourly obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant's load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant's total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A Market Participant's hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.

(ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in excess of its amount of cleared Increment Offers in the Day-ahead Energy Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) $\{(URTLMP - UDALMP) \times DAG$, or (ii) $\{(URTLMP - UB) \times DAG$ where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a *market*-based schedule and the offer associated with that *market*-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where $URTLMP - UDALMP$ and $URTLMP - UB$ shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to $\{(AG - LMPDMW) \times (UB - URTLMP)\}$ where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where $UB - URTLMP$ shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations

of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element (“contingency flow”) exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility (“post-contingency operation”). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit’s operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource’s hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource’s start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit’s cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its

net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

Revisions to the PJM Operating Agreement
(Marked / Redline Format)

Definitions E - F

Economic-based Enhancement or Expansion:

“Economic-based Enhancement or Expansion” shall mean an enhancement or expansion described in Section 1.5.7(b) (i) – (iii) of Schedule 6 of the Operating Agreement that is designed to relieve transmission constraints that have an economic impact.

Economic Load Response Participant:

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Operating Agreement, Schedule 1, section 1.5A, and the parallel provisions of Tariff, Attachment K-Appendix to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

Economic Maximum:

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Economic Minimum:

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Effective Date:

“Effective Date” shall mean August 1, 1997, or such later date that FERC permits the Operating Agreement to go into effect.

Effective FTR Holder:

“Effective FTR Holder” shall mean:

- (i) For an FTR Holder that is either a (a) privately held company, or (b) a municipality or electric cooperative, as defined in the Federal Power Act, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other entity that is under common ownership, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (ii) For an FTR Holder that is a publicly traded company including a wholly owned subsidiary of a publicly traded company, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other PJM Member has over 10% common

ownership with the FTR Holder, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or

(iii) an FTR Holder together with any other PJM Member, including also any Affiliate, subsidiary or parent of such other PJM Member, with which it shares common ownership, wholly or partly, directly or indirectly, in any third entity which is a PJM Member (e.g., a joint venture).

Electric Distributor:

“Electric Distributor” shall mean a Member that: 1) owns or leases with rights equivalent to ownership electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean: (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

Emergency Load Response Program:

“Emergency Load Response Program” shall mean the program by which Curtailment Service Providers may be compensated by PJM for Demand Resources that will reduce load when dispatched by PJM during emergency conditions, and is described in Operating Agreement, Schedule 1, section 8 and the parallel provisions of Tariff, Attachment K-Appendix.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region. A Member that is a retail end-user that owns generation may qualify as an End-Use customer if: (1) the average physical unforced capacity owned by the Member and its affiliates in the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average PJM capacity obligation for the Member and its affiliates over the same time period; or (2) the average energy produced by the Member and its affiliates within the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average energy consumed by that Member and its affiliates within the PJM region over the same time period. The foregoing notwithstanding, taking retail service may not be sufficient to qualify a Member as an End-Use Customer.

Energy Market Opportunity Cost:

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

Energy Storage Resource:

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

Equivalent Load:

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

Extended Primary Reserve Requirement:

“Extended Primary Reserve Requirement” shall equal the Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone, **plus 190 MW**, plus **any** additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Primary Reserve Requirement is calculated in accordance with the PJM Manuals.

Extended Synchronized Reserve Requirement:

“Extended Synchronized Reserve Requirement” shall equal the Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone, **plus 190 MW**, plus **any** additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

External Market Buyer:

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

External Resource:

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over the Operating Agreement.

Finance Committee:

“Finance Committee” shall mean the body formed pursuant to Operating Agreement, section 7.5.1.

Financial Transmission Right:

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2, and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Obligation:

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(b), and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Option:

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(c), and the parallel provisions of Tariff, Attachment K-Appendix.

Form 715 Planning Criteria:

“Form 715 Planning Criteria” shall mean individual Transmission Owner FERC-filed planning criteria as described in Operating Agreement, Schedule 6, section 1.2(e) and filed with FERC Form No. 715 and posted on the PJM website.

FTR Holder:

“FTR Holder” shall mean the PJM Member that has acquired and possesses an FTR.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the lowest applicable Reserve Penalty Factor for those reserve requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor(s) shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the lowest applicable Reserve Penalty Factor(s) associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor(s) for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the Interconnection may include, but are not limited to, the Maximum *Generation* Emergency Alert,

Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the applicable Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-

Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Tie Lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unit-specific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a

Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by historical

performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

$$\text{Correlation Score} = r_{\text{Signal,Response}(\delta, \delta+5 \text{ Min})};$$

$\delta=0 \text{ to } 5 \text{ Min}$

where δ is delay.

The Office of the Interconnection shall calculate the delay score using the following equation:

$$\text{Delay Score} = \text{Abs} ((\delta - 5 \text{ Minutes}) / (5 \text{ Minutes})).$$

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ϵ) as a function of the resource's Regulation capacity using the following equations:

$$\text{Energy Score} = 1 - 1/n \sum \text{Abs} (\text{Error});$$

$$\text{Error} = \text{Average of Abs} ((\text{Response} - \text{Regulation Signal}) / (\text{Hourly Average Regulation Signal})); \text{ and}$$

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

$$\text{Accuracy Score} = \text{max} ((\text{Delay Score}) + (\text{Correlation Score})) + (\text{Energy Score}).$$

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

- (i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).
- (ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.
- (iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third supplier result in a residual supply index greater than 1.0, at which point

the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the

Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

- (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.
- (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the

Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:

- 1) the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit, minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as $(A*B) - (C+D)$. The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market; or
- 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the

requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market-based* schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for- generation resources *not following dispatch*, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in

megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

- (i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.
- (ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.
- (iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues a Maximum Generation Emergency Alert; or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the

amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation

resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described *below and* in the PJM Manuals.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

- (i) real-time economic minimum \leq 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.
- (ii) real-time economic maximum \geq 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = \frac{(\text{UDStarget}_{t-1} - \text{AOutput}_{t-1})}{(\text{UDSLAtime}_{t-1})}$$

$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is \leq 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.
- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is $\leq 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is $> 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh - Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined in section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation

charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

(r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.

(b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

- i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or

Demand Resources that reduce their load in response to a Synchronized Reserve Event (“Tier 1 Synchronized Reserve”) shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

- ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions (“Tier 2 Synchronized Reserve”) shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
- iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or

Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a ~~v~~Voltage ~~r~~Reduction ~~a~~Action as described in the PJM Manuals or a ~~m~~Manual ~~L~~oad ~~d~~Dump ~~a~~Action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

~~The Reserve Penalty Factors for the Synchronized Reserve Requirement shall each be phased in as described below:~~

- ~~i. — \$250/MWh for the 2012/2013 Delivery Year;~~
- ~~ii. — \$400/MWh for the 2013/2014 Delivery Year;~~
- ~~iii. — \$550/MWh for the 2014/2015 Delivery Year; and~~
- ~~iv. — \$850/MWh as of the 2015/2016 Delivery Year.~~

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and

instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes

after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-

Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

~~The Reserve Penalty Factors for the Primary Reserve Requirement shall each be phased in as described below:~~

- ~~i. \$250/MWh for the 2012/2013 Delivery Year;~~
- ~~ii. \$400/MWh for the 2013/2014 Delivery Year;~~
- ~~iii. \$550/MWh for the 2014/2015 Delivery Year; and~~
- ~~iv. \$850/MWh as of the 2015/2016 Delivery Year.~~

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource,

minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the *cleared megawatt quantity of Day-ahead*

Scheduling Reserves in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

- (i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.
- (ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.
- (iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.
- (iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the

scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement (“Base Day-ahead Scheduling Reserves credits”) shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources, and are allocated as Base Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement (“Additional Day-ahead Scheduling Reserves credits”) shall equal the ratio of the Additional Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves charges per paragraph (ii) below.

- (i) A Market Participant’s Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant’s hourly obligation to the total hourly obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant’s load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant’s total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A Market Participant’s hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.
- (ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in

excess of its amount of cleared Increment Offers in the Day-ahead Energy Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) $\{(URTLMP - UDALMP) \times DAG\}$, or (ii) $\{(URTLMP - UB) \times DAG\}$ where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a *market*-based schedule and the offer associated with that *market*-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where $URTLMP - UDALMP$ and $URTLMP - UB$ shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to $\{(AG - LMP_{DMW}) \times (UB - URTLMP)\}$ where:

AG equals the actual hourly integrated output of the unit;

LMP_{DMW} equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URLMP equals the real time LMP at the unit's bus; and

where $UB - URTLMP$ shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized

Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of

providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of

such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

Attachment B

Revisions to the PJM Open Access Transmission Tariff and Operating Agreement

(Clean Format)

**Revisions to the PJM Open Access Transmission
Tariff**

(Clean Format)

Definitions – E - F

Economic-based Enhancement or Expansion:

“Economic-based Enhancement or Expansion” shall have the same meaning provided in the Operating Agreement.

Economic Load Response Participant:

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Operating Agreement, Schedule 1, section 1.5A, and the parallel provisions of Tariff, Attachment K-Appendix, to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

Economic Maximum:

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Effective FTR Holder:

“Effective FTR Holder” shall mean:

- (i) For an FTR Holder that is either a (a) privately held company, or (b) a municipality or electric cooperative, as defined in the Federal Power Act, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other entity that is under common ownership, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (ii) For an FTR Holder that is a publicly traded company including a wholly owned subsidiary of a publicly traded company, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other PJM Member has over 10% common ownership with the FTR Holder, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (iii) an FTR Holder together with any other PJM Member, including also any Affiliate, subsidiary or parent of such other PJM Member, with which it shares common ownership, wholly or partly, directly or indirectly, in any third entity which is a PJM Member (e.g., a joint venture).

EFORd:

“EFORd” shall have the meaning specified in the PJM Reliability Assurance Agreement.

Electrical Distance:

“Electrical Distance” shall mean, for a Generation Capacity Resource geographically located outside the metered boundaries of the PJM Region, the measure of distance, based on impedance and in accordance with the PJM Manuals, from the Generation Capacity Resource to the PJM Region.

Eligible Customer:

“Eligible Customer” shall mean:

(i) Any electric utility (including any Transmission Owner and any power marketer), Federal power marketing agency, or any person generating electric energy for sale for resale is an Eligible Customer under the Tariff. Electric energy sold or produced by such entity may be electric energy produced in the United States, Canada or Mexico. However, with respect to transmission service that the Commission is prohibited from ordering by Section 212(h) of the Federal Power Act, such entity is eligible only if the service is provided pursuant to a state requirement that the Transmission Provider or Transmission Owner offer the unbundled transmission service, or pursuant to a voluntary offer of such service by a Transmission Owner.

(ii) Any retail customer taking unbundled transmission service pursuant to a state requirement that the Transmission Provider or a Transmission Owner offer the transmission service, or pursuant to a voluntary offer of such service by a Transmission Owner, is an Eligible Customer under the Tariff. As used in Tariff, Part VI, Eligible Customer shall mean only those Eligible Customers that have submitted a Completed Application.

Emergency Action:

“Emergency Action” shall mean any emergency action for locational or system-wide capacity shortages that either utilizes pre-emergency mandatory load management reductions or other emergency capacity, or initiates a more severe action including, but not limited to, a Voltage Reduction Warning, Voltage Reduction Action, Manual Load Dump Warning, or Manual Load Dump Action.

Emergency Condition:

“Emergency Condition” shall mean a condition or situation (i) that in the judgment of any Interconnection Party is imminently likely to endanger life or property; or (ii) that in the judgment of the Interconnected Transmission Owner or Transmission Provider is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Transmission System, the Interconnection Facilities, or the transmission systems or distribution systems to which the Transmission System is directly or indirectly connected; or (iii) that in the judgment of Interconnection Customer is imminently likely (as determined in a non-discriminatory manner) to cause damage to the Customer Facility or to the Customer Interconnection Facilities. System restoration and black start shall be considered Emergency Conditions, provided that a Generation Interconnection Customer is not

obligated by an Interconnection Service Agreement to possess black start capability. Any condition or situation that results from lack of sufficient generating capacity to meet load requirements or that results solely from economic conditions shall not constitute an Emergency Condition, unless one or more of the enumerated conditions or situations identified in this definition also exists.

Emergency Load Response Program:

“Emergency Load Response Program” shall mean the program by which Curtailment Service Providers may be compensated by PJM for Demand Resources that will reduce load when dispatched by PJM during emergency conditions, and is described in Operating Agreement, Schedule 1, section 8 and the parallel provisions of Tariff, Attachment K-Appendix.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

Energy Market Opportunity Cost:

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations, and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

Energy Resource:

“Energy Resource” shall mean a generating facility that is not a Capacity Resource.

Energy Settlement Area:

“Energy Settlement Area” shall mean the bus or distribution of busses that represents the physical location of Network Load and by which the obligations of the Network Customer to PJM are settled.

Energy Storage Resource:

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

Energy Transmission Injection Rights:

“Energy Transmission Injection Rights” shall mean the rights to schedule energy deliveries at a specified point on the Transmission System. Energy Transmission Injection Rights may be awarded only to a Merchant D.C. Transmission Facility that connects the Transmission System to another control area. Deliveries scheduled using Energy Transmission Injection Rights have rights similar to those under Non-Firm Point-to-Point Transmission Service.

Environmental Laws:

“Environmental Laws” shall mean applicable Laws or Regulations relating to pollution or protection of the environment, natural resources or human health and safety.

Environmentally-Limited Resource:

“Environmentally-Limited Resource” shall mean a resource which has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited by a governmental authority to operating only during declared PJM capacity emergencies.

Equivalent Load:

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

Export Credit Exposure:

“Export Credit Exposure” is determined for each Market Participant for a given Operating Day, and shall mean the sum of credit exposures for the Market Participant’s Export Transactions for that Operating Day and for the preceding Operating Day.

Export Nodal Reference Price:

“Export Nodal Reference Price” at each location is the 97th percentile, shall be, the real-time hourly integrated price experienced over the corresponding two-month period in the preceding calendar year, calculated separately for peak and off-peak time periods. The two-month time periods used in this calculation shall be January and February, March and April, May and June, July and August, September and October, and November and December.

Export Transaction:

“Export Transaction” shall be a transaction by a Market Participant that results in the transfer of energy from within the PJM Control Area to outside the PJM Control Area. Coordinated External Transactions that result in the transfer of energy from the PJM Control Area to an adjacent Control Area are one form of Export Transaction.

Export Transaction Price Factor:

“Export Transaction Price Factor” for a prospective time interval shall be the greater of (i) PJM’s forecast price for the time interval, if available, or (ii) the Export Nodal Reference Price, but shall not exceed the Export Transaction’s dispatch ceiling price cap, if any, for that time interval. The Export Transaction Price Factor for a past time interval shall be calculated in the same manner as for a prospective time interval, except that the Export Transaction Price Factor may use a tentative or final settlement price, as available. If an Export Nodal Reference Price is not available for a particular time interval, PJM may use an Export Transaction Price Factor for that time interval based on an appropriate alternate reference price.

Export Transaction Screening:

“Export Transaction Screening” shall be the process PJM uses to review the Export Credit Exposure of Export Transactions against the Credit Available for Export Transactions, and deny or curtail all or a portion of an Export Transaction, if the credit required for such transactions is greater than the credit available for the transactions.

Export Transactions Net Activity:

“Export Transactions Net Activity” shall mean the aggregate net total, resulting from Export Transactions, of (i) Spot Market Energy charges, (ii) Transmission Congestion Charges, and (iii) Transmission Loss Charges, calculated as set forth in Operating Agreement, Schedule 1 and the parallel provisions of Tariff, Attachment K-Appendix. Export Transactions Net Activity may be positive or negative.

Extended Primary Reserve Requirement:

“Extended Primary Reserve Requirement” shall equal the Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus 190 MW, plus any additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Primary Reserve Requirement is calculated in accordance with the PJM Manuals.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

Extended Summer Resource Price Adder:

“Extended Summer Resource Price Adder” shall mean, for Delivery Years through May 31, 2018, an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

Extended Synchronized Reserve Requirement:

“Extended Synchronized Reserve Requirement” shall equal the Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus 190 MW, plus any additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

External Market Buyer:

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

External Resource:

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

Facilities Study:

“Facilities Study” shall be an engineering study conducted by the Transmission Provider (in coordination with the affected Transmission Owner(s)) to: (1) determine the required modifications to the Transmission Provider’s Transmission System necessary to implement the conclusions of the System Impact Study; and (2) complete any additional studies or analyses documented in the System Impact Study or required by PJM Manuals, and determine the required modifications to the Transmission Provider’s Transmission System based on the conclusions of such additional studies. The Facilities Study shall include the cost and scheduled completion date for such modifications, that will be required to provide the requested transmission service or to accommodate a New Service Request. As used in the Interconnection Service Agreement or Construction Service Agreement, Facilities Study shall mean that certain Facilities Study conducted by Transmission Provider (or at its direction) to determine the design and specification of the Customer Funded Upgrades necessary to accommodate the New Service Customer’s New Service Request in accordance with Tariff, Part VI, section 207.

Federal Power Act:

“Federal Power Act” shall mean the Federal Power Act, as amended, 16 U.S.C. §§ 791a, et seq.

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over the Tariff, Operating Agreement and Reliability Assurance Agreement.

FERC Market Rules:

“FERC Market Rules” mean the market behavior rules and the prohibition against electric energy market manipulation codified by the Commission in its Rules and Regulations at 18 CFR §§ 1c.2 and 35.37, respectively; the Commission-approved PJM Market Rules and any related proscriptions or any successor rules that the Commission from time to time may issue, approve or otherwise establish.

Final RTO Unforced Capacity Obligation:

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

Financial Close:

“Financial Close” shall mean the Capacity Market Seller has demonstrated that the Capacity Market Seller or its agent has completed the act of executing the material contracts and/or other documents necessary to (1) authorize construction of the project and (2) establish the necessary funding for the project under the control of an independent third-party entity. A sworn, notarized certification of an independent engineer certifying to such facts, and that the engineer has personal knowledge of, or has engaged in a diligent inquiry to determine, such facts, shall be sufficient to make such demonstration. For resources that do not have external financing, Financial Close shall mean the project has full funding available, and that the project has been duly authorized to proceed with full construction of the material portions of the project by the appropriate governing body of the company funding such project. A sworn, notarized certification by an officer of such company certifying to such facts, and that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, such facts, shall be sufficient to make such demonstration.

Financial Transmission Right:

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2 and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Obligation:

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(b), and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Option:

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(c), and the parallel provisions of Tariff, Attachment K-Appendix.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Transmission Service under the Tariff that is reserved and/or scheduled between specified Points of Receipt and Delivery pursuant to Tariff, Part II.

Firm Transmission Withdrawal Rights:

“Firm Transmission Withdrawal Rights” shall mean the rights to schedule energy and capacity withdrawals from a Point of Interconnection of a Merchant Transmission Facility with the Transmission System. Firm Transmission Withdrawal Rights may be awarded only to a Merchant D.C. Transmission Facility that connects the Transmission System with another control area. Withdrawals scheduled using Firm Transmission Withdrawal Rights have rights similar to those under Firm Point-to-Point Transmission Service.

First Incremental Auction:

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

Forecast Pool Requirement:

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

Foreign Guaranty:

“Foreign Guaranty” shall mean a Corporate Guaranty provided by an Affiliate of a Participant that is domiciled in a foreign country, and meets all of the provisions of Tariff, Attachment Q.

Form 715 Planning Criteria:

“Form 715 Planning Criteria” shall have the same meaning provided in the Operating Agreement.

FTR Credit Limit:

“FTR Credit Limit” shall mean the amount of credit established with PJMSettlement that an FTR Participant has specifically designated to be used for FTR activity in a specific customer account. Any such credit so set aside shall not be considered available to satisfy any other credit requirement the FTR Participant may have with PJMSettlement.

FTR Credit Requirement:

“FTR Credit Requirement” shall mean the amount of credit that a Participant must provide in order to support the FTR positions that it holds and/or for which it is bidding. The FTR Credit Requirement shall not include months for which the invoicing has already been completed, provided that PJM Settlement shall have up to two Business Days following the date of the invoice completion to make such adjustments in its credit systems. FTR Credit Requirements are calculated and applied separately for each separate customer account.

FTR Flow Undiversified:

“FTR Flow Undiversified” shall have the meaning established in Tariff, Attachment Q, section V.G.

FTR Historical Value:

For each FTR for each month, “FTR Historical Value” shall mean the historical weighted average value over three years for the FTR path using the following weightings: 50% - most recent year; 30% - second year; 20% - third year. FTR Historical Values shall be calculated separately for on-peak, off-peak, and 24-hour FTRs for each month of the year. FTR Historical Values shall be adjusted by plus or minus ten percent (10%) for cleared counterflow or normal flow FTRs, respectively, in order to mitigate exposure due to uncertainty and fluctuations in actual FTR value.

FTR Holder:

“FTR Holder” shall mean the PJM Member that has acquired and possesses an FTR.

FTR Monthly Credit Requirement Contribution:

For each FTR, for each month, “FTR Monthly Credit Requirement Contribution” shall mean the total FTR cost for the month, prorated on a daily basis, less the FTR Historical Value for the month. For cleared FTRs, this contribution may be negative; prior to clearing, FTRs with negative contribution shall be deemed to have zero contribution.

FTR Net Activity:

“FTR Net Activity” shall mean the aggregate net value of the billing line items for auction revenue rights credits, FTR auction charges, FTR auction credits, and FTR congestion credits, and shall also include day-ahead and balancing/real-time congestion charges up to a maximum net value of the sum of the foregoing auction revenue rights credits, FTR auction charges, FTR auction credits and FTR congestion credits.

FTR Participant:

“FTR Participant” shall mean any Market Participant that provides or is required to provide Collateral in order to participate in PJM’s FTR auctions.

FTR Portfolio Auction Value:

“FTR Portfolio Auction Value” shall mean for each customer account of a Market Participant, the sum, calculated on a monthly basis, across all FTRs, of the FTR price times the FTR volume in MW.

Full Notice to Proceed:

“Full Notice to Proceed” shall mean that all material third party contractors have been given the notice to proceed with construction by the Capacity Market Seller or its agent, with a guaranteed completion date backed by liquidated damages.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the lowest applicable Reserve Penalty Factor for those reserve requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor(s) shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the lowest applicable Reserve Penalty Factor(s) associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor(s) for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the

Interconnection may include, but are not limited to, the Maximum *Generation* Emergency Alert, Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the applicable Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve

Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Tie Lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unit-specific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer

in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by

historical performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

$$\text{Correlation Score} = r_{\text{Signal,Response}(\delta, \delta+5 \text{ Min})}; \\ \delta=0 \text{ to } 5 \text{ Min}$$

where δ is delay.

The Office of the Interconnection shall calculate the delay score using the following equation:

$$\text{Delay Score} = \text{Abs} ((\delta - 5 \text{ Minutes}) / (5 \text{ Minutes})).$$

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ϵ) as a function of the resource's Regulation capacity using the following equations:

$$\text{Energy Score} = 1 - 1/n \sum \text{Abs} (\text{Error});$$

$$\text{Error} = \text{Average of Abs} ((\text{Response} - \text{Regulation Signal}) / (\text{Hourly Average Regulation Signal})); \text{ and}$$

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

$$\text{Accuracy Score} = \text{max} ((\text{Delay Score}) + (\text{Correlation Score})) + (\text{Energy Score}).$$

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

(iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third supplier result in a residual supply index greater than 1.0, at which point the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA

Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource

can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for

which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A * B) - C$.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

- (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.
- (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:
 - 1) the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit,

minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as $(A*B) - (C+D)$. The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market, or

- 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output

from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for generation resources *not following dispatch*, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared (“Maximum Generation Emergency Alert”); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as “MaxGen Conditions”). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller’s lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the

unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described *below and* in the PJM Manuals.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum \leq 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum \geq 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = \frac{(\text{UDS}_{\text{target}}_{t-1} - \text{AOutput}_{t-1})}{(\text{UDSLA}_{\text{time}}_{t-1})}$$
$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right)$$

where:

1. UDS_{target} = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is \leq 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.
- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is $\leq 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is $> 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh - Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual

reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined in section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of

load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

(r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.

(b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve

Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions (“Tier 2 Synchronized Reserve”) shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a Voltage Reduction Action as described in the PJM Manuals or a Manual Load Dump Action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this

calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes. .

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the *cleared megawatt quantity of Day-ahead Scheduling Reserves* in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest

consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the “ending MW usage” (as defined above) and (ii) the Batch Load Demand Resource’s consumption during the minute within the ten minutes after the time of the “ending MW usage” in which the Batch Load Demand Resource’s consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement (“Base Day-ahead Scheduling Reserves credits”) shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources, and are allocated as Base Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement (“Additional Day-ahead Scheduling Reserves credits”) shall equal the ratio of the Additional Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves charges per paragraph (ii) below.

(i) A Market Participant’s Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant’s hourly obligation to the total hourly obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant’s load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant’s total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A

Market Participant's hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.

- (ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in excess of its amount of cleared Increment Offers in the Day-ahead Energy Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the

generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) $\{(URTLMP - UDALMP) \times DAG\}$, or (ii) $\{(URTLMP - UB) \times DAG\}$ where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a *market*-based schedule and the offer associated with that *market*-based schedule is less

than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where $URTLMP - UDALMP$ and $URTLMP - UB$ shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to $\{(AG - LMPDMW) \times (UB - URTLMP)\}$ where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where $UB - URTLMP$ shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or

suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be

notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant

based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

Revisions to the PJM Operating Agreement

(Clean Format)

Definitions E - F

Economic-based Enhancement or Expansion:

“Economic-based Enhancement or Expansion” shall mean an enhancement or expansion described in Section 1.5.7(b) (i) – (iii) of Schedule 6 of the Operating Agreement that is designed to relieve transmission constraints that have an economic impact.

Economic Load Response Participant:

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Operating Agreement, Schedule 1, section 1.5A, and the parallel provisions of Tariff, Attachment K-Appendix to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

Economic Maximum:

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Economic Minimum:

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

Effective Date:

“Effective Date” shall mean August 1, 1997, or such later date that FERC permits the Operating Agreement to go into effect.

Effective FTR Holder:

“Effective FTR Holder” shall mean:

- (i) For an FTR Holder that is either a (a) privately held company, or (b) a municipality or electric cooperative, as defined in the Federal Power Act, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other entity that is under common ownership, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or
- (ii) For an FTR Holder that is a publicly traded company including a wholly owned subsidiary of a publicly traded company, such FTR Holder, together with any Affiliate, subsidiary or parent of the FTR Holder, any other PJM Member has over 10% common

ownership with the FTR Holder, wholly or partly, directly or indirectly, or has the ability to influence, directly or indirectly, the management or policies of the FTR Holder; or

(iii) an FTR Holder together with any other PJM Member, including also any Affiliate, subsidiary or parent of such other PJM Member, with which it shares common ownership, wholly or partly, directly or indirectly, in any third entity which is a PJM Member (e.g., a joint venture).

Electric Distributor:

“Electric Distributor” shall mean a Member that: 1) owns or leases with rights equivalent to ownership electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean: (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

Emergency Load Response Program:

“Emergency Load Response Program” shall mean the program by which Curtailment Service Providers may be compensated by PJM for Demand Resources that will reduce load when dispatched by PJM during emergency conditions, and is described in Operating Agreement, Schedule 1, section 8 and the parallel provisions of Tariff, Attachment K-Appendix.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region. A Member that is a retail end-user that owns generation may qualify as an End-Use customer if: (1) the average physical unforced capacity owned by the Member and its affiliates in the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average PJM capacity obligation for the Member and its affiliates over the same time period; or (2) the average energy produced by the Member and its affiliates within the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average energy consumed by that Member and its affiliates within the PJM region over the same time period. The foregoing notwithstanding, taking retail service may not be sufficient to qualify a Member as an End-Use Customer.

Energy Market Opportunity Cost:

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

Energy Storage Resource:

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

Equivalent Load:

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

Extended Primary Reserve Requirement:

“Extended Primary Reserve Requirement” shall equal the Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus 190 MW, plus any additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Primary Reserve Requirement is calculated in accordance with the PJM Manuals.

Extended Synchronized Reserve Requirement:

“Extended Synchronized Reserve Requirement” shall equal the Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone, plus 190 MW, plus any additional reserves scheduled under emergency conditions necessary to address operational uncertainty. The Extended Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

External Market Buyer:

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

External Resource:

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over the Operating Agreement.

Finance Committee:

“Finance Committee” shall mean the body formed pursuant to Operating Agreement, section 7.5.1.

Financial Transmission Right:

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2, and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Obligation:

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(b), and the parallel provisions of Tariff, Attachment K-Appendix.

Financial Transmission Right Option:

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Operating Agreement, Schedule 1, section 5.2.2(c), and the parallel provisions of Tariff, Attachment K-Appendix.

Form 715 Planning Criteria:

“Form 715 Planning Criteria” shall mean individual Transmission Owner FERC-filed planning criteria as described in Operating Agreement, Schedule 6, section 1.2(e) and filed with FERC Form No. 715 and posted on the PJM website.

FTR Holder:

“FTR Holder” shall mean the PJM Member that has acquired and possesses an FTR.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the lowest applicable Reserve Penalty Factor for those reserve requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor(s) shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the lowest applicable Reserve Penalty Factor(s) associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor(s) for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the Interconnection may include, but are not limited to, the Maximum *Generation* Emergency Alert,

Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the applicable Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-

Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Reserve Penalty Factor for the Primary Reserve Requirement and the Reserve Penalty Factor for the Synchronized Reserve Requirement will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Tie Lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unit-specific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a

Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by historical

performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

$$\text{Correlation Score} = r_{\text{Signal,Response}(\delta, \delta+5 \text{ Min})}; \\ \delta=0 \text{ to } 5 \text{ Min}$$

where δ is delay.

The Office of the Interconnection shall calculate the delay score using the following equation:

$$\text{Delay Score} = \text{Abs} ((\delta - 5 \text{ Minutes}) / (5 \text{ Minutes})).$$

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ϵ) as a function of the resource's Regulation capacity using the following equations:

$$\text{Energy Score} = 1 - 1/n \sum \text{Abs} (\text{Error});$$

$$\text{Error} = \text{Average of Abs} ((\text{Response} - \text{Regulation Signal}) / (\text{Hourly Average Regulation Signal})); \text{ and}$$

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

$$\text{Accuracy Score} = \text{max} ((\text{Delay Score}) + (\text{Correlation Score})) + (\text{Energy Score}).$$

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

- (i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).
- (ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.
- (iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third supplier result in a residual supply index greater than 1.0, at which point

the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

- (i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

- (A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the

Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

- (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.
- (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the

Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:

- 1) the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit, minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as $(A*B) - (C+D)$. The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market; or
- 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the

requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market-based* schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for generation resources *not following dispatch*, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in

megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

- (i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.
- (ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.
- (iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues a Maximum Generation Emergency Alert; or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the

amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation

resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described *below and* in the PJM Manuals.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

- (i) real-time economic minimum \leq 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.
- (ii) real-time economic maximum \geq 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = \frac{(\text{UDStarget}_{t-1} - \text{AOutput}_{t-1})}{(\text{UDSLAtime}_{t-1})}$$

$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right)$$

where:

- 1. UDStarget = UDS basepoint for the previous UDS case
- 2. AOutput = Unit's output at case solution time
- 3. UDSLAtime = UDS look ahead time
- 4. Case_Eff_time = Time between base point changes
- 5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is \leq 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.
- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is $\leq 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is $> 20\%$, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh - Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined in section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation

charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

(r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.

(b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

- i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or

Demand Resources that reduce their load in response to a Synchronized Reserve Event (“Tier 1 Synchronized Reserve”) shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

- ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions (“Tier 2 Synchronized Reserve”) shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
- iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or

Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a Voltage Reduction Action as described in the PJM Manuals or a Manual Load Dump Action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the

generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The

determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at

the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as

described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factor for the Synchronized Reserve Requirement shall be \$850/MWh.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the *cleared megawatt quantity of Day-ahead Scheduling Reserves* in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

- (i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.
- (ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

- (iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.
- (iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement ("Base Day-ahead Scheduling Reserves credits") shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources, and are allocated as Base Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement ("Additional Day-ahead Scheduling Reserves credits") shall equal the ratio of the Additional Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves charges per paragraph (ii) below.

- (i) A Market Participant's Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant's hourly obligation to the total hourly obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant's load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant's total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A Market Participant's hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.
- (ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in excess of its amount of cleared Increment Offers in the Day-ahead Energy Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as $(A*B) - C$.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a *market*-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in

Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) $\{(URTLMP - UDALMP) \times DAG\}$, or (ii) $\{(URTLMP - UB) \times DAG\}$ where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a *market*-based schedule and the offer associated with that *market*-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where $URTLMP - UDALMP$ and $URTLMP - UB$ shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to $\{(AG - LMPDMW) \times (UB - URTLMP)\}$ where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where $UB - URTLMP$ shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations

of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element (“contingency flow”) exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility (“post-contingency operation”). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit’s operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource’s hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource’s start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit’s cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its

net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.