

July 22, 2011 Load Management (ILR/DR) Event Key Times and Hours										
		Implement				Conclude		Capacity Compliance Hours	Same Day CBL hours	
		Notice Time		Start Time		End Time			Before	After
Zone	Lead Time	Wall	HE	Wall	HE	Wall	HE	HE	HE	HE
BGE	Long	10:00	11	12:00	13	18:00	18	13,14,15,16,17,18	9,10	20,21
BGE	Short	11:00	12	12:00	13	17:30	18	13,14,15,16,17	10,11	20,21
JCPL	Long	11:30	12	13:30	14	18:30	19	15,16,17,18	10,11	21,22
METED	Long	11:30	12	13:30	14	18:30	19	15,16,17,18	10,11	21,22
PECO	Long	11:30	12	13:30	14	19:00	19	15,16,17,18,19	10,11	21,22
DPL	Long	11:30	12	13:30	14	19:30	20	15,16,17,18,19	10,11	22,23
DUQ	Long	11:30	12	13:30	14	19:30	20	15,16,17,18,19	10,11	22,23

Notes:

- 1) **Wall** is the time as it would appear on a clock on a wall
- 2) **HE** is time in Hour Ending format
- 3) **Capacity Compliance Hours** are the hours for which compliance will be measured
- 4) **Same Day CBL hours:** loads for these four (4) hours should be averaged if using the Same Day CBL method for compliance
- 5) All times are in Eastern Daylight Time (EDT)