




1. Install Microsoft VM version 5.00.3810
2. Click on internet options
3. Click on Security tab
4. Enter the following trusted sites
 1. http://*.pjm.com
 2. https://*.pjm.com
5. See figure below




6. Click on the close button
7. Click on the Custom Level Button and follow the settings in figures below
8. Click on Enable button for Allow previously unused ActiveX controls to run without prompting
9. Click on Enable Button for Allow Scriptlets




10. Click on Enable button for Automatic prompting for ActiveX controls
11. Click on Enable button for Display video on animation on a webpage that does not use.....




12. Click on Enable Button for download unsigned ActiveX controls
13. Click on Prompt Button for Initialize and script ActiveX controls not marked safe




14. Click on Custom Button under Java Permissions




14. Click on the Java Custom Settings button
15. Click on the Edit Permissions Tab
16. Under Unsigned Content -> Run Unsigned Content click the button to enable like in figure below



17. Click ok
18. Follow setting pictures listed below
19. Click on Enable Button for Allow scripting of Internet Explorer web Browser control
20. Click on Enable Button for Allow script initiated windows without size or position constraints




21. Click on Enable Button for Allow Websites to open window without address or status bar
22. Click on Enable Button for Display Mixed Content




23. Click on disable button for launching programs and files in an IFRAME


24. Click on Enable button for Navigate sub-frames across different domains




25. Click on Enable Button for Allow status bar updates via script

26. Click on Enable Button for Allow websites to prompt for information using scripted windows







27. Click the OK button
28. Click on the Advanced Tab
29. Follow the settings listed below





30. Check disable script debugging
31. Check enable page transitions







- 32. Check java consoled enabled
- 33. Check Java logging enabled








34. Check Use SSL 2.0
35. Uncheck use TLS 1.0



36. Click the OK button
37. Click on the Privacy Tab
38. Click on the Settings button in the Pop-Up Blocker section
39. Add the following sites to allow pop-ups from
 - Edart.pjm.com
 - Emkt.pjm.com
 - Ftr.pjm.com
40. Follow the picture listed below



41. Now you will need to restart your computer.
42. On a side note, until the eDart application makes a change to their application, eDart will come up a little strange(just in a frame in the corner if the buttons are double clicked), a work around for this is instead of double clicking the buttons, right click on the button and click on open in a new window.