

OASIS Customer Notification about scheduling over DST (Daylight Saving Time)

On Sunday, November 6, 2011 at hour 01:59:59, PJM will be switching from EDT (Eastern Daylight Time) to EST (Eastern Standard Time) on the PJM OASIS. <http://oasis.pjm.com>

The switch reflects the Eastern Interconnections change from GMT-4 hours to GMT-5 hours. Therefore, to properly request an OASIS hourly reservation at this time, hour 02:00ED changes to hour 01:00ES. The PJM OASIS will be updated to transition successfully forward. Daily requests have a minimum restriction of 24 hours, and since the switch is perceived by the system as a 25 hour day, this restriction will be temporarily lifted to allow proper daily requests. Please update your IT applications/tools accordingly.

Any comments or issues can be directed to the OASIS hotline at 610-666-8972

OASIS Functionality: (The DST change will listed as below for hourly service)

Details				
	Buy Request	Capacity	Offer Price	Seller
	Date/Time			
D	B 11/06/11 00	2058	.67	PJM Interconnection
D	B 11/06/11 01	2058	.67	PJM Interconnection
D	B 11/06/11 02	2058	.67	PJM Interconnection
D	B 11/06/11 03	2058	.67	PJM Interconnection
D	B 11/06/11 04	2058	.67	PJM Interconnection
D	B 11/06/11 05	2058	.67	PJM Interconnection
D	B 11/06/11 06	2058	.67	PJM Interconnection
D	B 11/06/11 07	2058	.67	PJM Interconnection
D	B 11/06/11 08	2058	.67	PJM Interconnection
D	B 11/06/11 09	2058	.67	PJM Interconnection
D	B 11/06/11 10	2058	.67	PJM Interconnection
D	B 11/06/11 11	2058	.67	PJM Interconnection
D	B 11/06/11 12	2058	.67	PJM Interconnection
D	B 11/06/11 13	2058	.67	PJM Interconnection
D	B 11/06/11 14	2058	.67	PJM Interconnection
D	B 11/06/11 15	2058	.67	PJM Interconnection
D	B 11/06/11 16	2058	.67	PJM Interconnection
D	B 11/06/11 17	2058	.67	PJM Interconnection
D	B 11/06/11 18	2058	.67	PJM Interconnection
D	B 11/06/11 19	2058	.67	PJM Interconnection
D	B 11/06/11 20	2058	.67	PJM Interconnection
D	B 11/06/11 21	2058	.67	PJM Interconnection
D	B 11/06/11 22	2058	.67	PJM Interconnection
D	B 11/06/11 23	2058	.67	PJM Interconnection

Note:

If you are scheduling a NERC tag, you have the option of using two tags for a single OASIS spanning the time change.

1. *Schedule the first tag in Eastern Daylight, for hours 00:00-02:00*
2. *Change your options to ES time zone.*
3. *Schedule the second tag in Eastern Standard, for hours 01:00-00:00*