

PJM RPM Default Avoidable Cost Rates for the 2013/2014 Delivery Year\*

Technology Type	2013-2014 Mothball Avoidable Cost Rate (\$/MW-Day)	2013-2014 Retirement Avoidable Cost Rate (\$/MW-Day)
Nuclear	N/a	N/a
Pumped Storage	\$23.64	\$33.19
Hydro	\$80.80	\$105.67
Sub-Critical Coal	\$193.98	\$215.02
Super Critical Coal	\$200.41	\$219.21
Waste Coal - Small	\$255.81	\$309.83
Waste Coal - Large	\$94.61	\$114.29
Wind	N/a	N/a
CC - Two on One Frame F Technology	\$35.18	\$49.90
CC - Three on One Frame E/Siemens Technology	\$39.06	\$52.89
CC - Three or More on One or More Frame F Technology	\$30.46	\$42.28
CC - NUG Cogeneration Frame B or E Technology	\$130.76	\$175.71
CT - First & Second Generation Aero (P&W FT 4)	\$27.96	\$37.19
CT - First & Second Generation Frame B	\$27.63	\$36.87
CT - Second Generation Frame E	\$26.26	\$35.14
CT - Third Generation Aero (GE LM 6000)	\$63.57	\$93.70
CT - Third Generation Aero (P&W FT-8 TwinPak)	\$33.34	\$49.16
CT - Third Generation Frame F	\$26.96	\$38.83
Diesel	\$29.92	\$37.98
Oil and Gas Steam	\$74.20	\$90.33

\*Default ACR values are calculated as described in section 6.7(c) of the PJM OATT, Attachment DD. Capacity Market Sellers shall use the one-year mothball Avoidable Cost Rate shown above, unless the Capacity Market Seller satisfies the criteria set forth in section 6.7(e) of the PJM OATT, Attachment DD.