

PJM RPM Default Avoidable Cost Rates for the 2015/2016 Delivery Year*

Technology Type	2015 - 2016 Mothball Avoidable Cost Rate (\$/MW-Day)	2015 - 2016 Retirement Avoidable Cost Rate (\$/MW-Day)
Nuclear	N/a	N/a
Pumped Storage	\$25.56	\$35.89
Hydro	\$87.35	\$114.24
Sub-Critical Coal	\$209.71	\$232.46
Super Critical Coal	\$216.66	\$236.99
Waste Coal - Small	\$276.56	\$334.96
Waste Coal - Large	\$102.28	\$123.56
Wind	N/a	N/a
CC - Two on One Frame F Technology	\$38.03	\$53.94
CC - Three on One Frame E/Siemens Technology	\$42.23	\$57.18
CC - Three or More on One or More Frame F Technology	\$32.93	\$45.71
CC - NUG Cogeneration Frame B or E Technology	\$141.36	\$189.97
CT - First & Second Generation Aero (P&W FT 4)	\$30.22	\$40.21
CT - First & Second Generation Frame B	\$29.87	\$39.86
CT - Second Generation Frame E	\$28.39	\$37.99
CT - Third Generation Aero (GE LM 6000)	\$68.72	\$101.30
CT - Third Generation Aero (P&W FT-8 TwinPak)	\$36.04	\$53.14
CT - Third Generation Frame F	\$29.14	\$41.98
Diesel	\$32.35	\$41.06
Oil and Gas Steam	\$80.21	\$97.66

*Default ACR Values are calculated as described in section 6.7(c) of the PJM OATT, Attachment DD. Capacity Market Sellers shall use the one-year mothball Avoidable Cost Rate shown above, unless the Capacity Market Seller satisfies the criteria set forth in section 6.7(e) of the PJM OATT, Attachment DD.