

ARTICLE 1 – DEFINITIONS

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto, or in the PJM Tariff or PJM Operating Agreement if not otherwise defined in this Agreement, for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

Agreement:

“Agreement” shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

Annual Demand Resource:

“Annual Demand Resource” shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Annual Energy Efficiency Resource:

“Annual Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer and winter periods described in such Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Applicable Regional Entity:

“Applicable Regional Entity” shall have the same meaning as in the PJM Tariff.

Base Capacity Demand Resource:

“Base Capacity Demand Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Years, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through September of a Delivery Year, and will be available to the Office of the Interconnection for an unlimited number of interruptions during such months, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Base Capacity Demand Resource must be available June through September in the corresponding Delivery Year to be offered for sale or self-supplied in an RPM Auction, or included as a Base Capacity Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Base Capacity Energy Efficiency Resource:

“Base Capacity Energy Efficiency Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of RAA, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Base Capacity Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Base Capacity Resource:

“Base Capacity Resource” shall have the same meaning as in Tariff, Attachment DD.

Base Residual Auction:

“Base Residual Auction” shall have the same meaning as in Tariff, Attachment DD.

Behind The Meter Generation:

“Behind The Meter Generation” shall refer to a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit’s capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

Black Start Capability:

“Black Start Capability” shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

Capacity Emergency Transfer Objective (CETO):

“Capacity Emergency Transfer Objective” or “CETO” shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Reliability Assurance Agreement, Schedule 5, Paragraph C.

Capacity Emergency Transfer Limit (CETL):

Capacity Emergency Transfer Limit” or “CETL” shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

Capacity Import Limit:

For any Delivery Year up to and including the 2019/2020 Delivery Year, “Capacity Import Limit” shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transfer Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions. PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the

RAA Revisions for Seasonal DR Registration Aggregation Proposal

PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:

(i) it has, at the time such exception is requested, met all applicable requirements to be pseudo-tied into the PJM Region, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;

(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and

(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by Tariff, Attachment DD, section 6.6 to offer their capacity into RPM Auctions; provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.

Capacity Only Option:

“Capacity Only Option” shall mean participation in Emergency Load Response Program or Pre-Emergency Program which allows, pursuant to Attachment DD of the Tariff and as applicable, a capacity payment for the ability to reduce load during a pre-emergency or emergency event.

Capacity Performance Resource:

“Capacity Performance Resource” shall have the same meaning as in Tariff, Attachment DD.

Capacity Resources:

“Capacity Resources” shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and Reliability Assurance Agreement, Schedule 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the

RAA Revisions for Seasonal DR Registration Aggregation Proposal

reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; and (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.

Capacity Transfer Right:

“Capacity Transfer Right” shall have the meaning specified in Tariff, Attachment DD.

Compliance Aggregation Area (CAA):

“Compliance Aggregation Area” or “CAA” shall have the same meaning as in the Tariff.

Consolidated Transmission Owners Agreement, PJM Transmission Owners Agreement or Transmission Owners Agreement:

“Consolidated Transmission Owners Agreement,” “PJM Transmission Owners Agreement” or “Transmission Owners Agreement” shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005, by and among the Transmission Owners and by and between the Transmission Owners and PJM Interconnection, L.L.C. on file with the Commission, as amended from time to time.

Control Area:

“Control Area” shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

- (a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);
- (b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;
- (c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;
- (d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and
- (e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Daily Unforced Capacity Obligation:

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with the Reliability Assurance Agreement, Schedule 8 or, as to an FRR Entity, in the Reliability Assurance Agreement, Schedule 8.1.

Delivery Year:

“Delivery Year” shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Tariff, Attachment DD or pursuant to an FRR Capacity Plan under RAA, Schedule 8.1.

Demand Resource (DR):

“Demand Resource” or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, Annual Demand Resource, Base Capacity Demand Resource or Summer-Period Demand Resource with a demonstrated capability to provide a reduction in demand or otherwise control load in accordance with the requirements of RAA, Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan.

Demand Resource Officer Certification Form:

“Demand Resource Officer Certification Form” shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with Reliability Assurance Agreement, Schedule 6 and Reliability Assurance Agreement, Schedule 8.1 and the PJM Manuals.

Demand Resource Sell Offer Plan:

“Demand Resource Sell Offer Plan” shall mean the plan required by Reliability Assurance Agreement, Schedule 6 and Reliability Assurance Agreement, Schedule 8.1 in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

Demand Resource Factor or DR Factor:

“Demand Resource Factor” or “DR Factor” shall mean, for Delivery Years through May 31, 2018, that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with Reliability Assurance Agreement, Schedule 6.

Demand Resource Registration:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“Demand Resource Registration” shall mean a registration in the Full Program Option or Capacity Only Option of the Emergency or Pre-Emergency Load Resource Program in accordance with OATT, Attachment K-Appendix, Section 8.

Electric Cooperative:

“Electric Cooperative” shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

Electric Distributor:

“Electric Distributor” shall mean a Member that 1) owns or leases with rights equivalent to ownership of electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region. *For purposes of Members Committee sector classification, a Member that is a retail end-user that owns generation may qualify as an End-Use customer if: (1) the average physical unforced capacity owned by the Member and its affiliates in the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average PJM capacity obligation for the Member and its affiliates over the same time period; or (2) the average energy produced by the Member and its affiliates within the PJM region over the five Planning Periods immediately preceding the relevant Planning Period does not exceed the average energy consumed by that Member and its affiliates within the PJM region over the same time period. The foregoing notwithstanding, taking retail service may not be sufficient to qualify a Member as an End-Use Customer.*

Energy Efficiency Resource:

“Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the

RAA Revisions for Seasonal DR Registration Aggregation Proposal

requirements of RAA, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the periods described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention. Annual Energy Efficiency Resources, Base Capacity Energy Efficiency Resources and Summer-Period Energy Efficiency Resources are types of Energy Efficiency Resources.

Existing Demand Resource:

“Existing Demand Resource” shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Facilities Study Agreement:

“Facilities Study Agreement” shall have the same meaning as in Tariff, Part VI, section 206.

FERC or Commission:

“FERC” or “Commission” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over *the Tariff, Operating Agreement and Reliability Assurance Agreement*.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall *have the meaning specified in the Tariff*.

Firm Transmission Service:

“Firm Transmission Service” shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

Fixed Resource Requirement Alternative or FRR Alternative:

“Fixed Resource Requirement Alternative” or “FRR Alternative” shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in the Reliability Assurance Agreement, Schedule 8.1.

Forecast Pool Requirement:

“Forecast Pool Requirement” or “FPR” shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Reliability Assurance Agreement, as approved by the PJM Board pursuant to Reliability Assurance Agreement, Schedule 4.1.

FRR Capacity Plan or FRR Plan:

“FRR Capacity Plan” or “FRR Plan” shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in the Reliability Assurance Agreement, Schedule 8.1.

FRR Entity:

“FRR Entity” shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

FRR Service Area:

“FRR Service Area” shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

Full Program Option:

“Full Program Option” shall mean participation in Emergency Load Response Program or Pre-Emergency Program which allows, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during a pre-emergency or emergency event, and (ii) a capacity payment for the ability to reduce load during a pre-emergency or emergency event.

Full Requirements Service:

“Full Requirements Service” shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Generation Capacity Resource:

“Generation Capacity Resource” shall mean a generation unit, or the contractual right to capacity from a specified generation unit, that meets the requirements of RAA, Schedule 9 and RAA, Schedule 10, and, for generation units that are committed to an FRR Capacity Plan, that meets the requirements of RAA, Schedule 8.1. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

Generation Owner:

“Generation Owner” shall mean a Member that owns or leases with rights equivalent to ownership, *or otherwise controls and operates one or more operating generation resources* located in the PJM Region. *The foregoing notwithstanding, for a planned generation resource to qualify a Member as a Generation Owner, such resource shall have cleared an RPM auction, and for Energy Resources, the resource shall have a FERC-jurisdictional interconnection*

RAA Revisions for Seasonal DR Registration Aggregation Proposal

agreement or wholesale market participation agreement within PJM. Purchasing all or a portion of the output of a generation resource shall not be sufficient to qualify a Member as a Generation Owner. For purposes of Members Committee sector classification, a Member that is primarily a retail end-user of electricity that owns generation may qualify as a Generation Owner if: (1) the generation resource is the subject of a FERC-jurisdictional interconnection agreement or wholesale market participation agreement within PJM; (2) the average physical unforced capacity owned by the Member and its affiliates over the five Planning Periods immediately preceding the relevant Planning Period exceeds the average PJM capacity obligation of the Member and its affiliates over the same time period; and (3) the average energy produced by the Member and its affiliates within PJM over the five Planning Periods immediately preceding the relevant Planning Period exceeds the average energy consumed by the Member and its affiliates within PJM over the same time period.

Generator Forced Outage:

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

Generator Maintenance Outage:

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

Generator Planned Outage:

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

Good Utility Practice:

“Good Utility Practice” shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region; including those practices required by Federal Power Act Section 215(a)(4).

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Incremental Auction:

“Incremental Auction” shall mean- *any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction, Conditional or Final Incremental Auction, as applicable. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:*

- (i) *allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORd increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and*

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

IOU:

“IOU” shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

Limited Demand Resource:

“Limited Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 Load Management Events during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Load Serving Entity or LSE:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“Load Serving Entity” or “LSE” shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

Locational Reliability Charge:

“Locational Reliability Charge” shall mean the charge determined pursuant to Operating Agreement, Schedule 8.

Markets and Reliability Committee:

“Markets and Reliability Committee” shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

Maximum Emergency Service Level:

“Maximum Emergency Service Level” or “MESL” of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

Member:

“Member” shall have the meaning provided in the Operating Agreement.

Members Committee:

“Members Committee” shall mean the committee specified in Operating Agreement, section 8 composed of the representatives of all the Members.

NERC:

“NERC” shall mean the North American Electric Reliability Corporation or any successor thereto.

Network External Designated Transmission Service:

“Network External Designated Transmission Service” shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has

RAA Revisions for Seasonal DR Registration Aggregation Proposal

an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.

Network Resources:

“Network Resources” shall have the meaning set forth in the PJM Tariff.

Network Transmission Service:

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Tariff, Part III or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

Nominal PRD Value:

“Nominal PRD Value” shall mean, as to any PRD Provider, an adjustment, determined in accordance with Operating Agreement, Schedule 6.1, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

Nominated Demand Resource Value:

“Nominated Demand Resource Value” shall have the meaning specified in Tariff, Attachment DD.

Non-Retail Behind the Meter Generation:

“Non-Retail Behind the Meter Generation” shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

Obligation Peak Load:

“Obligation Peak Load” shall have the meaning specified in Operating Agreement, Schedule 8.

Office of the Interconnection:

“Office of the Interconnection” shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

Operating Agreement of the PJM Interconnection, L.L.C., Operating Agreement *or* PJM Operating Agreement:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“Operating Agreement of the PJM Interconnection, L.L.C.,” “Operating Agreement” or “PJM *Operating Agreement*” shall mean that agreement, dated as of April 1, 1997 and as amended and restated as of June 2, 1997, including all Schedules, Exhibits, Appendices, addenda or supplements hereto, as amended from time to time thereafter, among the Members of the PJM Interconnection, L.L.C, *on file with the Commission*.

Operating Day:

“Operating Day” shall have the same meaning as provided in the Operating Agreement.

Operating Reserve:

“Operating Reserve” shall mean the amount of generating capacity scheduled to be available for a specified period of an Operating Day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

Other Supplier:

“Other Supplier” shall mean a Member that: (i) is *engaged in buying, selling or transmitting electric energy, capacity, ancillary services, Financial Transmission Rights or other services available under PJM’s governing documents in or through the Interconnection or has a good faith intent to do so*, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

Partial Requirements Service:

“Partial Requirements Service” shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Performance Assessment Interval:

“Performance Assessment Interval” shall have the meaning specified in Tariff, Attachment DD.

Percentage Internal Resources Required:

“Percentage Internal Resources Required” shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

Party:

“Party” shall mean an entity bound by the terms of the Operating Agreement.

PJM:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“PJM” shall mean *PJM Interconnection, L.L.C., including the Office of the Interconnection as referenced in the PJM Operating Agreement. When such term is being used in the RAA it shall also include the PJM Board.*

PJM Board:

“PJM Board” shall mean the Board of Managers of the LLC, acting pursuant to the Operating Agreement, *except when such term is being used in Tariff, Attachment M, in which case PJM Board shall mean the Board of Managers of PJM or its designated representative, exclusive of any members of PJM Management.*

PJM Manuals:

“PJM Manuals” shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

PJM Tariff, Tariff, O.A.T.T., OATT or PJM Open Access Transmission Tariff:

“PJM Tariff,” “Tariff,” “O.A.T.T.,” “OATT” or “PJM Open Access Transmission Tariff” shall mean that certain PJM Open Access Transmission Tariff, including any schedules, appendices, or exhibits attached thereto, on file with FERC and as amended from time to time thereafter.

PJM Region:

“PJM Region” shall have the same meaning as provided in the Operating Agreement.

PJM Region Installed Reserve Margin:

“PJM Region Installed Reserve Margin” shall mean the percent installed reserve margin for the PJM Region required pursuant to Schedule 4.1 of this agreement, as approved by the PJM Board

Planned Demand Resource:

“Planned Demand Resource” shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Operating Agreement, Schedule 6. As set forth in Operating Agreement, Schedule 6 and Operating Agreement, Schedule 8.1, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

Planned External Generation Capacity Resource:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“Planned External Generation Capacity Resource” shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource’s commitment to the PJM Region. Prior to participation in any Base Residual Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has a fully executed system impact study agreement (or other documentation which is functionally equivalent to a System Impact Study Agreement under the PJM Tariff) or, for resources which are greater than 20MWs participating in a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, an agreement or other documentation which is functionally equivalent to a Facilities Study Agreement under the PJM Tariff), with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. Prior to participating in any Incremental Auction for such Delivery Year, the Capacity Market Seller must demonstrate it has entered into an interconnection agreement, or such other documentation that is functionally equivalent to an Interconnection Service Agreement under the PJM Tariff, with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. A Planned External Generation Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. Any such resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

Planned Generation Capacity Resource:

“Planned Generation Capacity Resource” shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not

RAA Revisions for Seasonal DR Registration Aggregation Proposal

required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iv) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (iv) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.

Planning Period:

“Planning Period” shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

PRD Curve:

“PRD Curve” shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

PRD Provider:

“PRD Provider” shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

PRD Provider’s Zonal Expected Peak Load Value of PRD:

“PRD Provider’s Zonal Expected Peak Load Value of PRD” shall mean the expected contribution to Delivery Year peak load of a PRD Provider’s Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year’s peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection’s load forecasts used for purposes of the RPM Auctions.

PRD Reservation Price:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“PRD Reservation Price” shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

PRD Substation:

“PRD Substation” shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

Price Responsive Demand:

“Price Responsive Demand” or “PRD” shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

Price Responsive Demand Credit:

“Price Responsive Demand Credit” shall mean a credit, based on committed Price Responsive Demand, as determined under Operating Agreement, Schedule 6.1.

Price Responsive Demand Plan or PRD Plan:

“Price Responsive Demand Plan” or “PRD Plan” shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Operating Agreement, Schedule 6.1 and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider’s Nominal PRD Value.

Public Power Entity:

“Public Power Entity” shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

Qualifying Transmission Upgrades:

“Qualifying Transmission Upgrades” shall have the meaning specified in Tariff, Attachment DD.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” or “RERRA” shall have the meaning specified in the PJM Operating Agreement.

Reliability Principles and Standards:

“Reliability Principles and Standards” shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

Required Approvals:

“Required Approvals” shall mean all of the approvals required for the Operating Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of the Operating Agreement.

Self-Supply:

“Self-Supply” shall have the meaning provided in Tariff, Attachment DD.

Small Commercial Customer:

“Small Commercial Customer” shall have the same meaning as in the PJM Tariff.

State Consumer Advocate:

“State Consumer Advocate” shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Regulatory Structural Change:

“State Regulatory Structural Change” shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example,

RAA Revisions for Seasonal DR Registration Aggregation Proposal

without limitation, mandating divestiture of utility-owned generation or structural changes to such Party's default service rules that materially affect whether retail choice is economically viable.

Summer-Period Demand Resource:

Summer-Period Demand Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a resource that is placed under the direction of the Office of the Interconnection, and will be available June through October and the following May of the Delivery Year, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Summer-Period Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale in an RPM Auction, or included as a Summer-Period Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Summer-Period Energy Efficiency Resource:

Summer-Period Energy Efficiency Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Summer-Period Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Supervisory Control:

"Supervisory Control" shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of the Operating Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

Threshold Quantity:

"Threshold Quantity" shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity's Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Operating Agreement, Schedule 8.1).

Transmission Facilities:

"Transmission Facilities" shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Owner:

"Transmission Owner" shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities *and is a signatory to the PJM Transmission Owners Agreement*. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

Unforced Capacity:

"Unforced Capacity" shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

Winter Peak Load (or WPL):

"Winter Peak Load" or "WPL" shall mean the Demand Resource customer specific peak load between hour ending 7:00 EPT through 21:00 EPT on the PJM defined 5 coincident peak days from December through February two Delivery Years prior the Delivery Year for which the registration is submitted and as outlined in the PJM Manuals.

Zonal Capacity Price:

"Zonal Capacity Price" shall mean *the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.*

Zone or Zonal:

RAA Revisions for Seasonal DR Registration Aggregation Proposal

“Zone” or “Zonal” shall refer to an area within the PJM Region, as set forth in Tariff, Attachment J and RAA, Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load located outside the PJM Region that is served from such Zone under Tariff, Attachment H-A.

Zonal Winter Weather Adjustment Factor (ZWWAF):

“Zonal Winter Weather Adjustment Factor” or “ZWWAF” shall mean the PJM zonal winter weather normalized coincident peak divided by PJM zonal average of 5 coincident peak loads in December through February.

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of ~~three~~two categories, i.e., ~~Guaranteed Load Drop, or Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016),~~ as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource Registration that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the ~~resource~~Demand Resource Registration is linked to a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource Registration must achieve its full load reduction within the following time period:

~~(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.~~

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource Registration must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource Registration from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that Demand Resource Registration is submitted in accordance with Tariff,

RAA Revisions for Seasonal DR Registration Aggregation Proposal

Attachment K-Appendix. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource Registration is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource Registration is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that submitted the Demand Resource Registration registered the resource must demonstrate that:

(i) The manufacturing processes for the Demand Resource Registration require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

(ii) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

(iii) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

(iv) The Demand Resource Registration is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) Business Days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource Registration has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) Business Days after receipt of the data and documentation.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) Business Days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource Registration shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in RAA, Schedule 6, section A-1; RAA, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 Business Days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be linked to registrations registered to participate ing in the Full Program Option or as a Capacity Only resource Option of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered

RAA Revisions for Seasonal DR Registration Aggregation Proposal

through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;

RAA Revisions for Seasonal DR Registration Aggregation Proposal

- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- ~~Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per participant impact).~~

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA

RAA Revisions for Seasonal DR Registration Aggregation Proposal

group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM Manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 Business Days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 Business Days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 Business Days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use

RAA Revisions for Seasonal DR Registration Aggregation Proposal

customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 Business Days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

- B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

- C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Tariff, Attachment DD. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Tariff, Attachment DD to the extent it fails to provide the resource in such location consistent with its cleared offer. ~~For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger~~

RAA Revisions for Seasonal DR Registration Aggregation Proposal

~~LDA as if they were separate LDAs, and weight averaging in the same manner as (i) above.~~

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Tariff, Attachment DD.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resources Registrations in the following ways:

~~Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.~~

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider's market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider's market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource ~~credit~~Registration information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all ~~Demand Resource~~Load Management events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Values ~~(summer, winter or annual)~~ for each Demand Resource Registration shall be determined consistent with the process ~~for determination of the capacity obligation for the customer~~ described below.

The summer Nominated Value for a Firm Service Level customer(s) on a registration will be based on the peak load contribution for the customer(s), as typically determined by the 5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The summer Nominated Value for a registration Annual Demand Resources with a Capacity Performance commitment shall equal the ~~lessor of i)~~ total peak load contribution for the customers on the registration minus the ~~nominated~~ summer Firm Service Level multiplied by the loss factor. The winter Nominated Value for Firm Service Level customer(s) on a registration shall equal the and ii) total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The annual Nominated Value for or Firm Service Level customer(s) on a registration shall equal the lesser of i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated. The Nominated Value for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment shall be total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor.

The summer Nominated Value for a Guaranteed Load Drop customer on a registration ~~for Annual Demand Resources with a Capacity Performance commitment~~ will be the

RAA Revisions for Seasonal DR Registration Aggregation Proposal

~~lessor of the~~ shall equal the summer ~~and winter~~ guaranteed load drop amount, adjusted for system losses and shall not exceed the customer's Peak Load Contribution, as established by the customer's contract with the Curtailment Service Provider. The ~~winter~~ Nominated Value for a Guaranteed Load Drop customer on a registration for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment ~~will~~ shall be the ~~summer~~ winter guaranteed load drop amount, adjusted for system losses, and shall not exceed the customer's Winter Peak Load multiplied by Zonal Winter Weather Adjustment Factor multiplied by the loss factor, as established by the customer's contract with the Curtailment Service Provider. The annual Nominated Value for a Guaranteed Load Drop customer on a registration shall be the lesser of the i) summer Nominated Value or ii) winter Nominated Value. ~~The maximum value nominated for any Demand Resource registration shall not exceed the customer's Peak Load Contribution.~~ Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated

~~Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per participant load reduction multiplied by the number of active participants, adjusted for system losses. The per participant impact is to be estimated at long term average local weather conditions at the time of the summer peak.~~

Customer-specific Demand Resource Registration information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Each Demand Resource Registration should be linked to a Demand Resource. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource Registration information, to verify the amount of load management available and to set a ~~maximum allowable~~ summer, winter, or annual Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider in the designated PJM electronic system on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for which such Demand Resource Registration is effective ~~such resource as a Demand Resource~~. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

~~Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.~~

The daily Nominated Value for the Delivery Year for a Limited Demand Resource, Extended Summer Demand Resource, Base Capacity Demand Resource, and Annual Demand Resource without a Capacity Performance commitment shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource. For the 2017/2018 and 2018/2019 Delivery Years, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the sum of the annual Nominated Values of the registrations linked to such Demand Resource. For the 2019/2020 Delivery Year, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource. Effective with the 2020/2021 Delivery Year, the daily Nominated Value of a Demand Resource with a Capacity Performance commitment (which may consist of an Annual Demand Resource with a Capacity Performance commitment and/or Summer Period Demand Resource with a Capacity Performance commitment) shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource for the summer period of June through October and May of the Delivery Year, and shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource for the non-summer period of November through April of the Delivery Year.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated ~~Demand Resource~~Load Management events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resource Registrations dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in RAA, Article 1, subject to the following requirements:

~~Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to~~

RAA Revisions for Seasonal DR Registration Aggregation Proposal

~~report the time period (during the Demand Resource event) that the control signal was actually sent.~~

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

~~Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016.~~ Load reduction cCompliance is averaged over the Load Management Event for a Demand Resource Registration linked to a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource without a Capacity Performance commitment or determined on an hourly basis for a Demand ResourcesRegistration linked to a with a Base Capacity Demand Resource or Annual Demand Resource with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for a Demand Resource Registration without a Base or Capacity Performance commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute. The registered capacity commitment for a Demand Resource Registration with a Base or Capacity Performance commitment is not prorated based on the number of minutes dispatched during the clock hours. The actual hourly load reduction for the hour ending that includes a Performance Assessment Interval(s) is flat-profiled over the set of dispatch intervals in the hour in accordance with the PJM Manuals.

For all Delivery Years:

A Demand Resource Registrations may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero.

Compliance will be totaled over all dispatched registrations for FSL and GLD customers and LDLC programs (prior to June 1, 2016) linked to a committed Limited Demand Resource, Extended Summer Demand Resource, and Annual Demand Resource without a Capacity Performance commitment to determine a net compliance position for the event for each Provider by ZoneCompliance Aggregation Area and such net compliance position shall be allocated to the underlying registrations, for all Demand Resources committed by such Provider in accordance with PJM Manuals, and dispatched by the Office of the Interconnection in the zone. Load Management Event D deficiencies shall be as further determined in accordance with Tariff, Schedule DD, section 11 and PJM Manuals.

RAA Revisions for Seasonal DR Registration Aggregation Proposal

For a Performance Assessment Interval, compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a Provider's Base Capacity Demand Resource or to an Annual Demand Resource with a Capacity Performance commitment to determine the Actual Performance for such Demand Resource in accordance with Tariff, Schedule DD, section 10A, and PJM Manuals. The Expected Performance for such Demand Resource shall be equal to the Provider's committed capacity on the Demand Resource, adjusted to account for any linked registrations that were not dispatched by PJM. A Provider's Demand Resources' initial Performance Shortfalls shall be netted for all the seller's Demand Resources in the Emergency Action Area to determine a net Emergency Action Area Performance Shortfall which is then allocated to the Capacity Market Seller's Demand Resources in accordance with Tariff, Schedule DD, section 10A, and PJM Manuals.

RAA Schedule 8.1G

G. Capacity Resource Performance

1. Any Capacity Resource committed by an FRR Entity in an FRR Capacity Plan for a Delivery Year shall be subject during such Delivery Year to the charges set forth in [Tariff, Attachment DD, sections 7](#), [Tariff, Attachment DD, section 9](#), [Tariff, Attachment DD, section 10](#), [Tariff, Attachment DD, section 10A](#), [Tariff, Attachment DD, section 11](#), [Tariff, Attachment DD, section 11A](#), and [Tariff, Attachment DD, section 13](#) ~~of Attachment DD to the PJM Tariff~~; provided, however: (i) the Daily Deficiency Rate under [Tariff, Attachment DD, sections 7](#), [Tariff, Attachment DD, section 9](#), [Tariff, Attachment DD, section 11A](#), and [Tariff, Attachment DD, section 13](#) ~~thereof~~ shall be 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions); (ii) the charges set forth in section 10A of Attachment DD to the PJM Tariff shall apply only for the 2019/2020 and subsequent Delivery Years and only to those FRR Entities which opted to be subject to the Non-Performance Charge under section C.1 of this Schedule 8.1 and the charge rates under section 10A thereof for Base Capacity Resources shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above; and (iii) the charge rates under [Tariff, Attachment DD, section 10](#) ~~and Tariff, Attachment DD, section 11 thereof~~, shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above. An FRR Entity shall have the same opportunities to cure deficiencies and avoid or reduce associated charges during the Delivery Year that a Market Seller has under [Tariff, Attachment DD, sections 7](#), [Tariff, Attachment DD, section 9](#), [Tariff, Attachment DD, section 10](#), ~~and Tariff, Attachment DD, section 10A~~, [Tariff, Attachment DD, section 11](#), ~~and Tariff, Attachment DD, section 11A~~ ~~of Attachment DD to the PJM Tariff~~. An FRR Entity may cure deficiencies and avoid or reduce associated charges prior to the Delivery Year by procuring replacement Unforced Capacity outside of any RPM Auction and committing such capacity in its FRR Capacity Plan.

2. For any FRR Entity which opted to be subject to physical non-performance assessments under ~~section C.1. of this RAA~~, Schedule 8.1, [section C.1](#) such FRR Entity will not be subject to charges under section 10A of Attachment DD of the PJM Tariff, but, rather, it will be required to update its FRR Capacity Plan with additional megawatts of Capacity Performance Resources or Seasonal Capacity Performance Resources determined in accordance with the following: For each Performance Assessment Interval, the Actual Performance and Expected Performance of each resource contained in an FRR Entity's FRR Capacity Plan will be determined in the same fashion as prescribed by the ~~PJM~~-Tariff, Attachment DD, section 10A, and for such hour, a net Performance Shortfall shall be determined separately for Capacity Performance Resources and for Base Capacity Resources. If, for a Performance Assessment Interval, the combined Actual Performance of all an FRR Entity's committed Capacity Performance Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Base Capacity Resources for such hour. If, for a Performance Assessment Interval, the combined Actual Performance of all an

RAA Revisions for Seasonal DR Registration Aggregation Proposal

FRR Entity's committed Base Capacity Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Capacity Performance Resources for such hour. For the 2020/2021 Delivery Year and subsequent Delivery Years, the net Performance Shortfall determined for Capacity Performance Resources shall include the performance of Seasonal Capacity Performance Resources contained in the FRR Capacity Plan.

The FRR Entity's net Performance Shortfall among Capacity Performance Resources, if any, for each such Performance Assessment Interval shall be multiplied by a rate of 0.01667 MWs/Performance Assessment Interval to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Capacity Performance Resources in any Delivery Year shall not exceed a MW quantity equal to 0.5 times the MW quantity of the Capacity Performance Resources and Seasonal Capacity Performance Resources that were committed in the FRR Capacity Plan for such Delivery Year. The FRR Entity's net Performance Shortfall among Base Capacity Resources, if any, for each such Performance Assessment Interval shall be multiplied by a rate of $[(0.01667 \text{ MWs/Performance Assessment Interval}) \times (\text{the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year})]$ to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Base Capacity Resources in any Delivery Year shall not exceed a MW quantity equal to $[(0.5 \text{ times the MW quantity of the Base Capacity Resources that were committed in the FRR Capacity Plan for such Delivery Year}) \times (\text{the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year})]$.

An FRR Entity that elects the physical option shall not be eligible for, or subject to, the revenue allocation described in [Tariff, Attachment DD](#), section 10A(g) ~~of Attachment DD of the PJM Tariff~~.