

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
1	Tariff, Section 4.2	Pursuant to the Commission’s May 21, 2021 Final Rule, Order No. 676-J (175 FERC ¶ 61,139) amending its regulations under the Federal Power Act, and the grant of waivers from specified provisions of WEQ-001, WEQ-002 and WEQ-003 approved by the Commission in <i>PJM Interconnection, L.L.C.</i> , 151 FERC ¶ 61,141 (May 18, 2015), <i>PJM Interconnection, L.L.C.</i> , 178 FERC ¶ 61,163 (March 7, 2022)	Pursuant to the Commission’s May 21, 2021 Final Rule, Order No. 676-J (175 FERC ¶ 61,139) amending its regulations under the Federal Power Act, and the grant of waivers from specified provisions of WEQ-001, WEQ-002 and WEQ-003 approved by the Commission in <i>PJM Interconnection, L.L.C.</i> , 151 FERC ¶ 61,141 (May 18, 2015), <i>PJM Interconnection, L.L.C.</i> , 169 FERC ¶ 61,226 (Dec. 19, 2019), <i>PJM Interconnection, L.L.C.</i> , 178 FERC ¶ 61,163 (March 7, 2022)	Adding the missing reference to one of the relevant NITS practices and procedures, Standard 001-13.1.3.
2	Tariff, Section 4.2(3)	To the extent not inconsistent with Transmission Provider’s current NITS practices and procedures, WEQ-001, Open Access Same-Time Information System (OASIS), ([WEQ] Version 003.3, March 30, 2020); excluding Standards 001-9.5, 001-10.5, 001-14.1.3, 001-15.1.2, 001-106.2.5, 001-25 in its entirety	To the extent not inconsistent with Transmission Provider’s current NITS practices and procedures, WEQ-001, Open Access Same-Time Information System (OASIS), ([WEQ] Version 003.3, March 30, 2020); excluding Standards 001-9.5, 001-10.5, 001-13.1.3 , 001-14.1.3, 001-15.1.2, 001-106.2.5, 001-25 in its entirety	Adding the missing reference to one of the relevant NITS practices and procedures, Standard 001-13.1.3.
3	Tariff, Attachment C	Determining AFC and ATC using the Flowgate Methodology is a multi-step integrated process which is described in detail in the ATCID. PJM uses the following mathematical algorithms to calculate AFC and ATC. The actual detailed AFC and ATC algorithms are available on the PJM OASIS at the following link: ftp://ftp.pjm.com/oasis/afc-atc-algorithms.pdf	Determining AFC and ATC using the Flowgate Methodology is a multi-step integrated process which is described in detail in the ATCID. PJM uses the following mathematical algorithms to calculate AFC and ATC. The actual detailed AFC and ATC algorithms are available on the PJM OASIS. at the following link:— ftp://ftp.pjm.com/oasis/afc-atc-algorithms.pdf	The website hyperlink is no longer valid.
4	Tariff, Attachment C	Transmission Provider uses TRM in all AFC calculations. Transmission Provider includes TRM in the AFC/ATC calculation to provide a reasonable level of assurance that the interconnected transmission network will be secure. TRM is not scheduled against or explicitly used for the delivery of energy. It is preserved as a reliability margin to reflect the uncertainty of the operation of the electric system (i.e., to prevent oversubscription of the transmission system). Transmission Provider flowgates with their TRM, CBM, and ratings are posted on the PJM OASIS page under ATC Information at:	Transmission Provider uses TRM in all AFC calculations. Transmission Provider includes TRM in the AFC/ATC calculation to provide a reasonable level of assurance that the interconnected transmission network will be secure. TRM is not scheduled against or explicitly used for the delivery of energy. It is preserved as a reliability margin to reflect the uncertainty of the operation of the electric system (i.e., to prevent oversubscription of the transmission system). Transmission Provider flowgates with their TRM, CBM, and ratings are posted on the PJM OASIS page. d- under ATC Information at:	The website hyperlink is no longer valid.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		ftp://ftp.pjm.com/oasis/fgates-definitions-posting.csv	ftp://ftp.pjm.com/oasis/fgates-definitions-posting.csv	
5	Tariff, Attachment K Appendix, section 1.4B (k) and Operating Agreement, Schedule 1, section 1.4B (k)	(k) A DER Capacity Aggregation Resource shall be subject to a MOPR Floor Offer Price in accordance with the provisions applicable to MOPR Floor Offer Price for Generation Capacity Resources, as described in Tariff, Attachment DD, section 5.14(h-2), and Market Seller Offer Cap for Generation Capacity Resources in a manner consistent with the provisions applicable to Market Seller Offer Cap for Generation Capacity Resources, as described in Tariff, Attachment DD, section 6.4 and Tariff, Attachment M-Appendix, section II.E, based on the underlying technology of the Component DER.	(k) A DER Capacity Aggregation Resource shall be subject to a MOPR Floor Offer Price in accordance with the provisions applicable to MOPR Floor Offer Price for Generation Capacity Resources, as described in Tariff, Attachment DD, section 5.14(h-2), and Market Seller Offer Cap for Generation Capacity Resources in a manner consistent with the provisions applicable to Market Seller Offer Cap for Generation Capacity Resources, as described in Tariff, Attachment DD, section 6-4 and Tariff, Attachment M-Appendix, section II.E, based on the underlying technology of the Component DER.	Paragraph #87 of the March 1, 2023 FERC Order indicates that PJM's existing capacity market mitigation rules are to apply to DER Capacity Aggregation Resources based on the composition of the DER Capacity Aggregation Resource and consistent with such requirements applied to all resources in PJM. The existing mitigation rules regarding Market Seller Offer Cap are not solely in section 6.4 of Tariff, Attachment DD and appear throughout Attachment DD, Section 6.
6	Tariff, Attachment DD, section 5.3A	A Member that has committed capacity through an RPM Auction for a Delivery Year may purchase Locational UCAP as replacement capacity from a Member with available uncommitted capacity for such Delivery Year in accordance with the terms of this section and the PJM Manuals. Locational UCAP may not be sold or purchased prior to the date that the final Accredited UCAP Factor is established for such Delivery Year, and if designated to PJM by the Locational UCAP Seller as sold prior to the Third Incremental Auction for a Delivery Year must be confirmed by the buyer prior to such Third Incremental Auction as purchased for replacement capacity, or such transaction shall be rejected. In accordance with procedures specified in the PJM Manuals, the parties to a Locational UCAP transaction must notify PJM of such transaction, which notification must specify: i) the buyer, ii) the Locational UCAP Seller, iii) the start and end dates of the transaction (which may not be retroactive), iv) the Locational UCAP amount (no less than 0.1 megawatts), v) the demand or generation resource with available uncommitted capacity that is the basis for the sale, vi) the Locational Delivery Area in	A Member that has committed capacity through an RPM Auction for a Delivery Year may purchase Locational UCAP as replacement capacity from a Member with available uncommitted capacity for such Delivery Year in accordance with the terms of this section and the PJM Manuals. Locational UCAP may not be sold or purchased prior to the date that the final Accredited UCAP Factor is established for such Delivery Year, and if designated to PJM by the Locational UCAP Seller as sold prior to the Third Incremental Auction for a Delivery Year must be confirmed by the buyer prior to such Third Incremental Auction as purchased for replacement capacity, or such transaction shall be rejected. In accordance with procedures specified in the PJM Manuals, the parties to a Locational UCAP transaction must notify PJM of such transaction, which notification must specify: i) the buyer, ii) the Locational UCAP Seller, iii) the start and end dates of the transaction (which may not be retroactive), iv) the Locational UCAP amount (no less than 0.1 megawatts), v) the demand or generation resource with available uncommitted capacity that is the basis for the sale, vi)	DER Capacity Aggregation Resources that are used as the basis of a Location UCAP bilateral transaction are subject to DER Capacity Aggregation Test Failure Charges (section 11B of OATT, Att DD). Section 5.3A is missing a reference to OATT, Att DD, section 11B.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		which the resource is located. The Locational UCAP Seller shall be responsible for any charges imposed under sections 7, 7A, 8, 10A, 11A, or 13, as applicable, for such Delivery Year, with respect to the increment of capacity sold as Locational UCAP; any other settlement of charges under the Locational UCAP transaction shall be between the parties. A purchaser of Locational UCAP may not offer such capacity into an RPM Auction	the Locational Delivery Area in which the resource is located. The Locational UCAP Seller shall be responsible for any charges imposed under sections 7, 7A, 8, 10A, 11A, 11B , or 13, as applicable, for such Delivery Year, with respect to the increment of capacity sold as Locational UCAP; any other settlement of charges under the Locational UCAP transaction shall be between the parties. A purchaser of Locational UCAP may not offer such capacity into an RPM Auction	
7	Tariff, Attachment DD, section 5.6 (g)	(g) A Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, or Energy Efficiency Resources may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with their average expected output during peak-hour periods, not to exceed the Accredited UCAP of such resource, as applicable. Alternatively, a Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, Energy Efficiency Resources, or Environmentally-Limited Resources may submit a Sell Offer which represents the aggregated Unforced Capacity value of such resources, where such Sell Offer shall be considered to be located in the smallest modeled LDA common to the aggregated resources. Such aggregated resources shall be owned by or under contract to the Capacity Market Seller, including all such resources obtained through bilateral contract and reported to the Office of the Interconnection in accordance with the Office of the Interconnection’s rules related to its Capacity Exchange tools. If any of the commercially aggregated resources in such Sell Offer are subject to the Minimum Floor Offer Price pursuant to Tariff, Attachment DD, section 5.14(h-2), the Capacity Market Seller that owns or controls such resources may submit a Sell Offer with a Minimum Floor Offer Price of no lower than the time and MW-weighted average of the applicable MOPR	(g) A Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, or Demand Resources, or Energy Efficiency Resources may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with their average expected output during peak-hour periods, not to exceed the Accredited UCAP of such resource, as applicable. Alternatively, a Capacity Market Seller that owns or controls one or more Capacity-Storage Resources , Intermittent Resources that has been granted additional Capacity Interconnection Rights related to the winter-period and Summer-Period Demand Resources, Energy Efficiency Resources, or Environmentally-Limited Resources may submit a Sell Offer which represents the aggregated Unforced Capacity value of such resources, where such Sell Offer shall be considered to be located in the smallest modeled LDA common to the aggregated resources. Such aggregated resources shall be owned by or under contract to the Capacity Market Seller, including all such resources obtained through bilateral contract and reported to the Office of the Interconnection in accordance with the Office of the Interconnection’s rules related to its Capacity Exchange tools. If any of the commercially aggregated resources in such Sell Offer are subject to the Minimum Floor Offer Price pursuant to Tariff, Attachment DD, section 5.14(h-2), the Capacity Market Seller that owns or controls such resources may submit a Sell Offer with a Minimum Floor Offer Price of no lower than the time and MW-weighted average of the applicable MOPR	Participation of Energy Efficiency Resources sunset with the 2026/2027 Delivery Year per ER24-2995. Commercial aggregation is now limited to Intermittent Resources that have granted additional CIRs related to the winter-period and Summer Period Demand Resources. Revisions are consistent with the removal of the categorical must-offer exception for Capacity Storage Resources and Intermittent Resources, which the Commission accepted in <i>PJM Interconnection, L.L.C.</i> , 190 FERC ¶ 61,117 (2025). Capacity Storage Resources and Intermittent Resources must now be offered into the Reliability Pricing Model (“RPM”) Auctions as annual resources and cannot just meet the capacity must-offer requirement by offering as a seasonal capacity resource. As a result, only those incremental additional winter Capacity Interconnection Rights that are granted to an Intermittent Resource would have the ability to aggregate with a Summer-Period Demand Resource.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		Floor Offer Prices (zero if not applicable) of the aggregated resources in such Sell Offer.	Floor Offer Prices (zero if not applicable) of the aggregated resources in such Sell Offer.	
8	Tariff, Attachment DD, section 5.6 (i)	(i) For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Summer-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Summer-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during summer peak hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Summer-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Winter-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Winter-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during winter peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Winter-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. Each segment of a Seasonal Capacity Performance Resource Sell Offer must be submitted as a flexible Sell Offer segment with the minimum MW quantity offered set to zero.	(i-h) For the 2020/2021 Delivery Year and subsequent Delivery Years, a A Capacity Market Seller that owns or controls a resource that qualifies as a Summer-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Summer-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during summer peak hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Summer-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. For the 2020/2021 Delivery Year and subsequent Delivery Years, a A Capacity Market Seller that owns or controls a resource that qualifies as a Winter-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Winter-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during winter peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Winter-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. Each segment of a Seasonal Capacity Performance Resource Sell Offer must be submitted as a flexible Sell Offer segment with the minimum MW quantity offered set to zero.	Incorrectly labeled as (i) as opposed to (h). Deleted outdated delivery year information.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
9	Tariff, Attachment DD, section 5.14(h-2)(4)	(4) Unit-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Capacity Resource. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is under a fact-specific review for Buyer-Side Market Power pursuant to Tariff, Attachment DD, section 5.14(h-2)(2)(B)(ii), and where the offer is below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Generation Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the unit-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains approval from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer. The unit-specific MOPR Floor Offer Price determined under this provision shall be based on the unit-specific Accredited UCAP value for battery energy storage resource types and for solar and wind generation resource types (appropriately time-weighted for any winter Capacity Interconnection Rights) or on the unit-specific EFORD for all other generation resource types, and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of the resource.	(4) Unit-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Capacity Resource. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is under a fact-specific review for Buyer-Side Market Power pursuant to Tariff, Attachment DD, section 5.14(h-2)(2)(B)(ii), and where the offer is below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Generation Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the unit-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains approval from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer. The unit-specific MOPR Floor Offer Price determined under this provision shall be based on the unit-specific Accredited UCAP value for battery energy storage resource types and for solar and wind generation resource types (appropriately time-weighted for any winter Capacity Interconnection Rights) or on the unit-specific EFORD Accredited UCAP value for all other generation resource types, and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of the resource.	Clarification for use of Accredited UCAP value, no longer EFORD, in the unit-specific MOPR Floor Offer Price. This cleanup was identified during development of governing document language for the ELCCSTF that ultimately not approved by the MRC.
10	Tariff, Attachment DD, section 6.5(a)(ii)(C)	Where the two conditions stated in subsection (B) above are not met, or the Sell Offer is pivotal, the Sell Offer shall be rejected if it exceeds 140 percent of: 1) the average of location-adjusted Sell Offers for Planned Generation Capacity Resources from the same	Where the two conditions stated in subsection (B) above are not met, or the Sell Offer is pivotal, the Sell Offer shall be rejected if it exceeds 140 percent of: 1) the average of location-adjusted Sell Offers for Planned Generation Capacity Resources from the same	Clarification that when a Sell Offer is rejected because the MOPR Floor Price is higher than the mitigated price for planned resources, no notice is required given that the Capacity

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		asset class as such Sell Offer, submitted (and not rejected) (Asset-Class New Plant Offers) for such Delivery Year; or 2) if there are no Asset-Class New Plant Offers for such Delivery Year, the average of Asset-Class New Plant Offers for all prior Delivery Years; or 3) if there are no Asset-Class New Plant Offers for any prior Delivery Year, the Net CONE applicable for such Delivery Year in the LDA for which such Sell Offer was submitted. For purposes of this section, asset classes shall be as stated in section 6.7(c) below as effective for such Delivery Year, and Asset-Class New Plant Offers shall be location-adjusted by the ratio between the Net CONE effective for such Delivery Year for the LDA in which the Sell Offer subject to this section was submitted and the average, weighted by installed capacity, of the Net CONEs for all LDAs in which the units underlying such Asset Class New Plant Offers are located. Following the conduct of the applicable auction and before the final determination of clearing prices, in accordance with Section 6.2(b) above, each Capacity Market Seller whose Sell Offer is so rejected shall be notified in writing by the Office of the Interconnection by no later than one (1) Business Day after the close of the offer period for the applicable RPM Auction and allowed an opportunity to submit a revised Sell Offer that does not exceed such threshold within one (1) Business Day of the Office of the Interconnection's rejection of such Sell Offer. If such revised Sell Offer is accepted by the Office of the Interconnection, the Office of the Interconnection then shall clear the auction with such revised Sell Offer in place. Pursuant to Tariff, Attachment M-Appendix, Section II.F, the Market Monitoring Unit shall notify in writing each Capacity Market Seller whose Sell Offer has been determined to be non-competitive and subject to mitigation, with a copy to the Office of the Interconnection, by no later than one (1) Business Day after the close of the offer period for the applicable RPM Auction.	asset class as such Sell Offer, submitted (and not rejected) (Asset-Class New Plant Offers) for such Delivery Year; or 2) if there are no Asset-Class New Plant Offers for such Delivery Year, the average of Asset-Class New Plant Offers for all prior Delivery Years; or 3) if there are no Asset-Class New Plant Offers for any prior Delivery Year, the Net CONE applicable for such Delivery Year in the LDA for which such Sell Offer was submitted. For purposes of this section, asset classes shall be as stated in section 6.7(c) below as effective for such Delivery Year, and Asset-Class New Plant Offers shall be location-adjusted by the ratio between the Net CONE effective for such Delivery Year for the LDA in which the Sell Offer subject to this section was submitted and the average, weighted by installed capacity, of the Net CONEs for all LDAs in which the units underlying such Asset Class New Plant Offers are located. Following the conduct of the applicable auction and before the final determination of clearing prices, in accordance with Section 6.2(b) above, each Capacity Market Seller whose Sell Offer is so rejected (except for those Sell Offers that are rejected because the MOPR Floor Price is higher than the mitigated offer price in accordance with Tariff, Attachment DD, section 5.14(h-2)) shall be notified in writing by the Office of the Interconnection by no later than one (1) Business Day after the close of the offer period for the applicable RPM Auction and allowed an opportunity to submit a revised Sell Offer that does not exceed such threshold within one (1) Business Day of the Office of the Interconnection's rejection of such Sell Offer. If such revised Sell Offer is accepted by the Office of the Interconnection, the Office of the Interconnection then shall clear the auction with such revised Sell Offer in place. Pursuant to Tariff, Attachment M-Appendix, Section II.F, the Market Monitoring Unit shall notify in writing each Capacity Market Seller whose Sell Offer has been determined to be non-competitive and subject to mitigation, with a	Market Seller would not be able to reduce such Sell Offer when it is subject to the MOPR Floor Price.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
			copy to the Office of the Interconnection, by no later than one (1) Business Day after the close of the offer period for the applicable RPM Auction.	
11	Tariff, Attachment DD, section 10A(c)	All Actual Generation Performance and Storage Resource Performance = the total amount of Actual Performance for all generation resources (including external Generation Capacity Resources for any Performance Assessment Interval for which performance by such external resource would have helped resolve the declared Emergency Action that was the subject to the Performance Assessment Hour; provided, however, that for any Delivery Year up to and including the 2019/2020 Delivery Year, performance of external Generation Capacity Resources shall be assessed only during Performance Assessment Hours for Emergency Actions declared for the entire PJM Region) and storage resources during the interval; Net Energy Imports = the sum of interchange transactions importing energy into PJM (not including those associated with external Generation Capacity Resources and therefore included in All Actual Generation Performance) minus the sum of interchange transactions exporting energy out of PJM, but not less than zero; Demand Response Bonus Performance = the sum of Bonus performance provided by Demand Response resources as calculated in (g) below; Price Responsive Demand Bonus Performance = the sum of Bonus performance provided by Price Responsive Demand as calculated in (g) below; and for Demand Resources, Energy Efficiency Resources, and Qualifying Transmission Upgrades: Resource Committed Capacity; where Resource Committed Capacity = the total megawatts of capacity committed from such Capacity Resource committed capacity without making any adjustment for the Forecast Pool Requirement	All Actual Generation Performance and Storage Resource Performance = the total amount of Actual Performance for all generation resources (including external Generation Capacity Resources for any Performance Assessment Interval for which performance by such external resource would have helped resolve the declared Emergency Action that was the subject to the Performance Assessment Hour; provided, however, that for any Delivery Year up to and including the 2019/2020 Delivery Year, performance of external Generation Capacity Resources shall be assessed only during Performance Assessment Hours for Emergency Actions declared for the entire PJM Region) and storage resources during the interval; Net Energy Imports = the sum of interchange transactions importing energy into PJM (not including those associated with external Generation Capacity Resources and therefore included in All Actual Generation Performance) minus the sum of interchange transactions exporting energy out of PJM, but not less than zero; Demand Response Bonus Performance = the sum of Bonus performance provided by Demand Response resources as calculated in (g) below; Price Responsive Demand Bonus Performance = the sum of Bonus performance provided by Price Responsive Demand as calculated in (g) below; and for Demand Resources, Energy Efficiency Resources, and Qualifying Transmission Upgrades: Resource Committed Capacity; where Resource Committed Capacity = the total megawatts of capacity committed from such Capacity Resource, where such capacity shall be in installed capacity terms for Demand Resources committed capacity without making any adjustment for the Forecast Pool Requirement	Clarified meaning of Resource Committed Capacity in Performance Assessment Interval Expected Performance calculation. This cleanup was identified during development of governing document language for the ELCCSTF that ultimately not approved by the MRC.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		and ...	and ...	
12	RAA, Article 1, Definitions – Capacity Resources	"Capacity Resources" shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and Reliability Assurance Agreement, Schedule 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; or (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6; or (iv) generation and load reduction capability provided by a DER Capacity Aggregation Resource, pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.2 and the PJM Manuals.	"Capacity Resources" shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and Reliability Assurance Agreement, Schedule 10 that are or will be owned by or contracted to a Party and that are or will may be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; or (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6; or (iv) generation and load reduction capability provided by a DER Capacity Aggregation Resource, pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.2 and the PJM Manuals.	While a Capacity Resource is likely to be committed as capacity, this clarification makes clear that not all Capacity Resource have or will have a capacity commitment.
13	RAA, Article 1, Definitions – Existing Generation Capacity Resources	"Existing Generation Capacity Resource" shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control	"Existing Generation Capacity Resource" shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full	Update to make clear that a resource that already cleared a prior RPM Auction for a relevant Delivery Year should be considered an Existing Generation Capacity Resource for subsequent RPM Auctions associated with such Delivery Year. This would make clear that a Planned Generation Capacity Resource that clears in the Base Residual Auction would not need to submit a binding notice of intent to

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.	commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year or has cleared a prior RPM Auction associated with the same Delivery Year in which the resource is to be offered in an Incremental Auction.	offer in subsequent Incremental Auctions associated with the same Delivery Year since such a resource would be included in the planning models once it is already cleared in the Base Residual Auction.
14	RAA, Article 1, Definitions – Planned Generation Capacity Resources	"Planned Generation Capacity Resource" shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; and (iv) an	"Planned Generation Capacity Resource" shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; and (iv) an Interconnection Service Agreement	Update to make clear that a resource that already cleared a prior RPM Auction for a relevant Delivery Year should be considered Existing Generation Capacity Resource for subsequent RPM Auctions associated with such Delivery Year. This would make clear that a Planned Generation Capacity Resource that clears in the Base Residual Auction would not need to submit a binding notice of intent to offer in subsequent Incremental Auctions associated with the same Delivery Year since such a resource would be included in the planning models once it is already cleared in the Base Residual Auction.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.	has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years and for subsequent Incremental Auctions associated with the Delivery Year that a resource first clears an RPM Auction.	
15	RAA, Article 1, Definitions - Unforced Capacity	"Unforced Capacity" shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.	"Unforced Capacity" shall mean installed capacity rated at summer conditions the capacity value as determined by the effective load carrying capability analysis for the Delivery Year, as further described in Schedule 9.2, that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.	Existing definition describes use of EFORD. Updated to better align with ELCC analysis. This cleanup was identified during development of governing document language for the ELCCSTF that ultimately not approved by the MRC.
16	RAA, Schedule 9.2 (B) (6)	(6) Mixed-technology resources are composed of components with different generation technologies, at least one of which would be an ELCC Resource, behind a single Point of Interconnection. For a mixed-technology resource composed of components that do not have significant interaction, the components are eligible to participate as separate resources. A mixed-technology resource composed of components that have significant interaction must participate as a single Combination Resource (or, if the components would all be Variable Resources, then as a single Variable Resource). The Capacity Resource Provider of a mixed-technology resource eligible to participate as either a single ELCC Resource or as multiple stand-alone resources shall elect, for a term of five	(6) Mixed-technology resources Mixed-Technology Facility are is composed of components with different generation technologies, at least one of which would be an ELCC Resource, behind a single Point of Interconnection. For a mixed-technology resource Mixed-Technology Facility composed of components that do not have significant interaction, the components are eligible to participate as separate resources. A mixed-technology resource Mixed-Technology Facility composed of components that have significant interaction must participate as a single Combination Resource (or, if the components would all be Variable Resources, then as a single Variable Resource). The Capacity Resource Provider of a mixed-technology resource Mixed-Technology Facility eligible to participate as either a	The defined term in the OA & Tariff is "Mixed-Technology Facility". Mixed Technology Facility" shall mean a facility composed of distinct generation and/or electric storage technology types behind the same Point of Interconnection. Co-Located Resources and Hybrid Resources form all or part of Mixed Technology Facilities.

GDECS Chart of Tariff Revisions

	Governing Document, Agreement, Attachment, Section, Title	Current Language	Proposed Revisions	Rationale/Notes
		consecutive Delivery Years, whether PJM is to model it as a single ELCC Resource or as multiple stand-alone resources. After such five Delivery Year period, a Capacity Resource Provider may request a change in such modelling approach by submitting to the Office of the Interconnection a written request to change the modelling approach and provide documentation supporting such change. A Capacity Resource Provider must submit such a request, and supporting documentation, by August 1 prior to the calendar year for the RPM Auction in which the ELCC Resource(s) intend(s) to submit a Sell Offer or otherwise commit to provide capacity, except for 2025/2026 Delivery Year such required information must be provided to the Office of the Interconnection in accordance with the PJM Manuals. The Office of the Interconnection shall provide no later than following November 15 written notification to the Capacity Resource Provider of its determination. If the request is granted, the ELCC Resource(s) shall be modelled as requested starting with the next Delivery Year for which no RPM Auction has been conducted and for subsequent Delivery Years. If the request is denied, the Office of the Interconnection shall include in the notice a written explanation for the denial.	single ELCC Resource or as multiple stand-alone resources shall elect, for a term of five consecutive Delivery Years, whether PJM is to model it as a single ELCC Resource or as multiple stand-alone resources. After such five Delivery Year period, a Capacity Resource Provider may request a change in such modelling approach by submitting to the Office of the Interconnection a written request to change the modelling approach and provide documentation supporting such change. A Capacity Resource Provider must submit such a request, and supporting documentation, by August 1 prior to the calendar year for the RPM Auction in which the ELCC Resource(s) intend(s) to submit a Sell Offer or otherwise commit to provide capacity, except for 2025/2026 Delivery Year such required information must be provided to the Office of the Interconnection in accordance with the PJM Manuals. The Office of the Interconnection shall provide no later than following November 15 written notification to the Capacity Resource Provider of its determination. If the request is granted, the ELCC Resource(s) shall be modelled as requested starting with the next Delivery Year for which no RPM Auction has been conducted and for subsequent Delivery Years. If the request is denied, the Office of the Interconnection shall include in the notice a written explanation for the denial.	