

Manual 02: Transmission Service Request Revision 18

Conway Pan, Sr. Engineer I
Transmission Service Department

Markets and Reliability Committee December 17, 2025

www.pjm.com | Public PJM © 2025




- Updated hyperlinks throughout the document
- Removed references to retired MOD standards
 - Where appropriate, replaced with current NAESB standard
- Section 2.3: ATC Processing
 - Several minor wording updates for clarity / consistency

Manual 02: Transmission Service Request, Revision 18



Review/Endorsement Timeline







Chair:

Lisa Drauschak,

Lisa.Drauschak@pjm.com

Secretary:

Dave Anders, <u>David.Anders@pjm.com</u>

SME/Presenter:

Conway Pan, Conway.Pan@pjm.com

Manual 02, Rev 18 Periodic Review



Member Hotline

(610) 666 - 8980

(866) 400 - 8980

custsvc@pjm.com



Appendix

www.pjm.com | Public PJM © 2025



2.3 ATC Processing

- PJM Transmission Service Department is responsible for the calculation of ATC/AFC. The calculation of transfer
 capabilities are based on computer simulations of the operation and response of the interconnected transmission
 network for a specific set of forecasted operating conditions under four specific time frames:
 - Hourly 1 to 168 hours in the future Hour 1 to Hour 168
 - Daily 1 to 35 days in the future
 - Weekly 1 to 5 weeks in the future
 - Monthly 1 to 18 months in the future



Section 2.3.1: PJM AFC Process Overview

- The AFC calculator applies the impacts of transmission reservations (or schedules as appropriate) and calculates the Available Flowgate Capability by determining the capacity remaining on individual flowgates for further transmission service activity. The formula used to determine AFC is contained in the AFC algorithm at: https://www.pjm.com/ pjmfiles/pub/oasis/afc-atc-algorithms.pdf
- The PJM AFC calculation utilizes the AFC values for selected coordinating entity flowgates
 that are calculated by the Transmission Provider. AFC values for these flowgates
 calculated overwrite values that the PJM process determines for these flowgates. In the
 absence of coordinating entity calculated values, the PJM AFC calculation uses the PJM
 generated values to determine AFC values.
- PJM supplies the coordinating entities with similar values for PJM Flowgates for inclusion in their AFC calculation process.

www.pjm.com | Public 7 PJM © 2025



BE ALERT TO
MALICIOUS PHISHING
EMAILS

Report suspicious email activity to PJM.

Call (610) 666-2244 or email it_ops_ctr_shift@pjm.com