

OATT DD 5.14 h-2 3 (A)

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default gross costs of new entry in the table above and post the preliminary estimates of the adjusted applicable default New Entry MOPR Floor Offer Prices on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the "BLS Producer Price Index Turbines and Turbine Generator Sets" component of the Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the "BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment" when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further ~~by a factor of 1.022 for nuclear, coal, combustion turbine, and combine cycle resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline based on any change in the~~ bonus depreciation, ~~if any, scheduled under current that is applicable under~~ federal corporate tax law associated with the relevant Delivery Year. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. The net energy and ancillary services revenue is equal to the average of the annual net revenues of the three most recent calendar years preceding the Base Residual Auction, where such annual net revenues shall be determined in accordance with the following and the PJM Manuals: