



eDART Roadmap

Craig Lowe, Sr. Business Analyst
Tech Change Forum
May 18, 2026

Action Required	Important Dates	Who May Be Affected
eDART Maintenance Releases	Train: April 30, 2026 Prod: May 14, 2026	eDART Users
PJM.com File Retirements	October/November 2026	File Users



2026												
	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Release(s)			Train: April 30, 2026 ◆		Prod: May 14, 2026 ◆							
PJM.com File Retirements										Prod: TBD ◆		

Legend

- Start Date
- ◆ End Date

eDART Maintenance Release (Train April 30; Prod May 14, 2026)

- Add a Hotline Flag to public transmission outage reports
 - 'Hotline' field to linesout_new file
linesout file will be updated after six months.
 - <hotLine> tag to TOIMWG XML download
 - 'Hotline' field to Current and Future and Historical reports
- If 'yes', the Information/Hotline Flag indicates that work is being performed on the selected equipment, however, that equipment will remain in its default state/will have no status changes as a part of the outage.
 - Common reasons for the hotline flag: equipment relay work, equipment RTU work, Disabling of automatic reclosing, etc.



eDART Maintenance Release (Train April 30; Prod May 14, 2026)

Company: Baltimore Gas and Electric Company
Ticket ID: 846471 **Start Date:** 01/09/2020 00:00
Status: Completed **End Date:** 01/09/2020 00:00
Out. Type: Continuous **Last Revised:** 01/09/2020
Availability: 2 hr. **RTEP Queue #:**
Approval Risk: No **Previous Status:** Active
On Time: No **Last Eval. Time:**
Hotline: Yes
Cause: Other

Status
C
C

```

<toimwg xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:noNamespaceSchemaLocation="toimwg.xsd">
  <ticket_info>
    <ticket>
      <pjmTicketId>845568</pjmTicketId>
      <intervalDefinition>
        <intervalStart>
          <date>2020-01-02</date>
          <time>01:00:00</time>
        </intervalStart>
        <intervalEnd>
          <date>2020-01-02</date>
          <time>23:00:00</time>
        </intervalEnd>
      </intervalDefinition>
      <status>Completed</status>
      <lastRevisedDate>01/02/2020 21:01</lastRevisedDate>
      <outageType>Continuous</outageType>
      <companyName>Baltimore Gas and Electric Company</companyName>
      <availability>4 hr.</availability>
      <approval_risk>No</approval_risk>
      <rtepQueueNumber/>
      <previous_status>Active</previous_status>
      <lastEvaluated/>
      <onTime>No</onTime>
      <hotLine>No</hotLine>
    </ticket>
    <equipment status="Open">
      <type>BRKR</type>
    </equipment>
  </ticket_info>
</toimwg>
  
```

ITEM	TICKET	ZONE/CO	FACILITY_NAME	START_DATE	TIME	END_DATE	TIME	STATUS	LAST_REVISD	APPROVAL	PREV STATUS	ON TIME	LAST_EVALUATED	HOT LINE
1	520157	JC-S	BRKR SMITHBUR 230 KV SMITHBUR 1B CB	24-JUN-2013	1000	24-JUN-2022	2359	0	Active	08/14/2025 13:21	Completed	No	No	No

eDART Maintenance Release (Train April 30; Prod May 14, 2026)

- New functionality to provide companies a way to identify facilities they would like custom ratings forecast files for
 - The files can be retrieved (CSV/ZIP) without data record limitations:
 - term_facility_hourly_forecast_custom.zip (fileId=25)
 - term_facility_seasonal_forecast_custom.zip (fileId=26)
 - New button to be added to TERM Rating Values in the eDART UI
 - Updates to PJM Posting Files available from the UI or via the CLI
 - This will **not** be available for user accounts created under account 'Other'

eDART Maintenance Release (Train April 30; Prod May 14, 2026)

Rating Values

Real-Time Ratings Forecast Value Report

PJM Posting Files **Custom Forecast Posting List**

Custom Forecast Posting List

Company: PJM TEST Mode: Review Add

NA Company: Zone: Station: Voltage: Type: End:

Number of Records: 0 / 100

NA Company	Zone	Station	Voltage	Type	Equipment	End	Action
NIPS	NIPS	BURR_OAK	345 KV	BRKR	BURR_OAK 09-13 CB	MVA	<input type="checkbox"/>
NIPS	NIPS	BURR_OAK	345 KV	BRKR	BURR_OAK 13 CB	MVA	<input type="checkbox"/>
NIPS	NIPS	BURR_OAK	345 KV	LINE	BURR_OAK-LEESBURG	END A	<input type="checkbox"/>
NIPS	NIPS	BURR_OAK	345 KV	LINE	BURR_OAK-SCHAHFER	END A	<input type="checkbox"/>
NIPS	NIPS	BURR_OAK	345 KV	XFMR	BURR_OAK A XFORMER	LOW	<input type="checkbox"/>

PJM Posting Files			
Include	File	Description	Timestamp
<input type="checkbox"/>	equiplist.csv	Equipment List/Complete Descriptions file	02/04/2026 17:32:10
<input type="checkbox"/>	voltageimits.csv	PJM RTO and TO Voltage Limits	04/07/2026 00:05:00
<input type="checkbox"/>	trans_psse_map.csv	Transmission Equipment PSSE Map [TO Only]	12/11/2024 12:06:37
<input type="checkbox"/>	linesout_new.txt	Staging version of Transmission Facilities Outages List	04/01/2026 16:01:20
<input type="checkbox"/>	linesout.txt	Staging version of Transmission Facilities Outages List	04/01/2026 16:01:20
<input type="checkbox"/>	rtep.txt	List of RTEP Transmission Outage Tickets	04/01/2026 16:01:25
<input type="checkbox"/>	nercalertlinesout.txt	NERC Alert Transmission Outages	04/06/2026 13:00:00
<input type="checkbox"/>	pjm_term_reason_list.txt	List of the available reasons for ratings change	04/07/2026 05:37:00
Download	toimwg_current.zip	Full TOIMWG-Current XML	04/01/2026 16:01:20
Download	term_facility_hourly_forecast.zip	TERM facility hourly forecast Updated hourly	04/07/2026 10:45:06
Download	term_facility_hourly_forecast_custom.zip	TERM facility hourly forecast Custom per company. Updated hourly	04/07/2026 10:48:05
Download	term_facility_seasonal_forecast.zip	TERM facility seasonal forecast Updated daily	04/06/2026 23:48:55
Download	term_facility_seasonal_forecast_custom.zip	TERM facility seasonal forecast Custom per company. Updated daily	04/06/2026 23:49:51

eDART Maintenance Release (Train April 30; Prod May 14, 2026)

- Added functionality for study engineers to use a consistent tempest forecast that reflects expected seasonal temperatures in their analysis when evaluating long term transmission outage requests.
- Update to PJM Posting Files available from the UI or via the CLI
 - term_zonal_forecast_long_term_study.zip (fileId=27)
 - This custom temperature set is visible to the TO only.

PJM Posting Files			
Include	File	Description	Timestamp
<input type="checkbox"/>	equiplist.csv	Equipment List/Complete Descriptions file	02/04/2026 17:33:25
<input type="checkbox"/>	voltageLimits.csv	PJM RTO and TO Voltage Limits	05/11/2026 00:05:00
<input type="checkbox"/>	linesout.txt	Transmission Facilities Outages List	04/30/2026 16:35:34
<input type="checkbox"/>	trans_psse_map.csv	Transmission Equipment PSSE Map [TO Only]	12/12/2024 14:47:57
<input type="checkbox"/>	linesout_new.txt	Staging version of Transmission Facilities Outages List	04/30/2026 16:35:34
<input type="checkbox"/>	rtep.txt	List of RTEP Transmission Outage Tickets	05/10/2026 05:53:42
<input type="checkbox"/>	nercalertlinesout.txt	NERC Alert Transmission Outages	05/09/2026 13:00:00
<input type="checkbox"/>	pjm_term_reason_list.txt	List of the available reasons for ratings change	05/11/2026 05:37:00
Download	toimwg_current.zip	Full TOIMWG-Current XML	04/30/2026 16:34:17
Download	term_facility_hourly_forecast.zip	TERM facility hourly forecast Updated hourly	05/11/2026 14:45:09
Download	term_facility_seasonal_forecast.zip	TERM facility seasonal forecast Updated daily	05/10/2026 23:50:28
Download	term_facilities.zip	TERM facilities Updated daily	05/10/2026 23:51:29
Download	term_zonal_forecast_long_term_study.zip	Custom forecast for Long Term Study [TO Only]	05/10/2026 23:51:35



FERC Order 881 - Retired PJM.com Ratings Information

- Permanent ratings: https://edart.pjm.com/reports/PJM_Line_ratings.txt
- Temporary ratings: https://edart.pjm.com/reports/PJM_TEMP_Line_Ratings.txt
- NERC Alert: <https://edart.pjm.com/reports/NERCRatingsAlertChanges.txt>
- Real Time DLR: https://edart.pjm.com/edartsql/get_public_file?p_file_name=dlr_real_time_current
- Effective: https://edart.pjm.com/edartsql/get_public_file?p_file_name=term_ratings_current
- Historical:
 - Today: https://edart.pjm.com/edartsql/get_public_file?p_file_name=term_ratings_today
 - Yesterday:
https://edart.pjm.com/edartsql/get_public_file?p_file_name=term_ratings_yesterday
 - 2 days ago:
https://edart.pjm.com/edartsql/get_public_file?p_file_name=term_ratings_2days_ago
 - 3 days ago:
https://edart.pjm.com/edartsql/get_public_file?p_file_name=term_ratings_3days_ago

The following files are scheduled to be retired towards the end of 2026:

- Transmission Facilities Outages List: <https://edart.pjm.com/reports/linesout.txt>
- Transmission Facilities Outages List – RTEP: <https://edart.pjm.com/reports/rtep.txt>
- NERC Alert Transmission Outages: <https://edart.pjm.com/reports/NERCAAlertLinesOut.txt>
- PJM RTO & Transmission Owner Voltage Limits: <https://edart.pjm.com/reports/voltage/limits.csv>
- Complete Descriptions: <https://edart.pjm.com/reports/equiplist.csv>

- These file will remain publicly available – generic users in eDART can access them
- Currently available in eDART via the UI and the CLI
 - No throttling applied for downloads from eDART
- Drivers for these moves
 - Technology changes
 - Provides additional control and visibility

- PJM imposes throttling on some file requests to help manage server resources, prevent abuse, and ensure fair usage among all consumers.
- Throttling restricts how often a file can be retrieved. If restricted to 60 seconds and a file is retrieved, one must wait 60 seconds before the same file can be retrieved again.
- After FERC 881 go-live, the observed usage (and subsequent impact) of the forecastval XML endpoint made it necessary to set a 10-minute throttle limit on it.

Recommendations

- Take note of the frequency the files are updated
- Use the prepared PJM Posting .zip files, which contain the information and can be retrieved with no limits
 - Most PJM Posting .zips include an info text file with additional details
- Use filters to target specific facilities or timeframes you need ratings for
 - *equipmentId, startDateGMT, endDateGMT*
- Custom Forecast Posting List

- Recent eDART Maintenance Release: April 30 (Train); May 14 (Prod.)
- Ratings links from the Ratings Information page on PJM.com are no longer available and 881 ratings information is only available in eDART via:
 - TERM or Trans. Tickets -> PJM Posting Files
 - TERM->TERM XML
 - Programmatically via the eDART CLI PJM Posting Files download XSD
- Future PJM.com File Retirements October/November 2026
- Throttling

Presenter: Craig Lowe,
Craig.Lowe@pjm.com

SME: Craig Lowe,
Craig.Lowe@pjm.com

eDARTHelp@pjm.com

eDART881@pjm.com

Order881@pjm.com

eDART Roadmap



Member Hotline


(610) 666 – 8980

(866) 400 – 8980

custsvc@pjm.com

**PROTECT THE
POWER GRID**

**THINK BEFORE
YOU CLICK!**



**BE ALERT TO
MALICIOUS PHISHING
EMAILS**



**Report suspicious email activity to PJM.
Call (610) 666-2244 or email it_ops_ctr_shift@pjm.com**



Product Details

eDART (electronic Dispatcher Application and Reporting Tool) is a suite of electronic applications used to facilitate dispatcher-to-dispatcher communications, along with other engineering communication and coordination functions.

[eDART Tools Page](#)