
# **Fast Start Pricing**

MMUAC
December 16,2021

Jane Wei



#### Year to Date PJM Real-Time LMP



Year to Date PJM Real-Time Daily Load 3,500,000 Max-Min 2016-2020 2020 **-**2021 Cumulative Change in Real-Time Load through 11.30.2021: 4.5% Peak Hour Load Change: 3.8% Off Peak Hour Load Change: 5.1% 3,000,000 Load (MWh) 2,500,000 2,000,000 1,500,000 1,000,000 Feb Jul Oct Jan Mar Apr May Jun Aug Sep Nov Dec Monitoring Analytics ©2021 www.monitoringanalytics.com 3


#### **Fast Start Eligible Units**

Unit Type	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
CT	192	192	192	191	191	191	193	193	199	199	199
Diesel	29	29	29	29	29	29	29	30	30	30	30
Landfill	44	44	43	43	43	43	42	41	41	41	41
Solar	213	213	214	217	217	219	222	222	223	224	226
Wind	98	98	98	98	99	99	99	99	99	100	100


- Fast start eligible when:
  - · Units are fast start capable; and
  - Offered with a notification plus start time of one hour or less and a min run time of one hour or less; and
  - Offered pool scheduled




#### Daily Average Real-Time PLMP and DLMP



#### **Hourly Difference: PLMP - DLMP**



#### **Average Hourly Load and LMP Difference**



### **Fast Start Impacts: Zonal Average Differences**

	Average	Average Average		Difference		
ZONE	DLMP	PLMP	Difference	Pecent		
AECO	\$41.22	\$43.02	\$1.80	4.4%		
AEP	\$53.22	\$56.27	\$3.05	5.7%		
APS	\$55.01	\$58.09	\$3.08	5.6%		
ATSI	\$53.03	\$55.93	\$2.91	5.5%		
BGE	\$59.88	\$63.46	\$3.58	6.0%		
COMED	\$44.51	\$47.51	\$3.00	6.7%		
DAY	\$56.27	\$59.36	\$3.10	5.5%		
DEOK	\$54.07	\$57.12	\$3.05	5.6%		
DOM	\$59.44	\$62.79	\$3.35	5.6%		
DPL	\$43.57	\$46.15	\$2.58	5.9%		
DUQ	\$52.81	\$55.71	\$2.90	5.5%		
EKPC	\$54.30	\$57.37	\$3.07	5.6%		
JCPL	\$42.83	\$44.81	\$1.98	4.6%		
METED	\$52.87	\$55.75	\$2.89	5.5%		
OVEC	\$53.28	\$56.28	\$2.99	5.6%		
PECO	\$40.80	\$42.51	\$1.71	4.2%		
PENELEC	\$50.45	\$53.16	\$2.70	5.4%		
PEPCO	\$59.78	\$63.31	\$3.53	5.9%		
PPL	\$47.23	\$49.67	\$2.44	5.2%		
PSEG	\$42.81	\$44.79	\$1.98	4.6%		
RECO	\$44.35	\$46.49	\$2.14	4.8%		

## **Zonal PLMP and DLMP Difference Frequency**

								_		
ZONE	< (\$50)	(\$50) to (\$10)	(\$10) to \$0	\$0	\$0 to \$10	\$10 to \$20	\$20 to \$50	\$50 to \$100	\$100 to \$200	>= \$200
PJM-RTO	0.0%	0.0%	0.5%	43.2%	50.7%	3.8%	1.3%	0.4%	0.1%	0.0%
AECO	0.0%	0.0%	7.7%	43.9%	44.6%	2.6%	0.8%	0.3%	0.1%	0.0%
AEP	0.0%	0.0%	0.7%	43.4%	50.0%	4.1%	1.4%	0.4%	0.1%	0.0%
APS	0.0%	0.0%	1.1%	43.6%	49.2%	4.1%	1.5%	0.4%	0.1%	0.0%
ATSI	0.0%	0.1%	1.0%	43.5%	49.9%	3.8%	1.3%	0.4%	0.1%	0.0%
BGE	0.0%	0.1%	2.1%	43.5%	46.0%	5.5%	2.1%	0.5%	0.2%	0.0%
COMED	0.0%	0.1%	1.6%	43.8%	48.1%	4.2%	1.7%	0.4%	0.0%	0.0%
DAY	0.0%	0.0%	1.0%	43.6%	49.2%	4.2%	1.5%	0.4%	0.1%	0.0%
DEOK	0.0%	0.0%	0.9%	43.6%	49.5%	4.1%	1.4%	0.4%	0.1%	0.0%
DOM	0.0%	0.1%	1.5%	43.7%	47.5%	4.9%	1.8%	0.4%	0.1%	0.0%
DPL	0.0%	0.1%	12.6%	44.0%	36.2%	3.3%	3.4%	0.5%	0.1%	0.0%
DUQ	0.0%	0.1%	0.9%	43.5%	49.9%	3.8%	1.3%	0.4%	0.1%	0.0%
EKPC	0.0%	0.0%	1.1%	43.7%	49.2%	4.2%	1.4%	0.4%	0.1%	0.0%
JCPL	0.0%	0.0%	3.1%	44.0%	49.1%	2.7%	0.8%	0.3%	0.1%	0.0%
METED	0.0%	0.2%	3.5%	43.7%	46.0%	4.2%	1.8%	0.6%	0.1%	0.0%
OVEC	0.0%	0.0%	0.9%	43.7%	49.6%	3.9%	1.4%	0.4%	0.1%	0.0%
PECO	0.0%	0.0%	10.7%	44.0%	41.7%	2.5%	0.7%	0.3%	0.1%	0.0%
PENELEC	0.0%	0.1%	0.8%	43.5%	50.3%	3.6%	1.3%	0.4%	0.1%	0.0%
PEPCO	0.0%	0.1%	2.1%	43.6%	46.3%	5.3%	2.1%	0.4%	0.1%	0.0%
PPL	0.0%	0.0%	3.0%	43.8%	48.2%	3.3%	1.2%	0.3%	0.1%	0.0%
PSEG	0.0%	0.0%	3.0%	43.9%	49.2%	2.7%	0.8%	0.3%	0.1%	0.0%
RECO	0.0%	0.0%	1.8%	43.6%	50.6%	2.8%	0.9%	0.3%	0.1%	0.0%

Monitoring Analytics, LLC
2621 Van Buren Avenue
Suite 160
Eagleville, PA
19403
(610) 271-8050

MA@monitoringanalytics.com www.MonitoringAnalytics.com