

Market Consistency Daily Zonal Scaling Factors

Ray Fernandez
Manager, Market Settlements Development
Markets & Reliability Committee
January 28, 2016

- **Peak Load Contributions (PLC)**
 - PJM requires that the sum of the daily PLC values submitted by the EDCs for each zone equate to the zonal target.
 - This sum can vary on a day-to-day basis due to retail customer attrition.
 - Daily Peak Load Contributions (PLC) data is currently scaled by eRPM to achieve a balance with the set zonal target.

- Network Service Peak Load (NSPL)
 - A similar requirement exists for NSPL values submitted daily by the EDCs.
 - eRPM does not apply a daily zonal scaling factor.
 - EDCs are responsible for ensuring that daily totals match the zonal target.
- The inconsistency in handling these data values leads to confusion and potential misuse of data.
- Market Settlement Subcommittee tasked with developing a solution to alleviate the inconsistency.

- **5.2 Network Integration Transmission Service Charges**
 - The daily sum of all LSEs' Network Service Peak Load contributions including losses in a zone/area must equal the EDC's Network Service Peak Load allocation in the zone/area.
 - A Network Service Peak Load Scaling Factor will be used to scale the uploaded LSE Network Service Peak Load values to the fixed Network Service Peak Load Allocation of the zone/area in the event that the Network Service Peak Load values uploaded by the EDC do not exactly sum to the Annual Network Service Peak Load Allocation for the zone/area.

$$\text{DailyNtwkSvcPkLoadScalingFactor} = \frac{\text{Annual Zone Area Network Service Peak Load Allocation}}{\sum \text{Zone Area Network Service Peak Load Uploads}}$$