

March 2, 2011

Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, D.C. 20426-0001

Re: *PJM Interconnection, L.L.C.*, Docket No. ER11-2288-001

Dear Ms. Bose:

PJM Interconnection, L.L.C. (“PJM”), pursuant to the Commission’s January 31, 2011 order in these proceedings,¹ hereby submits revisions to the PJM Open Access Transmission Tariff (“Tariff”) and Reliability Assurance Agreement Among Load Serving Entities in the PJM Region (“RAA”) as directed by the January 31 Order. Consistent with the effective date established by the January 31 Order, the enclosed revised Tariff and RAA sections reflect an effective date of February 1, 2011.

I. Background

On December 2, 2010, PJM filed Tariff and RAA revisions pursuant to section 205 of the Federal Power Act, 16 U.S.C. § 824d, to establish additional product alternatives for demand resources seeking to participate in PJM’s capacity market (“December 2 Filing”).

As PJM explained, demand resources (“DR”) currently have only a single product definition—carrying significant summer peak-period limitations on resource availability—by which they can commit their resources in PJM’s forward capacity auctions under the Reliability Pricing Model (“RPM”). In light of increases in the PJM region’s dependence on demand resources to maintain reliability during periods when system supply resources are short, the current product definition is no longer adequate to ensure that reliability requirements are met. PJM therefore proposed in the December 2 Filing to establish two additional demand resource products, one available throughout the year (known as an Annual Demand Resource), and one with an expanded summer commitment period compared to the current product (known as an Extended Summer Demand Resources). To distinguish it from the two new products, PJM proposed to rename the pre-existing demand resources as “Limited Demand Resources.”

¹ *PJM Interconnection, L.L.C.*, 134 FERC ¶ 61,066 (2011) (“January 31 Order”).

PJM proposed to establish minimum requirements in the RPM auctions for the less-limited resources (i.e., Annual DR and Extended Summer DR), based in part on calculation of the maximum amounts of the more-limited resources that are estimated to be consistent with reliability, known as the Limited DR Reliability Target and the Extended Summer DR Reliability Target. PJM described in the December 2 Filing, in both the transmittal letter and the affidavit of Mr. Thomas A. Falin, the methods PJM would use to calculate these two reliability targets.

As explained in the December 2 Filing, similar to RPM's locational constraint that values (and compensates) resources more highly if they are located inside an area that becomes capacity constrained, the RPM auctions will be allowed to compensate resources more highly if they have fewer availability limits when the product-type constraint binds, i.e., when there is a need for those types of resources in order to meet the minimum requirement. PJM proposed to establish these minimum resource requirements for the PJM region as a whole, and for three Locational Deliverability Areas that PJM determined were most likely to present concerns about over-reliance on the more-limited resources.

The January 31 Order accepted PJM's proposed Tariff and RAA changes subject to PJM revising those provisions in certain respects, through a compliance filing within 30 days of the January 31 Order, and subject to PJM submitting an informational filing in 180 days on its practices concerning dispatch of demand resources.

More specifically, the January 31 Order directed PJM to make the following changes in the 30-day compliance filing:

- Explain how PJM's dispatch methods will apply to the two new demand response product categories;²
- revise the Tariff to clarify that the minimum resource requirements will be established for each RPM incremental auction and will be based on the most recent DR Reliability Targets;³
- revise the Tariff to clarify how the Minimum Annual Resource Requirement is calculated, and in particular how the Extended Summer DR Reliability Target (on which that minimum requirement is based) includes Limited DR resources;⁴

² January 31 Order at PP 47-48.

³ *Id.* at P 49.

⁴ *Id.* at P 55.

- revise the Tariff to set forth the method and inputs that PJM will use to determine the Limited DR and Extended Summer DR Reliability Targets;⁵
- revise the Tariff to apply the DR Reliability Targets and minimum resource requirements to all LDAs in PJM or explain why such an application is not necessary;⁶ and
- correct an administrative error in the eTariff submission of RAA Schedule 8.1.F.⁷

As explained below, this filing addresses each of these 30-day compliance requirements. This filing also briefly addresses the 180-day compliance reporting requirement, explaining that the Commission can productively advance PJM's efforts to improve the efficiency of its dispatch of demand resources by acting on PJM's filing pending in Docket No. ER09-1063-004 on pricing during reserve shortages, which will have significant impacts on PJM's procedures for dispatching demand resources.

II. Satisfaction of the 30-Day Compliance Items in the January 31 Filing.

A. Integrating the Two New Demand Resource Products into PJM's Dispatch.

1. Commission Directive.

The December 2 Filing proposed Tariff and RAA changes; it did not propose any changes to PJM's operational dispatch procedures. Some intervenors, however, sought details on how the two new, less limited, demand resource products will be dispatched in the energy market relative to Limited DR.⁸ In the January 31 Order, the Commission recognized that PJM "proposed no change to the method by which it will dispatch all resources" but directed PJM to explain in the 30-day compliance filing "how its dispatch methods will apply to the various categories of demand resources."⁹

⁵ *Id.* at P 69.

⁶ *Id.* at P 76.

⁷ *Id.* at P 77.

⁸ *Id.* at P 47.

⁹ *Id.* at P 48.

2. PJM Response.

i. *PJM's Existing Practices for Dispatch of Demand Resources.*

Currently, PJM dispatches Demand Resources based on expected system conditions during emergencies.¹⁰ At registration, the provider identifies its demand resources as either “long lead time,” requiring two-hours advance notification, or “short lead time,” requiring one-hour advance notification. When the need to call on demand resources arises, PJM will maximize use of the available resources by calling long-lead time resources first, if there is sufficient time to meet the expected system reliability need.¹¹

PJM determines the zone or subzone to dispatch demand resources based on current and expected transmission constraints and system topology. Normally, PJM will dispatch demand resources across multiple zones to ensure the resulting load reductions will meet the system’s reliability needs during emergency operations.

PJM has established multiple overlapping communication processes—an “all call” telephone system, the generally available PJM eData system, the PJM eLRS system used by demand resource providers, and e-mail notice to personnel identified by the market participant—to ensure that demand resource providers receive timely and accurate information during emergencies concerning the dispatch, and release, of demand resources.

ii. *Integrating New DR Products into PJM's Dispatch.*

If aggregate levels of available demand resources do not significantly exceed current levels, then PJM expects to continue to dispatch demand resources as outlined above. However, if there are substantial increases in available demand resources in the future, PJM may need to further subdivide the categories by which demand resources are dispatched in order to maintain operational reliability as those resources are implemented. If such further subdivision is required, PJM will dispatch demand resources by product such that the anticipated reductions accomplished at any given time allow PJM dispatchers to maintain adequate system control based on expected system conditions. In dispatching demand resources by product, PJM would dispatch Annual DR and Extended

¹⁰ PJM also currently has available another load management product, Interruptible Load for Reliability, which it groups with Demand Resources for dispatch purposes. However, this product will be terminated as of May 31, 2012, before the two new dispatch products approved by the January 31 Order are implemented.

¹¹ See PJM Manual 13, “Emergency Operations,” at section 2.3.

Summer DR prior to Limited DR for emergency events that occur early in the summer season to reserve Limited DR capability for other potential system emergencies. This approach will help ensure that PJM does not exceed the Limited DR condition of ten calls per season before additional, more severe, emergency events that might occur during the middle of the summer season. The extent to which PJM will dispatch Annual DR or Extended Summer DR without dispatching Limited DR will depend on a number of factors, including the amount of demand resources committed for the Delivery Year for each product, the number, lead time, location and performance of past load management events, and the expected future system conditions that might necessitate additional load management events.

Notably, even if PJM calls for specific demand resource products, resource providers still would have some flexibility to meet that call with a different resource type. PJM's Tariff allows a demand resource provider to respond to PJM's dispatch instructions for load reduction with a different product that is in the same geographic location and has the same lead time.¹² If a demand resource provider elects to respond with a different product resource, such response will not be counted against the maximum number events that PJM can call on the resource. For example, if PJM dispatches Annual DR and Extended Summer DR and a resource provider has Limited DR with the same geographic and lead-time characteristics, then the provider may elect to use that Limited DR resource to respond to the event but that response will not reduce the number of times that PJM can subsequently call on that Limited DR resource.

B. Updates for Incremental Auctions.

1. Commission Directive.

In the December 2 Filing, PJM proposed Tariff changes to integrate the two new demand resource products into RPM's rules governing the "Incremental Auctions" that are conducted between the Base Residual Auction and the Delivery Year. In that connection, PJM's proposed Tariff language referenced the "updated Minimum Annual Resource Requirement" and "updated Minimum Extended Summer Resource Requirement."¹³ In the January 31 Order, the Commission directed PJM to revise the Tariff to clarify that updates to the reliability targets between the Base Residual Auction and the Incremental Auctions will be used to determine the updated minimum resource requirements.¹⁴ The Commission also noted that one of the relevant subsections on this

¹² See Tariff, Attachment DD, section 11(a) (providing that if a demand resource or ILR cannot respond, then another demand resource or ILR "in the same geographic location defined by the PJM dispatch instruction with the same designated lead time and comparable capacity commitment may be substituted").

¹³ See Tariff, Attachment DD, section 5.12(b)(iv)(i).

¹⁴ January 31 Order at P 49.

point was incorrectly enumerated as 5.12(b)(iv)(i), and directed PJM to correct that error. The Commission also required PJM to revise section 5.10(c) to clarify that the minimum resource requirements will also be established prior to each incremental auction.

2. PJM Response.

As required by the January 31 Order, PJM has corrected the subsection numbering in section 5.12(b). The subsection following 5.12(b)(iv) should have been identified as 5.12(b)(v), rather than 5.12(b)(i). PJM makes that correction in this compliance filing and redesignates the remaining subsections accordingly. PJM also is adding a parenthetical “(based on the latest DR reliability Targets)” after the references in 5.12(b)(v) to the updated Minimum Annual Resource Requirement and the updated Minimum Extended Summer Resource Requirement. PJM also is revising section 5.10(c) to expressly state that the minimum resource requirements will be established prior to each Base Residual Auction “and each Incremental Auction” for each Delivery Year.

C. Clarifying Calculation of Minimum Resource Requirements.

1. Commission Directive.

In the January 31 Order, the Commission notes that PJM has defined the Extended Summer DR Reliability Target as “the maximum amount of Extended Summer Demand Resources in Unforced Capacity determined by PJM ... that shall be used to calculate the Minimum Annual Resource Requirement,”¹⁵ but that a supporting affidavit submitted with the December 2 Filing explained that the Limited DR Reliability Target is a subset of the Extended Summer DR Reliability Target.¹⁶ The Commission directed PJM to resolve this ambiguity in the 30-day compliance filing.¹⁷

2. PJM Response.

To comply with the January 31 Order, PJM is revising the definition of the Extended Summer DR Reliability Target to refer to the maximum amount of “the combination of” Extended Summer Demand Resources “and Limited Demand Resources” that shall be used to calculate the Minimum Annual Resource Requirement.

¹⁵ *Id.* at P 55, quoting Tariff, Attachment DD, section 2.24C.

¹⁶ *Id.*, citing December 2 Filing, Falin Affidavit at P 15.

¹⁷ *Id.*

D. Description of Method and Inputs PJM Will Use to Calculate Reliability Targets.

1. Commission Directive.

In the December 2 Filing, PJM described in detail the methods it would use to calculate the Limited DR Reliability Target and the Extended Summer DR Reliability Target. PJM did not propose, however, to put the details of those methods in the Tariff. Rather, similar to the previously approved approach for key determinants of RPM's locational constraints, such as the Capacity Emergency Transfer Objective, PJM proposed to add a reference in the Tariff that the details of those methods were set forth in the PJM manuals. In the January 31 Order, the Commission found that "PJM's Tariff needs to do more than merely refer to a methodology in the manuals."¹⁸ The Commission advised that, although "many of the details of the calculations" can be in the manual, the Tariff needs to state "the method and inputs that PJM will use to determine the targets,"¹⁹ and therefore directed PJM to so modify the Tariff in the 30-day compliance filing.

2. PJM Response.

As required by the January 31 Order, PJM is expanding the Tariff definitions of the Limited DR Reliability Target and the Extended Summer DR Reliability Target to include a description of the method and inputs that will be used by PJM to determine each target. In each case, the description is a summary, including the method and all key inputs, of the detailed descriptions set forth in the December 2 Filing. As contemplated by the January 31 Order, PJM is adding the detailed description to the appropriate PJM manual.

Specifically, PJM proposes to add to the definition of the Extended Summer Demand Resource Reliability Target in Tariff Attachment DD, section 2.24C, the following description of the method and inputs:

As more fully set forth in the PJM Manuals, PJM calculates the Extended Summer DR Reliability Target, by first determining a reference annual loss of load expectation ("LOLE") assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve

¹⁸ January 31 Order at P 69.

¹⁹ *Id.*

Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value.

Similarly, PJM proposes to add to the definition of the Limited Demand Resource Reliability Target in Tariff Attachment DD, section 2.36B, the following description of the method and inputs:

As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; and ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result. Second, PJM adopts the lower result from these two tests as the Limited Demand Resource Reliability Target.

E. Establishing Minimum Resource Requirements for LDAs.

1. Commission Directive.

In the December 2 Filing, PJM proposed to establish minimum resource requirements and DR reliability targets for the PJM region as a whole and for three Locational Deliverability Areas that PJM determined were most likely to present concerns of over-reliance on more-limited demand resources. In the January 31 Order, the Commission observed that LDAs other than the three listed by PJM could separate from the rest of the PJM region in the capacity auctions, which suggests that the minimum resource requirement constraints would be relevant to those other LDAs as well.²⁰ The Commission therefore directed PJM to file Tariff revisions that apply the DR Reliability Target analysis procedures and minimum resource requirements to “all” of the LDAs in PJM or “explain why such an application is not necessary.”²¹

2. PJM Response.

PJM is responding to the January 31 Order by revising the Tariff to require determination in any Delivery Year of minimum resource requirements for each LDA for which PJM establishes a separate Variable Resource Requirement (“VRR”) Curve for the Base Residual Auction for that Delivery Year. When PJM conducts an RPM auction, it does not determine and establish a separate VRR Curve for every one of the 23 total LDAs listed in the RAA, because many of those LDAs are not capacity constrained. Rather, the Tariff directs PJM to establish a separate VRR Curve for every LDA that passes an objective screen to identify those LDAs that are constrained or close to becoming constrained, i.e., every LDA that has a Capacity Emergency Transfer Limit (how much capacity can be delivered into the LDA in an emergency) that is less than 115 percent of the LDA’s Capacity Emergency Transfer Objective (how much capacity from outside the LDA is needed in an emergency), and for every LDA that has price-separated at least once in the three preceding Base Residual Auctions.²²

The choice of which LDAs use a separate VRR Curve is highly significant, because an LDA cannot “separate” from the PJM region or other LDAs in an auction, and exhibit a locationally-constrained price, unless it has a separate VRR Curve. Given this, the only LDAs that potentially may need separate minimum resource requirements and reliability targets are those for which PJM establishes separate VRR Curves. If an LDA does not separate, then less-limited resources from other parts of the PJM region are available to meet the capacity needs of that LDA, as that LDA remains an undifferentiated part of the region (for capacity purposes). It is only when an LDA

²⁰ *Id.* at P 76.

²¹ *Id.*

²² Tariff, Attachment DD, section 5.10(a)(ii).

separates, and it has exhausted its ability to rely on external resources, that concerns with reliance on more limited resources within that LDA arise. In those circumstances, the changes approved in this docket will help ensure that PJM does not excessively rely on more-limited resources located within that constrained LDA, and will incent less-limited resources located in that LDA to help meet PJM's capacity needs.

Accordingly, PJM is revising the Tariff to specify that, in each Delivery Year, PJM will establish separate minimum resource requirements, and separate DR reliability targets, for each LDA for which PJM is required under Tariff section 5.10(a) to establish a separate VRR curve for the Base Residual Auction for that Delivery Year.

F. Correction of eTariff Error.

1. Commission Directive.

The January 31 Order notes that PJM's eTariff submission incorrectly placed PJM's proposed changes to section F (FRR Daily Unforced Capacity Obligations and Deficiency Charges) of RAA Schedule 8.1 in the electronic tariff record for section G (Capacity Resource Performance) of that schedule, and thus inadvertently removed section G from PJM's electronic tariff. The Commission therefore ordered PJM to correct section F and restore section G.²³

2. PJM Response.

As directed by the Commission, PJM is placing the intended changes to section F of RAA Schedule 8.1 into the electronic record for that section. PJM also is restoring to section G of RAA Schedule 8.1 the current effective language for that section.

III. Comment on 180-Day Compliance Report on DR Dispatch Stakeholder Process.

The January 31 Order found no basis for ordering any changes to PJM's existing demand resource dispatch procedures, but recognized that PJM currently is considering with stakeholders "how it could make its dispatch of demand resources more efficient."²⁴ The Commission therefore directed PJM to report to the Commission in 180 days on "the outcome of [PJM's] discussions with stakeholders regarding the current demand resource dispatch procedures and related assumptions that PJM uses in its DR Reliability Target Analysis Procedures."²⁵

²³ January 31 Order at P 77.

²⁴ *Id.* at P 72.

²⁵ *Id.*

The PJM stakeholder process to discuss and clarify the mechanics of PJM's dispatch of demand resources is already underway. PJM notes that a major portion of these discussions arose in the context of development of proposals to address the requirements of the Commission's Order No. 719 concerning pricing during periods of operating reserve shortages.²⁶ Emergency demand response is a critically important resource when high demand or the unavailability of other resources puts the system in a state of operating reserve shortage. Pricing that more closely approximates the value of lost load should also have a major impact on the commitment and dispatch of demand resources that can provide needed relief in times of reserve shortages. In connection with shortage pricing, the PJM stakeholders have discussed how PJM can supply demand resource providers with timely information on system conditions, and how demand resource providers can supply PJM with more timely and detailed information on the state of their resources.

Further progress in this area is complicated, however, by uncertainty concerning shortage pricing. PJM's shortage pricing filing in compliance with Order No. 719 has been pending since June 18, 2010 in Docket No. ER09-1063-004. Commission action on that filing would remove a major element of uncertainty hanging over any discussion of changes to PJM's dispatch of emergency demand resources. Accordingly, PJM urges the Commission to act as soon as reasonably possible on the shortage pricing filing.

²⁶ *Wholesale Competition in Regions with Organized Electric Markets*, Order 719, III FERC Stats. & Regs., Regs. Preambles ¶ 31,281 at P 15, *as amended* 126 FERC ¶ 61,261, *order on reh'g* Order 719-A, III FERC Stats. & Regs., Regs. Preambles ¶ 31,292, *reh'g denied*, Order 719-B, 129 FERC ¶ 61,252 (2009).

IV. Correspondence

The following individuals are designated for inclusion on the official service list in this proceeding and for receipt of any communications regarding this filing:

Frederick S. Bresler, III
Vice President – Market Operations and Demand
Resources
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, PA 19403-2497
(610) 666-8942
bresler@pjm.com

Jeanine Schleiden
Counsel
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, PA 19403-2497
(610) 666-4438
schlej@pjm.com

Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W, Suite 600
Washington, D.C. 20005
(202) 423-4743
glazec@pjm.com

Paul M. Flynn
Wright & Talisman, P.C.
1200 G. Street, N.W., Suite 600
Washington, D.C., 20005
(202) 393-1200
flynn@wrightlaw.com

V. Description of Submittal

Along with this transmittal letter, PJM submits electronic versions of the revisions to the RAA and PJM Tariff in both marked (showing the changes) and clean forms, and a PDF-format copy of this entire filing.

VI. Service

PJM has served a copy of this filing on all PJM Members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission's regulations,²⁷ PJM will post a copy of this filing to the FERC filings section of its internet site, located at the following link: <http://www.pjm.com/documents/ferc-manuals.aspx> with a specific link to the newly-filed document, and will send an e-mail on the same date as this filing to all PJM Members and all state utility regulatory commissions in the PJM Region²⁸ alerting them that this filing has been made by PJM today and is available by following such link.

²⁷ See 18C.F.R §§ 35.2(e) and 385.2010(f)(3).

²⁸ PJM already maintains, updates and regularly uses e-mail lists for all PJM members and affected commissions.

Honorable Kimberly D. Bose

March 2, 2011

Page 13

VII. Conclusion

Accordingly, PJM respectfully requests that the Commission accept the enclosed Tariff and RAA revisions, effective February 1, 2011.

Respectfully submitted,

/s/ Paul M. Flynn

Paul M. Flynn

Wright & Talisman, P.C.

1200 G. Street, N.W., Suite 600

Washington, D.C., 20005

(202) 393-1200

flynn@wrightlaw.com

Frederick S. Bresler, III

Vice President – Market Operations and Demand

Resources

PJM Interconnection, L.L.C.

955 Jefferson Avenue

Norristown, PA 19403-2497

(610) 666-8942

bresler@pjm.com

Craig Glazer

Vice President–Federal Government Policy

PJM Interconnection, L.L.C.

1200 G Street, N.W, Suite 600

Washington, D.C. 20005

(202) 423-4743

glazec@pjm.com

Jeanine Schleiden

Counsel

PJM Interconnection, L.L.C.

955 Jefferson Avenue

Norristown, PA 19403-2497

(610) 666-4438

schlej@pjm.com

Marked Sections

2. DEFINITIONS

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

2.1A Annual Demand Resource

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.1B Annual Resource

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

2.1C Annual Resource Price Adder

“Annual Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

2.1D Annual Revenue Rate

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a Demand Resource Provider or ILR Provider under section 11.

2.2 Avoidable Cost Rate

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.3 Base Load Generation Resource

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

2.4 Base Offer Segment

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer

Segments of such Market Sellers shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

2.5 Base Residual Auction

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

2.6 Buy Bid

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

2.7 Capacity Credit

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

2.8 Capacity Emergency Transfer Limit

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

2.9 Capacity Emergency Transfer Objective

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

2.9A Capacity Export Transmission Customer

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

2.10 Capacity Market Buyer

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

2.11 Capacity Market Seller

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that

has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

2.12 Capacity Resource

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.13 Capacity Resource Clearing Price

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

2.14 Capacity Transfer Right

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

2.14A Conditional Incremental Auction

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

2.15 CONE Area

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

2.16 Cost of New Entry

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

2.17 Daily Deficiency Rate

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

2.18 Daily Unforced Capacity Obligation

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.19 Delivery Year

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

2.20 Demand Resource

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.21 Demand Resource Factor

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

2.22 Demand Resource Provider

“Demand Resource Provider” shall mean a PJM Member that has the capability to reduce load, or that aggregates customers capable of reducing load. The Demand Resource Provider shall notify the Office of the Interconnection whether such load reduction is provided by a Limited Demand Resource, Extended Summer Demand Resource or an Annual Demand Resource. A Curtailment Service Provider, as defined in the Operating Agreement, may be a Demand Resource Provider, provided it qualifies its load reduction capability as a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource.

2.23 EFORD

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24 Energy Efficiency Resource

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24A Extended Summer Demand Resource

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.24B Extended Summer Resource Price Adder

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

2.24C Extended Summer Demand Resource Reliability Target

“Extended Summer Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM, ~~in accordance with procedures specified in the PJM Manuals,~~ to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement. As more fully set forth in the PJM Manuals, PJM calculates the Extended Summer DR Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective Study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Extended Summer Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.25 [Reserved]

2.26 Final RTO Unforced Capacity Obligation

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.26A Final Zonal ILR Price

“Final Zonal ILR Price” shall mean the Adjusted Zonal Capacity Price after the Second Incremental Auction, less the amount paid in CTR credits per MW of load in the Zone in which the ILR is to be certified.

2.27 First Incremental Auction

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

2.28 Forecast Pool Requirement

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

2.29 Forecast RTO ILR Obligation

“Forecast RTO ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the PJM Region times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in the PJM Region, for use in Delivery Years through May 31, 2012.

2.30 Forecast Zonal ILR Obligation

“Forecast Zonal ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the Zone times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in such Zone, for use in Delivery Years through May 31, 2012.

2.31 Generation Capacity Resource

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.32 ILR Forecast

“ILR Forecast” shall mean, for any Delivery Year ending on or before May 31, 2012, the average annual megawatt quantity of ILR certified for the five Planning Periods preceding the date of the forecast; provided, however, that before such data becomes available for five Delivery Years under the Reliability Pricing Model, comparable data on Active Load Management (as defined in the preexisting reliability assurance agreements)

from up to five prior Planning Periods shall be substituted as necessary; and provided further that, for transmission zones that were integrated into the PJM Region less than five years prior to the conduct of the Base Residual Auction for the Delivery Year, data on incremental load subject to mandatory interruption by Electric Distribution Companies within such zones shall be substituted as necessary.

2.33 ILR Provider

“ILR Provider” shall mean a Member that has the capability to reduce load, or that aggregates customers capable of reducing load. A Curtailment Service Provider, as such term is defined in the PJM Operating Agreement, may be an ILR Provider, provided it obtains certification of its load reduction capability as ILR.

2.34 Incremental Auction

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

2.35 Incremental Capacity Transfer Right

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

2.36 Interruptible Load for Reliability (ILR)

“Interruptible Load for Reliability” or “ILR” shall have the meaning specified in the Reliability Assurance Agreement.

2.36A Limited Demand Resource

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.36B Limited Demand Resource Reliability Target

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM; ~~in accordance with procedures specified in the PJM Manuals,~~ to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement for the PJM Region or such LDA. As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; and ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result. Second, PJM adopts the lower result from these two tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.37 Load Serving Entity (LSE)

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

2.38 Locational Deliverability Area (LDA)

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

2.39 Locational Deliverability Area Reliability Requirement

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area.

2.40 Locational Price Adder

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

2.41 Locational Reliability Charge

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

2.41A Locational UCAP

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

2.41B Locational UCAP Seller

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

2.41C Market Seller Offer Cap

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section I.I.E of Attachment M - Appendix.

2.41D Minimum Annual Resource Requirement

“Minimum Annual Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year~~for the MAAC, Eastern MAAC and Southwestern MAAC LDAs in the RPM Auctions for a Delivery Year~~. For the PJM Region, the Minimum Annual Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Short-Term Resource Procurement Target for the PJM Region in Unforced Capacity] minus [the Extended Summer Demand Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the Short-Term Resource Procurement Target for such LDA in Unforced Capacity] minus [the LDA CETL] minus [the Extended Summer Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.41E Minimum Extended Summer Resource Requirement

“Minimum Extended Summer Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year~~for the MAAC, Eastern MAAC and Southwestern MAAC LDAs in the RPM Auctions for a Delivery Year~~. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Short-Term Resource Procurement Target for the RTO in Unforced Capacity] minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the Short-Term Resource Procurement Target for the LDA in Unforced Capacity] minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.42 Net Cost of New Entry

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

2.43 Nominated Demand Resource Value

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service

level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

2.43A Nominated Energy Efficiency Value

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

2.44 Nominated ILR Value

“Nominated ILR Value” shall mean the amount of load reduction that an ILR resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For ILR, the maximum Nominated ILR Capacity Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the ILR is certified.

2.45 Opportunity Cost

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.46 Peak-Hour Dispatch

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is dispatched in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average real-time LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be dispatched independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be dispatched for such block.

2.47 Peak Season

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

2.48 Percentage Internal Resources Required

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

2.49 Planned Demand Resource

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50 Planned External Generation Capacity Resource

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50A Planned Generation Capacity Resource

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.51 Planning Period

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

2.52 PJM Region

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

2.53 PJM Region Installed Reserve Margin

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

2.54 PJM Region Peak Load Forecast

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

2.55 PJM Region Reliability Requirement

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast

Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region.

2.56 Projected PJM Market Revenues

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.57 Qualifying Transmission Upgrade

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

2.58 Reference Resource

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology, dual fuel capability, and a heat rate of 10,500 Mmbtu/ MWh.

2.59 Reliability Assurance Agreement

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

2.60 Reliability Pricing Model Auction

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

2.61 Resource Substitution Charge

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

2.61A Scheduled Incremental Auctions

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

2.62 Second Incremental Auction

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

2.63 Sell Offer

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

2.64 [Reserved for Future Use]

2.65 Self-Supply

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

2.65A Short-Term Resource Procurement Target

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

2.65B Short-Term Resource Procurement Target Applicable Share

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term

Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

2.66 Third Incremental Auction

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

2.67 Transition Adder

“Transition Adder” shall mean a component of a Sell Offer permitted for certain Capacity Market Sellers for the Transition Period, as set forth in section 17.

2.68 Transition Period

“Transition Period” shall mean the four-year period consisting of the Delivery Years commencing June 1, 2007, June 1, 2008, June 1, 2009, and June 1, 2010.

2.69 Unforced Capacity

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

2.69A Updated VRR Curve

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

2.69B Updated VRR Curve Increment

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.69C Updated VRR Curve Decrement

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.70 Variable Resource Requirement Curve

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

2.71 Zonal Capacity Price

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

3. RESPONSIBILITIES OF THE OFFICE OF THE INTERCONNECTION

3.1 Support for Self-Supply and Bilateral Transactions

The Office of the Interconnection shall:

(a) support electronic tools to facilitate communication by Market Sellers and Market Buyers of information to the Office of the Interconnection concerning Self-Supply arrangements;

(b) support an electronic bulletin board providing a forum for prospective buyers and sellers to transact Capacity Resources outside the Reliability Pricing Model Auctions, including Locational UCAP transactions (including mechanisms to allow prospective Sellers with partial-year resources to explore voluntary opportunities to combine their resources such that they can be offered together for a full Delivery Year) and support electronic tools to report bilateral capacity transactions between Market Participants to the Office of the Interconnection, in accordance with procedures set forth in the PJM Manuals; and

(c) define one or more capacity trading hubs and determine and publicize values for such hubs based on the capacity prices determined for one or more Locational Deliverability Areas, in accordance with the PJM Manuals.

3.2 Administration of the Base Residual Auction and Incremental Auctions

The Office of the Interconnection shall conduct and administer the Base Residual Auction and Incremental Auctions in accordance with this Attachment, the Operating Agreement, and the Reliability Assurance Agreement. Administration of the Base Residual Auction and Incremental Auctions shall include, but not be limited to, the following:

a) Determining the qualification of entities to become Capacity Market Sellers and Capacity Market Buyers;

b) Determining PJM Region Peak Load Forecasts and Locational Deliverability Area Reliability Requirements;

c) Determining the Minimum Annual Resource Requirements and the Minimum Extended Summer Resource Requirements for the PJM Region and ~~the MAAC, Eastern MAAC and Southwestern MAAC~~ applicable LDAs for Delivery Years starting June 1, 2014;

d) Determining ILR Forecasts for Delivery Years through May 31, 2012;

e) Determining the need, if any, for a Conditional Incremental Auction and providing appropriate prior notice of any such auction

f) Calculating the EFORD for each Generation Capacity Resource in the PJM Region to be used in the Third Incremental Auction;

g) Receiving Buy Bids and Sell Offers, determining Locational Deliverability Requirements and Variable Resource Requirement Curves, and determining the clearing price that reflects all such inputs;

h) Conducting settlements for auction transactions, including but not limited to rendering bills to, receiving payments from, and disbursing payments to, participants in Base Residual Auctions and Incremental Auctions.

i) Maintaining such records of Sell Offers and Buy Bids, clearing price determinations, and other aspects of auction transactions, as may be appropriate to the administration of Base Residual Auctions and Incremental Auctions; and

j) Posting of selected non-confidential data used in Reliability Pricing Model Auctions to calculate clearing prices and other auction results, as appropriate to inform market participants of auction conditions.

3.3 Records and Reports

The Office of the Interconnection shall prepare and maintain such records as are required for the administration of the Base Residual Auction and Incremental Auctions. For each auction conducted, the Office of the Interconnection shall, consistent with section 18.17 of the Operating Agreement, publish the following: (i) Zonal Capacity Prices for each LDA; (ii) Capacity Resource Clearing Prices for each LDA; (iii) Locational Price Adders; (iv) the total megawatts of Unforced Capacity that cleared; and (v) such other auction data as may be appropriate to the efficient and competitive conduct of the Base Residual Auction and Incremental Auctions. Such information shall be available on the PJM internet site through the end of the Delivery Year to which such auctions apply.

3.4 Counterparty

(a) PJMSettlement shall be the Counterparty to the transactions arising from the cleared Base Residual Auctions and Incremental Auctions; provided, however, PJMSettlement shall not be a contracting party to (i) any bilateral transactions between Market Participants, or (ii) with respect to Self-Supply for which designation of Self-Supply has been reported to the Office of the Interconnection.

(b) Charges. PJMSettlement shall be the Counterparty with respect to the obligations to pay, and the payment of, charges pursuant to this Attachment DD.

5.10 Auction Clearing Requirements

The Office of the Interconnection shall clear each Base Residual Auction and Incremental Auction for a Delivery Year in accordance with the following:

a) Variable Resource Requirement Curve

The Office of the Interconnection shall determine Variable Resource Requirement Curves for the PJM Region and for such Locational Deliverability Areas as determined appropriate in accordance with subsection (a)(iii) for such Delivery Year to establish the level of Capacity Resources that will provide an acceptable level of reliability consistent with the Reliability Principles and Standards. It is recognized that the variable resource requirement reflected in the Variable Resource Requirement Curve can result in an optimized auction clearing in which the level of Capacity Resources committed for a Delivery Year exceeds the PJM Region Reliability Requirement (less the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter) or Locational Deliverability Area Reliability Requirement (less the Forecast Zonal ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter for the Zones associated with such LDA) for such Delivery Year. For any auction, the Updated Forecast Peak Load, and Short-Term Resource Procurement Target applicable to such auction, shall be used.

i) Methodology to Establish the Variable Resource Requirement Curve

Prior to the Base Residual Auction, in accordance with the schedule in the PJM Manuals, the Office of the Interconnection shall establish the Variable Resource Requirement Curve for the PJM Region as follows:

- Each Variable Resource Requirement Curve shall be plotted on a graph on which Unforced Capacity is on the x-axis and price is on the y-axis;
- The Variable Resource Requirement Curve for the PJM Region shall be plotted by first combining (i) a horizontal line from the y-axis to point (1), (ii) a straight line connecting points (1) and (2), (iii) a straight line connecting points (2) and (3), and (iv) a vertical line from point (3) to the x-axis, where:
 - For point (1), price equals: [1.5 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus the approved PJM Region Installed Reserve Margin (“IRM”))%

minus 3%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

- For point (2), price equals: (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset) divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 1%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter; and
- For point (3), price equals [0.2 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 5%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

ii) For any Delivery Year, the Office of the Interconnection shall establish a separate Variable Resource Requirement Curve for each LDA for which:

- A) the Capacity Emergency Transfer Limit is less than 1.15 times the Capacity Emergency Transfer Objective, as determined by the Office of the Interconnection in accordance with NERC and Applicable Regional Reliability Council guidelines; or
- B) such LDA had a Locational Price Adder in any one or more of the three immediately preceding Base Residual Auctions; or
- C) such LDA is determined in a preliminary analysis by the Office of the Interconnection to be likely to have a Locational Price Adder, based on historic offer price levels; provided however that for the Base Residual Auction conducted for the Delivery Year commencing on June 1, 2012, the EMAAC, SWMAAC and MAAC LDAs shall employ separate Variable Resource Requirement Curves regardless of the outcome of the above three tests; and provided further that the Office of the Interconnection may establish a separate Variable Resource Requirement Curve for an LDA not otherwise qualifying under the above three tests if it

finds that such is required to achieve an acceptable level of reliability consistent with the Reliability Principles and Standards, in which case the Office of the Interconnection shall post such finding, such LDA, and such Variable Resource Requirement Curve on its internet site no later than the March 31 last preceding the Base Residual Auction for such Delivery Year. The same process as set forth in subsection (a)(i) shall be used to establish the Variable Resource Requirement Curve for any such LDA, except that the Locational Deliverability Area Reliability Requirement for such LDA shall be substituted for the PJM Region Reliability Requirement and the LDA Short-Term Resource Procurement Target shall be substituted for the PJM Region Short-Term Resource Procurement Target. For purposes of calculating the Capacity Emergency Transfer Limit under this section, all generation resources located in the PJM Region that are, or that qualify to become, Capacity Resources, shall be modeled at their full capacity rating, regardless of the amount of capacity cleared from such resource for the immediately preceding Delivery Year.

iii) Procedure for ongoing review of Variable Resource Requirement Curve shape.

Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall perform a review of the shape of the Variable Resource Requirement Curve, as established by the requirements of the foregoing subsection. Such analysis shall be based on simulation of market conditions to quantify the ability of the market to invest in new Capacity Resources and to meet the applicable reliability requirements on a probabilistic basis. Based on the results of such review, PJM shall prepare a recommendation to either modify or retain the existing Variable Resource Requirement Curve shape. The Office of the Interconnection shall post the recommendation and shall review the recommendation through the stakeholder process to solicit stakeholder input. If a modification of the Variable Resource Requirement Curve shape is recommended, the following process shall be followed:

- A) If the Office of the Interconnection determines that the Variable Resource Requirement Curve shape should be modified, Staff of the Office of the Interconnection shall propose a new Variable Resource Requirement Curve shape on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- B) The PJM Members shall review the proposed modification to the Variable Resource Requirement Curve shape.

- C) The PJM Members shall either vote to endorse the proposed modification, to propose alternate modifications or to recommend no modification by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - D) The PJM Board of Managers shall consider a proposed modification to the Variable Resource Requirement Curve shape, and the Office of the Interconnection shall file any approved modified Variable Resource Requirement Curve shape with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- iv) Cost of New Entry
- A) For the Delivery Year commencing on June 1, 2012, and continuing thereafter unless and until changed pursuant to subsection (B) below, the Cost of New Entry for the PJM Region shall be \$112,868 per MW-year. The Cost of New Entry for each LDA shall be determined based upon the Transmission Owner zones that comprise such LDA, as provided in the table below. If an LDA combines transmission zones with differing Cost of New Entry values, the lowest such value shall be used.

Geographic Location Within the PJM Region Encompassing These Zones	Cost of New Entry in \$/MW-Year
PS, JCP&L, AE, PECO, DPL, RECO (“CONE Area 1”)	122,040
BGE, PEPCO (“CONE Area 2”)	112,868
AEP, Dayton, ComEd, APS, DQL (“CONE Area 3”)	115,479
PPL, MetEd, Penelec (“CONE Area 4”)	112,868
Dominion (“CONE Area 5”)	112,868

(B) Beginning with the 2013-2014 Delivery Year, the CONE shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in accordance with the following:

(1) The Applicable H-W Index for any Delivery Year shall be the most recently published twelve-month change, at the time CONE values are required to be posted for the Base Residual Auction for such Delivery Year, in the Total Other Production Plant Index shown in the Handy-Whitman Index of Public Utility Construction Costs for the North Atlantic Region for purposes of CONE Areas 1, 2, and 4, for the North Central Region for purposes of CONE Area 3, and for the South Atlantic Region for purposes of CONE Area 5.

(2) The CONE in a CONE Area shall be adjusted prior to the Base Residual Auction for each Delivery Year by applying the Applicable H-W Index for such CONE Area to the Benchmark CONE for such CONE Area.

(3) The Benchmark CONE for a CONE Area shall be the CONE used for such CONE Area in the Base Residual Auction for the prior Delivery Year.

(4) Notwithstanding the foregoing, CONE values for any CONE Area for any Delivery Year shall be subject to amendment pursuant to appropriate filings with FERC under the Federal Power Act, including, without limitation, any filings resulting from the process described in section 5.10(a)(vii)(C) or any filing to establish new or revised CONE Areas.

v) Net Energy and Ancillary Services Revenue Offset

(A) The Office of the Interconnection shall determine the Net Energy and Ancillary Services Revenue Offset each year for the PJM Region as (A) the annual average of the revenues that would have been received by the Reference

Resource during a period of three consecutive calendar years preceding the time of the determination, based on (1) the heat rate and other characteristics of such Reference Resource; (2) fuel prices reported during such period at an appropriate pricing point for the PJM Region with a fuel transmission adder appropriate for such region, as set forth in the PJM Manuals, assumed variable operation and maintenance expenses for such resource of \$6.47 per MWh, and actual PJM hourly average Locational Marginal Prices recorded in the PJM Region during such period; and (3) an assumption that the Reference Resource would be dispatched on a Peak-Hour Dispatch basis; plus (B) ancillary service revenues of \$2,199 per MW-year.

Energy and Ancillary Market Revenue Offset each year for each sub-region of the PJM Region for which the Cost of New Entry is determined, as identified above, using the same procedures and methods as set forth in the previous subsection; provided, however, that: (1) the average hourly LMPs for the transmission zone in which such resource was assumed to be installed for purposes of the CONE estimate (as specified in the PJM Manuals) shall be used in place of the PJM Region average hourly LMPs; (2) if such sub-region was not integrated into the PJM Region for the entire applicable period, then the offset shall be calculated using only those whole calendar years during which the sub-region was integrated; and (3) a posted fuel pricing point in such sub-region, if available, and (if such pricing point is not available) a fuel transmission adder appropriate to each assumed Cost of New Entry location from an appropriate PJM Region pricing point shall be used for each such sub-region.

vi) Adjustment to Net Energy and Ancillary Services Revenue Offset

Beginning with the Base Residual Auction scheduled for May 2010, the Net Energy and Ancillary Services Revenue Offset for a CONE Area shall be adjusted following any Delivery Year during which Scarcity Pricing was effective in such CONE Area pursuant to the Scarcity Pricing provisions of section 6A of Schedule 1 to the PJM Operating Agreement. Following each Delivery Year, the Scarcity Pricing revenues the Reference Resource in each CONE Area would have received during such Delivery Year shall be calculated based on the assumed heat rate and other characteristics of the Reference Resource, assumed Peak-Hour Dispatch, and the actual locational marginal prices and actual fuel prices during the Delivery Year for the applicable location, which shall be the transmission zone in which such resource was assumed to be installed for purposes of the estimate of CONE applicable to such CONE Area. The Scarcity Pricing revenues so

determined shall be subtracted from the Net CONE otherwise calculated for such CONE Area for use in the Base Residual Auction next occurring after the Delivery Year in which Scarcity Pricing was effective in such CONE Area.

vii) Process for Establishing Parameters of Variable Resource Requirement Curve

- A) The parameters of the Variable Resource Requirement Curve will be established prior to the conduct of the Base Residual Auction for a Delivery Year and will be used for such Base Residual Auction.
- B) The Office of the Interconnection shall determine the PJM Region Reliability Requirement and the Locational Deliverability Area Reliability Requirement for each Locational Deliverability Area for which a Variable Resource Requirement Curve has been established for such Base Residual Auction on or before February 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values will be applied, in accordance with the Reliability Assurance Agreement.
- C) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the calculation of the Cost of New Entry for each CONE Area.
 - 1) If the Office of the Interconnection determines that the Cost of New Entry values should be modified, the Staff of the Office of the Interconnection shall propose new Cost of New Entry values on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - 2) The PJM Members shall review the proposed values.
 - 3) The PJM Members shall either vote to endorse the proposed values or propose alternate values by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

4) The PJM Board of Managers shall consider Cost of New Entry values, and the Office of the Interconnection shall file any approved modified Cost of New Entry values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

D) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the methodology set forth in this Attachment for determining the Net Energy and Ancillary Services Revenue Offset for the PJM Region and for each Zone.

1) If the Office of the Interconnection determines that the Net Energy and Ancillary Services Revenue Offset methodology should be modified, Staff of the Office of the Interconnection shall propose a new Net Energy and Ancillary Services Revenue Offset methodology on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.

2) The PJM Members shall review the proposed methodology.

3) The PJM Members shall either vote to endorse the proposed methodology or propose an alternate methodology by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.

4) The PJM Board of Managers shall consider the Net Revenue Offset methodology, and the Office of the Interconnection shall file any approved modified Net Energy and Ancillary Services Revenue Offset values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

b) Locational Requirements

The Office of Interconnection shall establish locational requirements prior to the Base Residual Auction to quantify the amount of Unforced Capacity that must be committed in each Locational Deliverability Area, in accordance with the PJM Reliability Assurance Agreement.

c) Minimum Annual Resource Requirements

Prior to the Base Residual Auction and each Incremental Auction for each Delivery Year, beginning with the Delivery Year that starts on June 1, 2014, the Office of the Interconnection shall establish the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and the Mid-Atlantic Area Council (“MAAC” for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. ”), Eastern MAAC and Southwestern MAAC Locational Deliverability Areas prior to the Base Residual Auction for each Delivery Year, beginning with the Delivery Year that starts on June 1, 2014.

d) Preliminary PJM Region Peak Load Forecast for the Delivery Year

The Office of the Interconnection shall establish the Preliminary PJM Region Load Forecast for the Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the Base Residual Auction for such Delivery Year.

e) Updated PJM Region Peak Load Forecasts for Incremental Auctions

The Office of the Interconnection shall establish the updated PJM Region Peak Load Forecast for a Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the First, Second, and Third Incremental Auction for such Delivery Year.

5.11 Posting of Information Relevant to the RPM Auctions

a) In accordance with the schedule provided in the PJM Manuals, PJM will post the following information for a Delivery Year prior to conducting the Base Residual Auction for such Delivery Year:

i) The Preliminary PJM Region Peak Load Forecast (for the PJM Region, and allocated to each Zone) and, for Delivery Years through May 31, 2012, the ILR Forecast by Locational Deliverability Area;

ii) The PJM Region Installed Reserve Margin, the Pool-wide average EFORD, and the Forecast Pool Requirement;

iii) The Demand Resource Factor;

iv) The PJM Region Reliability Requirement, and the Variable Resource Requirement Curve for the PJM Region;

v) The Locational Deliverability Area Reliability Requirement and the Variable Resource Requirement Curve for each Locational Deliverability Area for which a separate Variable Resource Requirement Curve has been established for such Base Residual Auction, and the CETO and CETL values for all Locational Deliverability Areas;

vi) For Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which PJM is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year~~the Mid-Atlantic Area Council (“MAAC”), Eastern MAAC and Southwestern MAAC Locational Deliverability Areas for Delivery Years starting with June 1, 2014;~~

vii) Any Transmission Upgrades that are expected to be in service for such Delivery Year, provided that a Transmission Upgrade that is Backbone Transmission satisfies the project development milestones set forth in section 5.11A;

viii) The bidding window time schedule for each auction to be conducted for such Delivery Year;

ix) The Net Energy and Ancillary Services Revenue Offset values for the PJM Region for use in the Variable Resource Requirement Curves for the PJM Region and each Locational Deliverability Area for which a separate Variable Resource Requirement Curve has been established for such Base Residual Auction; and

x) The results of the Preliminary Market Structure Screen in accordance with section 6.2(a).

b) The information listed in (a) will be posted and applicable for the First, Second, Third, and Conditional Incremental Auctions for such Delivery Year, except to the extent updated as required by other provisions of this Tariff.

c) In accordance with the schedule provided in the PJM Manuals, PJM will post the Final PJM Region Peak Load Forecast and the allocation to each zone of the obligation resulting from such final forecast, following the completion of the final Incremental Auction (including any Conditional Incremental Auction) conducted for such Delivery Year;

d) In accordance with the schedule provided in the PJM Manuals, PJM will advise owners of Generation Capacity Resources of the updated EFORd values for such Generation Capacity Resources prior to the conduct of the Third Incremental Auction for such Delivery Year.

e) After conducting the Reliability Pricing Model Auctions, PJM will post the results of each auction as soon thereafter as possible. The posted results shall include graphical supply curves that are (a) provided for the entire PJM Region, (b) provided for any Locational Deliverability Area for which there are four (4) or more suppliers, and (c) developed using a formulaic approach to smooth the curves using a statistical technique that fits a smooth curve to the underlying supply curve data while ensuring that the point of intersection between supply and demand curves is at the market clearing price.

If PJM discovers an error in the initial posting of auction results for a particular Reliability Pricing Model Auction, it shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 5:00 p.m. of the fifth business day following the initial publication of the results of the auction. After this initial notification, if PJM determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the seventh business day following the initial publication of the results of the auction. Thereafter, PJM must post on its Web site any corrected auction results by no later than 5:00 p.m. of the tenth business day following the initial publication of the results of the auction. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced auction results are under publicly noticed review by the FERC.

5.12 Conduct of RPM Auctions

The Office of the Interconnection shall employ an optimization algorithm for each Base Residual Auction and each Incremental Auction to evaluate the Sell Offers and other inputs to such auction to determine the Sell Offers that clear such auction.

a) Base Residual Auction

For each Base Residual Auction, the optimization algorithm shall consider:

- all Sell Offers submitted in such auction;
- the Variable Resource Requirement Curves for the PJM Region and each LDA;
- any constraints resulting from the Locational Deliverability Requirement;
- for Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and ~~the Mid Atlantic Area Council (“MAAC”), Eastern MAAC and Southwestern MAAC~~for each Locational Deliverability Areas for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD~~for Delivery Years starting with June 1, 2014;~~
- the PJM Region Reliability Requirement, minus, for Delivery Years through May 31, 2012, the Forecast RTO ILR Obligation and, for Delivery Years thereafter, minus the Short-Term Resource Procurement Target.

The optimization algorithm shall be applied to calculate the overall clearing result to minimize the cost of satisfying the reliability requirements across the PJM Region, regardless of whether the quantity clearing the Base Residual Auction is above or below the applicable target quantity, while respecting all applicable requirements and constraints. Where the supply curve formed by the Sell Offers submitted in an auction falls entirely below the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all such Sell Offers. Where the supply curve consists only of Sell Offers located entirely below the Variable Resource Requirement Curve and Sell Offers located entirely above the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. In determining the lowest-cost overall clearing result that satisfies all applicable constraints and requirements, the optimization may select from among multiple possible alternative clearing results that satisfy such requirements, including, for example (without limitation by such example), accepting a lower-priced Sell Offer that intersects the Variable Resource Requirement Curve and that specifies a minimum capacity

block, accepting a higher-priced Sell Offer that intersects the Variable Resource Requirement Curve and that contains no minimum-block limitations, or rejecting both of the above alternatives and clearing the auction at the higher-priced point on the Variable Resource Requirement Curve that corresponds to the Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve.

The Sell Offer price of a Qualifying Transmission Upgrade shall be treated as a capacity price differential between the LDAs specified in such Sell Offer between which CETL is increased, and the Import Capability provided by such upgrade shall clear to the extent the difference in clearing prices between such LDAs is greater than the price specified in such Sell Offer. The Capacity Resource clearing results and Capacity Resource Clearing Prices so determined shall be applicable for such Delivery Year.

b) Scheduled Incremental Auctions

For purposes of a Scheduled Incremental Auction, the optimization algorithm shall consider:

- The PJM Region Reliability Requirement, less the Forecast RTO ILR Obligation or Short-term Resource Procurement Target, as applicable;
- Updated LDA Reliability Requirements taking into account any updated Capacity Emergency Transfer Objectives;
- the Capacity Emergency Transfer Limit used in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction;
- For each LDA, such LDA's updated Reliability Requirement, less the Forecast LDA ILR Obligation or Short-Term Resource Procurement Target, as applicable;
- for Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each LDA for which PJM is required to establish a separate VRR Curve for the Base Residual Auction for the relevant Delivery Year~~the Mid-Atlantic Area Council ("MAAC"), Eastern MAAC and Southwestern MAAC Locational Deliverability Areas for Delivery Years starting with June 1, 2014;~~
- A demand curve consisting of the Buy Bids submitted in such auction and, if indicated for use in such auction in accordance with the provisions below, the Updated VRR Curve Increment;
- The Sell Offers submitted in such auction; and
- The Unforced Capacity previously committed for such Delivery Year.

(i) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(2) of this Attachment, the Office of

the Interconnection shall employ in the clearing of such auction the Updated VRR Curve Increment.

(ii) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(1) of this Attachment, and the conditions stated in section 5.4(c)(2) do not apply, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt quantity equal to (A) the Short-Term Resource Procurement Target Applicable Share for such auction plus (B) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year plus any amount required by section 5.4(c)(2)(ii).

(iii) When the possible need to seek agreements to release capacity commitments in any Scheduled Incremental Auction is indicated for the PJM Region or any LDA by section 5.4(c)(3)(i) of this Attachment, the Office of the Interconnection first shall subtract such auction's Short-Term Resource Procurement Target Applicable Share for such region or LDA from the difference between (A) the Reliability Requirement for such region or LDA utilized in the most recent prior auction conducted for the Delivery Year and (B) the updated Reliability Requirement for such region or LDA, plus (C) any capacity sell-back amount determined by PJM to be required for the PJM Region or such LDA by section 5.4(c)(3)(ii) of this Attachment; provided, however, that the amount sold in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade may not exceed the amounts purchased in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade. If the result of that subtraction is a negative quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that negative quantity defined above, to seek to procure such quantity. If the result of such subtraction is a positive quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the positive quantity defined above, to seek to sell back such quantity.

(iv) If none of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall employ in the clearing of such auction for the region or such LDA a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in megawatt quantity equal to the Short-Term Resource Procurement Target Applicable Share. If more than one of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall not seek to procure the Short-Term Resource Procurement Target Applicable Share more than once for such region or area for such auction.

~~(v)~~ If PJM seeks to procure additional capacity in an Incremental Auction due to a triggering of the tests in subsections (i), (ii), (iii) or (iv) then the Minimum Annual Resource

Requirement for such Auction will be equal to the updated Minimum Annual Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources, and the Minimum Extended Summer Resource Requirement for such Auction will be equal to the updated Minimum Extended Summer Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources and Extended Summer Demand Resources. If PJM seeks to release prior committed capacity due to a triggering of the test in subsection (iii) then PJM may not release prior committed capacity from Annual Resources or Extended Summer Demand Resources below the updated Minimum Annual Resource Requirement and updated Minimum Extended Summer Resource Requirement, respectively.

~~(v)~~(vi) If the above tests are triggered for an LDA and for another LDA wholly located within the first LDA, the Office of the Interconnection may adjust the amount of any Sell Offer or Buy Bids otherwise required by subsections (i), (ii), or (iii) above in one LDA as appropriate to take into account any reliability impacts on the other LDA.

~~(vi)~~(vii) The optimization algorithm shall calculate the overall clearing result to minimize the cost to satisfy the Unforced Capacity Obligation of the PJM Region to account for the updated PJM Peak Load Forecast and the cost of committing replacement capacity in response to the Buy Bids submitted, while satisfying or honoring such reliability requirements and constraints, in the same manner as set forth in subsection (a) above.

~~(vii)~~(viii) Load Serving Entities may be entitled to certain credits (“Excess Commitment Credits”) under certain circumstances as follows:

- (A) For either or both of the Delivery Years commencing on June 1, 2010 or June 1, 2011, if the PJM Region Reliability Requirement used for purposes of the Base Residual Auction for such Delivery Year exceeds the PJM Region Reliability Requirement that is based on the last updated load forecast prior to such Delivery Year, then such excess will be allocated to Load Serving Entities as set forth below;
- (B) For any Delivery Year beginning with the Delivery Year that commences June 1, 2012, the total amount from Sell Offers submitted by the Office of the Interconnection pursuant to subsection (b)(iii) above in the Scheduled Incremental Auctions for such Delivery Year that does not clear such auctions will be allocated to Load Serving Entities as set forth below;
- (C) the amount from (A) or (B) above for the PJM Region shall be allocated among Locational Deliverability Areas pro rata based on the reduction for each such Locational Deliverability Area in the peak load forecast from the time of the Base Residual Auction to the time of the Third Incremental Auction; provided, however, that the amount allocated to a Locational Deliverability Area may not exceed the reduction in the corresponding

Reliability Requirement for such Locational Deliverability Area; and provided further that any LDA with an increase in its load forecast shall not be allocated any Excess Commitment Credits;

- (D) the amount, if any, allocated to a Locational Deliverability Area shall be further allocated among Load Serving Entities in such areas that are charged a Locational Reliability Charge based on the Daily Unforced Capacity Obligation of such Load Serving Entities as of June 1 of the Delivery Year and shall be constant for the entire Delivery Year. Excess Commitment Credits may be used as Replacement Capacity or traded bilaterally.

c) Conditional Incremental Auction

For each Conditional Incremental Auction, the optimization algorithm shall consider:

- The quantity and location of capacity required to address the identified reliability concern that gave rise to the Conditional Incremental Auction;
- the same Capacity Emergency Transfer Limits that were modeled in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction; and
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity and location of capacity required to address the identified reliability violation at a Buy Bid price equal to 1.5 times Net CONE.

The optimization algorithm shall calculate the overall clearing result to minimize the cost to address the identified reliability concern, while satisfying or honoring such reliability requirements and constraints.

d) Equal-priced Sell Offers

If two or more Sell Offers submitted in any auction satisfying all applicable constraints include the same offer price, and some, but not all, of the Unforced Capacity of such Sell Offers is required to clear the auction, then the auction shall be cleared in a manner that minimizes total costs, including total make-whole payments if any such offer includes a minimum block and, to the extent consistent with the foregoing, in accordance with the following additional principles:

- 1) as necessary, the optimization shall clear such offers that have a flexible megawatt quantity, and the flexible portions of such offers that include a minimum block that already has cleared, where some but not all of such equal-priced flexible quantities are required to clear the auction, pro rata based on their flexible megawatt quantities; and

2) when equal-priced minimum-block offers would result in equal overall costs, including make-whole payments, and only one such offer is required to clear the auction, then the offer that was submitted earliest to the Office of the Interconnection, based on its assigned timestamp, will clear.

F. FRR Daily Unforced Capacity Obligations and Deficiency Charges

1. For each billing month during a Delivery Year, the Daily Unforced Capacity Obligation of an FRR Entity shall be determined on a daily basis for each Zone as follows:

$$\text{Daily Unforced Capacity Obligation} = \text{OPL} * \text{Final Zonal FRR Scaling Factor} * \text{FPR}$$

where:

OPL =Obligation Peak Load, defined as the daily summation of the weather-adjusted coincident summer peak, last preceding the Delivery Year, of the end-users in such Zone (net of operating Behind The Meter Generation, but not to be less than zero) for which such Party was responsible on that billing day, as determined in accordance with the procedures set forth in the PJM Manuals

$$\text{Final Zonal FRR Scaling Factor} = \text{FZPLDY}/\text{FZWNSP};$$

FZPLDY = Final Zonal Peak Load Forecast for such Delivery Year; and

FZWNSP = Zonal Weather-Normalized Peak Load for the summer concluding prior to the commencement of such Delivery Year.

2. An FRR Entity shall be assessed an FRR Capacity Deficiency Charge in each Zone addressed in such entity's FRR Capacity Plan for each day during a Delivery Year that it fails to satisfy its Daily Unforced Capacity Obligation in each Zone. Such FRR Capacity Deficiency Charge shall be in an amount equal to the deficiency below such FRR Entity's Daily Unforced Capacity Obligation for such Zone times (1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing such Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions).

3. If an FRR Entity acquires load that is not included in the Preliminary Zonal Peak Load Forecast such acquired load shall be treated in the same manner as provided in Sections H.1 and H.2 of this Schedule.

4. The shortages in meeting the minimum requirement within the constrained zones and the shortage in meeting the total obligation are first calculated. The shortage in the unconstrained area is calculated as the total shortage less shortages in constrained zones and excesses in constrained zones (the shortage is zero if this is a negative number). The Capacity Deficiency Charge is charged to the shortage in each zone and in the unconstrained area separately. This procedure is used to allow the use of capacity excesses from constrained zones to reduce shortage in the unconstrained area and to disallow the use of capacity excess from unconstrained area to reduce shortage in constrained zones.

5. The shortages in meeting the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement associated with the FRR Entity's capacity obligation

are calculated separately. The applicable penalty rate is calculated for Annual Resources, Extended Summer Demand Resources, and Limited Resources as (1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing such Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions).

G. Capacity Resource Performance

Any Capacity Resource committed by an FRR Entity in an FRR Capacity Plan for a Delivery Year shall be subject during such Delivery Year to the charges set forth in sections 7, 9, 10, 11, and 13 of Attachment DD to the PJM Tariff; provided, however, the Daily Deficiency Rate under sections 7, 9, and 13 thereof shall be 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions), and the charge rates under section 10 thereof, shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above. An FRR Entity shall have the same opportunities to cure deficiencies and avoid or reduce associated charges during the Delivery Year that a Market Seller has under Sections 7, 9, and 10 of Attachment DD to the PJM Tariff. An FRR Entity may cure deficiencies and avoid or reduce associated charges prior to the Delivery Year by procuring replacement Unforced Capacity outside of any RPM auction and committing such capacity in its FRR Capacity Plan.

Clean Sections

2. DEFINITIONS

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

2.1A Annual Demand Resource

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.1B Annual Resource

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

2.1C Annual Resource Price Adder

“Annual Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

2.1D Annual Revenue Rate

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a Demand Resource Provider or ILR Provider under section 11.

2.2 Avoidable Cost Rate

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.3 Base Load Generation Resource

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

2.4 Base Offer Segment

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer

Segments of such Market Sellers shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

2.5 Base Residual Auction

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

2.6 Buy Bid

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

2.7 Capacity Credit

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

2.8 Capacity Emergency Transfer Limit

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

2.9 Capacity Emergency Transfer Objective

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

2.9A Capacity Export Transmission Customer

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

2.10 Capacity Market Buyer

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

2.11 Capacity Market Seller

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that

has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

2.12 Capacity Resource

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.13 Capacity Resource Clearing Price

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

2.14 Capacity Transfer Right

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

2.14A Conditional Incremental Auction

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

2.15 CONE Area

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

2.16 Cost of New Entry

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

2.17 Daily Deficiency Rate

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

2.18 Daily Unforced Capacity Obligation

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.19 Delivery Year

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

2.20 Demand Resource

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.21 Demand Resource Factor

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

2.22 Demand Resource Provider

“Demand Resource Provider” shall mean a PJM Member that has the capability to reduce load, or that aggregates customers capable of reducing load. The Demand Resource Provider shall notify the Office of the Interconnection whether such load reduction is provided by a Limited Demand Resource, Extended Summer Demand Resource or an Annual Demand Resource. A Curtailment Service Provider, as defined in the Operating Agreement, may be a Demand Resource Provider, provided it qualifies its load reduction capability as a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource.

2.23 EFORD

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24 Energy Efficiency Resource

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24A Extended Summer Demand Resource

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.24B Extended Summer Resource Price Adder

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

2.24C Extended Summer Demand Resource Reliability Target

“Extended Summer Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement. As more fully set forth in the PJM Manuals, PJM calculates the Extended Summer DR Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Extended Summer Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.25 [Reserved]

2.26 Final RTO Unforced Capacity Obligation

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.26A Final Zonal ILR Price

“Final Zonal ILR Price” shall mean the Adjusted Zonal Capacity Price after the Second Incremental Auction, less the amount paid in CTR credits per MW of load in the Zone in which the ILR is to be certified.

2.27 First Incremental Auction

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

2.28 Forecast Pool Requirement

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

2.29 Forecast RTO ILR Obligation

“Forecast RTO ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the PJM Region times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in the PJM Region, for use in Delivery Years through May 31, 2012.

2.30 Forecast Zonal ILR Obligation

“Forecast Zonal ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the Zone times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in such Zone, for use in Delivery Years through May 31, 2012.

2.31 Generation Capacity Resource

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.32 ILR Forecast

“ILR Forecast” shall mean, for any Delivery Year ending on or before May 31, 2012, the average annual megawatt quantity of ILR certified for the five Planning Periods preceding the date of the forecast; provided, however, that before such data becomes available for five Delivery Years under the Reliability Pricing Model, comparable data on Active Load Management (as defined in the preexisting reliability assurance agreements)

from up to five prior Planning Periods shall be substituted as necessary; and provided further that, for transmission zones that were integrated into the PJM Region less than five years prior to the conduct of the Base Residual Auction for the Delivery Year, data on incremental load subject to mandatory interruption by Electric Distribution Companies within such zones shall be substituted as necessary.

2.33 ILR Provider

“ILR Provider” shall mean a Member that has the capability to reduce load, or that aggregates customers capable of reducing load. A Curtailment Service Provider, as such term is defined in the PJM Operating Agreement, may be an ILR Provider, provided it obtains certification of its load reduction capability as ILR.

2.34 Incremental Auction

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

2.35 Incremental Capacity Transfer Right

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

2.36 Interruptible Load for Reliability (ILR)

“Interruptible Load for Reliability” or “ILR” shall have the meaning specified in the Reliability Assurance Agreement.

2.36A Limited Demand Resource

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.36B Limited Demand Resource Reliability Target

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement for the PJM Region or such LDA. As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; and ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result. Second, PJM adopts the lower result from these two tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.37 Load Serving Entity (LSE)

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

2.38 Locational Deliverability Area (LDA)

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

2.39 Locational Deliverability Area Reliability Requirement

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area.

2.40 Locational Price Adder

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

2.41 Locational Reliability Charge

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

2.41A Locational UCAP

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

2.41B Locational UCAP Seller

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

2.41C Market Seller Offer Cap

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section II.E of Attachment M - Appendix.

2.41D Minimum Annual Resource Requirement

“Minimum Annual Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Annual Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Short-Term Resource Procurement Target for the PJM Region in Unforced Capacity] minus [the Extended Summer Demand Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the Short-Term Resource Procurement Target for such LDA in Unforced Capacity] minus [the LDA CETL] minus [the Extended Summer Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.41E Minimum Extended Summer Resource Requirement

“Minimum Extended Summer Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Short-Term Resource Procurement Target for the RTO in Unforced Capacity] minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the Short-Term Resource Procurement Target for the LDA in Unforced Capacity] minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.42 Net Cost of New Entry

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

2.43 Nominated Demand Resource Value

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

2.43A Nominated Energy Efficiency Value

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

2.44 Nominated ILR Value

“Nominated ILR Value” shall mean the amount of load reduction that an ILR resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For ILR, the maximum Nominated ILR Capacity Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the ILR is certified.

2.45 Opportunity Cost

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.46 Peak-Hour Dispatch

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is dispatched in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average real-time LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be dispatched independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be dispatched for such block.

2.47 Peak Season

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

2.48 Percentage Internal Resources Required

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

2.49 Planned Demand Resource

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50 Planned External Generation Capacity Resource

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50A Planned Generation Capacity Resource

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.51 Planning Period

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

2.52 PJM Region

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

2.53 PJM Region Installed Reserve Margin

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

2.54 PJM Region Peak Load Forecast

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

2.55 PJM Region Reliability Requirement

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region.

2.56 Projected PJM Market Revenues

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.57 Qualifying Transmission Upgrade

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

2.58 Reference Resource

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology, dual fuel capability, and a heat rate of 10,500 Mmbtu/ MWh.

2.59 Reliability Assurance Agreement

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

2.60 Reliability Pricing Model Auction

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

2.61 Resource Substitution Charge

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

2.61A Scheduled Incremental Auctions

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

2.62 Second Incremental Auction

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

2.63 Sell Offer

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

2.64 [Reserved for Future Use]

2.65 Self-Supply

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

2.65A Short-Term Resource Procurement Target

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

2.65B Short-Term Resource Procurement Target Applicable Share

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

2.66 Third Incremental Auction

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

2.67 Transition Adder

“Transition Adder” shall mean a component of a Sell Offer permitted for certain Capacity Market Sellers for the Transition Period, as set forth in section 17.

2.68 Transition Period

“Transition Period” shall mean the four-year period consisting of the Delivery Years commencing June 1, 2007, June 1, 2008, June 1, 2009, and June 1, 2010.

2.69 Unforced Capacity

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

2.69A Updated VRR Curve

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

2.69B Updated VRR Curve Increment

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.69C Updated VRR Curve Decrement

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.70 Variable Resource Requirement Curve

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

2.71 Zonal Capacity Price

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

3. RESPONSIBILITIES OF THE OFFICE OF THE INTERCONNECTION

3.1 Support for Self-Supply and Bilateral Transactions

The Office of the Interconnection shall:

(a) support electronic tools to facilitate communication by Market Sellers and Market Buyers of information to the Office of the Interconnection concerning Self-Supply arrangements;

(b) support an electronic bulletin board providing a forum for prospective buyers and sellers to transact Capacity Resources outside the Reliability Pricing Model Auctions, including Locational UCAP transactions (including mechanisms to allow prospective Sellers with partial-year resources to explore voluntary opportunities to combine their resources such that they can be offered together for a full Delivery Year) and support electronic tools to report bilateral capacity transactions between Market Participants to the Office of the Interconnection, in accordance with procedures set forth in the PJM Manuals; and

(c) define one or more capacity trading hubs and determine and publicize values for such hubs based on the capacity prices determined for one or more Locational Deliverability Areas, in accordance with the PJM Manuals.

3.2 Administration of the Base Residual Auction and Incremental Auctions

The Office of the Interconnection shall conduct and administer the Base Residual Auction and Incremental Auctions in accordance with this Attachment, the Operating Agreement, and the Reliability Assurance Agreement. Administration of the Base Residual Auction and Incremental Auctions shall include, but not be limited to, the following:

a) Determining the qualification of entities to become Capacity Market Sellers and Capacity Market Buyers;

b) Determining PJM Region Peak Load Forecasts and Locational Deliverability Area Reliability Requirements;

c) Determining the Minimum Annual Resource Requirements and the Minimum Extended Summer Resource Requirements for the PJM Region and applicable LDAs for Delivery Years starting June 1, 2014;

d) Determining ILR Forecasts for Delivery Years through May 31, 2012;

e) Determining the need, if any, for a Conditional Incremental Auction and providing appropriate prior notice of any such auction

f) Calculating the EFORD for each Generation Capacity Resource in the PJM Region to be used in the Third Incremental Auction;

g) Receiving Buy Bids and Sell Offers, determining Locational Deliverability Requirements and Variable Resource Requirement Curves, and determining the clearing price that reflects all such inputs;

h) Conducting settlements for auction transactions, including but not limited to rendering bills to, receiving payments from, and disbursing payments to, participants in Base Residual Auctions and Incremental Auctions.

i) Maintaining such records of Sell Offers and Buy Bids, clearing price determinations, and other aspects of auction transactions, as may be appropriate to the administration of Base Residual Auctions and Incremental Auctions; and

j) Posting of selected non-confidential data used in Reliability Pricing Model Auctions to calculate clearing prices and other auction results, as appropriate to inform market participants of auction conditions.

3.3 Records and Reports

The Office of the Interconnection shall prepare and maintain such records as are required for the administration of the Base Residual Auction and Incremental Auctions. For each auction conducted, the Office of the Interconnection shall, consistent with section 18.17 of the Operating Agreement, publish the following: (i) Zonal Capacity Prices for each LDA; (ii) Capacity Resource Clearing Prices for each LDA; (iii) Locational Price Adders; (iv) the total megawatts of Unforced Capacity that cleared; and (v) such other auction data as may be appropriate to the efficient and competitive conduct of the Base Residual Auction and Incremental Auctions. Such information shall be available on the PJM internet site through the end of the Delivery Year to which such auctions apply.

3.4 Counterparty

(a) PJMSettlement shall be the Counterparty to the transactions arising from the cleared Base Residual Auctions and Incremental Auctions; provided, however, PJMSettlement shall not be a contracting party to (i) any bilateral transactions between Market Participants, or (ii) with respect to Self-Supply for which designation of Self-Supply has been reported to the Office of the Interconnection.

(b) Charges. PJMSettlement shall be the Counterparty with respect to the obligations to pay, and the payment of, charges pursuant to this Attachment DD.

5.10 Auction Clearing Requirements

The Office of the Interconnection shall clear each Base Residual Auction and Incremental Auction for a Delivery Year in accordance with the following:

a) Variable Resource Requirement Curve

The Office of the Interconnection shall determine Variable Resource Requirement Curves for the PJM Region and for such Locational Deliverability Areas as determined appropriate in accordance with subsection (a)(iii) for such Delivery Year to establish the level of Capacity Resources that will provide an acceptable level of reliability consistent with the Reliability Principles and Standards. It is recognized that the variable resource requirement reflected in the Variable Resource Requirement Curve can result in an optimized auction clearing in which the level of Capacity Resources committed for a Delivery Year exceeds the PJM Region Reliability Requirement (less the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter) or Locational Deliverability Area Reliability Requirement (less the Forecast Zonal ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter for the Zones associated with such LDA) for such Delivery Year. For any auction, the Updated Forecast Peak Load, and Short-Term Resource Procurement Target applicable to such auction, shall be used.

i) Methodology to Establish the Variable Resource Requirement Curve

Prior to the Base Residual Auction, in accordance with the schedule in the PJM Manuals, the Office of the Interconnection shall establish the Variable Resource Requirement Curve for the PJM Region as follows:

- Each Variable Resource Requirement Curve shall be plotted on a graph on which Unforced Capacity is on the x-axis and price is on the y-axis;
- The Variable Resource Requirement Curve for the PJM Region shall be plotted by first combining (i) a horizontal line from the y-axis to point (1), (ii) a straight line connecting points (1) and (2), (iii) a straight line connecting points (2) and (3), and (iv) a vertical line from point (3) to the x-axis, where:
 - For point (1), price equals: [1.5 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus the approved PJM Region Installed Reserve Margin (“IRM”))%

minus 3%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

- For point (2), price equals: (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset) divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 1%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter; and
- For point (3), price equals [0.2 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 5%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

ii) For any Delivery Year, the Office of the Interconnection shall establish a separate Variable Resource Requirement Curve for each LDA for which:

- A) the Capacity Emergency Transfer Limit is less than 1.15 times the Capacity Emergency Transfer Objective, as determined by the Office of the Interconnection in accordance with NERC and Applicable Regional Reliability Council guidelines; or
- B) such LDA had a Locational Price Adder in any one or more of the three immediately preceding Base Residual Auctions; or
- C) such LDA is determined in a preliminary analysis by the Office of the Interconnection to be likely to have a Locational Price Adder, based on historic offer price levels; provided however that for the Base Residual Auction conducted for the Delivery Year commencing on June 1, 2012, the EMAAC, SWMAAC and MAAC LDAs shall employ separate Variable Resource Requirement Curves regardless of the outcome of the above three tests; and provided further that the Office of the Interconnection may establish a separate Variable Resource Requirement Curve for an LDA not otherwise qualifying under the above three tests if it

finds that such is required to achieve an acceptable level of reliability consistent with the Reliability Principles and Standards, in which case the Office of the Interconnection shall post such finding, such LDA, and such Variable Resource Requirement Curve on its internet site no later than the March 31 last preceding the Base Residual Auction for such Delivery Year. The same process as set forth in subsection (a)(i) shall be used to establish the Variable Resource Requirement Curve for any such LDA, except that the Locational Deliverability Area Reliability Requirement for such LDA shall be substituted for the PJM Region Reliability Requirement and the LDA Short-Term Resource Procurement Target shall be substituted for the PJM Region Short-Term Resource Procurement Target. For purposes of calculating the Capacity Emergency Transfer Limit under this section, all generation resources located in the PJM Region that are, or that qualify to become, Capacity Resources, shall be modeled at their full capacity rating, regardless of the amount of capacity cleared from such resource for the immediately preceding Delivery Year.

iii) Procedure for ongoing review of Variable Resource Requirement Curve shape.

Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall perform a review of the shape of the Variable Resource Requirement Curve, as established by the requirements of the foregoing subsection. Such analysis shall be based on simulation of market conditions to quantify the ability of the market to invest in new Capacity Resources and to meet the applicable reliability requirements on a probabilistic basis. Based on the results of such review, PJM shall prepare a recommendation to either modify or retain the existing Variable Resource Requirement Curve shape. The Office of the Interconnection shall post the recommendation and shall review the recommendation through the stakeholder process to solicit stakeholder input. If a modification of the Variable Resource Requirement Curve shape is recommended, the following process shall be followed:

- A) If the Office of the Interconnection determines that the Variable Resource Requirement Curve shape should be modified, Staff of the Office of the Interconnection shall propose a new Variable Resource Requirement Curve shape on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- B) The PJM Members shall review the proposed modification to the Variable Resource Requirement Curve shape.

- C) The PJM Members shall either vote to endorse the proposed modification, to propose alternate modifications or to recommend no modification by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - D) The PJM Board of Managers shall consider a proposed modification to the Variable Resource Requirement Curve shape, and the Office of the Interconnection shall file any approved modified Variable Resource Requirement Curve shape with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- iv) Cost of New Entry
- A) For the Delivery Year commencing on June 1, 2012, and continuing thereafter unless and until changed pursuant to subsection (B) below, the Cost of New Entry for the PJM Region shall be \$112,868 per MW-year. The Cost of New Entry for each LDA shall be determined based upon the Transmission Owner zones that comprise such LDA, as provided in the table below. If an LDA combines transmission zones with differing Cost of New Entry values, the lowest such value shall be used.

Geographic Location Within the PJM Region Encompassing These Zones	Cost of New Entry in \$/MW-Year
PS, JCP&L, AE, PECO, DPL, RECO (“CONE Area 1”)	122,040
BGE, PEPCO (“CONE Area 2”)	112,868
AEP, Dayton, ComEd, APS, DQL (“CONE Area 3”)	115,479
PPL, MetEd, Penelec (“CONE Area 4”)	112,868
Dominion (“CONE Area 5”)	112,868

(B) Beginning with the 2013-2014 Delivery Year, the CONE shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in accordance with the following:

(1) The Applicable H-W Index for any Delivery Year shall be the most recently published twelve-month change, at the time CONE values are required to be posted for the Base Residual Auction for such Delivery Year, in the Total Other Production Plant Index shown in the Handy-Whitman Index of Public Utility Construction Costs for the North Atlantic Region for purposes of CONE Areas 1, 2, and 4, for the North Central Region for purposes of CONE Area 3, and for the South Atlantic Region for purposes of CONE Area 5.

(2) The CONE in a CONE Area shall be adjusted prior to the Base Residual Auction for each Delivery Year by applying the Applicable H-W Index for such CONE Area to the Benchmark CONE for such CONE Area.

(3) The Benchmark CONE for a CONE Area shall be the CONE used for such CONE Area in the Base Residual Auction for the prior Delivery Year.

(4) Notwithstanding the foregoing, CONE values for any CONE Area for any Delivery Year shall be subject to amendment pursuant to appropriate filings with FERC under the Federal Power Act, including, without limitation, any filings resulting from the process described in section 5.10(a)(vii)(C) or any filing to establish new or revised CONE Areas.

v) Net Energy and Ancillary Services Revenue Offset

(A) The Office of the Interconnection shall determine the Net Energy and Ancillary Services Revenue Offset each year for the PJM Region as (A) the annual average of the revenues that would have been received by the Reference

Resource during a period of three consecutive calendar years preceding the time of the determination, based on (1) the heat rate and other characteristics of such Reference Resource; (2) fuel prices reported during such period at an appropriate pricing point for the PJM Region with a fuel transmission adder appropriate for such region, as set forth in the PJM Manuals, assumed variable operation and maintenance expenses for such resource of \$6.47 per MWh, and actual PJM hourly average Locational Marginal Prices recorded in the PJM Region during such period; and (3) an assumption that the Reference Resource would be dispatched on a Peak-Hour Dispatch basis; plus (B) ancillary service revenues of \$2,199 per MW-year.

Energy and Ancillary Market Revenue Offset each year for each sub-region of the PJM Region for which the Cost of New Entry is determined, as identified above, using the same procedures and methods as set forth in the previous subsection; provided, however, that: (1) the average hourly LMPs for the transmission zone in which such resource was assumed to be installed for purposes of the CONE estimate (as specified in the PJM Manuals) shall be used in place of the PJM Region average hourly LMPs; (2) if such sub-region was not integrated into the PJM Region for the entire applicable period, then the offset shall be calculated using only those whole calendar years during which the sub-region was integrated; and (3) a posted fuel pricing point in such sub-region, if available, and (if such pricing point is not available) a fuel transmission adder appropriate to each assumed Cost of New Entry location from an appropriate PJM Region pricing point shall be used for each such sub-region.

vi) Adjustment to Net Energy and Ancillary Services Revenue Offset

Beginning with the Base Residual Auction scheduled for May 2010, the Net Energy and Ancillary Services Revenue Offset for a CONE Area shall be adjusted following any Delivery Year during which Scarcity Pricing was effective in such CONE Area pursuant to the Scarcity Pricing provisions of section 6A of Schedule 1 to the PJM Operating Agreement. Following each Delivery Year, the Scarcity Pricing revenues the Reference Resource in each CONE Area would have received during such Delivery Year shall be calculated based on the assumed heat rate and other characteristics of the Reference Resource, assumed Peak-Hour Dispatch, and the actual locational marginal prices and actual fuel prices during the Delivery Year for the applicable location, which shall be the transmission zone in which such resource was assumed to be installed for purposes of the estimate of CONE applicable to such CONE Area. The Scarcity Pricing revenues so

determined shall be subtracted from the Net CONE otherwise calculated for such CONE Area for use in the Base Residual Auction next occurring after the Delivery Year in which Scarcity Pricing was effective in such CONE Area.

vii) Process for Establishing Parameters of Variable Resource Requirement Curve

- A) The parameters of the Variable Resource Requirement Curve will be established prior to the conduct of the Base Residual Auction for a Delivery Year and will be used for such Base Residual Auction.
- B) The Office of the Interconnection shall determine the PJM Region Reliability Requirement and the Locational Deliverability Area Reliability Requirement for each Locational Deliverability Area for which a Variable Resource Requirement Curve has been established for such Base Residual Auction on or before February 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values will be applied, in accordance with the Reliability Assurance Agreement.
- C) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the calculation of the Cost of New Entry for each CONE Area.
 - 1) If the Office of the Interconnection determines that the Cost of New Entry values should be modified, the Staff of the Office of the Interconnection shall propose new Cost of New Entry values on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - 2) The PJM Members shall review the proposed values.
 - 3) The PJM Members shall either vote to endorse the proposed values or propose alternate values by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

4) The PJM Board of Managers shall consider Cost of New Entry values, and the Office of the Interconnection shall file any approved modified Cost of New Entry values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

D) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the methodology set forth in this Attachment for determining the Net Energy and Ancillary Services Revenue Offset for the PJM Region and for each Zone.

1) If the Office of the Interconnection determines that the Net Energy and Ancillary Services Revenue Offset methodology should be modified, Staff of the Office of the Interconnection shall propose a new Net Energy and Ancillary Services Revenue Offset methodology on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.

2) The PJM Members shall review the proposed methodology.

3) The PJM Members shall either vote to endorse the proposed methodology or propose an alternate methodology by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.

4) The PJM Board of Managers shall consider the Net Revenue Offset methodology, and the Office of the Interconnection shall file any approved modified Net Energy and Ancillary Services Revenue Offset values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

b) Locational Requirements

The Office of Interconnection shall establish locational requirements prior to the Base Residual Auction to quantify the amount of Unforced Capacity that must be committed in each Locational Deliverability Area, in accordance with the PJM Reliability Assurance Agreement.

c) Minimum Annual Resource Requirements

Prior to the Base Residual Auction and each Incremental Auction for each Delivery Year, beginning with the Delivery Year that starts on June 1, 2014, the Office of the Interconnection shall establish the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. .

d) Preliminary PJM Region Peak Load Forecast for the Delivery Year

The Office of the Interconnection shall establish the Preliminary PJM Region Load Forecast for the Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the Base Residual Auction for such Delivery Year.

e) Updated PJM Region Peak Load Forecasts for Incremental Auctions

The Office of the Interconnection shall establish the updated PJM Region Peak Load Forecast for a Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the First, Second, and Third Incremental Auction for such Delivery Year.

5.11 Posting of Information Relevant to the RPM Auctions

a) In accordance with the schedule provided in the PJM Manuals, PJM will post the following information for a Delivery Year prior to conducting the Base Residual Auction for such Delivery Year:

i) The Preliminary PJM Region Peak Load Forecast (for the PJM Region, and allocated to each Zone) and, for Delivery Years through May 31, 2012, the ILR Forecast by Locational Deliverability Area;

ii) The PJM Region Installed Reserve Margin, the Pool-wide average EFORD, and the Forecast Pool Requirement;

iii) The Demand Resource Factor;

iv) The PJM Region Reliability Requirement, and the Variable Resource Requirement Curve for the PJM Region;

v) The Locational Deliverability Area Reliability Requirement and the Variable Resource Requirement Curve for each Locational Deliverability Area for which a separate Variable Resource Requirement Curve has been established for such Base Residual Auction, and the CETO and CETL values for all Locational Deliverability Areas;

vi) For Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which PJM is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year;

vii) Any Transmission Upgrades that are expected to be in service for such Delivery Year, provided that a Transmission Upgrade that is Backbone Transmission satisfies the project development milestones set forth in section 5.11A;

viii) The bidding window time schedule for each auction to be conducted for such Delivery Year;

ix) The Net Energy and Ancillary Services Revenue Offset values for the PJM Region for use in the Variable Resource Requirement Curves for the PJM Region and each Locational Deliverability Area for which a separate Variable Resource Requirement Curve has been established for such Base Residual Auction; and

x) The results of the Preliminary Market Structure Screen in accordance with section 6.2(a).

b) The information listed in (a) will be posted and applicable for the First, Second, Third, and Conditional Incremental Auctions for such Delivery Year, except to the extent updated as required by other provisions of this Tariff.

c) In accordance with the schedule provided in the PJM Manuals, PJM will post the Final PJM Region Peak Load Forecast and the allocation to each zone of the obligation resulting from such final forecast, following the completion of the final Incremental Auction (including any Conditional Incremental Auction) conducted for such Delivery Year;

d) In accordance with the schedule provided in the PJM Manuals, PJM will advise owners of Generation Capacity Resources of the updated EFORd values for such Generation Capacity Resources prior to the conduct of the Third Incremental Auction for such Delivery Year.

e) After conducting the Reliability Pricing Model Auctions, PJM will post the results of each auction as soon thereafter as possible. The posted results shall include graphical supply curves that are (a) provided for the entire PJM Region, (b) provided for any Locational Deliverability Area for which there are four (4) or more suppliers, and (c) developed using a formulaic approach to smooth the curves using a statistical technique that fits a smooth curve to the underlying supply curve data while ensuring that the point of intersection between supply and demand curves is at the market clearing price.

If PJM discovers an error in the initial posting of auction results for a particular Reliability Pricing Model Auction, it shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 5:00 p.m. of the fifth business day following the initial publication of the results of the auction. After this initial notification, if PJM determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the seventh business day following the initial publication of the results of the auction. Thereafter, PJM must post on its Web site any corrected auction results by no later than 5:00 p.m. of the tenth business day following the initial publication of the results of the auction. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced auction results are under publicly noticed review by the FERC.

5.12 Conduct of RPM Auctions

The Office of the Interconnection shall employ an optimization algorithm for each Base Residual Auction and each Incremental Auction to evaluate the Sell Offers and other inputs to such auction to determine the Sell Offers that clear such auction.

a) Base Residual Auction

For each Base Residual Auction, the optimization algorithm shall consider:

- all Sell Offers submitted in such auction;
- the Variable Resource Requirement Curves for the PJM Region and each LDA;
- any constraints resulting from the Locational Deliverability Requirement;
- for Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD;
- the PJM Region Reliability Requirement, minus, for Delivery Years through May 31, 2012, the Forecast RTO ILR Obligation and, for Delivery Years thereafter, minus the Short-Term Resource Procurement Target.

The optimization algorithm shall be applied to calculate the overall clearing result to minimize the cost of satisfying the reliability requirements across the PJM Region, regardless of whether the quantity clearing the Base Residual Auction is above or below the applicable target quantity, while respecting all applicable requirements and constraints. Where the supply curve formed by the Sell Offers submitted in an auction falls entirely below the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all such Sell Offers. Where the supply curve consists only of Sell Offers located entirely below the Variable Resource Requirement Curve and Sell Offers located entirely above the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. In determining the lowest-cost overall clearing result that satisfies all applicable constraints and requirements, the optimization may select from among multiple possible alternative clearing results that satisfy such requirements, including, for example (without limitation by such example), accepting a lower-priced Sell Offer that intersects the Variable Resource Requirement Curve and that specifies a minimum capacity block, accepting a higher-priced Sell Offer that intersects the Variable Resource Requirement Curve and that contains no minimum-block limitations, or rejecting both of the above

alternatives and clearing the auction at the higher-priced point on the Variable Resource Requirement Curve that corresponds to the Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve.

The Sell Offer price of a Qualifying Transmission Upgrade shall be treated as a capacity price differential between the LDAs specified in such Sell Offer between which CETL is increased, and the Import Capability provided by such upgrade shall clear to the extent the difference in clearing prices between such LDAs is greater than the price specified in such Sell Offer. The Capacity Resource clearing results and Capacity Resource Clearing Prices so determined shall be applicable for such Delivery Year.

b) Scheduled Incremental Auctions

For purposes of a Scheduled Incremental Auction, the optimization algorithm shall consider:

- The PJM Region Reliability Requirement, less the Forecast RTO ILR Obligation or Short-term Resource Procurement Target, as applicable;
- Updated LDA Reliability Requirements taking into account any updated Capacity Emergency Transfer Objectives;
- the Capacity Emergency Transfer Limit used in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction;
- For each LDA, such LDA's updated Reliability Requirement, less the Forecast LDA ILR Obligation or Short-Term Resource Procurement Target, as applicable;
- for Delivery Years starting with June 1, 2014, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each LDA for which PJM is required to establish a separate VRR Curve for the Base Residual Auction for the relevant Delivery Year;
- A demand curve consisting of the Buy Bids submitted in such auction and, if indicated for use in such auction in accordance with the provisions below, the Updated VRR Curve Increment;
- The Sell Offers submitted in such auction; and
- The Unforced Capacity previously committed for such Delivery Year.

(i) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(2) of this Attachment, the Office of the Interconnection shall employ in the clearing of such auction the Updated VRR Curve Increment.

(ii) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(1) of this Attachment, and the conditions stated in section 5.4(c)(2) do not apply, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt quantity equal to (A) the Short-Term Resource Procurement Target Applicable Share for such auction plus (B) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year plus any amount required by section 5.4(c)(2)(ii).

(iii) When the possible need to seek agreements to release capacity commitments in any Scheduled Incremental Auction is indicated for the PJM Region or any LDA by section 5.4(c)(3)(i) of this Attachment, the Office of the Interconnection first shall subtract such auction's Short-Term Resource Procurement Target Applicable Share for such region or LDA from the difference between (A) the Reliability Requirement for such region or LDA utilized in the most recent prior auction conducted for the Delivery Year and (B) the updated Reliability Requirement for such region or LDA, plus (C) any capacity sell-back amount determined by PJM to be required for the PJM Region or such LDA by section 5.4(c)(3)(ii) of this Attachment; provided, however, that the amount sold in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade may not exceed the amounts purchased in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade. If the result of that subtraction is a negative quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that negative quantity defined above, to seek to procure such quantity. If the result of such subtraction is a positive quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the positive quantity defined above, to seek to sell back such quantity.

(iv) If none of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall employ in the clearing of such auction for the region or such LDA a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in megawatt quantity equal to the Short-Term Resource Procurement Target Applicable Share. If more than one of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall not seek to procure the Short-Term Resource Procurement Target Applicable Share more than once for such region or area for such auction.

(v) If PJM seeks to procure additional capacity in an Incremental Auction due to a triggering of the tests in subsections (i), (ii), (iii) or (iv) then the Minimum Annual Resource Requirement for such Auction will be equal to the updated Minimum Annual Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources, and the Minimum Extended Summer Resource

Requirement for such Auction will be equal to the updated Minimum Extended Summer Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources and Extended Summer Demand Resources. If PJM seeks to release prior committed capacity due to a triggering of the test in subsection (iii) then PJM may not release prior committed capacity from Annual Resources or Extended Summer Demand Resources below the updated Minimum Annual Resource Requirement and updated Minimum Extended Summer Resource Requirement, respectively.

(vi) If the above tests are triggered for an LDA and for another LDA wholly located within the first LDA, the Office of the Interconnection may adjust the amount of any Sell Offer or Buy Bids otherwise required by subsections (i), (ii), or (iii) above in one LDA as appropriate to take into account any reliability impacts on the other LDA.

(vii) The optimization algorithm shall calculate the overall clearing result to minimize the cost to satisfy the Unforced Capacity Obligation of the PJM Region to account for the updated PJM Peak Load Forecast and the cost of committing replacement capacity in response to the Buy Bids submitted, while satisfying or honoring such reliability requirements and constraints, in the same manner as set forth in subsection (a) above.

(viii) Load Serving Entities may be entitled to certain credits (“Excess Commitment Credits”) under certain circumstances as follows:

- (A) For either or both of the Delivery Years commencing on June 1, 2010 or June 1, 2011, if the PJM Region Reliability Requirement used for purposes of the Base Residual Auction for such Delivery Year exceeds the PJM Region Reliability Requirement that is based on the last updated load forecast prior to such Delivery Year, then such excess will be allocated to Load Serving Entities as set forth below;
- (B) For any Delivery Year beginning with the Delivery Year that commences June 1, 2012, the total amount from Sell Offers submitted by the Office of the Interconnection pursuant to subsection (b)(iii) above in the Scheduled Incremental Auctions for such Delivery Year that does not clear such auctions will be allocated to Load Serving Entities as set forth below;
- (C) the amount from (A) or (B) above for the PJM Region shall be allocated among Locational Deliverability Areas pro rata based on the reduction for each such Locational Deliverability Area in the peak load forecast from the time of the Base Residual Auction to the time of the Third Incremental Auction; provided, however, that the amount allocated to a Locational Deliverability Area may not exceed the reduction in the corresponding Reliability Requirement for such Locational Deliverability Area; and provided further that any LDA with an increase in its load forecast shall not be allocated any Excess Commitment Credits;

(D) the amount, if any, allocated to a Locational Deliverability Area shall be further allocated among Load Serving Entities in such areas that are charged a Locational Reliability Charge based on the Daily Unforced Capacity Obligation of such Load Serving Entities as of June 1 of the Delivery Year and shall be constant for the entire Delivery Year. Excess Commitment Credits may be used as Replacement Capacity or traded bilaterally.

c) Conditional Incremental Auction

For each Conditional Incremental Auction, the optimization algorithm shall consider:

- The quantity and location of capacity required to address the identified reliability concern that gave rise to the Conditional Incremental Auction;
- the same Capacity Emergency Transfer Limits that were modeled in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction; and
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity and location of capacity required to address the identified reliability violation at a Buy Bid price equal to 1.5 times Net CONE.

The optimization algorithm shall calculate the overall clearing result to minimize the cost to address the identified reliability concern, while satisfying or honoring such reliability requirements and constraints.

d) Equal-priced Sell Offers

If two or more Sell Offers submitted in any auction satisfying all applicable constraints include the same offer price, and some, but not all, of the Unforced Capacity of such Sell Offers is required to clear the auction, then the auction shall be cleared in a manner that minimizes total costs, including total make-whole payments if any such offer includes a minimum block and, to the extent consistent with the foregoing, in accordance with the following additional principles:

1) as necessary, the optimization shall clear such offers that have a flexible megawatt quantity, and the flexible portions of such offers that include a minimum block that already has cleared, where some but not all of such equal-priced flexible quantities are required to clear the auction, pro rata based on their flexible megawatt quantities; and

2) when equal-priced minimum-block offers would result in equal overall costs, including make-whole payments, and only one such offer is required to clear the auction,

then the offer that was submitted earliest to the Office of the Interconnection, based on its assigned timestamp, will clear.

F. FRR Daily Unforced Capacity Obligations and Deficiency Charges

1. For each billing month during a Delivery Year, the Daily Unforced Capacity Obligation of an FRR Entity shall be determined on a daily basis for each Zone as follows:

$$\text{Daily Unforced Capacity Obligation} = \text{OPL} * \text{Final Zonal FRR Scaling Factor} * \text{FPR}$$

where:

OPL =Obligation Peak Load, defined as the daily summation of the weather-adjusted coincident summer peak, last preceding the Delivery Year, of the end-users in such Zone (net of operating Behind The Meter Generation, but not to be less than zero) for which such Party was responsible on that billing day, as determined in accordance with the procedures set forth in the PJM Manuals

$$\text{Final Zonal FRR Scaling Factor} = \text{FZPLDY}/\text{FZWNSP};$$

FZPLDY = Final Zonal Peak Load Forecast for such Delivery Year; and

FZWNSP = Zonal Weather-Normalized Peak Load for the summer concluding prior to the commencement of such Delivery Year.

2. An FRR Entity shall be assessed an FRR Capacity Deficiency Charge in each Zone addressed in such entity's FRR Capacity Plan for each day during a Delivery Year that it fails to satisfy its Daily Unforced Capacity Obligation in each Zone. Such FRR Capacity Deficiency Charge shall be in an amount equal to the deficiency below such FRR Entity's Daily Unforced Capacity Obligation for such Zone times (1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing such Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions).

3. If an FRR Entity acquires load that is not included in the Preliminary Zonal Peak Load Forecast such acquired load shall be treated in the same manner as provided in Sections H.1 and H.2 of this Schedule.

4. The shortages in meeting the minimum requirement within the constrained zones and the shortage in meeting the total obligation are first calculated. The shortage in the unconstrained area is calculated as the total shortage less shortages in constrained zones and excesses in constrained zones (the shortage is zero if this is a negative number). The Capacity Deficiency Charge is charged to the shortage in each zone and in the unconstrained area separately. This procedure is used to allow the use of capacity excesses from constrained zones to reduce shortage in the unconstrained area and to disallow the use of capacity excess from unconstrained area to reduce shortage in constrained zones.

5. The shortages in meeting the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement associated with the FRR Entity's capacity obligation

are calculated separately. The applicable penalty rate is calculated for Annual Resources, Extended Summer Demand Resources, and Limited Resources as (1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing such Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions).

G. Capacity Resource Performance

Any Capacity Resource committed by an FRR Entity in an FRR Capacity Plan for a Delivery Year shall be subject during such Delivery Year to the charges set forth in sections 7, 9, 10, 11, and 13 of Attachment DD to the PJM Tariff; provided, however, the Daily Deficiency Rate under sections 7, 9, and 13 thereof shall be 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions), and the charge rates under section 10 thereof, shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above. An FRR Entity shall have the same opportunities to cure deficiencies and avoid or reduce associated charges during the Delivery Year that a Market Seller has under Sections 7, 9, and 10 of Attachment DD to the PJM Tariff. An FRR Entity may cure deficiencies and avoid or reduce associated charges prior to the Delivery Year by procuring replacement Unforced Capacity outside of any RPM auction and committing such capacity in its FRR Capacity Plan.