



PJM Interconnection, L.L.C.
2750 Monroe Blvd.
Audubon, PA 19403

Jennifer Tribulski
Assistant General Counsel
T: (610) 666-4363 | F: (610) 666-8211
jennifer.tribulski@pjm.com

November 17, 2016

Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, N.E., Room 1A
Washington, D.C. 20426

Re: PJM Interconnection, L.L.C., Proposed Modifications For Enhanced Aggregation, Non-Summer Capacity Interconnection Rights, and Modified Demand Response Resource Measurement & Verification to Support Capacity Performance, Docket No. ER17-____-000

Dear Secretary Bose:

PJM Interconnection, L.L.C. (“PJM”), pursuant to section 205 of the Federal Power Act (“FPA”), 16 U.S.C. § 824d, submits proposed revisions to the PJM Open Access Transmission Tariff (“Tariff”) and the Reliability Assurance Agreement among Load Serving Entities in the PJM Region (“RAA”) regarding participation of certain resources in PJM’s Reliability Pricing Model capacity market (“RPM”).¹ Specifically, PJM proposes to: (1) enhance its aggregation rules to provide additional ways in which eligible resources can participate in RPM; (2) provide an opportunity for such eligible resources to obtain additional Capacity Interconnection Rights (“CIRs”) for the winter period to support aggregation; and (3) modify rules for measuring Demand Resource (“DR”) performance during the winter period. PJM is seeking these changes now, in time for the next Base Residual Auction (“BRA”) commencing May 10, 2017 for the

¹ Capitalized terms not otherwise defined herein have the meaning specified in, as applicable, the Tariff, the Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”), or the RAA.

2020/2021 Delivery Year (“May 2017 BRA”), to support the continued participation of resources which otherwise would not be able to be committed and perform as Capacity Performance Resources. The timing is important because the 2020/2021 Delivery Year is the first Delivery Year for which all capacity committed to PJM must be from Capacity Performance Resources, as explained herein. Thus, PJM requests an effective date of January 19, 2017 for changes associated with the enhanced aggregation rules and winter CIRs which will allow all Capacity Market Sellers to prepare to take advantage of the enhanced rules prior to the May 2017 BRA.² Further, PJM seeks an effective date of June 1, 2017 for PJM’s proposed changes associated with Demand Resource Measurement & Verification (“DR M&V”) which coincides with the start of the next Delivery Year on June 1, 2017.

I. BACKGROUND

In December, 2014, PJM submitted RPM reforms to ensure proper incentives for Capacity Market Sellers to perform when PJM needs megawatts (“MW”) of energy the most – i.e., during emergency conditions.³ PJM showed RPM was successful in securing capacity *commitments* of both existing and new capacity, but its rules on the performance requirements for Capacity Resources had not kept pace with that growth and were not ensuring actual *performance* of such resources.

² January 19, 2017 is at least 60 days from the date of this filing and it coincides with the scheduled Commission Meeting on January 19, 2017.

³ *PJM Interconnection, L.L.C.*, Reforms to the Reliability Pricing Market (“RPM”) and Related Rules in the PJM Open Access Transmission Tariff (“Tariff”) and Reliability Assurance Agreement Among Load Serving Entities (“RAA”), proposed Tariff, Docket No. ER15-623-000 (filed Dec. 12, 2014). On that same date, PJM submitted a Capacity Performance filing under Federal Power Act section 206 proposing modifications to its Operating Agreement and the mirror provisions in its Tariff. See *PJM Interconnection, L.L.C.*, Docket No. EL15-29-000 (filed Dec. 12, 2014). Together these filings are referred to as the “CP Filing.”

PJM acknowledged that some DR and certain other resources would not be capable of sustained, predictable operation to provide energy during both the summer and winter emergency conditions no matter how long the transition period was or the level of investment they could make. Recognizing the value such resources can provide, and to encourage such resources' continued participation in RPM, PJM proposed a path forward for such resources to be able to meet the annual performance requirement by allowing them to combine and be offered as an aggregate Capacity Performance Resource in RPM Auctions.⁴ Specifically, PJM proposed Capacity Market Sellers which own one or more Capacity Storage Resources,⁵ Intermittent Resources,⁶ DR, EE, or Environmentally Limited Resources⁷ that are located within the same Locational Deliverability Area ("LDA") could submit an offer as a Capacity Performance Resource which represents the aggregated Unforced Capacity ("UCAP") value of such resources.⁸ The Commission accepted PJM's proposal saying: "Permitting such resources to submit aggregated offers as Capacity Performance will likely enhance their ability to provide

⁴ See CP Filing at 33-34.

⁵ Capacity Storage Resources are defined as "any hydroelectric power plant, flywheel, battery storage, or other such facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets and which participates in the Reliability Pricing Model." Tariff, section 1.

⁶ Intermittent Resources are defined as "a Generation Capacity Resource with output that can vary as a function of its energy source, such as wind, solar, run of river hydroelectric power and other renewable resources." Tariff, section 1.

⁷ Environmentally Limited Resources are defined as "a resource which has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited by a governmental authority to operating only during declared PJM capacity emergencies." Tariff, section 1.

⁸ See CP Filing at 33. See also Tariff, Attachment DD, section 5.6.1(h). PJM's initial proposal did not include Environmentally Limited Resources but PJM suggested adding that category in response to comments and the Commission accepted such revision. *PJM Interconnection, L.L.C.*, Answer of PJM, Interconnection, L.L.C. at 27-28, Docket No. ER15-623-000 (filed Feb. 13, 2015) ("CP Answer"); *PJM Interconnection, L.L.C.*, 151 FERC ¶61,208 at P 101 (June 9, 2015) ("CP Order")

reliability benefits to the PJM region and may increase competition in the capacity market.”⁹

The Commission also accepted PJM’s proposal to limit aggregation to the specific types of resources identified by PJM:

Although some intervenors argue that permitting aggregated offers from only certain resource types is unduly discriminatory and request that PJM provide the same allowance to all resources types, we do not find that such a change is necessary. The aggregated offer allowance is designed to *provide an avenue to Capacity Performance participation* by resources that otherwise may be unable or unwilling to participate on a stand-alone basis *because no reasonable amount of investment in the resource can mitigate non-performance risk to an acceptable level within the Capacity Performance market design*. Generally speaking, other resource types do not face this same limitation. We also agree with PJM that *allowing aggregated offers from all resources could transform the RPM bidding process from an individual unit approach to a portfolio bidding approach*, which is a change that we do not find necessary for PJM’s proposal to be just and reasonable.¹⁰

For purposes of this filing and consistent with how PJM and its stakeholders have been referring to this grouping of resources eligible to aggregate, PJM has created the term Seasonal Capacity Performance Resources¹¹ to describe these resources.

This filing is intended to enhance prospects for aggregation by removing what some have identified as barriers to aggregation being utilized as a means to group together and maximize the value of Seasonal Capacity Performance Resources. In developing PJM’s proposal herein, PJM listened to the concerns of stakeholders with specific aspects of the current aggregation rules which they indicated made it harder to develop the level of aggregation PJM and ultimately the Commission had anticipated.

⁹ CP Order at P 101. This was affirmed on rehearing. *PJM Interconnection, L.L.C.*, 155 FERC ¶ 61,157 at P 51 (May 10, 2016) (“Rehearing Order”)

¹⁰ CP Order at P 102 (*emphasis added*). This was affirmed on rehearing. Rehearing Order at P 53.

¹¹ See section II, *infra*.

Rather than simply maintain the status quo, PJM believes the enhancements proposed in this filing, which are submitted pursuant to a section 205 standard of review under the FPA, will address those identified barriers and allow the “jump-starting” of aggregation of Seasonal Capacity Performance Resources as a new and potentially promising means to recognize the value of such resources while at the same time maintaining the long term investment signals to ensure the development of resources that meet not just a particular season’s capacity needs, but the annual capacity and performance needs of the PJM system. Accordingly, PJM seeks to build on the current aggregation rules and make other enhancements to provide as much opportunity as possible for reliable participation in RPM by Seasonal Capacity Performance Resources.¹²

A. Stakeholder Feedback on Potential Barriers to Aggregation, Building on Current Aggregation Rules

Based on feedback received from diverse stakeholders, PJM believes the additional enhancements proposed herein will address the identified barriers to aggregation that stakeholders identified subsequent to the last BRA. First, PJM received feedback indicating current rules limiting the aggregation of resources to within the same LDA inhibit what otherwise would be considered logical pairings of seasonal resources. For example, wind resources, which are more abundant in the western area of the PJM Region, would find logical pairings with solar or DR resources, which are more abundant in the eastern area of the PJM

¹² PJM continues to work on further enhancements to recognize the value of – and support continued participation by – Seasonal Capacity Performance Resources in its markets. For instance, PJM intends to initiate stakeholder discussion on subjects such as whether PJM’s load forecasting methodologies should be enhanced to recognize such resources differently, and whether a mechanism should be designed outside the capacity and energy markets to value and compensate the operational flexibility of such resources. Yet, PJM believes the changes discussed herein are just and reasonable and will significantly improve upon the aggregation concept in PJM’s CP Filing. Thus, the Commission can accept this filing while PJM and its stakeholder continue to work on additional improvements.

Region, but given that they would not be in the same LDA, they are not permitted to aggregate under current rules. In fact, commenters on PJM's CP Filing suggested an allowance for cross-LDA aggregation and while PJM agreed with this concept it was not able to develop robust rules for how cross-LDA aggregation would work in practice during that proceeding. Ultimately, the Commission was not able to accept the concept under the just and reasonable standard of the FPA, given the lack of specifics in the PJM filing at the time.¹³ Having now had time to work through the various issues around cross-LDA aggregation, PJM proposes a just and reasonable methodology for doing so, as detailed below.

PJM also received feedback that Capacity Market Sellers are having difficulty entering into commercial agreements between entities representing seasonal resources to form an aggregate resource before offering in to an RPM Auction. To date, only one aggregate resource has cleared an RPM Auction and that resource was comprised of two resources within the same company's own fleet. While it is possible that the ability to offer and clear as a Base Capacity Resource during the transition period may have suppressed the incentive for seasonal resources to seek partners for aggregation, PJM believes the challenges associated with aggregating resources have contributed significantly to the lack of aggregation observed thus far. PJM stakeholders indicated they had challenges forming aggregated resources due to commercial uncertainties, such as how to allocate obligation penalties and credits, where to obtain collateral support within the aggregation, RPM Auction strategy, how to handle confidential data and audit rights for one or both parties. To be sure, such details can be negotiated in the underlying bilateral transaction between the parties and PJM expects that as Market Participants become

¹³ CP Order at P 103.

more comfortable with the CP construct, such commercial transactions are likely to take place. Thus, PJM does not propose to remove the commercial aggregation element of the CP construct. Nevertheless, PJM stakeholders also indicated finding another Capacity Market Seller with whom to even begin those discussions was proving challenging – at least in the early stages of the aggregation rules – for various reasons such as the inability to locate other Capacity Market Sellers with Capacity Resources within the same LDA with which to contract with (as noted above), compounded by the fact that there are more “summer” MWs than “winter” MWs available to form an aggregated resource.

As detailed below, PJM proposes enhancements that are targeted to address these barriers to commercial aggregation. Specifically, PJM proposes a way for Capacity Resources to aggregate across LDAs. PJM also proposes an additional, alternative method of aggregation altogether, whereby PJM will clear an annual resource that comprises offers for summer MWs with offers of winter MWs that are submitted individually – discussed in more detail below. And, while not directly related to enhanced aggregation rules, PJM is proposing to make additional winter MWs available for aggregation by granting “winter” CIRs. PJM believes such rule changes will help support aggregation moving forward.

B. Stakeholder Feedback on Application of DR M&V Rules to demand response events taken during the winter season.

Finally, although unrelated to its rules around aggregation, PJM heard from its stakeholders that the DR M&V rules adopted for the non-summer period¹⁴ in the CP construct do

¹⁴ In the CP Filing, PJM referred to the summer period and the non-summer period when describing, for example, rules around DR M&V. In the instant filing, PJM proposes certain defined terms such as Winter-Period Capacity Performance Resources, Winter Peak Load, and Zonal Winter Weather Adjustment Factor, for purposes not only of the DR M&V rules, but also for purposes of better defining its aggregation enhancements and winter CIRs. *See* (Cont’d . . .)

not allow for an accurate measurement of performance in all instances. In the CP Filing, PJM explained the then-current DR M&V rules, which measured load response solely based on a summer peak were not adequate to measure compliance during the non-summer period and that absence of a non-summer equivalent Peak Load Contribution (“PLC”) requires PJM to use an alternative approach. Specifically, PJM stated:

[N]on-summer consumption (without demand reduction in response to dispatch instructions) that falls below the summer-based PLC by the Nominated DR Value is not sufficient to demonstrate performance by the DR resource, because any seasonal difference in demand (not related to demand response in emergency circumstances) is already accounted for in the ... [load model] that PJM uses in calculating the [Installed Reserve Margin] (which, in turn, is the basis for the PJM Reliability Requirement that drives RPM procurement). If an Annual Demand Resource could comply during a non-summer emergency event simply by continuing to consume less than PLC, then there would be no difference between Annual Demand Resources and summer-only, Base Capacity Demand Resources. Accordingly, in the absence of a non-summer equivalent PLC, an alternative measure of non-summer performance is required. PJM has proposed to use the [Customer Baseline] as that measure of non-summer compliance by Capacity Performance Demand Resources.¹⁵

PJM proposed using a Customer Baseline (“CBL”) approach to DR M&V during the non-summer period to ensure load reductions are occurring since a non-summer equivalent PLC was not available at the time of the filing.¹⁶ The CBL approach represents what a customer’s load would have been if the customer did not reduce load when dispatched by PJM. The CBL

(. . . cont’d)

proposed Tariff, section 1; Tariff, Attachment DD, section 5.5A; Tariff, Attachment DD-1; RAA Article 1, and RAA, Schedule 6. PJM primarily uses the “winter” terminology herein, but in some instances, when referencing PJM’s CP Filing, PJM still refers to the non-summer period.

¹⁵ CP Answer at 59.

¹⁶ CP Filing at 36. PJM maintained its Firm-Service Level (“FSL”) approach for the summer period (June-September) and also noted that it would not apply the CBL for those Capacity Market Sellers of DR resources which employ Direct-Load Control (“DLC”) because DLC-based resources have established the ability to reduce load in response to a control signal and thus the control signal is sufficient to determine compliance. *Id.*

approach primarily is used in the energy market to determine real time energy load reductions and was leveraged by PJM in the CP Filing to measure capacity compliance in the non-summer period as a surrogate to a non-summer PLC approach.

PJM stakeholders identified potential issues with the CBL approach to measure capacity compliance during the non-summer period. Specifically, stakeholders were concerned that customers with winter load that reduced their load prior to PJM dispatch may not be recognized by PJM as having performed. For example, an industrial customer that realized system conditions had deteriorated and proactively reduced load in order to have more time to effectuate the load reduction, may not be recognized as a load reduction under the CBL process. This may occur because the CBL is designed to capture real-time energy load reduction based on PJM dispatch and not load reduction that occurs in anticipation of PJM dispatch. During the stakeholder process, stakeholders noted this issue is exacerbated under the CP construct given the steep Non-Performance Charge rate and that fact that compliance is measured and assessed for each individual Performance Assessment Hour. PJM worked with stakeholders to evaluate alternative DR M&V methods that would address the issues identified by stakeholders and the issues raised by PJM in the CP Filing that led to the use of the CBL in the non-summer season, as discussed in more detail herein.

C. Stakeholder Process Engaged to Address Issues Related to Seasonal Capacity Performance Resources

The Seasonal Capacity Resource Senior Task Force (“SCRSTF”) was established in Spring 2016 to discuss ways to address how Seasonal Capacity Performance Resources could continue to participate in RPM given that PJM would begin procuring one hundred percent Capacity Performance Resources in the May 2017 BRA.¹⁷ The task force met approximately fourteen times from April through September, 2016. Both PJM and its stakeholders provided education around issues such as: the difficulties associated with commercial aggregation; the process for granting CIRs; PJM’s development of the Installed Reserve Margin and related reliability requirements under the Loss of Load Expectation standards; and the impact of peak shaving using summer-only DR on a Zone’s capacity obligation. Various proposals emerged, ranging from moving away from the single, annual product that is foundational to the CP construct,¹⁸ to offering enhanced opportunities for Capacity Market Sellers of seasonal resources to participate in RPM.¹⁹

After extended debate over competing proposals, including polling on specific proposal elements in an attempt to drive to consensus, ultimately, no proposal achieved the simple

¹⁷ The SCRSTF web page can be found at the following URL: <http://www.pjm.com/committees-and-groups/task-forces/scrstf.aspx>

¹⁸ Proposals that would stray from the single annual CP product include: (1) developing a seasonal capacity procurement construct with several products; (2) developing a market for PJM to sell a winter performance equivalent product, which would excuse cleared annual resources from their wintertime performance obligations, essentially rendering them ‘summer only’; and (3) extending the Base Capacity product for an additional Delivery Year. One other proposal emerged that adopts PJM’s proposal with the addition of an element to apply the CP construct balancing ratio to the calculation of Expected Performance for DR. PJM is not supportive of the additional element as it fails to recognize the intent of the Forecast Pool Requirement and the fact that PJM does not procure reserves for DR cleared in the capacity market

¹⁹ A summary of the five proposals discussed at the SCRSTF can be found at the following URL: <http://www.pjm.com/~media/committees-groups/committees/mrc/20161027/20161027-item-11a-scrstf-report.ashx>. A detailed solutions matrix can be found on the SCRSTF web page.

majority needed to move forward from the SCRSTF to the senior stakeholder committees. At this point, PJM management discussed the matter in detail with its the PJM Board of Managers (“PJM Board”). The PJM Board considered carefully all available information and mindful of the timing of the May 2017 BRA and the value in having rule certainty ahead of that auction, determined that the proposal advanced by PJM substantially improved opportunity for seasonal resources to capitalize on an aggregation approach already provided by the PJM Tariff. Accordingly, the PJM Board unanimously directed PJM to take all steps necessary to propose and advocate for PJM’s proposed enhancements to its seasonal resource aggregation rules and the DR M&V modifications.

II. PROPOSED CHANGES

A. Enhancements to Aggregation Rules

1. Allowing Cross-LDA Aggregation

PJM proposes a means to allow aggregation across LDA boundaries while still ensuring that the unique reliability needs of an LDA which has separated from the RTO-wide clearing are respected. Specifically, PJM proposes Capacity Market Sellers to be eligible to aggregate resources across modeled LDAs; however, for the purpose of BRA modeling and compensation, the resulting aggregate resource (i.e., a “commercially aggregated resource”) will be modeled in the highest level LDA²⁰ of all individual resources comprising the aggregate resource.²¹ This will ensure the annual contribution of the commercially aggregated resource is consistent with the analysis that is undertaken both on an RTO-wide basis and an individual LDA basis in

²⁰ The “highest level of LDA” means the smallest LDA that contains both resources.

²¹ Proposed Tariff, Attachment DD, section 5.14(a).

determining each LDA's reliability requirement. This proposal thus is designed to "bridge the gap" by appropriately matching the annual requirement while not putting up an absolute barrier to cross-LDA aggregation.

For example, if two resources aggregate together and one is physically located in EMAAC and the other is in the Rest of RTO, the commercially aggregated resource will be modeled in the Rest of RTO and compensated at the Rest of RTO RPM clearing price because Rest of RTO is the highest level of LDA in that scenario. If the individual resources are located in different modeled LDAs that are not nested within another, they will be modeled and compensated in the smallest LDA common to all of them. For example, a commercially aggregated resource for which the individual resources are physically located in EMAAC and SWMAAC would be modeled and compensated at the MAAC clearing price. A commercially aggregated resource with individual resources located in COMED and EMAAC would be modeled and compensated as if it were located in the Rest of RTO.

As far as performance, individual resources that comprise the commercially aggregated resource will be expected to respond during a Performance Assessment Hour in the area in which such individual resource is physically located.²² If one or more individual resources that are part of a commercially aggregated resource are in the same area where there is a Performance Assessment Hour, the under or over performance of the commercially aggregated resource will be based on the total commitment and performance of all of the individual resources during the Performance Assessment Hour. The Non-Performance Charge rate applicable to an underperforming aggregate resource is based on the rate associated with the LDA in which the under-

²² Proposed Tariff, Attachment DD, section 5.6.1(h).

performing underlying resources are located weighted by the under-performance MW quantity of such resources. The annual Non-Performance Charge Limit of an aggregate resource is based on the limit applicable to the LDA in which the aggregate resource was modeled in the RPM Auction. The allocation of that Non-Performance Charge will be determined between the two parties in accordance with their bilateral arrangement.

2. *Additional Opportunity for Aggregation through PJM's RPM Auctions*

To build upon the aggregation concept conceived in the CP Filing, PJM proposes to allow an additional opportunity for aggregation through RPM Auctions. Under this proposal, Capacity Market Sellers of Seasonal Capacity Performance Resource²³ will not need to enter in to commercial arrangements with each other, although that option remains open. Rather, PJM will allow Capacity Market Sellers to submit Sell Offers of either Summer-Period Capacity Performance Resources²⁴ or Winter-Period Capacity Performance Resources²⁵ (up to the level of

²³ Seasonal Capacity Performance Resources are described in proposed Tariff, Attachment DD, section 5.5A as follows: For the 2020/2021 Delivery Year and subsequent Delivery Years, a Seasonal Capacity Performance Resource shall mean a Summer-Period Capacity Performance Resource or Winter-Period Capacity Performance Resource, as defined below. *See also* proposed Tariff, section 1. PJM also added the term Seasonal Capacity Performance Resource to the Tariff, Attachment DD, sections 9 (Peak Season Maintenance Compliance Penalty Charge), 10 (Peak-Hour Period Availability Charges and Credits) and 11 (Demand Resources Test Failure Charge).

²⁴ Summer-Period Capacity Performance Resources are described in proposed Tariff, Attachment DD, section 5.5A(c)(i) as follows: For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Summer-Period Capacity Performance Resource: Summer Period Demand Resource, Summer-Period Energy Efficiency Resource, and Capacity Storage Resource, Intermittent Resource, or Environmentally-Limited Resource that has an average expected energy output during summer peak-hour periods consistently and measurably greater than its average expected energy output during winter peak hour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Summer-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of June through October and the following May of the Delivery Year, and must satisfy the requirements of a Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Summer-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment. *See also* proposed Tariff, section 1.

CIRs of such resource, where applicable) and the auction clearing engine will be designed to clear equal quantities of off-setting seasonal capacity Sell Offers for each aggregate resource thereby creating an annual capacity commitment for that aggregated resource.

Clearing prices under RPM Aggregation

Capacity Market Sellers which cleared a summer or winter commitment for its resource in the RPM Auction will be paid a single, uniform, capacity clearing price in the relevant Delivery Year during the commitment period (i.e., the summer period or the winter period) for which they cleared as follows:

- A cleared Summer-Period Capacity Performance Resource Sell Offer takes on a capacity commitment and performance obligation for the months of June through October and the following May of a Delivery Year, inclusive and receives a daily auction credit for each day of the same period based on the cleared UCAP quantity times the auction's resource clearing price applicable to the seasonal resource.
- A cleared Winter-Period Capacity Performance Resource Sell Offer takes on a capacity commitment and performance obligation for the months of November through April of a Delivery Year, inclusive and receives a daily auction credit for each day of the same November through April period based on the cleared UCAP quantity times the auction's resource clearing price applicable to the seasonal resource.²⁶

(. . . cont'd)

²⁵ Winter-Period Capacity Performance Resources are described in proposed Tariff, Attachment DD, section 5.5A(c)(ii) as follows: For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Winter-Period Capacity Performance Resource: Capacity Storage Resource, Intermittent Resource, and Environmentally-Limited Resource that has an average expected energy output during winter peak-hour periods consistently and measurably greater than its average expected energy output during summer peak-hour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Winter-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of November through April of the Delivery Year, and must satisfy the requirements of a Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Winter-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment. *See also* proposed Tariff, section 1.

²⁶ Proposed Tariff, Attachment DD, section 5.14(a).

PJM proposes minor modifications to its RPM Credit requirements to support Sell Offers of Summer-Period Capacity Performance Resource Sell Offers and Winter-Period Capacity Performance Resource Sell Offers. Specifically, any required RPM Auction Credit Rate for such Sell Offers will be reduced to be proportional to the number of days in the relevant season.²⁷

Performance commitment and obligations under RPM Aggregation

Capacity Market Sellers with Seasonal Capacity Performance Resources that receive a capacity commitment for either the summer or winter period of the Delivery Year will be responsible for the commitment and obligations of a Capacity Performance Resource only for that applicable period. This includes performance during a Performance Assessment Hour and the submission of offers into the Day-ahead Energy Market, where applicable, during the relevant Delivery Year. The Non-Performance Charge Rate will be based on the physical location of the resource that clears a Seasonal Capacity Performance Resource Sell Offer.²⁸

Offering under RPM Aggregation

Some Seasonal Capacity Performance Resources may be generally available throughout the entire Delivery Year to provide energy but may have expected capability in one season that exceeds expected capability in the other season. A Capacity Market Seller of such a resource may submit a Sell Offer as a Capacity Performance Resource as an annual resource for amount of MWs that it feels it can perform year-round and then a separate Sell Offer for either summer-

²⁷ Proposed Tariff, Attachment Q, section IV.D.

²⁸ Proposed Tariff, Attachment DD, sections 5.5A(c)(i) and (ii).

period capacity or winter-period capacity up to a total Sell Offer quantity for each season no greater than the UCAP value of the resource.²⁹

To ensure that Seasonal Capacity Performance Resource Sell Offers are cleared to form Capacity Resource commitments that in aggregate satisfy the year-round availability and performance requirements of a Capacity Performance Resource, the clearing algorithm will include a constraint that requires the total cleared quantity of Summer-Period Capacity Performance Resources to be equal to the total cleared quantity of Winter-Period Capacity Performance Resources across the entire RTO.³⁰ In other words, PJM will clear equal amounts of summer MWs and winter MWs. To aid in the clearing of such equal quantities of opposite season Sell Offers, each segment of a seasonal Sell Offer must be submitted as a flexible Sell Offer (i.e., the minimum MW of each offer segment must be 0 MW).³¹ Under PJM's proposal, the total cleared quantity of opposite season Sell Offers is not required to be equal within each modeled LDA; however, the clearing algorithm will ensure that the reliability requirement of each LDA is properly respected by considering only the equally matched quantity of cleared opposite-season Sell Offers located within an LDA as satisfying that LDA's reliability requirement.³²

²⁹ Proposed Tariff, Attachment DD, section 5.6.1(i). It bears noting that the types of resources that make up Seasonal Capacity Performance Resources are categorically exempt from the RPM must offer rules under Tariff, Attachment DD, section 6.6A. While they are permitted to offer either as annual or, as proposed herein, as a Winter-Period Capacity Performance Resource or a Summer-Period Capacity Performance Resource, they are not required to do so.

³⁰ Proposed Tariff, Attachment DD, sections 5.12(a) and (b).

³¹ Proposed Tariff, Attachment DD, section 5.6.1(i).

³² For example, if the algorithm solution clears a 50 MW summer-period Sell Offer in EMAAC and a 50 MW winter-period Sell Offer in the rest of MAAC, then the algorithm would have considered the equally matched quantity of opposite-season Sell Offers of 50 MW fully contained in the MAAC LDA as satisfying the MAAC LDA reliability requirement, but the cleared unmatched 50 MW summer-period Sell Offer in EMAAC would not have

(Cont'd . . .)

The locational resource clearing price that is applicable to each cleared Seasonal Capacity Performance Resource Sell Offer is determined during the post-processing of the auction results consistent with the manner in which the auction clearing algorithm recognizes Seasonal Capacity Performance Resource Sell Offer contribution to satisfying LDA reliability requirements. For each constrained LDA and starting with the LDA with the highest clearing price, PJM determines the quantity of cleared equally matched opposite-season Sell Offers located within the LDA. Up to this quantity, the cleared summer-period Sell Offers located in this LDA with the lowest Sell Offer price and the cleared winter-period Sell Offers with the lowest Sell Offer price will be compensated at the auction clearing price of the LDA. Any cleared seasonal Sell Offers located within the LDA that do not receive that LDA's clearing price are next effectively "moved" to the next higher level constrained LDA where they are considered in a similar manner for compensation at that LDA's clearing price.³³

(. . . cont'd)

been considered as satisfying the EMAAC LDA reliability requirement – both seasonal Sell Offers of this example will be considered to be located in the MAAC LDA from a clearing price perspective.

³³ Proposed Tariff, Attachment DD, sections 5.12(a) and (b). For example, assume that the least-cost auction solution clears a total summer period Sell Offer quantity of 200 MW comprised of 100 MW in EMAAC, 50 MW in SWMAAC, and 50 MW in Rest of RTO region, against a total cleared winter-period Sell Offer quantity of 200 MW comprised of 50 MW in EMAAC, 100 MW in SWMAAC and 50 MW in ComEd. Also assume that only the EMAAC, SWMAAC and ComEd LDAs were constrained LDAs in the solution clearing at prices higher than the RTO clearing price. With this result, the lowest priced 50 MW of cleared summer-period Sell Offers in EMAAC will receive the EMAAC clearing price and the highest priced 50 MW of cleared summer-period Sell Offers in EMAAC will receive the RTO clearing price; all 50 MW of cleared winter-period Sell Offers in EMAAC will receive the EMAAC LDA clearing price. The lowest priced 50 MW of cleared winter-period Sell Offers in SWMAAC will receive the SWMAAC clearing price and the highest priced 50 MW of cleared winter-period Sell Offers in SWMAAC will receive the RTO clearing price; all 50 MW of cleared summer period Sell Offers in SWMAAC will receive the SWMAAC LDA clearing price. The unmatched cleared winter-period Sell Offer in ComEd will receive the RTO clearing price.

Allocation of make whole payments to Seasonal Capacity Performance Resources under RPM Aggregation

PJM considered alternative methods for allocating the make whole costs associated with a scenario where a seasonal resource clears with an offer price above the clearing price because the total cost of clearing that resource in combination with a low cost resource of the opposite season results in the lower overall production cost. Due to the nature of the PJM's proposed clearing process which is designed to clear a total number of Seasonal Capacity Performance Resource Sell Offers in the winter and the summer that are in equal total amounts and not in discrete pairs, any allocation like this would need to be done across the total amounts of cleared seasonal offers rather than between discrete seasonal resources. PJM discussed two potential methods, explained further below, for implementing this alternative make whole methodology both of which have drawbacks. Ultimately, PJM decided that make whole costs arising from this scenario should be allocated to load. This is consistent with the existing capacity make whole methodology where an inflexible offer segment can be marginal in an LDA thus warranting a make whole payment for the excess megawatts cleared beyond what was needed based on the intersection with the demand curve.³⁴

The first option is to determine, in aggregate, the amount of make whole payments required to make resources whole that have cleared extra-marginally in one season and allocate that amount of make whole evenly across all resources of the opposite season. For example, assume that there are Winter-Period Capacity Performance Resources that have cleared with offers above the market clearing price. This method would require that Summer-Period Capacity

³⁴ Proposed Tariff, Attachment DD, section 5.14(b).

Performance Resources equally pay a \$/MW-day amount to compensate the Winter-Period Capacity Performance Resources to whom PJM is required to make whole payments. In this example, notwithstanding make whole payments received, all Winter-Period Capacity Performance Resources are compensated at the same level. All Summer-Period Capacity Performance Resources are also compensated equally although at a different level than the winter seasonal resources due to the reduction in revenues resulting from the make whole allocation. A drawback of this alternative is that by requiring all summer resources to pay equal amount of make whole payments, those with offers close to the clearing price could potentially not collect enough revenues to cover their offer price due to the allocation of make whole payments.

The second option is to allocate those make whole payments payable to Winter-Period Capacity Performance Resources on a pro rata basis based on their infra-marginal revenues. This method would eliminate the potential for Summer-Period Capacity Performance Resources summer resources to not collect enough revenues to cover their offer because make whole would only be collected from resources to the point that the revenues they collect would equal their offer price. However, this method creates a different problem where the non-uniform distribution of make whole payments across the Summer-Period Capacity Performance Resources would result in different levels of compensation within the set of summer seasonal resources even though they have all exercised their option to offer seasonal capacity.

For these reasons, on balance, PJM has proposed to allocate any make whole associated with seasonal offers to load. This is consistent with the current allocation of make whole costs in RPM.

B. Winter Capacity Interconnection Rights

The changes discussed above are intended to enhance the aggregation tools by removing limitations that prevented more robust use of aggregation. However, no matter how accommodating the aggregation tools may be, the use of such tools are only so good as the amount of Seasonal Capacity Performance Resource MWs that are eligible to aggregate. An inherent limitation of being a Generation Capacity Resource is that such resource must be deliverable – as defined by PJM, NERC and the applicable regional reliability council reliability standards – throughout the PJM system to support the concept that the resource will be available to be dispatched by PJM during the Delivery Years for which a resource commits. Given the PJM Region primarily is summer-peaking, PJM’s studies generator deliverability based on a summer-peak case. Wind resources, therefore, are typically granted CIRs equal to thirteen percent of their nameplate capability. Solar resources typically are granted CIRs equal to thirty-eight percent of their nameplate capability. These values align with the historic capacity factors for each resource type over summer peak load hours. This does not pose a limitation for solar resources, since their peak production occurs during the summer and therefore corresponds with PJM’s summer deliverability tests. However, this does pose a limitation for wind resources, whose peak production occurs during the winter period.

To address this inherent limitation, PJM proposes to evaluate winter deliverability and winter CIRs Intermittent Resources and Environmentally Limited Resources.³⁵ PJM believes it is just and reasonable to restrict the availability of additional CIRs to those resources that are eligible to aggregate for the same reason PJM limited aggregation to certain types of resources in

³⁵ See proposed Tariff, Part IV, Preamble and section 230.2.

the first place – to recognize certain resources could not meet the Capacity Performance requirements on an annual basis no matter the level of investment the Capacity Market Seller of such resource was willing to make. And, within the types of seasonal resources that are eligible to aggregate, the only ones that would be exposed to limitations of CIRs³⁶ in the winter compared to ability to actually perform in the winter are certain Intermittent Resources, such as wind resources, and Environmentally Limited Resources.

Until such time as PJM can develop rules that are integrated into its interconnection process under Tariff, Parts IV and VI, PJM will employ the following process on a year-to-year basis to ensure that, while allocating winter CIRs, PJM can properly account for all existing rights previously granted or being studied under Parts IV and VI, for Existing or Planned Generation Capacity Resources, respectively.

Specifically, during the SCRSTF discussions and in anticipation of the potential that PJM would make this current filing, PJM solicited interest from Capacity Market Sellers of Intermittent Resources and Environmentally Limited Resources to gather information about the potential that such resources would seek to obtain winter CIRs for the May 2017 BRA. PJM received the requested information representing approximately 2,300 MWs of primarily wind resources to obtain additional CIRs. Going forward, PJM proposes that by August 31 of each calendar year it will solicit requests for additional winter CIRs and that responses from Generation Owners of Intermittent Resources and Environmentally Limited Resources must be submitted to PJM by October 31.³⁷

³⁶ Demand Resources are not required to obtain CIRs to participate in PJM and thus they are not exposed to the same limitations as are, for example, wind resources.

³⁷ See proposed Tariff, Part IV, Preamble.

PJM will evaluate the request for additional CIRs for a single Delivery Year using the current criteria for granting CIRs.³⁸ In evaluating such requests, PJM will seek to prevent infringement on available system capabilities of any resource which is already in service, or which has an executed Interconnection Service Agreement, Transmission Service Agreement, Upgrade Construction Service Agreement, or has obtained a Queue Position in the New Services Queue.³⁹ In conducting the studies, PJM will determine if additional CIRs may be granted, for the single year under study, to allow the resources to participate in the applicable auction. These studies will grant additional CIRs to those resources to the extent that the existing system topology will support it. No reinforcements to the system will be derived from these studies.

As noted previously, PJM intends to allow this process to occur year-to-year until PJM can establish a more comprehensive and integrated process within its interconnection process under the Tariff, Parts IV and VI. Thus PJM has not proposed a sunset date within the Tariff language.

C. DR M&V Enhancements

PJM proposes to change its methodology for DR M&V during the non-summer period from the CBL approach to a non-summer FSL or Guaranteed Load Drop (“GLD”) approach.⁴⁰ As noted above, PJM determined that although a non-summer PLC is not available as outlined in the CP Filing, a non-summer demand-based metric could be used to accomplish similar results

³⁸ *Id.*

³⁹ *Id.*

⁴⁰ See proposed Tariff, Attachment DD-1, paragraph K; RAA, Schedule 6, paragraph K. PJM notes that nearly all packages discussed and voted on at the SCRSTF contained this particular provision related to non-summer DR M&V, receiving the highest level of support of any questions asked in a non-binding poll. See <http://www.pjm.com/~media/committees-groups/task-forces/scrstf/20160826/20160826-august-polling-results.ashx>

and address the issues identified. This provides for one consistent approach to capacity measurement, either through a summer and winter FSL or the corresponding summer and winter GLD, which is driven by the customer's seasonal demand. The proposed approach ensures load reduction will be properly recognized, is consistent across the Delivery Year and will help avoid confusion with end use customers by switching from an FSL or GLD approach in the summer to a CBL approach in the non-summer.

The proposed approach ensures that customers with winter load consume electricity at a lower level when dispatched by PJM for an Emergency or Pre-Emergency Load Management event and that customers without winter load will not receive "credit" for a load reduction just because they do not have load in the winter, since this is already recognized in the calculation of the Installed Reserve Margin ("IRM").

Under the proposal, Curtailment Service Providers ("CSP") will calculate and provide each customer's Winter Peak Load ("WPL") during the registration process. PJM will determine the Zonal Winter Weather Adjustment Factor ("ZWWAF")⁴¹ which is used to weather normalize the customer's WPL based on the ratio of the zonal weather normalized load and the actual zonal load. The rationale for doing this is due to the fact the overall reliability requirement is based on a weather normalized forecast. This is similar to the determination of a customer's PLC which is adjusted to reflect weather normalized load conditions. The WPL and ZWWAF are determined as follows:

⁴¹ PJM published the 5 PJM coincident peak days that are used to determine the customer's WPL and the associated ZWWAF at the November 11, 2016 Demand Response Subcommittee and is located at: <http://www.pjm.com/~media/committees-groups/subcommittees/drs/20161111/20161111-item-04b-drcp-winter-2015-16-peaks-and-5cps.ashx>

- Winter Peak Load – Demand Resource customer’s specific peak load between hour ending 7:00 EPT through 21:00 EPT on the PJM defined 5 coincident peak days from December through February two Delivery Years prior the Delivery Year for which the registration is submitted and as outlined in the PJM Manuals.
- Zonal Winter Weather Adjustment Factor – PJM zonal winter weather normalized coincident peak divided by PJM zonal average of 5 coincident peak loads in December through February.⁴²

For Annual DR with a Capacity Performance commitment, the CSP will determine both a summer and winter FSL amount or a summer and winter GLD amount on their registration to determine the associated seasonal nominated capacity amount for the registration. The implementation of the proposed WPL facilitates the nomination and measurement of the registration’s winter capability. For all other DR resources, including the new proposed Summer Period Demand Resource, the nominated capacity capability on the registration and associated measurement and verification during a test and event remain the same.⁴³

PJM further proposes to clarify that for the DR M&V for that capacity compliance measurement and verification for all DR resources in the summer period will remain the same except the definition of the summer period changed from June through September to June through October and the following May of the relevant Delivery Year to be consistent with customer load usage patterns. Compliance will be measured in the winter period based on the

⁴² Proposed RAA, Article 1; Proposed RAA, Schedule 6, paragraph K; Proposed Tariff, Attachment DD-1, paragraph K.

⁴³ See proposed Tariff, Attachment DD-1, paragraph I; RAA, Schedule 6, paragraph I. DR registrations that do not have a CP commitment will still need to include the WPL after the transition period if the registration would like to receive a bonus payment if dispatched when there is no mandatory.

WPL which is the expected winter load of the customer. FSL customers will have a summer and winter FSL and GLD customers will have a summer and winter GLD. Summer and winter capacity compliance measurement and verification methods are used to determine capacity compliance and associated bonus payments, where applicable, which is consistent with the current tariff provisions.⁴⁴ The following is the proposed tariff language

III. EFFECTIVE DATE & WAIVER

PJM asks that the Commission grant the following effective dates: (1) January 19, 2017 for PJM's proposed Tariff changes associated with the enhanced aggregation rules and the winter CIRs, which will allow all Capacity Market Sellers to prepare to take advantage of the enhanced rules prior to the May 2017 BRA;⁴⁵ and (2) June 1, 2017 for PJM's proposed changes associated with DR M&V. To the extent necessary to effectuate this effective date, PJM seeks waiver of the Commission's notice requirements in 18 C.F.R. Part 35.3. Good cause exists for such waiver as PJM's proposed effective date for the DR M&V changes coincides with the start of the next Delivery Year on June 1, 2017.

IV. CORRESPONDENCE

The following individuals are designated for inclusion on the official service list in this proceeding and for receipt of any communications regarding this filing:

⁴⁴ Energy load reductions will continue to be based on the appropriate CBL.

⁴⁵ January 19, 2017 is at least 60 days from the date of this filing and it coincides with the scheduled Commission Meeting on January 19, 2017.

Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
Craig.Glazer@pjm.com

Jennifer Tribulski
Assistant General Counsel
PJM Interconnection, L.L.C.
2750 Monroe Blvd.
Audubon, PA 19403
(610) 666-4363 (phone)
(610) 666-8211 (fax)
Jennifer.Tribulski@pjm.com

V. DOCUMENTS ENCLOSED

This filing consists of the following:

1. This transmittal letter;
2. Revisions to the Tariff and RAA, in redlined format, as Attachment A; and
3. Revisions to the Tariff and RAA, in clean format, as Attachment B.

VI. SERVICE

PJM has served a copy of this filing on all PJM members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission's regulations,⁴⁶ PJM will post a copy of this filing to the FERC filings section of its internet site, located at the following link: <http://www.pjm.com/documents/ferc-manuals/ferc-filings.aspx> with a specific link to the newly-filed document and will send an e-mail on the same date as this filing to all PJM members and all state utility regulatory commissions in the PJM Region⁴⁷ alerting them that this filing has been made by PJM and is available by following such link. PJM also serves the parties listed on the Commission's official service list for this docket. If the document is not immediately available by using the referenced link, the document will be available through the referenced link within 24 hours of the filing.

⁴⁶ See 18 C.F.R. §§ 35.2(e) and 385.2010(f)(3).

⁴⁷ PJM already maintains, updates and regularly uses e-mail lists for all PJM members and affected state commissions.

Also, a copy of this filing will be available on the FERC's eLibrary website located at the following link: <http://www.ferc.gov/docs-filing/elibrary.asp> in accordance with the Commission's regulations and Order No. 714.

VII. CONCLUSION

Accordingly, PJM requests that the Commission accept the revisions to Tariff and RAA, as described herein, effective dates of January 19, 2017 and June 1, 2017, as discussed herein, as just and reasonable and not unduly discriminatory or preferential.

Respectfully submitted,



Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
Craig.Glazer@pjm.com

Jennifer Tribulski
Assistant General Counsel
PJM Interconnection, L.L.C.
2750 Monroe Blvd.
Audubon, PA 19403
(610) 666-4363 (phone)
(610) 666-8211 (fax)
Jennifer.Tribulski@pjm.com

Dated: November 17, 2016

Attachment A

Revisions to the
PJM Open Access Transmission Tariff
and PJM Reliability Assurance
Agreement

(Identified by Additional Cover Pages)

(Marked / Redline Format)

Section(s) of the
PJM Open Access Transmission Tariff

(Marked / Redline Format)

Definitions – R - S

Ramping Capability:

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

Real-time Congestion Price:

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time Loss Price:

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time Energy Market:

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

Real-time Prices:

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time System Energy Price:

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Reasonable Efforts:

“Reasonable Efforts” shall mean, with respect to any action required to be made, attempted, or taken by an Interconnection Party or by a Construction Party under Tariff, Part IV or Part VI, an Interconnection Service Agreement, or a Construction Service Agreement, such efforts as are timely and consistent with Good Utility Practice and with efforts that such party would undertake for the protection of its own interests.

Receiving Party:

“Receiving Party” shall mean the entity receiving the capacity and energy transmitted by the Transmission Provider to Point(s) of Delivery.

Referral:

“Referral” shall mean a formal report of the Market Monitoring Unit to the Commission for investigation of behavior of a Market Participant, of behavior of PJM, or of a market design flaw, pursuant to Tariff, Attachment M, section IV.I.

Reference Resource:

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology all CONE Areas, dual fuel capability, and a heat rate of 10.096 Mmbtu/MWh.

Regional Entity:

“Regional Entity” shall have the same meaning specified in the Operating Agreement.

Regional Transmission Expansion Plan:

“Regional Transmission Expansion Plan” shall mean the plan prepared by the Office of the Interconnection pursuant to Schedule 6 of the Operating Agreement for the enhancement and expansion of the Transmission System in order to meet the demands for firm transmission service in the PJM Region.

Regional Transmission Group (RTG):

“Regional Transmission Group” or “RTG” shall mean a voluntary organization of transmission owners, transmission users and other entities approved by the Commission to efficiently coordinate transmission planning (and expansion), operation and use on a regional (and interregional) basis.

Regulation:

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to separately increase and decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

Regulation Zone:

“Regulation Zone” shall mean any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” shall mean an entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

Reliability Assurance Agreement:

“Reliability Assurance Agreement” shall mean that certain Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, on file with FERC as PJM Interconnection L.L.C. Rate Schedule FERC No. 44, and as amended from time to time thereafter.

Reliability Pricing Model Auction:

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction, or, for the 2016/2017 and 2017/2018 Delivery Years, any Capacity Performance Transition Incremental Auction.

Repowered / Repowering:

“Repowered” or “Repowering” shall refer to a partial or total replacement of existing steam production equipment with new technology or a partial or total replacement of steam production process and power generation equipment, or an addition of steam production and/or power generation equipment, or a change in the primary fuel being used at the plant. A resource can be considered Repowered whether or not such aforementioned replacement, addition, or fuel change provides an increase in installed capacity, and whether or not the pre-existing plant capability is formally deactivated or retired.

Required Transmission Enhancements:

“Regional Transmission Enhancements” shall mean enhancements and expansions of the Transmission System that (1) a Regional Transmission Expansion Plan developed pursuant to Schedule 6 of the Operating Agreement or (2) any joint planning or coordination agreement between PJM and another region or transmission planning authority set forth in Tariff, Schedule 12-Appendix B (“Appendix B Agreement”) designates one or more of the Transmission Owner(s) to construct and own or finance. Required Transmission Enhancements shall also include enhancements and expansions of facilities in another region or planning authority that meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities constructed pursuant to an Appendix B Agreement cost responsibility for which has been assigned at least in part to PJM pursuant to such Appendix B Agreement.

Reserved Capacity:

“Reserved Capacity” shall mean the maximum amount of capacity and energy that the Transmission Provider agrees to transmit for the Transmission Customer over the Transmission Provider’s Transmission System between the Point(s) of Receipt and the Point(s) of Delivery

under Tariff, Part II. Reserved Capacity shall be expressed in terms of whole megawatts on a sixty (60) minute interval (commencing on the clock hour) basis.

Reserve Penalty Factor:

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

Reserve Sub-zone:

“Reserve Sub-zone” shall mean any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

Reserve Zone:

“Reserve Zone” shall mean any of those geographic areas consisting of a combination of one or more Control Zone(s), as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

Residual Auction Revenue Rights:

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to Operating Agreement, Schedule 1, section 7.5 and the parallel provisions of Tariff, Attachment K-Appendix in compliance with Operating Agreement, Schedule 1, section 7.4.2 (h) and the parallel provisions of Tariff, Attachment K-Appendix, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to Operating Agreement, Schedule 1, section 7.4.2 and the parallel provisions of Tariff, Attachment K-Appendix; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Tariff, Part VI; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Operating Agreement, Schedule 6 for transmission upgrades that create such rights.

Residual Metered Load:

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

Resource Substitution Charge:

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

RPM Seller Credit:

“RPM Seller Credit” shall mean an additional form of Unsecured Credit defined in Tariff, Attachment Q, section IV.

Scheduled Incremental Auctions:

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

Schedule of Work:

“Schedule of Work” shall mean that schedule attached to the Interconnection Construction Service Agreement setting forth the timing of work to be performed by the Constructing Entity pursuant to the Interconnection Construction Service Agreement, based upon the Facilities Study and subject to modification, as required, in accordance with Transmission Provider’s scope change process for interconnection projects set forth in the PJM Manuals.

Scope of Work:

“Scope of Work” shall mean that scope of the work attached as a schedule to the Interconnection Construction Service Agreement and to be performed by the Constructing Entity(ies) pursuant to the Interconnection Construction Service Agreement, provided that such Scope of Work may be modified, as required, in accordance with Transmission Provider’s scope change process for interconnection projects set forth in the PJM Manuals.

Seasonal Capacity Performance Resource:

“Seasonal Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Secondary Systems:

“Secondary Systems” shall mean control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers.

Second Incremental Auction:

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

Security:

“Security” shall mean the security provided by the New Service Customer pursuant to Section 212.4 or Section 213.4 of the Tariff to secure the New Service Customer’s responsibility for Costs under the Interconnection Service Agreement or Upgrade Construction Service Agreement and Section 217 of the Tariff.

Self-Supply:

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

Sell Offer:

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

Service Agreement:

“Service Agreement” shall mean the initial agreement and any amendments or supplements thereto entered into by the Transmission Customer and the Transmission Provider for service under the Tariff.

Service Commencement Date:

“Service Commencement Date” shall mean the date the Transmission Provider begins to provide service pursuant to the terms of an executed Service Agreement, or the date the Transmission Provider begins to provide service in accordance with Section 15.3 or Section 29.1 under the Tariff.

Short-Term Firm Point-To-Point Transmission Service:

“Short-Term Firm Point-To-Point Transmission Service” shall mean Firm Point-To-Point Transmission Service under Tariff, Part II with a term of less than one year.

Short-term Project:

“Short-term Project” shall have the same meaning provided in the Operating Agreement.

Short-Term Resource Procurement Target:

“Short-Term Resource Procurement Target” shall mean, for Delivery Years through May 31, 2018, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

Short-Term Resource Procurement Target Applicable Share:

“Short-Term Resource Procurement Target Applicable Share” shall mean, for Delivery Years through May 31, 2018: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

Site:

“Site” shall mean all of the real property, including but not limited to any leased real property and easements, on which the Customer Facility is situated and/or on which the Customer Interconnection Facilities are to be located.

Small Commercial Customer:

“Small Commercial Customer,” as used in RAA, Schedule 6 and Tariff, Attachment DD-1, shall mean a commercial retail electric end-use customer of an electric distribution company that participates in a mass market demand response program under the jurisdiction of a RERRA and satisfies the definition of a “small commercial customer” under the terms of the applicable RERRA’s program, provided that the customer has an annual peak demand no greater than 100kW.

Small Generation Resource:

“Small Generation Resource” shall mean an Interconnection Customer’s device of 20 MW or less for the production and/or storage for later injection of electricity identified in an Interconnection Request, but shall not include the Interconnection Customer’s Interconnection Facilities. This term shall include Energy Storage Resources and/or other devices for storage for later injection of energy.

Small Inverter Facility:

“Small Inverter Facility” shall mean an Energy Resource that is a certified small inverter-based facility no larger than 10 kW.

Small Inverter ISA:

“Small Inverter ISA” shall mean an agreement among Transmission Provider, Interconnection Customer, and Interconnected Transmission Owner regarding interconnection of a Small Inverter Facility under Tariff, Part IV, section 112B.

Special Member:

“Special Member” shall mean an entity that satisfies the requirements of Operating Agreement, Schedule 1, section 1.5A.02, and the parallel provisions of Tariff, Attachment K-Appendix, or the special membership provisions established under the Emergency Load Response and Pre-Emergency Load Response Programs.

Spot Market Backup:

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

Spot Market Energy:

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Operating Agreement, Schedule 1, section 2, and the parallel provisions of Tariff, Attachment K-Appendix.

State:

“State” shall mean the District of Columbia and any State or Commonwealth of the United States.

State Commission:

“State Commission” shall mean any state regulatory agency having jurisdiction over retail electricity sales in any State in the PJM Region.

State Estimator:

“State Estimator” shall mean the computer model of power flows specified in Operating Agreement, Schedule 1, section 2.3 and the parallel provisions of Tariff, Attachment K-Appendix.

Station Power:

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource or a Capacity Storage Resource; or (v) used in association with restoration or black start service.

Sub-Annual Resource Constraint:

“Sub-Annual Resource Constraint” shall mean, for the 2017/2018 Delivery Year and for FRR Capacity Plans the 2017/2018 and 2018/2019 Delivery Years, for the PJM Region or for each LDA for which the Office of the Interconnection is required under section 5.10(a) of Tariff Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources and Extended Summer Demand Resources for the 2017/2018 Delivery Year in the PJM Region or in such LDA, calculated as the Sub-Annual Resource Reliability Target for the PJM Region or for such LDA, respectively, minus the Short-Term Resource Procurement Target for the PJM Region or for such LDA, respectively.

Sub-Annual Resource Price Decrement:

“Sub-Annual Resource Price Decrement” shall mean, for the 2017/2018 Delivery Year, a difference between the clearing price for Extended Summer Demand Resources and the clearing price for Annual Resources, representing the cost to procure additional Annual Resources out of merit order when the Sub-Annual Resource Constraint is binding.

Sub-Annual Resource Reliability Target:

“Sub-Annual Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement for Delivery Years through May 31, 2017 and the Sub-Annual Resource Constraint for the 2017/2018 and 2018/2019 Delivery Years. As more fully set forth in the PJM Manuals, PJM calculates the Sub-Annual Resource Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a

range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Sub-Annual Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

Sub-meter:

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

Summer-Period Capacity Performance Resource:

“Summer-Period Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Switching and Tagging Rules:

“Switching and Tagging Rules” shall mean the switching and tagging procedures of Interconnected Transmission Owners and Interconnection Customer as they may be amended from time to time.

Synchronized Reserve:

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

Synchronized Reserve Event:

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve in one or more specified Reserve Zones or Reserve Sub-zones, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

Synchronized Reserve Requirement:

“Synchronized Reserve Requirement” shall mean the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone as Synchronized Reserve, absent any increase to account for additional reserves scheduled to address operational uncertainty. The Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

System Condition:

“System Condition” shall mean a specified condition on the Transmission Provider’s system or on a neighboring system, such as a constrained transmission element or flowgate, that may trigger Curtailment of Long-Term Firm Point-to-Point Transmission Service using the curtailment priority pursuant to Tariff, Part II, section 13.6. Such conditions must be identified in the Transmission Customer’s Service Agreement.

System Energy Price:

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Operating Agreement, Schedule 1, section 2 and the parallel provisions of Tariff, Attachment K-Appendix.

System Impact Study:

“System Impact Study” shall mean an assessment by the Transmission Provider of (i) the adequacy of the Transmission System to accommodate a Completed Application, an Interconnection Request or an Upgrade Request, (ii) whether any additional costs may be incurred in order to provide such transmission service or to accommodate an Interconnection Request, and (iii) with respect to an Interconnection Request, an estimated date that an Interconnection Customer’s Customer Facility can be interconnected with the Transmission System and an estimate of the Interconnection Customer’s cost responsibility for the interconnection; and (iv) with respect to an Upgrade Request, the estimated cost of the requested system upgrades or expansion, or of the cost of the system upgrades or expansion, necessary to provide the requested incremental rights.

System Protection Facilities:

“System Protection Facilities” shall refer to the equipment required to protect (i) the Transmission System, other delivery systems and/or other generating systems connected to the Transmission System from faults or other electrical disturbance occurring at or on the Customer

Facility, and (ii) the Customer Facility from faults or other electrical system disturbance occurring on the Transmission System or on other delivery systems and/or other generating systems to which the Transmission System is directly or indirectly connected. System Protection Facilities shall include such protective and regulating devices as are identified in the Applicable Technical Requirements and Standards or that are required by Applicable Laws and Regulations or other Applicable Standards, or as are otherwise necessary to protect personnel and equipment and to minimize deleterious effects to the Transmission System arising from the Customer Facility.

Definitions – W – X – Y - Z

Wholesale Transaction:

As used in Tariff, Part IV, “Wholesale Transaction” shall mean any transaction involving the transmission or sale for resale of electricity in interstate commerce that utilizes any portion of the Transmission System.

Winter-Period Capacity Performance Resource:

“Winter-Period Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Working Credit Limit:

“Working Credit Limit” shall mean an amount is 75% of the Market Participant’s Unsecured Credit Allowance and/or 75% of the Financial Security provided by the Market Participant to PJMSettlement. The Working Credit Limit establishes the maximum amount of Total Net Obligation that a Market Participant may have outstanding at any time. The calculation of Working Credit Limit shall take into account applicable reductions for Minimum Participation Requirements, FTR, or other credit requirement determinants as defined inTariff, Attachment Q.

Working Credit Limit for Virtual Transactions:

The “Working Credit Limit for Virtual Transactions” shall be calculated as 75% of the Market Participant’s Unsecured Credit Allowance and/or 75% of the Financial Security provided by the Market Participant to PJMSettlement when the Market Participant is at or below its Peak Market Activity credit requirements as specified in Tariff, Attachment Q, section II.D. When the Market Participant provides additional Unsecured Credit Allowance and/or Financial Security in excess of its Peak Market Activity credit requirements, such additional Unsecured Credit Allowance and/or Financial Security shall not be discounted by 25% when calculating the Working Credit Limit for Virtual Transactions. The Working Credit Limit for Virtual Transactions is a component in the calculation of Credit Available for Virtual Transactions. The calculation of Working Credit Limit for Virtual Transactions shall take into account applicable reductions for Minimum Participation Requirements, FTR, or other credit requirement determinants as defined in Tariff, Attachment Q.

Zonal Base Load:

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone, when non-extraordinary conditions exist for the applicable twelve month period, as determined by PJM. If the lowest daily zonal peak load from the applicable twelve month period is abnormally low due to extraordinary conditions, as determined by PJM, Zonal Base Load shall mean the next lowest daily zonal peak load that was not affected by

extraordinary conditions during the applicable twelve month period, increased by the projected load growth rate for the relevant Zone. For the purposes of this definition, extraordinary conditions shall mean a significant event, or combination of events, that affect the operation of the bulk power system in an atypical manner and results in an abnormal reduction in the consumption of energy within a Zone.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

Zone:

“Zone” shall mean an area within the PJM Region, as set forth in Tariff, Attachment J.

Zone Network Load:

“Zone Network Load” shall mean Network Load that is located inside of the area comprised of the PJM Region.

IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM

References to section numbers in this Part IV refer to sections of this Part IV, unless otherwise specified.

Preamble

An Interconnection Customer that proposes to (i) interconnect a generating unit to the Transmission System in the PJM Region, (ii) increase the capacity of a generating unit in the PJM Region, (iii) interconnect Merchant Transmission Facilities with the Transmission System, (iv) increase the capacity of existing Merchant Transmission Facilities interconnected to the Transmission System, or (v) interconnect a generating unit to distribution facilities located in the PJM Region that are used for transmission of power in interstate commerce, and to make wholesale sales using the output of the generating unit shall request interconnection with the Transmission System pursuant to, and shall comply with, the terms, conditions, and procedures set forth in Part IV of the Tariff. Subpart G of Part IV of the Tariff and related portions of the PJM Manuals apply to Interconnection Requests involving new Small Generation Resources or increases of 20 MW or less to the capability of existing generation resources over any consecutive 24-month period. Part VI of the Tariff contains procedures, terms and conditions governing the Transmission Provider's administration of the New Services Queue, System Impact Studies and Facilities Studies of Interconnection Requests (as well as other New Service Requests), and agreements related to such studies and Interconnection Service. Each Interconnection Customer must pay for any Attachment Facilities, Local Upgrades, and Network Upgrades necessary to accommodate the requested interconnection. Notwithstanding the foregoing, by August 31 of each calendar year, PJM shall solicit requests from Generation Owners of Intermittent Resources and Environmentally Limited Resources which seek to obtain additional Capacity Interconnection Rights related to the winter period (defined as November through April of a Delivery Year) for the purposes of aggregation under the Tariff, Attachment DD. Such additional Capacity Interconnection Rights would be for a one-year period as specified by PJM in the solicitation. Responses to such solicitation must be submitted by such interested Generation Owners by October 31 prior to the upcoming Base Residual Auction. Such requests shall be studied for deliverability similar to any Generation Interconnection Customer seeking to enter the New Services Queue; however, such requests shall not be required to enter the New Services Queue. PJM shall study such requests in a manner so as to prevent infringement on available system capabilities of any resource which is already in service, or which has an executed Interconnection Service Agreement, Transmission Service Agreement, Upgrade Construction Service Agreement, or has obtained a Queue Position in the New Services Queue.

230.2 Receipt of Capacity Interconnection Rights:

Generation accredited under the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region as a Generation Capacity Resource prior to the original effective date of Part IV shall have Capacity Interconnection Rights commensurate with the size in megawatts of the accredited generation. When a Generation Interconnection Customer's generation is accredited as deliverable through the applicable procedures in Part VI and Part VI of the Tariff, the Generation Interconnection Customer also shall receive Capacity Interconnection Rights commensurate with the size in megawatts of the generation as identified in the Interconnection Service Agreement. Any Generation Owner of an Intermittent Resource or Environmentally Limited Resource which has been accredited as deliverable for additional Capacity Interconnection Rights for the winter period (defined as November through April of a Delivery Year) under the Preamble of Part IV of the Tariff, shall receive such Capacity Interconnection Rights as further documented in section 2.0 of the Specifications of the Interconnection Service Agreement of such Generation Owner for the year specified. Pursuant to applicable terms of Schedule 10 of the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, a Transmission Interconnection Customer may combine Incremental Deliverability Rights associated with Merchant Transmission Facilities with generation capacity that is not otherwise accredited as a Generation Capacity Resource for the purposes of obtaining accreditation of such generation as a Generation Capacity Resource and associated Capacity Interconnection Rights.

ATTACHMENT Q

PJM CREDIT POLICY

POLICY STATEMENT:

It is the policy of PJM Interconnection, LLC (“PJM”) that prior to an entity participating in the PJM Markets, or in order to take Transmission Service, the entity must demonstrate its ability to meet PJMSettlement’s credit requirements.

Prior to becoming a Market Participant, Transmission Customer, and/or Member of PJM, PJMSettlement must accept and approve a Credit Application (including Credit Agreement) from such entity and establish a Working Credit Limit with PJMSettlement. PJMSettlement shall approve or deny an accepted Credit Application on the basis of a complete credit evaluation including, but not be limited to, a review of financial statements, rating agency reports, and other pertinent indicators of credit strength.

POLICY INTENT:

This credit policy describes requirements for: (1) the establishment and maintenance of credit by Market Participants, Transmission Customers, and entities seeking either such status (collectively “Participants”), pursuant to one or more of the Agreements, and (2) forms of security that will be deemed acceptable (hereinafter the “Financial Security”) in the event that the Participant does not satisfy the financial or other requirements to establish Unsecured Credit.

This policy also sets forth the credit limitations that will be imposed on Participants in order to minimize the possibility of failure of payment for services rendered pursuant to the Agreements, and conditions that will be considered an event of default pursuant to this policy and the Agreements.

These credit rules may establish certain set-asides of credit for designated purposes (such as for FTR or RPM activity). Such set-asides shall be construed to be applicable to calculation of credit requirements only, and shall not restrict PJMSettlement’s ability to apply such designated credit to any obligation(s) in case of a default.

PJMSettlement may post on PJM’s web site, and may reference on OASIS, a supplementary document which contains additional business practices (such as algorithms for credit scoring) that are not included in this document. Changes to the supplementary document will be subject to stakeholder review and comment prior to implementation. PJMSettlement may specify a required compliance date, not less than 15 days from notification, by which time all Participants must comply with provisions that have been revised in the supplementary document.

APPLICABILITY:

This policy applies to all Participants.

IMPLEMENTATION:

I. CREDIT EVALUATION

Each Participant will be subject to a complete credit evaluation in order for PJMSettlement to determine creditworthiness and to establish an **Unsecured Credit Allowance**, if applicable; provided, however, that a Participant need not provide the information specified in section I.A or I.B if it notifies PJMSettlement in writing that it does not seek any Unsecured Credit Allowance. PJMSettlement will identify any necessary Financial Security requirements and establish a Working Credit Limit for each Participant. In addition, PJMSettlement will perform follow-up credit evaluations on at least an annual basis.

If a **Corporate Guaranty** is being utilized to establish credit for a Participant, the guarantor will be evaluated and the Unsecured Credit Allowance or Financial Security requirement will be based on the financial strength of the Guarantor.

PJMSettlement will provide a Participant, upon request, with a written explanation for any change in credit levels or collateral requirements. PJMSettlement will provide such explanation within ten Business Days.

If a Participant believes that either its level of unsecured credit or its collateral requirement has been incorrectly determined, according to this credit policy, then the Participant may send a request for reconsideration in writing to PJMSettlement. Such a request should include:

- A citation to the applicable section(s) of the PJMSettlement credit policy along with an explanation of how the respective provisions of the credit policy were not carried out in the determination as made
- A calculation of what the Participant believes should be the correct credit level or collateral requirement, according to terms of the credit policy

PJMSettlement will reconsider the determination and will provide a written response as promptly as practical, but no longer than ten Business Days of receipt of the request. If the Participant still feels that the determination is incorrect, then the Participant may contest that determination. Such contest should be in written form, addressed to PJMSettlement, and should contain:

- ◆ A complete copy of the Participant's earlier request for reconsideration, including citations and calculations
- ◆ A copy of PJMSettlement's written response to its request for reconsideration
- ◆ An explanation of why it believes that the determination still does not comply with the credit policy

PJMSettlement will investigate and will respond to the Participant with a final determination on the matter as promptly as practical, but no longer than 20 Business Days.

Neither requesting reconsideration nor contesting the determination following such request shall relieve or delay Participant's responsibility to comply with all provisions of this credit policy.

A. Initial Credit Evaluation

In completing the initial credit evaluation, PJMSettlement will consider:

1) Rating Agency Reports

In evaluating credit strength, PJMSettlement will review rating agency reports from Standard & Poor's, Moody's Investors Service, Fitch Ratings, or other nationally known rating agencies. The focus of the review will be on senior unsecured debt ratings; however, PJMSettlement will consider other ratings if senior unsecured debt ratings are not available.

2) Financial Statements and Related Information

Each Participant must submit with its application audited financial statements for the most recent fiscal quarter, as well as the most recent three fiscal years, or the period of existence of the Participant, if shorter. All financial and related information considered for a Credit Score must be audited by an outside entity, and must be accompanied by an unqualified audit letter acceptable to PJMSettlement.

The information should include, but not be limited to, the following:

- a. If publicly traded:
 - i. Annual and quarterly reports on Form 10-K and Form 10-Q, respectively.
 - ii. Form 8-K reports disclosing Material changes, if any.
- b. If privately held:
 - i. Management's Discussion & Analysis
 - ii. Report of Independent Accountants
 - iii. Financial Statements, including:
 - Balance Sheet
 - Income Statement
 - Statement of Cash Flows
 - Statement of Stockholder's Equity
 - iv. Notes to Financial Statements

If the above information is available on the Internet, the Participant may provide a letter stating where such statements may be located and retrieved by PJMSettlement. For certain Participants, some of the above financial submittals may not be applicable, and alternate requirements may be specified by PJMSettlement.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

3) References

PJMSettlement may request Participants to provide with their applications at least one (1) bank and three (3) utility credit references. In the case where a Participant does not have the required utility references, trade payable vendor references may be substituted.

4) Litigation, Commitments and Contingencies

Each Participant is also required to provide with its application information as to any known Material litigation, commitments or contingencies as well as any prior bankruptcy declarations or Material defalcations by the Participant or its predecessors, subsidiaries or Affiliates, if any. These disclosures shall be made upon application, upon initiation or change, and at least annually thereafter, or as requested by PJMSettlement.

5) Other Disclosures

Each Participant is required to disclose any Affiliates that are currently Members of PJMSettlement or are applying for membership with PJMSettlement. Each Participant is also required to disclose the existence of any ongoing investigations by the Securities and Exchange Commission (“SEC”), Federal Energy Regulatory Commission (“FERC”), Commodity Futures Trading Commission (“CFTC”), or any other governing, regulatory, or standards body. These disclosures shall be made upon application, upon initiation or change, and at least annually thereafter, or as requested by PJMSettlement.

B. Ongoing Credit Evaluation

On at least an annual basis, PJMSettlement will perform follow-up credit evaluations on all Participants. In completing the credit evaluation, PJMSettlement will consider:

1) Rating Agency Reports

In evaluating credit strength, PJMSettlement will review rating agency reports from Standard & Poor’s, Moody’s Investors Service, Fitch Ratings, or other nationally known rating agencies. The focus of the review will be on senior unsecured debt ratings; however, PJMSettlement will consider other ratings if senior unsecured debt ratings are not available.

2) Financial Statements and Related Information

Each Participant must submit audited annual financial statements as soon as they become available and no later than 120 days after fiscal year end. Each Participant is also required to provide PJMSettlement with quarterly financial statements promptly upon their issuance, but no later than 60 days after the end of each quarter. All financial and related information considered

for a Credit Score must be audited by an outside entity, and must be accompanied by an unqualified audit letter acceptable to PJMSettlement. If financial statements are not provided within the timeframe required, the Participant may not be granted an Unsecured Credit Allowance.

The information should include, but not be limited to, the following:

- a. If publicly traded:
 - i. Annual and quarterly reports on Form 10-K and Form 10-Q, respectively.
 - ii. Form 8-K reports disclosing Material changes, if any, immediately upon issuance.
- b. If privately held:
 - i. Management's Discussion & Analysis
 - ii. Report of Independent Accountants
 - iii. Financial Statements, including:
 - Balance Sheet
 - Income Statement
 - Statement of Cash Flows
 - Statement of Stockholder's Equity
 - iv. Notes to Financial Statements

If the above information is available on the Internet, the Participant may provide a letter stating where such statements may be located and retrieved by PJMSettlement. For certain Participants, some of the above financial submittals may not be applicable, and alternate requirements may be specified by PJMSettlement.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

3) Material Changes

Each Participant is responsible for informing PJMSettlement immediately, in writing, of any Material change in its financial condition. However, PJMSettlement may also independently establish from available information that a Participant has experienced a Material change in its financial condition without regard to whether such Participant has informed PJMSettlement of the same.

For the purpose of this policy, a Material change in financial condition may include, but not be limited to, any of the following:

- a. a downgrade of any debt rating by any rating agency;
- b. being placed on a credit watch with negative implications by any rating agency;
- c. a bankruptcy filing;
- d. insolvency;

- e. a report of a quarterly or annual loss or a decline in earnings of ten percent or more compared to the prior period;
- f. restatement of prior financial statements;
- g. the resignation of key officer(s);
- h. the filing of a lawsuit that could adversely impact any current or future financial results by ten percent or more;
- i. financial default in another organized wholesale electric market futures exchange or clearing house;
- j. revocation of a license or other authority by any Federal or State regulatory agency; where such license or authority is necessary or important to the Participants continued business for example, FERC market-based rate authority, or State license to serve retail load; or
- k. a significant change in credit default spreads, market capitalization, or other market-based risk measurement criteria, such as a recent increase in Moody's KMV Expected Default Frequency (EDFtm) that is noticeably greater than the increase in its peers' EDFtm rates, or a collateral default swap (CDS) premium normally associated with an entity rated lower than investment grade.

If PJMSettlement determines that a Material change in the financial condition of the Participant has occurred, it may require the Participant to provide Financial Security within two Business Days, in an amount and form approved by PJMSettlement. If the Participant fails to provide the required Financial Security, the Participant shall be in default under this credit policy.

In the event that PJMSettlement determines that a Material change in the financial condition of a Participant warrants a requirement to provide Financial Security, PJMSettlement shall provide the Participant with a written explanation of why such determination was made. However, under no circumstances shall the requirement that a Participant provide the requisite Financial Security be deferred pending the issuance of such written explanation.

4) Litigation, Commitments, and Contingencies

Each Participant is also required to provide information as to any known Material litigation, commitments or contingencies as well as any prior bankruptcy declarations or Material defalcations by the Participant or its predecessors, subsidiaries or Affiliates, if any. These disclosures shall be made upon initiation or change or as requested by PJMSettlement.

5) Other Disclosures

Each Participant is required to disclose any Affiliates that are currently Members of PJM or are applying for membership within PJM. Each Participant is also required to disclose the existence of any ongoing investigations by the SEC, FERC, CFTC or any other governing, regulatory, or standards body. These disclosures shall be made upon initiation or change, or as requested by PJMSettlement.

C. Corporate Guaranty

If a Corporate Guaranty is being utilized to establish credit for a Participant, the Guarantor will be evaluated and the Unsecured Credit Allowance or Financial Security requirement will be based on the financial strength of the Guarantor.

An irrevocable and unconditional Corporate Guaranty may be utilized as part of the credit evaluation process, but will not be considered a form of Financial Security. The Corporate Guaranty will be considered a transfer of credit from the Guarantor to the Participant. The Corporate Guaranty must guarantee the (i) full and prompt payment of all amounts payable by the Participant under the Agreements, and (ii) performance by the Participant under this policy.

The Corporate Guaranty should clearly state the identities of the “Guarantor,” “Beneficiary” (PJMSettlement) and “Obligor” (Participant). The Corporate Guaranty must be signed by an officer of the Guarantor, and must demonstrate that it is duly authorized in a manner acceptable to PJMSettlement. Such demonstration may include either a Corporate Seal on the Guaranty itself, or an accompanying executed and sealed Secretary’s Certificate noting that the Guarantor was duly authorized to provide such Corporate Guaranty and that the person signing the Corporate Guaranty is duly authorized, or other manner acceptable to PJMSettlement.

A Participant supplying a Corporate Guaranty must provide the same information regarding the Guarantor as is required in the “Initial Credit Evaluation” §I.A. and the “Ongoing Evaluation” §I.B. of this policy, including providing the Rating Agency Reports, Financial Statements and Related Information, References, Litigation Commitments and Contingencies, and Other Disclosures. A Participant supplying a Foreign or Canadian Guaranty must also satisfy the requirements of §I.C.1 or §I.C.2, as appropriate.

If there is a Material change in the financial condition of the Guarantor or if the Corporate Guaranty comes within 30 days of expiring without renewal, the Participant will be required to provide Financial Security either in the form of a cash deposit or a letter of credit. Failure to provide the required Financial Security within two Business Days after request by PJMSettlement will constitute an event of default under this credit policy. A Participant may request PJMSettlement to perform a credit evaluation in order to determine creditworthiness and to establish an Unsecured Credit Allowance, if applicable. If PJMSettlement determines that a Participant does qualify for a sufficient Unsecured Credit Allowance, then Financial Security will not be required.

The PJMSettlement Credit Application contains an acceptable form of Corporate Guaranty that should be utilized by a Participant choosing to establish its credit with a Corporate Guaranty. If the Corporate Guaranty varies in any way from the PJMSettlement format, it must first be reviewed and approved by PJMSettlement. All costs associated with obtaining and maintaining a Corporate Guaranty and meeting the policy provisions are the responsibility of the Participant.

1) Foreign Guaranties

A Foreign Guaranty is a Corporate Guaranty that is provided by an Affiliate entity that is domiciled in a country other than the United States or Canada. The entity providing a Foreign Guaranty on behalf of a Participant is a Foreign Guarantor. A Participant may provide a Foreign

Guaranty in satisfaction of part of its credit obligations or voluntary credit provision at PJMSettlement provided that all of the following conditions are met:

PJMSettlement reserves the right to deny, reject, or terminate acceptance of any Foreign Guaranty at any time, including for material adverse circumstances or occurrences.

- a. A Foreign Guaranty:
 - i. Must contain provisions equivalent to those contained in PJMSettlement’s standard form of Foreign Guaranty with any modifications subject to review and approval by PJMSettlement counsel.
 - ii. Must be denominated in US currency.
 - iii. Must be written and executed solely in English, including any duplicate originals.
 - iv. Will not be accepted towards a Participant’s Unsecured Credit Allowance for more than the following limits, depending on the Foreign Guarantor's credit rating:

Rating of Foreign Guarantor	Maximum Accepted Guaranty if Country Rating is AAA	Maximum Accepted Guaranty if Country Rating is AA+
A- and above	USD50,000,000	USD30,000,000
BBB+	USD30,000,000	USD20,000,000
BBB	USD10,000,000	USD10,000,000
BBB- or below	USD 0	USD 0

- v. May not exceed 50% of the Participant’s total credit, if the Foreign Grantor is rated less than BBB+.

- b. A Foreign Guarantor:
 - i. Must satisfy all provisions of the PJM credit policy applicable to domestic Guarantors.
 - ii. Must be an Affiliate of the Participant.
 - iii. Must maintain an agent for acceptance of service of process in the United States; such agent shall be situated in the Commonwealth of Pennsylvania, absent legal constraint.
 - iv. Must be rated by at least one Rating Agency acceptable to PJMSettlement; the credit strength of a Foreign Guarantor may not be determined based on an evaluation of its financials without an actual credit rating as well.
 - v. Must have a Senior Unsecured (or equivalent, in PJMSettlement's sole discretion) rating of BBB (one notch above BBB-) or greater by any and all agencies that provide rating coverage of the entity.
 - vi. Must provide financials in GAAP format or other format acceptable to PJMSettlement with clear representation of net worth, intangible assets, and any other information PJMSettlement may require in order to determine the entity’s Unsecured Credit Allowance

- vii. Must provide a Secretary's Certificate certifying the adoption of Corporate Resolutions:
 - 1. Authorizing and approving the Guaranty; and
 - 2. Authorizing the Officers to execute and deliver the Guaranty on behalf of the Guarantor.
- viii. Must be domiciled in a country with a minimum long-term sovereign (or equivalent) rating of AA+/Aa1, with the following conditions:
 - 1. Sovereign ratings must be available from at least two rating agencies acceptable to PJMSettlement (e.g. S&P, Moody's, Fitch, DBRS).
 - 2. Each agency's sovereign rating for the domicile will be considered to be the lowest of: country ceiling, senior unsecured government debt, long-term foreign currency sovereign rating, long-term local currency sovereign rating, or other equivalent measures, at PJMSettlement's sole discretion.
 - 3. Whether ratings are available from two or three agencies, the lowest of the two or three will be used.
- ix. Must be domiciled in a country that recognizes and enforces judgments of US courts.
- x. Must demonstrate financial commitment to activity in the United States as evidenced by one of the following:
 - 1. American Depository Receipts (ADR) are traded on the New York Stock Exchange, American Stock Exchange, or NASDAQ.
 - 2. Equity ownership worth over USD100,000,000 in the wholly-owned or majority owned subsidiaries in the United States.
- xi. Must satisfy all other applicable provisions of the PJM Tariff and/or Operating Agreement, including this credit policy.
- xii. Must pay for all expenses incurred by PJMSettlement related to reviewing and accepting a foreign guaranty beyond nominal in-house credit and legal review.
- xiii. Must, at its own cost, provide PJMSettlement with independent legal opinion from an attorney/solicitor of PJMSettlement's choosing and licensed to practice law in the United States and/or Guarantor's domicile, in form and substance acceptable to PJMSettlement in its sole discretion, confirming the enforceability of the Foreign Guaranty, the Guarantor's legal authorization to grant the Guaranty, the conformance of the Guaranty, Guarantor, and Guarantor's domicile to all of these requirements, and such other matters as PJMSettlement may require in its sole discretion.

2) Canadian Guaranties

A Canadian Guaranty is a Corporate Guaranty that is provided by an Affiliate entity that is domiciled in Canada and satisfies all of the provisions below. The entity providing a Canadian Guaranty on behalf of a Participant is a Canadian Guarantor. A Participant may provide a Canadian Guaranty in satisfaction of part of its credit obligations or voluntary credit provision at PJMSettlement provided that all of the following conditions are met.

PJMSettlement reserves the right to deny, reject, or terminate acceptance of any Canadian Guaranty at any time for reasonable cause, including adverse material circumstances.

- a. A Canadian Guaranty:
 - i. Must contain provisions equivalent to those contained in PJMSettlement's standard form of Foreign Guaranty with any modifications subject to review and approval by PJMSettlement counsel.
 - ii. Must be denominated in US currency.
 - iii. Must be written and executed solely in English, including any duplicate originals.

- b. A Canadian Guarantor:
 - i. Must satisfy all provisions of the PJM credit policy applicable to domestic Guarantors.
 - ii. Must be an Affiliate of the Participant.
 - iii. Must maintain an agent for acceptance of service of process in the United States; such agent shall be situated in the Commonwealth of Pennsylvania, absent legal constraint.
 - iv. Must be rated by at least one Rating Agency acceptable to PJMSettlement; the credit strength of a Canadian Guarantor may not be determined based on an evaluation of its financials without an actual credit rating as well.
 - v. Must provide financials in GAAP format or other format acceptable to PJMSettlement with clear representation of net worth, intangible assets, and any other information PJMSettlement may require in order to determine the entity's Unsecured Credit Allowance.

 - vi. Must satisfy all other applicable provisions of the PJM Tariff and/or Operating Agreement, including this Credit Policy.

Ia. MINIMUM PARTICIPATION REQUIREMENTS

A. PJM Market Participation Eligibility Requirements

To be eligible to transact in PJM Markets, a Market Participant must demonstrate in accordance with the Risk Management and Verification processes set forth below that it qualifies in one of the following ways:

1. an "appropriate person," as that term is defined under Section 4(c)(3), or successor provision, of the Commodity Exchange Act, or;
2. an "eligible contract participant," as that term is defined in Section 1a(18), or successor provision, of the Commodity Exchange Act, or;
3. a business entity or person who is in the business of: (1) generating, transmitting, or distributing electric energy, or (2) providing electric energy services that are necessary to support the reliable operation of the transmission system, or;

4. a Market Participant seeking eligibility as an “appropriate person” providing an unlimited Corporate Guaranty in a form acceptable to PJMSettlement as described in Section I.C of Attachment Q from an issuer that has at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty, or;
5. a Market Participant providing a letter of credit of at least \$5 million to PJMSettlement in a form acceptable to PJMSettlement as described in Section VI.B of Attachment Q that the Market Participant acknowledges is separate from, and cannot be applied to meet, its credit requirements to PJMSettlement.

If, at any time, a Market Participant cannot meet the eligibility requirements set forth above, it shall immediately notify PJMSettlement and immediately cease conducting transactions in the PJM Markets. PJMSettlement shall terminate a Market Participant’s transaction rights in the PJM Markets if, at any time, it becomes aware that the Market Participant does not meet the minimum eligibility requirements set forth above.

In the event that a Market Participant is no longer able to demonstrate it meets the minimum eligibility requirements set forth above, and possesses, obtains or has rights to possess or obtain, any open or forward positions in PJM’s Markets, PJMSettlement may take any such action it deems necessary with respect to such open or forward positions, including, but not limited to, liquidation, transfer, assignment or sale; provided, however, that the Market Participant will, notwithstanding its ineligibility to participate in the PJM Markets, be entitled to any positive market value of those positions, net of any obligations due and owing to PJM and/or PJMSettlement.

B. Risk Management and Verification

All Participants shall provide to PJMSettlement an executed copy of the annual certification set forth in Appendix 1 to this Attachment Q. This certification shall be provided before an entity is eligible to participate in the PJM Markets and shall be initially submitted to PJMSettlement together with the entity’s Credit Application. Thereafter, it shall be submitted each calendar year by all Participants during a period beginning on January 1 and ending April 30, except that new Participants who became eligible to participate in PJM markets during the period of January through April shall not be required to resubmit such certification until the following calendar year. Except for certain FTR Participants (discussed below) or in cases of manifest error, PJMSettlement will accept such certifications as a matter of course and Participants will not need further notice from PJMSettlement before commencing or maintaining their eligibility to participate in PJM markets. A Participant that fails to provide its annual certification by April 30 shall be ineligible to transact in the PJM markets and PJM will disable the Participant’s access to the PJM markets until such time as PJMSettlement receives the Participant’s certification.

Participants acknowledge and understand that the annual certification constitutes a representation upon which PJMSettlement will rely. Such representation is additionally made under the PJM Tariff, filed with and accepted by FERC, and any inaccurate or incomplete statement may subject the Participant to action by FERC. Failure to comply with any of the criteria or

requirements listed herein or in the certification may result in suspension of a Participant's transaction rights in the PJM markets.

Certain FTR Participants (those providing representations found in paragraph 3.b of the annual certification set forth in Appendix 1 to this Attachment Q) are additionally required to submit to PJMSettlement (at the time they make their annual certification) a copy of their current governing risk control policies, procedures and controls applicable to their FTR trading activities, except that if no substantive changes have been made to such policies, practices and/or controls applicable to their FTR trading activities, they may instead submit to PJMSettlement a certification stating that no changes have been made. PJMSettlement will review such documentation to verify that it appears generally to conform to prudent risk management practices for entities trading in FTR-type markets. If principles or best practices relating to risk management in FTR-type markets are published, as may be modified from time to time, by a third-party industry association, such as the Committee of Chief Risk Officers, PJMSettlement may, following stakeholder discussion and with no less than six months prior notice to stakeholders, apply such principles or best practices in determining the fundamental sufficiency of the FTR Participant's risk controls. Those FTR Participants subject to this provision shall make a one-time payment of \$1,000.00 to PJMSettlement to cover costs associated with review and verification. Thereafter, if such FTR Participant's risk policies, procedures and controls applicable to its FTR trading activities change substantively, it shall submit such modified documentation, without charge, to PJMSettlement for review and verification at the time it makes its annual certification. Such FTR Participant's continued eligibility to participate in the PJM FTR markets is conditioned on PJMSettlement notifying such FTR Participant that its annual certification, including the submission of its risk policies, procedures and controls, has been accepted by PJMSettlement. PJMSettlement may retain outside expertise to perform the review and verification function described in this paragraph, however, in all circumstances, PJMSettlement and any third-party it may retain will treat as confidential the documentation provided by an FTR Participant under this paragraph, consistent with the applicable provisions of PJM's Operating Agreement.

An FTR Participant that makes the representation in paragraph 3.a of the annual certification understand that PJMSettlement, given the visibility it has over a Participant's overall market activity in performing billing and settlement functions, may at any time request the FTR Participant provide additional information demonstrating that it is in fact eligible to make the representation in paragraph 3.a of the annual certification. If such additional information is not provided or does not, in PJMSettlement's judgment, demonstrate eligibility to make the representation in paragraph 3.a of the annual certification, PJMSettlement will require the FTR Participant to instead make the representations required in paragraph 3.b of the annual certification, including representing that it has submitted a copy of its current governing risk control policies, procedures and controls applicable to its FTR trading activities. If the FTR Participant cannot or does not make those representations as required in paragraph 3.b of the annual certification, then PJM will terminate the FTR Participant's rights to purchase FTRs in the FTR market and may terminate the FTR Participant's rights to sell FTRs in the PJM FTR market.

PJMSettlement shall also conduct a periodic compliance verification process to review and verify, as applicable, Participants' risk management policies, practices, and procedures pertaining to the Participants' activities in the PJM markets. Such review shall include verification that:

1. The risk management framework is documented in a risk policy addressing market, credit and liquidity risks.
2. The Participant maintains an organizational structure with clearly defined roles and responsibilities that clearly segregates trading and risk management functions.
3. There is clarity of authority specifying the types of transactions into which traders are allowed to enter.
4. The Participant has requirements that traders have adequate training relative to their authority in the systems and PJM markets in which they transact.
5. As appropriate, risk limits are in place to control risk exposures.
6. Reporting is in place to ensure that risks and exceptions are adequately communicated throughout the organization.
7. Processes are in place for qualified independent review of trading activities.
8. As appropriate, there is periodic valuation or mark-to-market of risk positions.

If principles or best practices relating to risk management in PJM-type markets are published, as may be modified from time to time, by a third-party industry association, PJMSettlement may, following stakeholder discussion and with no less than six months prior notice to stakeholders, apply such principles or best practices in determining the sufficiency of the Participant's risk controls. PJMSettlement may select Participants for review on a random basis and/or based on identified risk factors such as, but not limited to, the PJM markets in which the Participant is transacting, the magnitude of the Participant's transactions in the PJM markets, or the volume of the Participant's open positions in the PJM markets. Those Participants notified by PJMSettlement that they have been selected for review shall, upon 14 calendar days notice, provide a copy of their current governing risk control policies, procedures and controls applicable to their PJM market activities and shall also provide such further information or documentation pertaining to the Participants' activities in the PJM markets as PJMSettlement may reasonably request. Participants selected for risk management verification through a random process and satisfactorily verified by PJMSettlement shall be excluded from such verification process based on a random selection for the subsequent two years. PJMSettlement shall annually randomly select for review no more than 20% of the Participants in each member sector.

Each selected Participant's continued eligibility to participate in the PJM markets is conditioned upon PJMSettlement notifying the Participant of successful completion of PJMSettlement's verification of the Participant's risk management policies, practices and procedures, as discussed

herein. However, if PJMSettlement notifies the Participant in writing that it could not successfully complete the verification process, PJMSettlement shall allow such Participant 14 calendar days to provide sufficient evidence for verification prior to declaring the Participant as ineligible to continue to participate in PJM's markets, which declaration shall be in writing with an explanation of why PJMSettlement could not complete the verification. If, prior to the expiration of such 14 calendar days, the Participant demonstrates to PJMSettlement that it has filed with the Federal Energy Regulatory Commission an appeal of PJMSettlement's risk management verification determination, then the Participant shall retain its transaction rights, pending the Commission's determination on the Participant's appeal. PJMSettlement may retain outside expertise to perform the review and verification function described in this paragraph. PJMSettlement and any third party it may retain will treat as confidential the documentation provided by a Participant under this paragraph, consistent with the applicable provisions of the Operating Agreement. If PJMSettlement retains such outside expertise, a Participant may direct in writing that PJMSettlement perform the risk management review and verification for such Participant instead of utilizing a third party, provided however, that employees and contract employees of PJMSettlement and PJM shall not be considered to be such outside expertise or third parties.

Participants are solely responsible for the positions they take and the obligations they assume in PJM markets. PJMSettlement hereby disclaims any and all responsibility to any Participant or PJM Member associated with Participant's submitting or failure to submit its annual certification or PJMSettlement's review and verification of an FTR Participant's risk policies, procedures and controls. Such review and verification is limited to demonstrating basic compliance by an FTR Participant with the representation it makes under paragraph 3.b of its annual certification showing the existence of written policies, procedures and controls to limit its risk in PJM's FTR markets and does not constitute an endorsement of the efficacy of such policies, procedures or controls.

C. Capitalization

In addition to the Annual Certification requirements in Appendix 1 to this Attachment Q, a Participant must demonstrate that it meets the minimum financial requirements appropriate for the PJM market(s) in which it transacts by satisfying either the Minimum Capitalization or the Provision of Collateral requirements listed below:

1. Minimum Capitalization

FTR Participants must demonstrate a tangible net worth in excess of \$1 million or tangible assets in excess of \$10 million. Other Participants must demonstrate a tangible net worth in excess of \$500,000 or tangible assets in excess of \$5 million.

- a. In either case, consideration of "tangible" assets and net worth shall exclude assets (net of any matching liabilities, assuming the result is a positive value) which PJMSettlement reasonably believes to be restricted, highly risky, or potentially unavailable to settle a claim in the event of default. Examples include, but are not

limited to, restricted assets and Affiliate assets, derivative assets, goodwill, and other intangible assets.

- b. Demonstration of “tangible” assets and net worth may be satisfied through presentation of an acceptable Corporate Guaranty, provided that both:
 - (i) the guarantor is an affiliate company that satisfies the tangible net worth or tangible assets requirements herein, and;
 - (ii) the Corporate Guaranty is either unlimited or at least \$500,000.

If the Corporate Guaranty presented by the Participant to satisfy these Capitalization requirements is limited in value, then the Participant’s resulting Unsecured Credit Allowance shall be the lesser of:

- (1) the applicable Unsecured Credit Allowance available to the Participant by the Corporate Guaranty pursuant to the creditworthiness provisions of this Credit Policy, or:
- (2) the face value of the Corporate Guaranty, reduced by \$500,000 and further reduced by 10%. (For example, a \$10.5 million Corporate Guaranty would be reduced first by \$500,000 to \$10 million and then further reduced 10% more to \$9 million. The resulting \$9 million would be the Participant’s Unsecured Credit Allowance available through the Corporate Guaranty).

In the event that a Participant provides collateral in addition to a limited Corporate Guaranty to increase its available credit, the value of such collateral shall be reduced by 10%. This reduced value shall be deemed Financial Security and available to satisfy the requirements of this Credit Policy.

Demonstrations of capitalization must be presented in the form of audited financial statements for the Participant’s most recent fiscal year.

2. Provision of Collateral

If a Participant does not demonstrate compliance with its applicable Minimum Capitalization Requirements above, it may still qualify to participate in PJM’s markets by posting additional collateral, subject to the terms and conditions set forth herein.

Any collateral provided by a Participant unable to satisfy the Minimum Capitalization Requirements above will be restricted in the following manner:

- i. Collateral provided by FTR Participants shall be reduced by \$500,000 and then further reduced by 10%. This reduced amount shall be considered the Financial Security provided by the Participant and available to satisfy requirements of this Credit Policy.
- ii. Collateral provided by other Participants that engage in Virtual Transactions or Export Transactions shall be reduced by \$200,000 and then further reduced by 10%. This reduced value shall be considered Financial Security available to satisfy requirements of this Credit Policy.
- iii. Collateral provided by other Participants that do not engage in Virtual Transactions or Export Transactions shall be reduced by 10%, and this reduced value shall be considered Financial Security available to satisfy requirements of this Credit Policy.

In the event a Participant that satisfies the Minimum Participation Requirements through provision of collateral also provides a Corporate Guaranty to increase its available credit, then the Participant's resulting Unsecured Credit Allowance conveyed through such Guaranty shall be the lesser of:

- (1) the applicable Unsecured Credit Allowance available to the Participant by the Corporate Guaranty pursuant to the creditworthiness provisions of this credit policy, or,
- (2) the face value of the Guaranty, reduced by 10%.

II. CREDIT ALLOWANCE AND WORKING CREDIT LIMIT

PJMSettlement's credit evaluation process will include calculating a Credit Score for each Participant. The credit score will be utilized to determine a Participant's Unsecured Credit Allowance.

Participants who do not qualify for an Unsecured Credit Allowance will be required to provide Financial Security based on their Peak Market Activity, as provided below.

A corresponding Working Credit Limit will be established based on the Unsecured Credit Allowance and/or the Financial Security provided.

Where Participant of PJM are considered Affiliates, Unsecured Credit Allowances and Working Credit Limits will be established for each individual Participant, subject to an aggregate maximum amount for all Affiliates as provided for in §II.F of this policy.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

A. Credit Score

For participants with credit ratings, a Credit Score will be assigned based on their senior unsecured credit rating and credit watch status as shown in the table below. If an explicit senior unsecured rating is not available, PJMSettlement may impute an equivalent rating from other ratings that are available. For Participants without a credit rating, but who wish to be considered for unsecured Credit, a Credit Score will be generated from PJMSettlement’s review and analysis of various factors that are predictors of financial strength and creditworthiness. Key factors in the scoring process include, financial ratios, and years in business. PJMSettlement will consistently apply the measures it uses in determining Credit Scores. The credit scoring methodology details are included in a supplementary document available on OASIS.

Rated Entities Credit Scores

Rating	Score	Score Modifier	
		Credit Watch Negative	Credit Watch Positive
AAA	100	-1.0	0.0
AA+	99	-1.0	0.0
AA	99	-1.0	0.0
AA-	98	-1.0	0.0
A+	97	-1.0	0.0
A	96	-2.0	0.0
A-	93	-3.0	1.0
BBB+	88	-4.0	2.0
BBB	78	-4.0	2.0
BBB-	65	-4.0	2.0
BB+ and below	0	0.0	0.0

B. Unsecured Credit Allowance

PJMSettlement will determine a Participant’s Unsecured Credit Allowance based on its Credit Score and the parameters in the table below. The maximum Unsecured Credit Allowance is the lower of:

- 1) A percentage of the Participant’s Tangible Net Worth, as stated in the table below, with the percentage based on the Participant’s credit score; and
- 2) A dollar cap based on the credit score, as stated in the table below:

Credit Score	Tangible Net Worth Factor	Maximum Unsecured Credit Allowance (\$ Million)
91-100	2.125 – 2.50%	\$50
81-90	1.708 – 2.083%	\$42
71-80	1.292 – 1.667%	\$33
61-70	0.875 – 1.25%	\$7
51-60	0.458 – 0.833%	\$0-\$2
50 and Under	0%	\$0

If a Corporate Guaranty is utilized to establish an Unsecured Credit Allowance for a Participant, the value of a Corporate Guaranty will be the lesser of:

- The limit imposed in the Corporate Guaranty;
- The Unsecured Credit Allowance calculated for the Guarantor; and
- A portion of the Unsecured Credit Allowance calculated for the Guarantor in the case of Affiliated Participants.

PJMSettlement has the right at any time to modify any Unsecured Credit Allowance and/or require additional Financial Security as may be deemed reasonably necessary to support current market activity. Failure to pay the required amount of additional Financial Security within two Business Days shall be an event of default.

PJMSettlement will maintain a posting of each Participant’s unsecured Credit Allowance, along with certain other credit related parameters, on the PJM web site in a secure, password-protected location. Such information will be updated at least weekly. Each Participant will be responsible for monitoring such information and recognizing changes that may occur.

C. Peak Market Activity and Financial Security Requirement

A PJM Participant or Applicant that has an insufficient Unsecured Credit Allowance to satisfy its Peak Market Activity will be required to provide Financial Security such that its Unsecured Credit Allowance and Financial Security together are equal to its Peak Market Activity in order to secure its transactional activity in the PJM Market.

Peak Market Activity for Participants will be determined semi-annually beginning in the first complete billing week in the months of April and October. Peak Market Activity shall be the greater of the initial Peak Market Activity, as explained below, or the greatest amount invoiced for the Participant’s transaction activity for all PJM markets and services in any rolling one, two, or three week period, ending within a respective semi-annual period. However, Peak Market Activity shall not exceed the greatest amount invoiced for the Participant’s transaction activity for all PJM markets and services in any rolling one, two or three week period in the prior 52 weeks.

Peak Market Activity shall exclude FTR Net Activity, Virtual Transactions Net Activity, and Export Transactions Net Activity.

The initial Peak Market Activity for Applicants will be determined by PJMSettlement based on a review of an estimate of their transactional activity for all PJM markets and services over the next 52 weeks, which the Applicant shall provide to PJMSettlement.

The initial Peak Market Activity for Participants, calculated at the beginning of each respective semi-annual period, shall be the three-week average of all non-zero invoice totals over the previous 52 weeks. This calculation shall be performed and applied within three business days following the day the invoice is issued for the first full billing week in the current semi-annual period.

Prepayments shall not affect Peak Market Activity unless otherwise agreed to in writing pursuant to this Credit Policy.

All Peak Market Activity calculations shall take into account reductions of invoice values effectuated by early payments which are applied to reduce a Participant's Peak Market Activity as contemplated by other terms of the Credit Policy; provided that the initial Peak Market Activity shall not be less than the average value calculated using the weeks for which no early payment was made.

A Participant may reduce its Financial Security Requirement by agreeing in writing (in a form acceptable to PJMSettlement) to make additional payments, including prepayments, as and when necessary to ensure that such Participant's Total Net Obligation at no time exceeds such reduced Financial Security Requirement.

PJMSettlement may, at its discretion, adjust a Participant's Financial Security Requirement if PJMSettlement determines that the Peak Market Activity is not representative of such Participant's expected activity, as a consequence of known, measurable, and sustained changes. Such changes may include the loss (without replacement) of short-term load contracts, when such contracts had terms of three months or more and were acquired through state-sponsored retail load programs, but shall not include short-term buying and selling activities.

PJMSettlement may waive the Financial Security Requirement for a Participant that agrees in writing that it shall not, after the date of such agreement, incur obligations under any of the Agreements. Such entity's access to all electronic transaction systems administered by PJM shall be terminated.

PJMSettlement will maintain a posting of each Participant's Financial Security Requirement on the PJM web site in a secure, password-protected location. Such information will be updated at least weekly. Each Participant will be responsible for monitoring such information and recognizing changes that may occur.

D. Working Credit Limit

PJMSettlement will establish a Working Credit Limit for each Participant against which its **Total Net Obligation** will be monitored. The Working Credit Limit is defined as 75% of the Financial Security provided to PJMSettlement and/or 75% of the Unsecured Credit Allowance determined by PJMSettlement based on a credit evaluation, as reduced by any applicable credit requirement determinants defined in this policy. A Participant's Total Net Obligation should not exceed its Working Credit Limit.

Example: After a credit evaluation by PJMSettlement, a Participant is deemed able to support an Unsecured Credit Allowance of \$10.0 million. The Participant will be assigned a Working Credit Limit of \$8.5 million. PJMSettlement will monitor the Participant's Total Net Obligations against the Working Credit Limit.

A Participant with an Unsecured Credit Allowance may choose to provide Financial Security in order to increase its Working Credit Limit. A Participant with no Unsecured Credit Allowance may also choose to increase its Working Credit Limit by providing Financial Security in an amount greater than its Peak Market Activity.

If a Participant's Total Net Obligation approaches its Working Credit Limit, PJMSettlement may require the Participant to make an advance payment or increase its Financial Security in order to maintain its Total Net Obligation below its Working Credit Limit. Except as explicitly provided below, advance payments shall not serve to reduce the Participant's Peak Market Activity for the purpose of calculating credit requirements.

Example: After 10 days, and with 5 days remaining before the bill is due to be paid, a Participant approaches its \$4.0 million Working Credit Limit. PJMSettlement may require a prepayment of \$2.0 million in order that the Total Net Obligation will not exceed the Working Credit Limit.

If a Participant exceeds its Working Credit Limit or is required to make advance payments more than ten times during a 52-week period, PJMSettlement may require Financial Security in an amount as may be deemed reasonably necessary to support its Total Net Obligation.

A Participant receiving unsecured credit may make early payments up to ten times in a rolling 52-week period in order to reduce its Peak Market Activity for credit requirement purposes. Imputed Peak Market Activity reductions for credit purposes will be applied to the billing period for which the payment was received. Payments used as the basis for such reductions must be received prior to issuance or posting of the invoice for the relevant billing period. The imputed Peak Market Activity reduction attributed to any payment may not exceed the amount of Unsecured Credit for which the Participant is eligible.

E. Credit Limit Setting For Affiliates

If two or more Participants are Affiliates and each is being granted an Unsecured Credit Allowance and a corresponding Working Credit Limit, PJMSettlement will consider the overall creditworthiness of the Affiliated Participants when determining the Unsecured Credit Allowances and Working Credit Limits in order not to grant more Unsecured Credit than the overall corporation could support.

Example: Participants A and B each have a \$10.0 million Corporate Guaranty from their common parent, a holding company with an Unsecured Credit Allowance calculation of \$12.0 million. PJMSettlement may limit the Unsecured Credit Allowance for each Participant to \$6.0 million, so the total Unsecured Credit Allowance does not exceed the corporate total of \$12.0 million.

PJMSettlement will work with Affiliated Participants to allocate the total Unsecured Credit Allowance among the Affiliates while assuring that no individual Participant, nor common guarantor, exceeds the Unsecured Credit Allowance appropriate for its credit strength. The aggregate Unsecured Credit for a Participant, including Unsecured Credit Allowance granted based on its own creditworthiness and any Unsecured Credit Allowance conveyed through a Guaranty shall not exceed \$50 million. The aggregate Unsecured Credit for a group of Affiliates shall not exceed \$50 million. A group of Affiliates subject to this cap shall request PJMSettlement to allocate the maximum Unsecured Credit and Working Credit Limit amongst the group, assuring that no individual Participant or common guarantor, shall exceed the Unsecured Credit level appropriate for its credit strength and activity.

F. Working Credit Limit Violations

1) Notification

A Participant is subject to notification when its Total Net Obligation to PJMSettlement approaches the Participant's established Working Credit Limit.

2) Suspension

A Participant that exceeds its Working Credit Limit is subject to suspension from participation in the PJM markets and from scheduling any future Transmission Service unless and until Participant's credit standing is brought within acceptable limits. A Participant will have two Business Days from notification to remedy the situation in a manner deemed acceptable by PJMSettlement. Additionally, PJMSettlement, in coordination with PJM, will take such actions as may be required or permitted under the Agreements, including but not limited to the termination of the Participant's ongoing Transmission Service and participation in PJM Markets. Failure to comply with this policy will be considered an event of default under this credit policy.

G. PJM Administrative Charges

Financial Security held by PJMSettlement shall also secure obligations to PJM for PJM administrative charges.

H. Pre-existing Financial Security

PJMSettlement's credit requirements are applicable as of the effective date of the filing on May 5, 2010 by PJM and PJMSettlement of amendments to Attachment Q. Financial Security held by

PJM prior to the effective date of such amendments shall be held by PJM for the benefit of PJMSettlement.

III. VIRTUAL TRANSACTION SCREENING

A. Credit and Financial Security

PJMSettlement does not require a Market Participant to establish separate or additional credit for submitting Virtual Transactions. If a Market Participant chooses to establish additional Financial Security and/or Unsecured Credit Allowance in order to increase its Credit Available for Virtual Transactions, the Market Participant's Working Credit Limit for Virtual Transactions shall be increased in accordance with the definition thereof. The Financial Security and/or Unsecured Credit Allowance available to increase a Market Participant's Credit Available for Virtual Transactions shall be the amount of Financial Security and/or Unsecured Credit Allowance available after subtracting any credit required for Minimum Participation Requirements, FTR, Export Transactions, or other credit requirement determinants as defined in this policy, as applicable.

If a Market Participant chooses to provide additional Financial Security in order to increase its **Credit Available for Virtual Transactions PJMSettlement** may establish a reasonable timeframe, not to exceed three months, for which such Financial Security must be maintained. PJMSettlement will not impose such restriction on a deposit unless a Market Participant is notified prior to making the deposit. Such restriction, if applied, shall be applied to all future deposits by all Market Participants engaging in Virtual Transactions.

A Market Participant wishing to increase its Credit Available for Virtual Transactions by providing additional Financial Security may make the appropriate arrangements with PJMSettlement. PJMSettlement will make a good faith effort to make new Financial Security available as Credit Available for Virtual Transactions as soon as practicable after confirmation of receipt. In any event, however, Financial Security received and confirmed by noon on a business day will be applied (as provided under this policy) to Credit Available for Virtual Transactions no later than 10:00 am on the following business day. Receipt and acceptance of wired funds for cash deposit shall mean actual receipt by PJMSettlement's bank, deposit into PJMSettlement's customer deposit account, and confirmation by PJMSettlement that such wire has been received and deposited. Receipt and acceptance of letters of credit shall mean receipt of the original letter of credit or amendment thereto, and confirmation from PJMSettlement's credit and legal staffs that such letter of credit or amendment thereto conforms to PJMSettlement's requirements, which confirmation shall be made in a reasonable and practicable timeframe. To facilitate this process, bidders wiring funds for the purpose of increasing their Credit Available for Virtual Transactions are advised to specifically notify PJMSettlement that a wire is being sent for such purpose.

B. Virtual Transaction Screening Process

All Virtual Transactions submitted to PJM shall be subject to a credit screen prior to acceptance in the Day-ahead Energy Market auction. The credit screen process will automatically reject

Virtual Transactions submitted by the PJM market participant if the participant's Credit Available for Virtual Transactions is exceeded by the **Virtual Credit Exposure** that is calculated based on the participant's submitted Virtual Transactions as described below.

A Participant's Virtual Credit Exposure will be calculated on a daily basis for all Virtual Transactions submitted by the market participant for the next market day using the following equation:

Virtual Credit Exposure = INC and DEC Exposure + Up-to Congestion Exposure

Where:

1) INC and DEC Exposure is calculated as:

(a) ((the total MWh bid or offered, whichever is greater, hourly at each node) x the Nodal Reference Price x 1 day) summed over all nodes and all hours; plus (b) ((the difference between the total bid MWh cleared and total offered MWh cleared hourly at each node) x Nodal Reference Price) summed over all nodes and all hours for the previous cleared Day-ahead Energy Market.

2) Up-to Congestion Exposure is calculated as:

(a) Total MWh bid hourly for each Up-to Congestion Transaction x (price bid – Up-to Congestion Reference Price) summed over all Up-to Congestion Transactions and all hours; plus (b) Total MWh cleared hourly for each Up-to Congestion Transaction x (cleared price – Up-to Congestion Reference Price) summed over all Up-to Congestion Transactions and all hours for the previous cleared Day-ahead Energy Market, provided that hours for which the calculation for an Up-to Congestion Transaction is negative, it shall be deemed to have a zero contribution to the sum.

If a Market Participant's Virtual Transactions are rejected as a result of the credit screen process, the Market Participant will be notified via an Markets Gateway error message. A Market Participant whose Virtual Transactions are rejected may alter its Virtual Transactions so that its Virtual Credit Exposure does not exceed its Credit Available for Virtual Transactions, and may resubmit them. Virtual Transactions may be submitted in one or more groups during a day. If one or more groups of Virtual Transactions is submitted and accepted, and a subsequent group of submitted Virtual Transactions causes the total submitted Virtual Transactions to exceed the Virtual Credit Exposure, then only that subsequent set of Virtual Transactions will be rejected. Previously accepted Virtual Transactions will not be affected, though the Market Participant may choose to withdraw them voluntarily.

IV. RELIABILITY PRICING MODEL AUCTION AND PRICE RESPONSIVE DEMAND CREDIT REQUIREMENTS

Settlement during any Delivery Year of cleared positions resulting or expected to result from any Reliability Pricing Model Auction shall be included as appropriate in Peak Market Activity, and the provisions of this Attachment Q shall apply to any such activity and obligations arising

therefrom. In addition, the provisions of this section shall apply to any entity seeking to participate in any RPM Auction, to address credit risks unique to such auctions. The provisions of this section also shall apply under certain circumstances to PRD Providers that seek to commit Price Responsive Demand pursuant to the provisions of the Reliability Assurance Agreement.

A. Applicability

A Market Seller seeking to submit a Sell Offer in any Reliability Pricing Model Auction based on any Capacity Resource for which there is a materially increased risk of nonperformance must satisfy the credit requirement specified in section IV.B before submitting such Sell Offer. A PRD Provider seeking to commit Price Responsive Demand for which there is a materially increased risk of non-performance must satisfy the credit requirement specified in section IV.B before it may commit the Price Responsive Demand. Credit must be maintained until such risk of non-performance is substantially eliminated, but may be reduced commensurate with the reduction in such risk, as set forth in Section IV.C.

For purposes of this provision, a resource for which there is a materially increased risk of nonperformance shall mean: (i) a Planned Generation Capacity Resource; (ii) a Planned Demand Resource or an Energy Efficiency Resource; (iii) a Qualifying Transmission Upgrade; (iv) an existing or Planned Generation Capacity Resource located outside the PJM Region that at the time it is submitted in a Sell Offer has not secured firm transmission service to the border of the PJM Region sufficient to satisfy the deliverability requirements of the Reliability Assurance Agreement; or (v) Price Responsive Demand to the extent the responsible PRD Provider has not registered PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment, in accordance with Schedule 6.1 of the Reliability Assurance Agreement.

B. Reliability Pricing Model Auction and Price Responsive Demand Credit Requirement

Except as provided for Credit-Limited Offers below, for any resource specified in Section IV.A, other than Price Responsive Demand, the credit requirement shall be the RPM Auction Credit Rate, as provided in Section IV.D, times the megawatts to be offered for sale from such resource in a Reliability Pricing Model Auction. For Qualified Transmission Upgrades, the credit requirements shall be based on the Locational Deliverability Area in which such upgrade was to increase the Capacity Emergency Transfer Limit. However, the credit requirement for Planned Financed Generation Capacity Resources and Planned External Financed Generation Capacity Resources shall be one half of the product of the RPM Auction Credit Rate, as provided in Section IV.D, times the megawatts to be offered for sale from such resource in a Reliability Pricing Model Auction. The RPM Auction Credit Requirement for each Market Seller shall be the sum of the credit requirements for all such resources to be offered by such Market Seller in the auction or, as applicable, cleared by such Market Seller from the relevant auctions. For Price Responsive Demand specified in section IV.A, the credit requirement shall be based on the Nominal PRD Value (stated in Unforced Capacity terms) times the Price Responsive Demand Credit Rate as set forth in section IV.E.

Except for Credit-Limited Offers, the RPM Auction Credit Requirement for a Market Seller will be reduced for any Delivery Year to the extent less than all of such Market Seller's offers clear in the Base Residual Auction or any Incremental Auction for such Delivery Year. Such reduction shall be proportional to the quantity, in megawatts, that failed to clear in such Delivery Year.

A Sell Offer based on a Planned Generation Capacity Resource, Planned Demand Resource, or Energy Efficiency Resource may be submitted as a Credit-Limited Offer. A Market Seller electing this option shall specify a maximum amount of Unforced Capacity, in megawatts, and a maximum credit requirement, in dollars, applicable to the Sell Offer. A Credit-Limited Offer shall clear the RPM Auction in which it is submitted (to the extent it otherwise would clear based on the other offer parameters and the system's need for the offered capacity) only to the extent of the lesser of: (i) the quantity of Unforced Capacity that is the quotient of the division of the specified maximum credit requirement by the Auction Credit Rate resulting from section IV.D.b.; and (ii) the maximum amount of Unforced Capacity specified in the Sell Offer. For a Market Seller electing this alternative, the RPM Auction Credit Requirement applicable prior to the posting of results of the auction shall be the maximum credit requirement specified in its Credit-Limited Offer, and the RPM Auction Credit Requirement subsequent to posting of the results will be the Auction Credit Rate, as provided in Section IV.D.b, c. or d., as applicable, times the amount of Unforced Capacity from such Sell Offer that cleared in the auction. The availability and operational details of Credit-Limited Offers shall be as described in the PJM Manuals.

As set forth in Section IV.D, a Market Seller's Auction Credit Requirement shall be determined separately for each Delivery Year.

C. Reduction in Credit Requirement

As specified in Section IV.D, the RPM Auction Credit Rate may be reduced under certain circumstances after the auction has closed.

The Price Responsive Demand credit requirement shall be reduced as and to the extent the PRD Provider registers PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment, in accordance with Schedule 6.1 of the Reliability Assurance Agreement.

In addition, the RPM Auction Credit Requirement for a Participant for any given Delivery Year shall be reduced periodically, provided the Participant successfully meets progress milestones that reduce the risk of non-performance, as follows:

a. For Planned Demand Resources and Energy Efficiency Resources, the RPM Auction Credit Requirement will be reduced in direct proportion to the megawatts of such Demand Resource that the Resource Provider qualifies as a Capacity Resource, in accordance with the procedures established under the Reliability Assurance Agreement.

b. For Existing Generation Capacity Resources located outside the PJM Region that have not secured sufficient firm transmission to the border of the PJM Region prior to the auction in

which such resource is first offered, the RPM Auction Credit Requirement shall be reduced in direct proportion to the megawatts of firm transmission service secured by the Market Seller that qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

c. For Planned Generation Capacity Resources located in the PJM Region, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals.

Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Effective Date of Interconnection Service Agreement	50%
Financial Close	15%
Full Notice to Proceed and Commencement of Construction (e.g., footers poured)	5%
Main Power Generating Equipment Delivered	5%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, except for the Interconnection Service Agreement and Commencement of Interconnection Service milestones, the Capacity Market Seller must submit a sworn, notarized certification of a duly authorized independent engineer in a form acceptable to PJM, certifying that the engineer has personal knowledge, or has engaged in a diligent inquiry to determine, that the milestone has been achieved and that, based on its review of the relevant project information, the independent engineer is not aware of any information that could reasonably cause it to believe that the Capacity Resource will not be in-service by the beginning of the applicable Delivery Year. The Capacity Market Seller shall, if requested by PJM, supply to PJM on a confidential basis all records and documents relating to the independent engineer’s certification.

d. For Planned External Generation Capacity Resources, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals; provided, however, that the total percentage reduction in the RPM Auction Credit Requirement shall be no greater than the quotient of (a) the MWs of firm transmission service that the Capacity Market Seller has secured for the complete transmission path divided by (b) the MWs of firm transmission service required to qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

Credit Reduction Milestones for Planned External Generation Capacity Resources	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement

Effective Date of the equivalent of an Interconnection Service Agreement	50%
Financial Close	15%
Full Notice to Proceed and Commencement of Construction (e.g., footers poured)	5%
Main Power Generating Equipment Delivered	5%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

e. For Planned Financed Generation Capacity Resources located in the PJM Region, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals.

Credit Reduction Milestones for Planned Financed Generation Capacity Resources	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Full Notice to Proceed	50%
Commencement of Construction (e.g., footers poured)	15%
Main Power Generating Equipment Delivered	10%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

f. For Planned External Financed Generation Capacity Resources, the RPM Credit Auction Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals; provided, however, that the total percentage reduction in the RPM Auction Credit Requirement, including the initial 50% reduction for being a Planned External Financed Generation Capacity Resources, shall be no greater than the quotient of (a) the MWs of firm transmission service that the Capacity Market Seller has secured for the complete transmission path divided by (b) the MWs of firm transmission service required to qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

Credit Reduction Milestones for Planned External Financed Generation Capacity	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Full Notice to Proceed	50%

Commencement of Construction (e.g., footers poured)	15%
Main Power Generating Equipment Delivered	10%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

g. For Qualifying Transmission Upgrades, the RPM Auction Credit Requirement shall be reduced to 50% of the amount calculated under Section IV.B beginning as of the effective date of the latest associated Interconnection Service Agreement (or, when a project will have no such agreement, an Upgrade Construction Service Agreement), and shall be reduced to zero on the date the Qualifying Transmission Upgrade is placed in service. In addition, a Qualifying Transmission Upgrade will be allowed a reduction in its RPM Auction Credit Requirement equal to the amount of collateral currently posted with PJM for the facility construction when the Qualifying Transmission Upgrade meets the following requirements: the Upgrade Construction Service Agreement has been fully executed, the full estimated cost to complete as most recently determined or updated by PJM has been fully paid or collateralized, and all regulatory and other required approvals (except those that must await construction completion) have been obtained. Such reduction in RPM Auction Credit Requirement may not be transferred across different projects.

D. RPM Auction Credit Rate

As set forth in the PJM Manuals, a separate Auction Credit Rate shall be calculated for each Delivery Year prior to each Reliability Pricing Model Auction for such Delivery Year, as follows:

a. Prior to the posting of the results of a Base Residual Auction for a Delivery Year, the Auction Credit Rate shall be:

(i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (B) \$20 per MW-day) times the number of days in such Delivery Year; and

(ii) For Capacity Performance Resources, the greater of ((A) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in MW-day or (B) \$20 per MW-day) times the number of days in such Delivery Year.

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

b. Subsequent to the posting of the results from a Base Residual Auction, the Auction Credit Rate used for ongoing credit requirements for supply committed in such auction shall be:

- (i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) times the number of days in such Delivery Year; and
- (ii) For Capacity Performance Resources, the (greater of [(A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) or (C) the lesser of (i) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day or (ii) 1.5 times the Net Cost of New Entry (stated on an installed capacity basis) for the PJM Region for such Delivery year or for the Relevant LDA, in \$/MW-day minus (the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located)] times the number of days in such Delivery Year).

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

c. For any resource not previously committed for a Delivery Year that seeks to participate in an Incremental Auction, the Auction Credit Rate shall be:

(i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (B) 0.24 times the Capacity Resource Clearing Price in the Base Residual Auction for such Delivery Year for the Locational Deliverability Area within which the resource is located or (C) \$20 per MW-day) times the number of days in such Delivery Year; and

(ii) For Capacity Performance Resources, the (greater of (A) 0.5 times Net Cost of New Entry for the PJM Region for such Delivery year or for the Relevant LDA or (B) \$20/MW-day) times the number of days in such Delivery Year.

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

d. Subsequent to the posting of the results of an Incremental Auction, the Auction Credit Rate used for ongoing credit requirements for supply committed in such auction shall be:

- (i) For Base Capacity Resources: (the greater of (A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) times the number of days in such Delivery Year, but no greater than the Auction Credit Rate

previously established for such resource's participation in such Incremental Auction pursuant to subsection (c) above) times the number of days in such Delivery Year; and

- (ii) For Capacity Performance Resources, the greater of [(A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) or (C) the lesser of (i) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day or (ii) 1.5 times the Net Cost of New Entry (stated on an installed capacity basis) for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day minus (the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located)] times the number of days in such Delivery Year).

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

e. For the purposes of this section IV.D, "Relevant LDA" means the Locational Deliverability Area in which the Capacity Performance Resource is located if a separate Variable Resource Requirement Curve has been established for that Locational Deliverability Area for the Base Residual Auction for such Delivery Year.

E. Price Responsive Demand Credit Rate

a. Prior to the posting of the results of a Base Residual Auction for a Delivery Year, the Price Responsive Demand Credit Rate shall be (the greater of (i) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (ii) \$20 per MW-day) times the number of days in such Delivery Year;

b. Subsequent to the posting of the results from a Base Residual Auction, the Price Responsive Demand Credit Rate used for ongoing credit requirements for Price Responsive Demand registered prior to such auction shall be (the greater of (i) \$20/MW-day or (ii) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the PRD load is located) times the number of days in such Delivery Year times a final price uncertainty factor of 1.05;

c. For any additional Price Responsive Demand that seeks to commit in a Third Incremental Auction in response to a qualifying change in the final LDA load forecast, the Price Responsive Demand Credit Rate shall be the same as the rate for Price Responsive Demand that had cleared in the Base Residual Auction;

d. Subsequent to the posting of the results of the Third Incremental Auction, the Price Responsive Demand Credit Rate used for ongoing credit requirements for all Price Responsive Demand, shall be (the greater of (i) \$20/MW-day or (ii) 0.2 times the Final Zonal Capacity Price for the Locational Deliverability Area within which the Price Responsive Demand is located)

times the number of days in such Delivery Year, but no greater than the Price Responsive Demand Credit Rate previously established under subsections (a), (b), or (c) of this section for such Delivery Year.

F. RPM Seller Credit - Additional Form of Unsecured Credit for RPM

In addition to the forms of credit specified elsewhere in this Attachment Q, RPM Seller Credit shall be available to Market Sellers, but solely for purposes of satisfying RPM Auction Credit Requirements. If a supplier has a history of being a net seller into PJM markets, on average, over the past 12 months, then PJMSettlement will count as available Unsecured Credit twice the average of that participant's total net monthly PJMSettlement bills over the past 12 months. This RPM Seller Credit shall be subject to the cap on available Unsecured Credit as established in Section II.F.

G. Credit Responsibility for Traded Planned RPM Capacity Resources

PJMSettlement may require that credit and financial responsibility for planned RPM Capacity Resources that are traded remain with the original party (which for these purposes, means the party bearing credit responsibility for the planned RPM Capacity Resource immediately prior to trade) unless the receiving party independently establishes consistent with the PJM credit policy, that it has sufficient credit with PJMSettlement and agrees by providing written notice to PJMSettlement that it will fully assume the credit responsibility associated with the traded planned RPM Capacity Resource.

V. FINANCIAL TRANSMISSION RIGHT AUCTIONS

A. FTR Credit Limit.

PJMSettlement will establish an FTR Credit Limit for each Participant. Participants must maintain their FTR Credit Limit at a level equal to or greater than their FTR Credit Requirement. FTR Credit Limits will be established only by a Participant providing Financial Security.

B. FTR Credit Requirement.

For each Participant with FTR activity, PJMSettlement shall calculate an FTR Credit Requirement based on FTR cost less a discounted historical value. FTR Credit Requirements shall be further adjusted by ARR credits available and by an amount based on portfolio diversification, if applicable. The requirement will be based on individual monthly exposures which are then used to derive a total requirement.

The FTR Credit Requirement shall be calculated by first adding for each month the FTR Monthly Credit Requirement Contribution for each submitted, accepted, and cleared FTR and then subtracting the prorated value of any ARRs held by the Participant for that month. The resulting twelve monthly subtotals represent the expected value of net payments between PJMSettlement and the Participant for FTR activity each month during the Planning Period. Subject to later adjustment by an amount based on portfolio diversification, if applicable, the FTR Credit Requirement shall be the sum of the individual positive monthly subtotals, representing months in which net payments to PJMSettlement are expected.

C. Rejection of FTR Bids.

Bids submitted into an auction will be rejected if the Participant's FTR Credit Requirement including such submitted bids would exceed the Participant's FTR Credit Limit, or if the Participant fails to establish additional credit as required pursuant to provisions related to portfolio diversification.

D. FTR Credit Collateral Returns.

A Market Participant may request from PJMSettlement the return of any collateral no longer required for the FTR auctions. PJMSettlement is permitted to limit the frequency of such requested collateral returns, provided that collateral returns shall be made by PJMSettlement at least once per calendar quarter, if requested by a Market Participant.

E. Credit Responsibility for Traded FTRs.

PJMSettlement may require that credit responsibility associated with an FTR traded within PJM's eFTR system remain with the original party (which for these purposes, means the party bearing credit responsibility for the FTR immediately prior to trade) unless and until the receiving party independently establishes, consistent with the PJM credit policy, sufficient credit with PJMSettlement and agrees through confirmation of the FTR trade within the eFTR system that it will meet in full the credit requirements associated with the traded FTR.

F. Portfolio Diversification.

Subsequent to calculating a tentative cleared solution for an FTR auction (or auction round), PJM shall both:

1. Determine the FTR Portfolio Auction Value, including the tentative cleared solution. Any Participants with such FTR Portfolio Auction Values that are negative shall be deemed FTR Flow Undiversified.
2. Measure the geographic concentration of the FTR Flow Undiversified portfolios by testing such portfolios using a simulation model including, one at a time, each planned transmission outage or other network change which would substantially affect the network for the specific auction period. A list of such planned outages or changes anticipated to be modeled shall be posted prior to commencement of the auction (or auction round). Any FTR Flow Undiversified portfolio that experiences a net reduction in calculated congestion credits as a result of any one or more of such modeled outages or changes shall be deemed FTR Geographically Undiversified.

For portfolios that are FTR Flow Undiversified but not FTR Geographically Undiversified, PJMSettlement shall increment the FTR Credit Requirement by an amount equal to twice the absolute value of the FTR Portfolio Auction Value, including the tentative cleared solution. For Participants with portfolios that are both FTR Flow Undiversified and FTR Geographically

Undiversified, PJMSettlement shall increment the FTR Credit Requirement by an amount equal to three times the absolute value of the FTR Portfolio Auction Value, including the tentative cleared solution. For portfolios that are FTR Flow Undiversified in months subsequent to the current planning year, these incremental amounts, calculated on a monthly basis, shall be reduced (but not below zero) by an amount up to 25% of the monthly value of ARR credits that are held by a Participant. Subsequent to the ARR allocation process preceding an annual FTR auction, such ARR credits shall be reduced to zero for months associated with that ARR allocation process. PJMSettlement may recalculate such ARR credits at any time, but at a minimum shall do so subsequent to each annual FTR auction. If a reduction in such ARR credits at any time increases the amount of credit required for the Participant beyond its credit available for FTR activity, the Participant must increase its credit to eliminate the shortfall.

If the FTR Credit Requirement for any Participant exceeds its credit available for FTRs as a result of these diversification requirements for the tentatively cleared portfolio of FTRs, PJMSettlement shall immediately issue a demand for additional credit, and such demand must be fulfilled before 4:00 p.m. on the business day following the demand. If any Participant does not timely satisfy such demand, PJMSettlement, in coordination with PJM, shall cause the removal that Participant's entire set of bids for that FTR auction (or auction round) and a new cleared solution shall be calculated for the entire auction (or auction round).

If necessary, PJM shall repeat the auction clearing calculation. PJM shall repeat these portfolio diversification calculations subsequent to any such secondary clearing calculation, and PJMSettlement shall require affected Participants to establish additional credit.

G. FTR Administrative Charge Credit Requirement

In addition to any other credit requirements, PJMSettlement may apply a credit requirement to cover the maximum administrative fees that may be charged to a Participant for its bids and offers.

H. Long-Term FTR Credit Recalculation

Long-term FTR Credit Requirement calculations shall be updated annually for known history, consistent with updating of historical values used for FTR Credit Requirement calculations in the annual auctions.

VI. EXPORT TRANSACTION SCREENING

Export Transactions in the Real-time Energy Market shall be subject to Export Transaction Screening. Export Transaction Screening may be performed either for the duration of the entire Export Transaction, or separately for each time interval comprising an Export Transaction. PJM will deny or curtail all or a portion (based on the relevant time interval) of an Export Transaction if that Export Transaction, or portion thereof, would otherwise cause the Market Participant's Export Credit Exposure to exceed its Credit Available for Export Transactions. Export Transaction Screening shall be applied separately for each Operating Day and shall also be applied to each Export Transaction one or more times prior to the market clearing process for

each relevant time interval. Export Transaction Screening shall not apply to transactions established directly by and between PJM and a neighboring Balancing Authority for the purpose of maintaining reliability.

A Market Participant's credit exposure for an individual Export Transaction shall be the MWh volume of the Export Transaction for each relevant time interval multiplied by each relevant Export Transaction Price Factor and summed over all relevant time intervals of the Export Transaction.

VII. FORMS OF FINANCIAL SECURITY

Participants that provide Financial Security must provide the security in a PJMSettlement approved form and amount according to the guidelines below.

Financial Security which is no longer required to be maintained under provisions of the Agreements shall be returned at the request of a participant no later than two Business Days following determination by PJMSettlement within a commercially reasonable period of time that such collateral is not required.

Except when an event of default has occurred, a Participant may substitute an approved PJMSettlement form of Financial Security for another PJMSettlement approved form of Financial Security of equal value. The Participant must provide three (3) Business Days notice to PJMSettlement of its intent to substitute the Financial Security. PJMSettlement will release the replaced Financial Security with interest, if applicable, within (3) Business Days of receiving an approved form of substitute Financial Security.

A. Cash Deposit

Cash provided by a Participant as Financial Security will be held in a depository account by PJMSettlement with interest earned at PJMSettlement's overnight bank rate, and accrued to the Participant. PJMSettlement also may establish an array of investment options among which a Participant may choose to invest its cash deposited as Financial Security. Such investment options shall be comprised of high quality debt instruments, as determined by PJMSettlement, and may include obligations issued by the federal government and/or federal government sponsored enterprises. These investment options will reside in accounts held in PJMSettlement's name in a banking or financial institution acceptable to PJMSettlement. Where practicable, PJMSettlement may establish a means for the Participant to communicate directly with the bank or financial institution to permit the Participant to direct certain activity in the PJMSettlement account in which its Financial Security is held. PJMSettlement will establish and publish procedural rules, identifying the investment options and respective discounts in collateral value that will be taken to reflect any liquidation, market and/or credit risk presented by such investments. PJMSettlement has the right to liquidate all or a portion of the account balances at its discretion to satisfy a Participant's Total Net Obligation to PJMSettlement in the event of default under this credit policy or one or more of the Agreements.

B. Letter Of Credit

An unconditional, irrevocable standby letter of credit can be utilized to meet the Financial Security requirement. As stated below, the form, substance, and provider of the letter of credit must all be acceptable to PJMSettlement.

- The letter of credit will only be accepted from U.S.-based financial institutions or U.S. branches of foreign financial institutions (“financial institutions”) that have a minimum corporate debt rating of “A” by Standard & Poor’s or Fitch Ratings, or “A2” from Moody’s Investors Service, or an equivalent short term rating from one of these agencies. PJMSettlement will consider the lowest applicable rating to be the rating of the financial institution. If the rating of a financial institution providing a letter of credit is lowered below A/A2 by any rating agency, then PJMSettlement may require the Participant to provide a letter of credit from another financial institution that is rated A/A2 or better, or to provide a cash deposit. If a letter of credit is provided from a U.S. branch of a foreign institution, the U.S. branch must itself comply with the terms of this credit policy, including having its own acceptable credit rating.
- The letter of credit shall state that it shall renew automatically for successive one-year periods, until terminated upon at least ninety (90) days prior written notice from the issuing financial institution. If PJM or PJMSettlement receives notice from the issuing financial institution that the current letter of credit is being cancelled, the Participant will be required to provide evidence, acceptable to PJMSettlement, that such letter of credit will be replaced with appropriate Financial Security, effective as of the cancellation date of the letter of credit, no later than thirty (30) days before the cancellation date of the letter of credit, and no later than ninety (90) days after the notice of cancellation. Failure to do so will constitute a default under this credit policy and one of more of the Agreements.
- The letter of credit must clearly state the full names of the "Issuer", "Account Party" and "Beneficiary" (PJMSettlement), the dollar amount available for drawings, and shall specify that funds will be disbursed upon presentation of the drawing certificate in accordance with the instructions stated in the letter of credit. The letter of credit should specify any statement that is required to be on the drawing certificate, and any other terms and conditions that apply to such drawings.
- The PJMSettlement Credit Application contains an acceptable form of a letter of credit that should be utilized by a Participant choosing to meet its Financial Security requirement with a letter of credit. If the letter of credit varies in any way from the PJMSettlement format, it must first be reviewed and approved by PJMSettlement. All costs associated with obtaining and maintaining a letter of credit and meeting the policy provisions are the responsibility of the Participant
- PJMSettlement may accept a letter of credit from a Financial Institution that does not meet the credit standards of this policy provided that the letter of credit has third-party support, in a form acceptable to PJMSettlement, from a financial institution that does meet the credit standards of this policy.

VIII. POLICY CREDIT BREACH AND EVENTS OF DEFAULT

A Participant will have two Business Days from notification of Credit Breach (including late payment notice) or notification of a Collateral Call to remedy the Credit Breach or satisfy the Collateral Call in a manner deemed acceptable by PJMSettlement. Failure to remedy the Credit Breach or satisfy such Collateral Call within such two Business Days will be considered an event of default. If a Participant fails to meet the requirements of this policy but then remedies the Credit Breach or satisfies a Collateral Call within the two Business Day cure period, then the Participant shall be deemed to have complied with the policy. Any such two Business Day cure period will expire at 4:00 p.m. eastern prevailing time on the final day.

Only one cure period shall apply to a single event giving rise to a Credit Breach or default. Application of Financial Security towards a non-payment Credit Breach shall not be considered a satisfactory cure of the Credit Breach if the Participant fails to meet all requirements of this policy after such application.

Failure to comply with this policy (except for the responsibility of a Participant to notify PJMSettlement of a Material change) shall be considered an event of default. Pursuant to § 15.1.3(a) of the Operating Agreement of PJM Interconnection, L.L.C. and § I.7.3 of the PJM Open Access Transmission Tariff, non-compliance with the PJMSettlement credit policy is an event of default under those respective Agreements. In event of default under this credit policy or one or more of the Agreements, PJMSettlement, in coordination with PJM, will take such actions as may be required or permitted under the Agreements, including but not limited to the termination of the Participant's ongoing Transmission Service and participation in PJM Markets. PJMSettlement has the right to liquidate all or a portion of a Participant's Financial Security at its discretion to satisfy Total Net Obligations to PJMSettlement in the event of default under this credit policy or one or more of the Agreements.

PJMSettlement may hold a defaulting Participant's Financial Security for as long as such party's positions exist and consistent with the PJM credit policy in this Attachment Q, in order to protect PJM's membership from default.

No payments shall be due to a Participant, nor shall any payments be made to a Participant, while the Participant is in default or has been declared in Credit Breach of this policy or the Agreements, or while a Collateral Call is outstanding. PJMSettlement may apply towards an ongoing default any amounts that are held or later become available or due to the defaulting Participant through PJM's markets and systems.

In order to cover Obligations, PJMSettlement may hold a Participant's Financial Security through the end of the billing period which includes the 90th day following the last day a Participant had activity, open positions, or accruing obligations (other than reconciliations and true-ups), and until such Participant has satisfactorily paid any obligations invoiced through such period. Obligations incurred or accrued through such period shall survive any withdrawal from PJM. In event of non-payment, PJMSettlement may apply such Financial Security to such Participant's Obligations, even if Participant had previously announced and effected its withdrawal from PJM.

IX. [Reserved for Future Use]

Appendix 1 to Attachment Q

**PJM MINIMUM PARTICIPATION CRITERIA
OFFICER CERTIFICATION FORM**

Participant Name: _____ ("Participant")

I, _____, a duly authorized officer of Participant, understanding that PJM Interconnection, L.L.C. and PJM Settlement, Inc. ("PJMSettlement") are relying on this certification as evidence that Participant meets the minimum requirements set forth in Attachment Q to the PJM Open Access Transmission Tariff ("PJM Tariff"), hereby certify that I have full authority to represent on behalf of Participant and further represent as follows, as evidenced by my initialing each representation in the space provided below:

1. All employees or agents transacting in markets or services provided pursuant to the PJM Tariff or PJM Amended and Restated Operating Agreement ("PJM Operating Agreement") on behalf of the Participant have received appropriate¹ training and are authorized to transact on behalf of Participant. _____

2. Participant has written risk management policies, procedures, and controls, approved by Participant's independent risk management function² and applicable to transactions in the PJM markets in which it participates and for which employees or agents transacting in markets or services provided pursuant to the PJM Tariff or PJM Operating Agreement have been trained, that provide an appropriate, comprehensive risk management framework that, at a minimum, clearly identifies and documents the range of risks to which Participant is exposed, including, but not limited to credit risks, liquidity risks and market risks. _____

3. An FTR Participant must make either the following 3.a. or 3.b. additional representations, evidenced by the undersigned officer initialing either the one 3.a. representation or the six 3.b. representations in the spaces provided below:
 - 3.a. Participant transacts in PJM's FTR markets with the sole intent to hedge congestion risk in connection with either obligations Participant has to serve load or rights Participant has to generate electricity in the PJM Region ("physical

¹ As used in this representation, the term "appropriate" as used with respect to training means training that is (i) comparable to generally accepted practices in the energy trading industry, and (ii) commensurate and proportional in sophistication, scope and frequency to the volume of transactions and the nature and extent of the risk taken by the participant.

² As used in this representation, a Participant's "independent risk management function" can include appropriate corporate persons or bodies that are independent of the Participant's trading functions, such as a risk management committee, a risk officer, a Participant's board or board committee, or a board or committee of the Participant's parent company.

transactions”) and monitors all of the Participant’s FTR market activity to endeavor to ensure that its FTR positions, considering both the size and pathways of the positions, are either generally proportionate to or generally do not exceed the Participant’s physical transactions, and remain generally consistent with the Participant’s intention to hedge its physical transactions._____

- 3.b. On no less than a weekly basis, Participant values its FTR positions and engages in a probabilistic assessment of the hypothetical risk of such positions using analytically based methodologies, predicated on the use of industry accepted valuation methodologies._____

Such valuation and risk assessment functions are performed either by persons within Participant’s organization independent from those trading in PJM’s FTR markets or by an outside firm qualified and with expertise in this area of risk management._____

Having valued its FTR positions and quantified their hypothetical risks, Participant applies its written policies, procedures and controls to limit its risks using industry recognized practices, such as value-at-risk limitations, concentration limits, or other controls designed to prevent Participant from purposefully or unintentionally taking on risk that is not commensurate or proportional to Participant’s financial capability to manage such risk._____

Exceptions to Participant’s written risk policies, procedures and controls applicable to Participant’s FTR positions are documented and explain a reasoned basis for the granting of any exception._____

Participant has provided to PJMSettlement, in accordance with Section I A. of Attachment Q to the PJM Tariff, a copy of its current governing risk management policies, procedures and controls applicable to its FTR trading activities._____

If the risk management policies, procedures and controls applicable to Participant’s FTR trading activities submitted to PJMSettlement were submitted prior to the current certification, Participant certifies that no substantive changes have been made to such policies, procedures and controls applicable to its FTR trading activities since such submission._____

4. Participant has appropriate personnel resources, operating procedures and technical abilities to promptly and effectively respond to all PJM communications and directions._____
5. Participant has demonstrated compliance with the Minimum Capitalization criteria set forth in Attachment Q of the PJM Open Access Transmission Tariff that are applicable to the PJM market(s) in which Participant transacts, and is not aware of any change having occurred or being imminent that would invalidate such compliance._____

6. All Participants must certify and initial in at least one of the four sections below:

- a. I certify that Participant qualifies as an “appropriate person” as that term is defined under Section 4(c)(3), or successor provision, of the Commodity Exchange Act or an “eligible contract participant” as that term is defined under Section 1a(18), or successor provision, of the Commodity Exchange Act. I certify that Participant will cease transacting in PJM’s Markets and notify PJMSettlement immediately if Participant no longer qualifies as an “appropriate person” or “eligible contract participant.” _____

If providing financial statements to support Participant’s certification of qualification as an “appropriate person:”

I certify, to the best of my knowledge and belief, that the financial statements provided to PJMSettlement present fairly, pursuant to such disclosures in such financial statements, the financial position of Participant as of the date of those financial statements. Further, I certify that Participant continues to maintain the minimum \$1 million total net worth and/or \$5 million total asset levels reflected in these financial statements as of the date of this certification. I acknowledge that both PJM and PJMSettlement are relying upon my certification to maintain compliance with federal regulatory requirements. _____

If providing financial statements to support Participant’s certification of qualification as an “eligible contract participant:”

I certify, to the best of my knowledge and belief, that the financial statements provided to PJMSettlement present fairly, pursuant to such disclosures in such financial statements, the financial position of Participant as of the date of those financial statements. Further, I certify that Participant continues to maintain the minimum \$1 million total net worth and/or \$10 million total asset levels reflected in these financial statements as of the date of this certification. I acknowledge that both PJM and PJMSettlement are relying upon my certification to maintain compliance with federal regulatory requirements. _____

- b. I certify that Participant has provided an unlimited Corporate Guaranty in a form acceptable to PJM as described in Section I.C of Attachment Q from an issuer that has at least \$1 million of total net worth or \$5 million of total assets per Participant per Participant for which the issuer has issued an unlimited Corporate Guaranty. I certify that Participant will cease transacting PJM’s Markets and notify PJMSettlement immediately if issuer of the unlimited Corporate Guaranty for Participant no longer has at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty. _____

I certify that the issuer of the unlimited Corporate Guaranty to Participant continues to have at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty. I acknowledge that PJM and PJMSettlement are relying upon my certifications to maintain compliance with federal regulatory requirements._____

c. I certify that Participant fulfills the eligibility requirements of the Commodity Futures Trading Commission exemption order (78 F.R. 19880 – April 2, 2013) by being in the business of at least one of the following in the PJM Region as indicated below (initial those applicable):

1. Generating electric energy, including Participants that resell physical energy acquired from an entity generating electric energy:_____
2. Transmitting electric energy:_____
3. Distributing electric energy delivered under Point-to-Point or Network Integration Transmission Service, including scheduled import, export and wheel through transactions:_____
4. Other electric energy services that are necessary to support the reliable operation of the transmission system:_____

Description only if c(4) is initialed:

Further, I certify that Participant will cease transacting in PJM’s Markets and notify PJMSettlement immediately if Participant no longer performs at least one of the functions noted above in the PJM Region. I acknowledge that PJM and PJMSettlement are relying on my certification to maintain compliance with federal energy regulatory requirements._____

- d. I certify that Participant has provided a letter of credit of \$5 million or more to PJMSettlement in a form acceptable to PJMSettlement as described in Section VI.B of Attachment Q that the Participant acknowledges cannot be utilized to meet its credit requirements to PJMSettlement. I acknowledge that PJM and PJMSettlement are relying on the provision of this letter of credit and my certification to maintain compliance with federal regulatory requirements._____
7. I acknowledge that I have read and understood the provisions of Attachment Q of the PJM Tariff applicable to Participant's business in the PJM markets, including those provisions describing PJM’s minimum participation requirements and the enforcement actions available to PJMSettlement of a Participant not satisfying those requirements. I acknowledge that the information provided herein is true and accurate to the best of my belief and knowledge after due investigation. In addition, by signing this Certification, I

acknowledge the potential consequences of making incomplete or false statements in this Certification. _____

Date: _____

(Signature)

Print Name: _____

Title: _____

5.5A Capacity Resource Types

a) Capacity Performance Resources

Capacity Performance Resources are Capacity Resources which, to the extent such resources cleared in a Reliability Pricing Model Auction or are otherwise committed as a Capacity Resource, are obligated to deliver energy during the relevant Delivery Year as scheduled and/or dispatched by the Office of Interconnection during the Performance Assessment Hours. As further detailed in Section 10A of this Attachment, Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to Section 10A(d) of this Attachment. Subject to 5.5A(a)(i)-(ii), the following types of Capacity Resources are eligible to submit a Sell Offer as a Capacity Performance Resource: internal or external Generation Capacity Resources; Annual Demand Resources; Capacity Storage Resources; Annual Energy Efficiency Resources; and Qualifying Transmission Upgrades. To the extent the underlying Capacity Resource is an external Generation Capacity Resource, such resource must meet the criteria for obtaining an exception to the Capacity Import Limit as contained in section 1.7A of the Reliability Assurance Agreement.

i). Process for Support and Review of Capacity Performance Resource Offers

A. The Capacity Market Seller shall provide to the Office of the Interconnection and the Market Monitoring Unit, upon their request, all supporting data and information requested by either the Office of the Interconnection or the Market Monitoring Unit to evaluate whether the underlying Capacity Resource can meet the operational and performance requirements of Capacity Performance Resources. The Capacity Market Seller shall have an ongoing obligation through the closing of the offer period for the RPM Auction to update the request to reflect any material changes.

B. The Office of the Interconnection and the Market Monitoring Unit shall review any requested supporting data and information, and the Office of the Interconnection, considering advice and recommendation from the Market Monitoring Unit, shall reject a request for a resource to offer as a Capacity Performance Resource if the Capacity Market Seller does not demonstrate that it can reasonably be expected to meet its Capacity Performance obligations consistent with the resource's offer by the relevant Delivery Year. The Office of Interconnection shall provide its determination to reject eligibility of the resource as a Capacity Performance Resource, and notify the Market Monitoring Unit, by no later than sixty-five (65) days prior to the date on which the offer period for the applicable RPM Auction commences. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules unless and until ordered to do otherwise by FERC.

b) Base Capacity Resources

For the 2018/2019 and 2019/2020 Delivery Years, following types of Capacity Resources eligible to submit a Sell Offer as a Base Capacity Resource: Generation Capacity Resources, Capacity Storage Resources, Annual Demand Resources, Base Capacity Demand Resources, and Base Capacity Energy Efficiency Resources. Each resource that clears a RPM Auction as a Base Capacity Resource must provide energy output to PJM if called during Performance Assessment Hours occurring in the calendar months of June through September, including any necessary recall of such capacity and energy from service to areas outside the PJM Region. As further detailed in Section 10A of this Attachment, Base Capacity Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to Section 10A(d) of this section.

c) Seasonal Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, a Seasonal Capacity Performance Resource shall mean a Summer-Period Capacity Performance Resource or Winter-Period Capacity Performance Resource, as defined below.

i) Summer-Period Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Summer-Period Capacity Performance Resource: Summer Period Demand Resource, Summer-Period Energy Efficiency Resource, and Capacity Storage Resource, Intermittent Resource, or Environmentally-Limited Resource that has an average expected energy output during summer peak-hour periods consistently and measurably greater than its average expected energy output during winter peakhour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Summer-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of June through October and the following May of the Delivery Year, and must satisfy the requirements of a Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Summer-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment.

ii) Winter-Period Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Winter-Period Capacity Performance Resource: Capacity Storage Resource, Intermittent Resource, and Environmentally-Limited Resource that has an average expected energy output during winter peak-hour periods consistently and measurably greater than its average expected energy output during summer peak-hour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Winter-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of November through April of the Delivery Year, and must satisfy the requirements of a

Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Winter-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment.

5.6 Sell Offers

Sell Offers shall be submitted or withdrawn via the internet site designated by the Office of the Interconnection, under the procedures and time schedule set forth in the PJM Manuals.

5.6.1 Specifications

A Sell Offer shall state quantities in increments of 0.1 megawatts and shall specify, as appropriate:

a) Identification of the Generation Capacity Resource, Demand Resource, Capacity Storage Resource or Energy Efficiency Resource on which such Sell Offer is based;

b) Minimum and maximum megawatt quantity of installed capacity that the Capacity Market Seller is willing to offer (notwithstanding such specification, the product offered shall be Unforced Capacity), or designate as Self-Supply, from a Generation Capacity Resource;

i) Price, in dollars and cents per megawatt-day, that will be accepted by the Capacity Market Seller for the megawatt quantity of Unforced Capacity offered from such Generation Capacity Resource.

ii) The Sell Offer may take the form of offer segments with varying price-quantity pairs for varying output levels from the underlying resource, but may not take the form of an offer curve with nonzero slope.

c) EFORd of each Generation Capacity Resource offered.

i) If a Capacity Market Seller is offering such resource in a Base Residual Auction, First Incremental Auction, Second Incremental Auction, or Conditional Incremental Auction occurring before the Third Incremental Auction, the Capacity Market Seller shall specify the EFORd to apply to the offer.

ii) If a Capacity Market Seller is committing the resource as Self-Supply, the Capacity Market Seller shall specify the EFORd to apply to the commitment.

iii) The EFORd applied to the Third Incremental Auction will be the final EFORd established by the Office of the Interconnection six (6) months prior to the Delivery Year, based on the actual EFORd in the PJM Region during the 12-month period ending September 30 that last precedes such Delivery Year.

d) The Nominated Demand Resource Value for each Demand Resource offered and the Nominated Energy Efficiency Value for each Energy Efficiency Resource offered. The Office of the Interconnection shall, in both cases, convert such value to an Unforced Capacity basis by multiplying such value by the DR Factor (for Delivery Years through May 31, 2018) times the Forecast Pool Requirement. Demand Resources shall specify the LDA in which the Demand Resource is located, including the location of such resource within any Zone that includes more than one LDA as identified on Schedule 10.1 of the RAA.

e) For Delivery Years through May 31, 2018, a Demand Resource with the potential to qualify as two or more of a Limited Demand Resource, Extended Summer Demand Resource or Annual Demand Resource may submit separate but coupled Sell Offers for each Demand Resource type for which it qualifies at different prices and the auction clearing algorithm will select the Sell Offer that yields the least-cost solution. For such coupled Demand Resource offers, the offer price of an Annual Demand Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Extended Summer Demand Resource offer and the offer price of a Extended Summer Demand Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Limited Demand Resource offer.

f) For a Qualifying Transmission Upgrade, the Sell Offer shall identify such upgrade, and the Office of the Interconnection shall determine and certify the increase in CETL provided by such upgrade. The Capacity Market Seller may offer the upgrade with an associated increase in CETL to an LDA in accordance with such certification, including an offer price that will be accepted by the Capacity Market Seller, stated in dollars and cents per megawatt-day as a price difference between a Capacity Resource located outside such an LDA and a Capacity Resource located inside such LDA; and the increase in CETL into such LDA to be provided by such Qualifying Transmission Upgrade, as certified by the Office of the Interconnection.

g) For the 2018/2019 and 2019/2020 Delivery Years, each Capacity Market Seller owning or controlling a resource that qualifies as both a Base Capacity Resource and a Capacity Performance Resource may submit separate but coupled Sell Offers for such resource as a Base Capacity Resource and as a Capacity Performance Resource, at different prices, and the auction clearing algorithm will select the Sell Offer that yields the least-cost solution. Submission of a coupled Base Capacity Resource Sell Offer shall be mandatory for any Capacity Performance Resource Sell Offer that exceeds a Sell Offer Price equal to the applicable Net Cost of New Entry times the Balancing Ratio as provided for in section 6.4. For such coupled Sell Offers, the offer price of a Capacity Performance Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Base Capacity Resource offer.

(h) For the 2018/2019 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, or Energy Efficiency Resources may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with their average expected output during peak-hour periods. Alternatively, for the 2018/2019 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, Energy Efficiency Resources, or Environmentally-Limited Resources ~~located within the same modeled Locational Deliverability Area~~ may submit a Sell Offer which represents the aggregated Unforced Capacity value of such resources, where such Sell Offer shall be considered to be located in the smallest modeled LDA common to the aggregated resources. Such aggregated resources shall be owned by or under contract to the Capacity Market Seller, including all such resources obtained through bilateral contract and reported to the Office of the Interconnection in accordance with the Office of the Interconnection's rules related to its eRPM tools. For the 2018/2019 and 2019/2020 Delivery Years, any such offer may be submitted as Capacity Performance Resource, Base Capacity Resource, or as a coupled offer for Capacity Performance Resource and Base Capacity Resource,

provided that, for any such coupled Sell Offers, the offer price of a Capacity Performance Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Base Capacity Resource offer. For the 2020/2021 Delivery Year and subsequent Delivery Years, any such offer must be submitted as a Capacity Performance Resource.

(i) For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Summer-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Summer-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during summer peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Summer-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Winter-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Winter-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during winter peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Winter-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. Each segment of a Seasonal Capacity Performance Resource Sell Offer must be submitted as a flexible Sell Offer segment with the minimum MW quantity offered set to zero.

5.6.2 Compliance with PJM Credit Policy

Capacity Market Sellers shall comply with the provisions of the PJM Credit Policy as set forth in Attachment Q to this Tariff, including the provisions specific to the Reliability Pricing Model, prior to submission of Sell Offers in any Reliability Pricing Model Auction. A Capacity Market Seller desiring to submit a Credit-Limited Offer shall specify in its Sell Offer the maximum auction credit requirement, in dollars, and the maximum amount of Unforced Capacity, in megawatts, applicable to its Sell Offer.

5.6.3 [reserved]

5.6.4 Qualifying Transmission Upgrades

A Qualifying Transmission Upgrade may not be the subject of any Sell Offer in a Base Residual Auction unless it has been approved by the Office of the Interconnection, including certification of the increase in Import Capability to be provided by such Qualifying Transmission Upgrade, no later than 45 days prior to such Base Residual Auction. No such approval shall be granted unless, at a minimum, a Facilities Study Agreement has been executed with respect to such upgrade, and such upgrade conforms to all applicable standards of the Regional Transmission Expansion Plan process.

5.6.5 Market-based Sell Offers

Subject to section 6, a Market Seller authorized by FERC to sell electric generating capacity at market-based prices, or that is not required to have such authorization, may submit Sell Offers that specify market-based prices in any Base Residual Auction or Incremental Auction.

5.6.6 Availability of Capacity Resources for Sale

(a) The Office of the Interconnection shall determine the quantity of megawatts of available installed capacity that each Capacity Market Seller must offer in any RPM Auction pursuant to Section 6.6 of Attachment DD, through verification of the availability of megawatts of installed capacity from: (i) all Generation Capacity Resources owned by or under contract to the Capacity Market Seller, including all Generation Capacity Resources obtained through bilateral contract; (ii) the results of prior Reliability Pricing Model Auctions, if any, for such Delivery Year (including consideration of any restriction imposed as a consequence of a prior failure to offer); and (iii) such other information as may be available to the Office of the Interconnection. The Office of the Interconnection shall reject Sell Offers or portions of Sell Offers for Capacity Resources in excess of the quantity of installed capacity from such Capacity Market Seller's Capacity Resource that it determines to be available for sale.

(b) The Office of the Interconnection shall determine the quantity of installed capacity available for sale in a Base Residual Auction or Incremental Auction as of the beginning of the period during which Buy Bids and Sell Offers are accepted for such auction, as applicable, in accordance with the time schedule set forth in the PJM Manuals. Removal of a resource from Capacity Resource status shall not be reflected in the determination of available installed capacity unless the associated unit-specific bilateral transaction is approved, the designation of such resource (or portion thereof) as a network resource for the external load is demonstrated to the Office of the Interconnection, or equivalent evidence of a firm external sale is provided prior to the deadline established therefor. The determination of available installed capacity shall also take into account, as they apply in proportion to the share of each resource owned or controlled by a Capacity Market Seller, any approved capacity modifications, and existing capacity commitments established in a prior RPM Auction, an FRR Capacity Plan, Locational UCAP transactions and/or replacement capacity transactions under this Attachment DD. To enable the Office of the Interconnection to make this determination, no bilateral transactions for Capacity Resources applicable to the period covered by an auction will be processed from the beginning of the period for submission of Sell Offers and Buy Bids, as appropriate, for that auction until completion of the clearing determination for such auction. Processing of such bilateral transactions will reconvene once clearing for that auction is completed. A Generation Capacity Resource located in the PJM Region shall not be removed from Capacity Resource status to the extent the resource is committed to service of PJM loads as a result of an RPM Auction, FRR Capacity Plan, Locational UCAP transaction and/or by designation as a replacement resource under this Attachment DD.

(c) In order for a bilateral transaction for the purchase and sale of a Capacity Resource to be processed by the Office of the Interconnection, both parties to the transaction must notify the Office of the Interconnection of the transfer of the Capacity Resource from the seller to the buyer in accordance with procedures established by the Office of the Interconnection and set forth in the PJM Manuals. If a material change with respect to any of the prerequisites for the application of Section 5.6.6 to the Generation Capacity Resource occurs, the Capacity

Resource Owner shall immediately notify the Market Monitoring Unit and the Office of the Interconnection.

5.12 Conduct of RPM Auctions

The Office of the Interconnection shall employ an optimization algorithm for each Base Residual Auction and each Incremental Auction to evaluate the Sell Offers and other inputs to such auction to determine the Sell Offers that clear such auction.

a) Base Residual Auction

For each Base Residual Auction, the optimization algorithm shall consider:

- all Sell Offers submitted in such auction;
- the Variable Resource Requirement Curves for the PJM Region and each LDA;
- any constraints resulting from the Locational Deliverability Requirement and any applicable Capacity Import Limit;
- for Delivery Years starting June 1, 2014 and ending May 31, 2017, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; for the 2017/2018 Delivery Year, the Limited Resource Constraints and the Sub-Annual Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; and for the 2018/2019 and 2019/2020 Delivery Years, the Base Capacity Demand Resource Constraints and the Base Capacity Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD;
- For the Delivery Years through May 31, 2018, the PJM Region Reliability Requirement minus the Short-Term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, the PJM Reliability Requirement; ~~and-~~
 - For the 2020/2021 Delivery Year and subsequent Delivery Years, the requirement that the cleared quantity of Summer-Period Capacity Performance Resources equal the cleared quantity of Winter-Period Capacity Performance Resources for the PJM Region.

The optimization algorithm shall be applied to calculate the overall clearing result to minimize the cost of satisfying the reliability requirements across the PJM Region, regardless of whether the quantity clearing the Base Residual Auction is above or below the applicable target quantity,

while respecting all applicable requirements and constraints, including any restrictions specified in any Credit-Limited Offers. Where the supply curve formed by the Sell Offers submitted in an auction falls entirely below the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all such Sell Offers. Where the supply curve consists only of Sell Offers located entirely below the Variable Resource Requirement Curve and Sell Offers located entirely above the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. In determining the lowest-cost overall clearing result that satisfies all applicable constraints and requirements, the optimization may select from among multiple possible alternative clearing results that satisfy such requirements, including, for example (without limitation by such example), accepting a lower-priced Sell Offer that intersects the Variable Resource Requirement Curve and that specifies a minimum capacity block, accepting a higher-priced Sell Offer that intersects the Variable Resource Requirement Curve and that contains no minimum-block limitations, or rejecting both of the above alternatives and clearing the auction at the higher-priced point on the Variable Resource Requirement Curve that corresponds to the Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. For the 2020/2021 Delivery Year and subsequent Delivery Years, the supply curve formed by the Sell Offers submitted within an LDA for which a separate VRR Curve is established, shall only consider the quantity of MW from Summer-Period Capacity Performance Resources that are equally matched with Winter-Period Capacity Performance Resources within the LDA, such that only the equally matched quantity of opposite-season Sell Offers are considered in satisfying the LDA's reliability requirement.

The Sell Offer price of a Qualifying Transmission Upgrade shall be treated as a capacity price differential between the LDAs specified in such Sell Offer between which CETL is increased, and the Import Capability provided by such upgrade shall clear to the extent the difference in clearing prices between such LDAs is greater than the price specified in such Sell Offer. The Capacity Resource clearing results and Capacity Resource Clearing Prices so determined shall be applicable for such Delivery Year. The Capacity Resource clearing results and Capacity Resource Clearing Prices determined for Summer-Period Capacity Performance Resources shall be applicable for the calendar months of June through October and the following May of such Delivery Year; and shall be applicable for Winter-Period Capacity Performance Resources for the calendar months of November through April of such Delivery Year.

b) Scheduled Incremental Auctions.

For purposes of a Scheduled Incremental Auction, the optimization algorithm shall consider:

- For the Delivery years through May 31, 2018, the PJM Region Reliability Requirement, less the Short-term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, the PJM Reliability Requirement;

- Updated LDA Reliability Requirements taking into account any updated Capacity Emergency Transfer Objectives;
- The Capacity Emergency Transfer Limit used in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction;
- All applicable Capacity Import Limits;
- For the Delivery Years through May 31, 2018, for each LDA, such LDA's updated Reliability Requirement, less such LDA's Short-Term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, for each LDA, such LDA's updated Reliability Requirement
- For Delivery Years starting June 1, 2014 and ending May 31, 2017, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each LDA for which PJM is required to establish a separate VRR Curve for the Base Residual Auction for the relevant Delivery Year; for the 2017/2018 Delivery Year, the Limited Resource Constraints and the Sub-annual Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; and for the 2018/2019 and 2019/2020 Delivery Years, the Base Capacity Demand Resource Constraints and the Base Capacity Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD;
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the requirement that the cleared quantity of Summer-Period Capacity Performance Resources equal the cleared quantity of Winter-Period Capacity Performance Resources for the PJM Region;
- A demand curve consisting of the Buy Bids submitted in such auction and, if indicated for use in such auction in accordance with the provisions below, the Updated VRR Curve Increment;
- The Sell Offers submitted in such auction; and
- The Unforced Capacity previously committed for such Delivery Year.

(i) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(2) of this Attachment, the Office of the Interconnection shall employ in the clearing of such auction the Updated VRR Curve Increment.

(ii) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(1) of this Attachment, and the conditions stated in section 5.4(c)(2) do not apply, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus (C) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year plus any amount required by section 5.4(c)(2)(ii), plus (D) the reduction in Unforced Capacity commitments associated with the transition provisions of sections 5.14B, 5.14C and 5.14E of this Attachment DD, minus (E) the quantity of new Unforced Capacity commitments for the 2016/2017 Delivery Year associated with the transition provisions in section 5.14D of this Attachment DD (*as related to the 2016/2017 Delivery Year*) where this quantity is assumed to have been procured in the form of non-Capacity Performance Resources for purposes of this paragraph E. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. *For the Third Incremental Auction for the 2017/2018 Delivery Year, such positive quantity will be reduced but not below zero by the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year.* If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity.

Additionally, for the Third Incremental Auction for the 2017/2018 Delivery Year, the Office of the Interconnection shall seek to sell back the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year reduced but not below zero by any positive quantity sought to otherwise be procured in the auction as determined in the preceding paragraph. In seeking to sell back such quantity, the Office of the Interconnection shall employ in the clearing of the auction an upward sloping curve originating at a point located at 0 megawatt on the x-axis and a starting price as defined below on the y-axis, and ending at a point located at a megawatt quantity equal to the quantity sought to be released on the x-axis and a price equal to 1.2 times the applicable 2017/2018 Delivery Year Base Residual Auction Capacity Resource Clearing Price on the y-axis. The starting price at the point of origin will be set equal to the total cost to procure the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year divided by the total quantity of PJM Region load as determined by the final PJM Region Peak Load Forecast for the 2017/2018 Delivery Year (excluding load served through the

Fixed Resource Requirement Alternative). The quantity of such attempted sell back that does not clear the auction, if any, will not be included in the determination of Excess Commitment Credits as described in subsection (viii) of this section.

(iii) When the possible need to seek agreements to release capacity commitments in any Scheduled Incremental Auction is indicated for the PJM Region or any LDA by section 5.4(c)(3)(i) of this Attachment, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus (C) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year minus any capacity sell-back amount determined by PJM to be required for the PJM Region or such LDA by section 5.4(c)(3)(ii) of this Attachment, plus (D) the reduction in Unforced Capacity commitments associated with the transition provisions of sections 5.14B, 5.14C and 5.14E of this Attachment DD, minus (E) the quantity of new Unforced Capacity commitments for the 2016/2017 Delivery Year associated with the transition provisions in section 5.14D of this Attachment DD (*as related to the 2016/2017 Delivery Year*) where this quantity is assumed to have been procured in the form of non-Capacity Performance Resources for purposes of this paragraph E; provided, however, that the amount sold in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade may not exceed the amounts purchased in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. *For the Third Incremental Auction for the 2017/2018 Delivery Year, such positive quantity will be reduced but not below zero by the new Unforced Capacity committed to the PJM Region associated with the transition provision of 5.14D as related to the 2017/2018 Delivery Year.* If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity.

Additionally, for the Third Incremental Auction for the 2017/2018 Delivery Year, the Office of the Interconnection shall seek to sell back the new Unforced Capacity committed to the PJM Region associated with the transition provision Tariff, Attachment DD, section 5.14D as related to the 2017/218 Delivery Year reduced but not below zero by any positive quantity sought to otherwise be procured in the auction as determined in the preceding paragraph. In seeking to sell back such quantity, the Office of the Interconnection shall employ in the clearing of the auction an upward sloping curve originating at a point located at 0 megawatt on the x-axis and a starting price as defined below on the y-axis, and ending at a point located at a megawatt quantity equal to the quantity sought to be released on the x-axis and a price equal to 1.2 times

the applicable 2017/2018 Delivery Year Base Residual Auction Capacity Resource Clearing Price on the y-axis. The starting price at the point of origin will be set equal to the total cost to procure the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year divided by the total quantity of PJM Region load as determined by the final PJM Region Peak Load Forecast for the 2017/2018 Delivery Year (excluding load served through the Fixed Resource Requirement Alternative). The quantity of such attempted sell back that does not clear the auction, if any, will not be included in the determination of Excess Commitment Credits as described in subsection (viii) of this section.

(iv) If none of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity. For the Delivery Years through May 31, 2018, if more than one of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall not seek to procure the Short-Term Resource Procurement Target Applicable Share more than once for such region or area for such auction

(v) If PJM seeks to procure additional capacity in an Incremental Auction for the 2014-15, 2015-16 or 2016-17 Delivery Years due to a triggering of the tests in subsections (i), (ii), (iii) or (iv) then the Minimum Annual Resource Requirement for such Auction will be equal to the updated Minimum Annual Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources, and the Minimum Extended Summer Resource Requirement for such Auction will be equal to the updated Minimum Extended Summer Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity in an Incremental Auction for the 2014-15, 2015-16 or 2016-17 Delivery Years from Annual Resources and Extended Summer Demand Resources. If PJM seeks to release prior committed capacity due to a triggering of the test in subsection (iii) then PJM may not release prior committed capacity from Annual Resources or Extended Summer Demand Resources below the updated Minimum Annual Resource Requirement and updated Minimum Extended Summer Resource Requirement, respectively.

(vi) If the above tests are triggered for an LDA and for another LDA wholly located within the first LDA, the Office of the Interconnection may adjust the amount of any Sell Offer or Buy Bids otherwise required by subsections (i), (ii), or (iii) above in one LDA as appropriate to take into account any reliability impacts on the other LDA.

(vii) The optimization algorithm shall calculate the overall clearing result to minimize the cost to satisfy the Unforced Capacity Obligation of the PJM Region to account for the updated PJM Peak Load Forecast and the cost of committing replacement capacity in response to the Buy Bids submitted, while satisfying or honoring such reliability requirements and constraints, in the same manner as set forth in subsection (a) above.

(viii) Load Serving Entities may be entitled to certain credits (“Excess Commitment Credits”) under certain circumstances as follows:

- (A) For either or both of the Delivery Years commencing on June 1, 2010 or June 1, 2011, if the PJM Region Reliability Requirement used for purposes of the Base Residual Auction for such Delivery Year exceeds the PJM Region Reliability Requirement that is based on the last updated load forecast prior to such Delivery Year, then such excess will be allocated to Load Serving Entities as set forth below;
- (B) For any Delivery Year beginning with the Delivery Year that commences June 1, 2012, the total amount that the Office of the Interconnection sought to sell back pursuant to subsection (b)(iii) above in the Scheduled Incremental Auctions for such Delivery Year that does not clear such auctions, less the total amount that the Office of the Interconnection sought to procure pursuant to subsections (b)(i) and (b)(ii) above in the Scheduled Incremental Auctions for such Delivery Years that does not clear such auctions, will be allocated to Load Serving Entities as set forth below;
- (C) the amount from (A) or (B) above for the PJM Region shall be allocated among Locational Deliverability Areas pro rata based on the reduction for each such Locational Deliverability Area in the peak load forecast from the time of the Base Residual Auction to the time of the Third Incremental Auction; provided, however, that the amount allocated to a Locational Deliverability Area may not exceed the reduction in the corresponding Reliability Requirement for such Locational Deliverability Area; and provided further that any LDA with an increase in its load forecast shall not be allocated any Excess Commitment Credits;
- (D) the amount, if any, allocated to a Locational Deliverability Area shall be further allocated among Load Serving Entities in such areas that are charged a Locational Reliability Charge based on the Daily Unforced Capacity Obligation of such Load Serving Entities as of June 1 of the Delivery Year and shall be constant for the entire Delivery Year. Excess

Commitment Credits may be used as Replacement Capacity or traded bilaterally.

c) Conditional Incremental Auction

For each Conditional Incremental Auction, the optimization algorithm shall consider:

- The quantity and location of capacity required to address the identified reliability concern that gave rise to the Conditional Incremental Auction;
- All applicable Capacity Import Limits;
- the same Capacity Emergency Transfer Limits that were modeled in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction; and
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity and location of capacity required to address the identified reliability violation at a Buy Bid price equal to 1.5 times Net CONE.

The optimization algorithm shall calculate the overall clearing result to minimize the cost to address the identified reliability concern, while satisfying or honoring such reliability requirements and constraints.

d) Equal-priced Sell Offers

If two or more Sell Offers submitted in any auction satisfying all applicable constraints include the same offer price, and some, but not all, of the Unforced Capacity of such Sell Offers is required to clear the auction, then the auction shall be cleared in a manner that minimizes total costs, including total make-whole payments if any such offer includes a minimum block and, to the extent consistent with the foregoing, in accordance with the following additional principles:

1) as necessary, the optimization shall clear such offers that have a flexible megawatt quantity, and the flexible portions of such offers that include a minimum block that already has cleared, where some but not all of such equal-priced flexible quantities are required to clear the auction, pro rata based on their flexible megawatt quantities; and

2) when equal-priced minimum-block offers would result in equal overall costs, including make-whole payments, and only one such offer is required to clear the auction, then the offer that was submitted earliest to the Office of the Interconnection, based on its assigned timestamp, will clear.

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the marginal value of system capacity for the PJM Region, without considering locational constraints, adjusted as necessary by any applicable Locational Price Adders, Annual Resource Price Adders, Extended Summer Resource Price Adders, Limited Resource Price Decrements, Sub-Annual Resource Price Decrements, Base Capacity Demand Resource Price Decrements, and Base Capacity Resource Price Decrements, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

The Locational Price Adder applicable to each cleared Seasonal Capacity Performance Resource is determined during the post-processing of the RPM Auction results consistent with the manner in which the auction clearing algorithm recognizes the contribution of Seasonal Capacity Performance Resource Sell Offers in satisfying an LDA's reliability requirement. For each LDA with a positive Locational Price Adder with respect to the immediate higher level LDA, starting with the lowest level constrained LDAs and moving up, PJM determines the quantity of equally matched Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources located and cleared within that LDA. Up to this quantity, the cleared Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources with the lowest Sell Offer prices will be compensated using the highest Locational Price Adder applicable to such LDA; and any remaining Seasonal Capacity Performance Resources cleared within the LDA are effectively moved to the next higher level constrained LDA, where they are considered in a similar manner for compensation.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. If the Sell Offer price of a cleared Seasonal Capacity Performance Resource exceeds the applicable Capacity Resource Clearing Price, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the difference between the Sell Offer price and Capacity Resource Clearing Price in such RPM Auction. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole

Payments required in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource. When the Capacity Market Seller provides notice of such election, it must specify whether its Sell Offer is contingent upon qualifying for the New Entry Price Adjustment. The Office of the Interconnection shall not clear such contingent Sell Offer if it does not qualify for the New Entry Price Adjustment.

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement, minus the Short Term Resource Procurement Target, to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE divided by (one minus the pool-wide average EFORd).

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with sections 5.12(a) and 5.14(a).

- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b); or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in section 5.12(a) of this Attachment, and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) that is entitled to compensation pursuant to section 5.14(b) of this Attachment; and
- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with Section 5.14(b). Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in Section 5.14(a).

6. The failure to submit a Sell Offer consistent with Section 5.14(c)(i)-(iii) in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Section 5.10(a)(ii) of this Attachment.

8. On or before August 1, 2012, PJM shall file with FERC under FPA section 205, as determined necessary by PJM following a stakeholder process, tariff changes to establish a long-term auction process as a not unduly discriminatory means to provide adequate

long-term revenue assurances to support new entry, as a supplement to or replacement of this New Entry Price Adjustment.

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under section 5.15, as set forth in that section. PJMSettlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets and other adjustments as described in sections 5.14B, 5.14C, 5.14D, 5.14E and 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; 3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located; 4) an adjustment, if required, to account for Resource Make-Whole Payments; and (5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity

weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity); and (5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits. The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall calculate and post the Final Zonal Capacity Price for each Delivery Year after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted to reflect any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain Generation Capacity Resources

(1) General Rule. Any Sell Offer submitted in any RPM Auction for any Delivery Year based on a MOPR Screened Generation Resource shall have an offer price no lower than the MOPR Floor Offer Price for the period specified in this subsection (h), unless the Capacity Market Seller has obtained a Self-Supply Exemption, a Competitive Entry Exemption, or a Unit-Specific Exception with respect to such MOPR Screened Generation Resource in such auction prior to the submission of such offer, in accordance with the provisions of this subsection. Nothing in subsection (c) of this section 5.14 shall be read to excuse compliance of any Sell Offer with the requirements of this subsection (h).

(2) Applicability. A MOPR Screened Generation Resource shall be any Generation Capacity Resource, and any uprate to a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof by 20 MW or more, based on a combustion turbine, combined cycle, or integrated gasification combined cycle generating plant (including Repowering of an existing plant whenever the repowered plant utilizes combustion turbine, combined cycle, or integrated gasification combined cycle technology) with an installed capacity rating, combined for all units comprising such resource at a single point of interconnection to the Transmission System, of no less than 20 MW; provided, however, that a MOPR Screened Generation Resource shall not include: (i) the

Installed Capacity equivalent (measured as of the time of clearing) of any of a resource's Unforced Capacity that has cleared any RPM Auction conducted prior to February 1, 2013 or an uprate of such resource to the extent that the developer or owner of the uprate timely submitted a request for, and PJM issued, an offer floor pursuant to the unit-specific exception process of this subsection (h) before the start of the commencement of the Base Residual Auction for the 2016/2017 Delivery Year and the capacity associated with the uprate clears that auction; (ii) any unit primarily fueled with landfill gas; (iii) any cogeneration unit that is certified or self-certified as a Qualifying Facility (as defined in Part 292 of FERC's regulations), where the Capacity Market Seller is the owner of the Qualifying Facility or has contracted for the Unforced Capacity of such facility and the Unforced Capacity of the unit is no larger than approximately all of the Unforced Capacity Obligation of the host load, and all Unforced Capacity of the unit is used to meet the Unforced Capacity Obligation of the host load. A MOPR Screened Generation Resource shall include all Generation Capacity Resources located in the PJM Region that meet the foregoing criteria, and all Generation Capacity Resources located outside the PJM Region (where such Sell Offer is based solely on such resource) that entered commercial service on or after January 1, 2013, that meet the foregoing criteria and that require sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region.

(3) MOPR Floor Offer Price. The MOPR Floor Offer Price shall be 100% of the Net Asset Class Cost of New Entry for the relevant generator type and location, as determined hereunder. The gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be, for purposes of the 2018/2019 Delivery Year and subsequent Delivery Years, the values indicated in the table below for each CONE Area for a combustion turbine generator ("CT"), a combined cycle generator ("CC"), and an integrated gasification combined cycle generator ("IGCC"), respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(3)(i) below. For purposes of Incremental Auctions for the 2015/2016, 2016/2017 and 2017/2018 Delivery Years, the MOPR Floor Offer Price shall be the same as that used in the Base Residual Auction for such Delivery Year. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3)(ii) below.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4
CT \$/MW-yr	132,200	130,300	128,900	130,300
CC \$/MW-yr	185,700	176,000	172,600	179,400
IGCC \$/MW-yr	582,042	558,486	547,240	537,306

i) Commencing with the Delivery Year that begins on June 1, 2019, the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs in the same manner as set forth for the cost of new entry in section 5.10(a)(iv)(B), provided, however, that the Applicable BLS Composite Index used for CC plants shall be calculated from the three indices referenced in that section but weighted 25% for the wages index, 60% for the construction materials index, and 15% for the turbines index, and provided further that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

ii) For purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by section 5.10(a)(v)(A) of this Attachment DD, provided that the energy revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.722 MMBtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$3.23 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3198 per MW-year. The net energy and ancillary services revenue estimate for an integrated gasification combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator above, except that the heat rate assumed for the combined cycle resource shall be 8.7 MMBtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$7.77 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3,198 per MW-year.

(4) **Duration.** The MOPR Floor Offer Price shall apply to any Sell Offer based on a MOPR Screened Generation Resource (to the extent an exemption has not been obtained for such resource under this subsection) until (and including) the first Delivery Year for which a Sell Offer based on the non-exempt portion of such resource has cleared an RPM Auction.

(5) **Effect of Exemption or Exception.** To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a MOPR Screened Generation Resource for which the Capacity Market Seller obtains, prior to the submission of such offer, either a Competitive Entry Exemption or a Self-Supply Exemption, such offer (to the extent of such exemption) may include an offer price below the MOPR Floor Offer Price (including, without limitation, an offer price of zero or other indication of intent to clear regardless of price). To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a MOPR Screened Generation Resource for which the Capacity Market Seller obtains, prior to the submission of such offer, a Unit-Specific Exception, such offer (to the extent of such exception) may include an offer price below the MOPR Floor Offer Price but no lower than the minimum offer price determined in such exception process. The Installed Capacity equivalent of any MOPR Screened Generation Resource's Unforced Capacity that has both obtained such an exemption or exception and cleared the RPM Auction for which it obtained such exemption or exception shall not be subject to a MOPR Floor Offer Price in any subsequent RPM Auction, except as provided in subsection (h)(10) hereof.

(6) Self-Supply Exemption. A Capacity Market Seller that is a Self-Supply LSE may qualify its MOPR Screened Generation Resource in any RPM Auction for any Delivery Year for a Self-Supply Exemption if the MOPR Screened Generation Resource satisfies the criteria specified below:

i) Cost and revenue criteria. The costs and revenues associated with a MOPR Screened Generation Resource for which a Self-Supply LSE seeks a Self-Supply Exemption may permissibly reflect: (A) payments, concessions, rebates, subsidies, or incentives designed to incent or promote, or participation in a program, contract, or other arrangement that utilizes criteria designed to incent or promote, general industrial development in an area; (B) payments, concessions, rebates, subsidies or incentives from a county or other local government authority designed to incent, or participation in a program, contract or other arrangement established by a county or other local governmental authority utilizing eligibility or selection criteria designed to incent, siting facilities in that county or locality rather than another county or locality; (C) revenues received by the Self-Supply LSE attributable to the inclusion of costs of the MOPR Screened Generation Resource in such LSE's regulated retail rates where such LSE is a Vertically Integrated Utility and the MOPR Screened Generation Resource is planned consistent with such LSE's most recent integrated resource plan found reasonable by the RERRA to meet the needs of its customers; and (D) payments to the Self-Supply LSE (such as retail rate recovery) traditionally associated with revenues and costs of Public Power Entities (or joint action of multiple Public Power Entities); revenues to a Public Power Entity from its contracts having a term of one year or more with its members or customers (including wholesale power contracts between an electric cooperative and its members); or cost or revenue advantages related to a longstanding business model employed by the Self-Supply LSE, such as its financial condition, tax status, access to capital, or other similar conditions affecting the Self-Supply LSE's costs and revenues. A Self-Supply Exemption shall not be permitted to the extent that the Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, has any formal or informal agreements or arrangements to seek, recover, accept or receive: (E) any material payments, concessions, rebates, or subsidies, connected to the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource, not described by (A) through (D) of this section; or (F) other support through contracts having a term of one year or more obtained in any procurement process sponsored or mandated by any state legislature or agency connected with the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource. Any cost and revenue advantages described by (A) through (D) of this subsection that are material to the cost of the MOPR Screened Generation Resource and that are irregular or anomalous, that do not reflect arms-length transactions, or that are not in the ordinary course of the Self-Supply LSE's business, shall disqualify application of the Self-Supply Exemption unless the Self-Supply LSE demonstrates in the exemption process provided hereunder that such costs and revenues are consistent with the overall objectives of the Self-Supply Exemption.

ii) Owned and Contracted Capacity. To qualify for the Self-Supply Exemption, the Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, must demonstrate that the MOPR Screened Generation Resource is included in such LSE's Owned and Contracted Capacity and that its Owned and Contracted Capacity meets the criteria outlined below after the addition of such MOPR Screened Generation Resource.

iii) **Maximum Net Short Position.** If the excess, if any, of the Self-Supply LSE’s Estimated Capacity Obligation above its Owned and Contracted Capacity (“Net Short”) is less than the amount of Unforced Capacity specified in or calculated under the table below for all relevant areas based on the specified type of LSE, then this exemption criterion is satisfied. For this purpose, the Net Short position shall be calculated for any Self-Supply LSE requesting this exemption for the PJM Region and for each LDA specified in the table below in which the MOPR Screened Generation Resource is located (including through nesting of LDAs) to the extent the Self-Supply LSE has an Estimated Capacity Obligation in such LDA. If the Self-Supply LSE does not have an Estimated Capacity Obligation in an evaluated LDA, then the Self-Supply LSE is deemed to satisfy the test for that LDA.

Type of Self-Supply LSE	Maximum Net Short Position (UCAP MW, measured at RTO, MAAC, SWMAAC and EMAAC unless otherwise specified)
Single Customer Entity	150 MW
Public Power Entity	1000 MW
Multi-state Public Power Entity*	1000 MW in SWMAAC, EMAAC, or MAAC LDAs and 1800 MW RTO
Vertically Integrated Utility	20% of LSE's Reliability Requirement

*A Multi-state Public Power Entity shall not have more than 90% of its total load in any one state.

iv) **Maximum Net Long Position.** If the excess, if any, of the Self-Supply LSE’s Owned and Contracted Capacity for the PJM Region above its Estimated Capacity Obligation for the PJM Region (“Net Long”), is less than the amount of Unforced Capacity specified in or calculated under the table below, then this exemption criterion is satisfied:

Self-Supply LSE Total Estimated Capacity Obligation in the PJM Region (UCAP MW)	Maximum Net Long Position (UCAP MW)
Less than 500	75 MW
Greater than or equal to 500 and less than 5,000	15% of LSE's Estimated Capacity Obligation
Greater than or equal to 5,000 and less than 15,000	750 MW
Greater than or equal to 15,000 and less than 25,000	1,000 MW
Greater than or equal to 25,000	4% of LSE's Estimated Capacity Obligation capped at 1300 MWs

If the MOPR Screened Generation Resource causes the Self-Supply LSE’s Net Long Position to exceed the applicable threshold stated above, the MOPR Floor Offer Price shall apply, for the Delivery Year in which such threshold is exceeded, only to the quantity of Unforced Capacity of such resource that exceeds such threshold. In such event, such Unforced Capacity of such resource shall be subject to the MOPR Floor Offer Price for the period specified in subsection

(h)(4) hereof; provided however, that any such Unforced Capacity that did not qualify for such exemption for such Delivery Year may qualify for such exemption in any RPM Auction for a future Delivery Year to the extent the Self-Supply LSE's future load growth accommodates the resource under the Net Long Position criteria.

v) Beginning with the Delivery Year that commences June 1, 2020, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the Maximum Net Short and Net Long positions, as required by the foregoing subsection. Such review may include, without limitation, analyses under various appropriate scenarios of the minimum net short quantities at which the benefit to an LSE of a clearing price reduction for its capacity purchases from the RPM Auction outweighs the cost to the LSE of a new generating unit that is offered at an uneconomic price, and may, to the extent appropriate, reasonably balance the need to protect the market with the need to accommodate the normal business operations of Self-Supply LSEs. Based on the results of such review, PJM shall propose either to modify or retain the existing Maximum Net Short and Net Long positions. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the Maximum Net Short and/or Net Long positions are proposed, the Office of the Interconnection shall file such modified Maximum Net Short and/or Net Long positions with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

vi) Officer Certification. The Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, shall submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, the facts and circumstances supporting the Capacity Market Seller's decision to submit a Sell Offer into the RPM Auction for the MOPR Screened Generation Resource and seek an exemption from the MOPR Floor Offer Price for such resource, and to the best of his/her knowledge and belief: (A) the information supplied to the Market Monitoring Unit and the Office of Interconnection in support of its exemption request is true and correct and the MOPR Screened Generation Resource will be Owned and Contracted Capacity for the purpose of self-supply for the benefit of the Self-Supply LSE; (B) the Self-Supply LSE has disclosed all material facts relevant to the exemption request; and (C) the Capacity Market Seller satisfies the criteria for the exemption.

vii) For purposes of the Self-Supply Exemption:

(A) "Self-Supply LSE" means the following types of Load Serving Entity, which operate under long-standing business models: Municipal/Cooperative Entity, Single Customer Entity, or Vertically Integrated Utility.

(B) "Municipal/Cooperative Entity" means cooperative and municipal utilities, including public power supply entities comprised of either or both of the same, and joint action agencies.

(C) "Vertically Integrated Utility" means a utility that owns generation, includes such generation in its regulated rates, and earns a regulated return on its investment in such generation.

(D) “Single Customer Entity” means an LSE that serves at retail only customers that are under common control with such LSE, where such control means holding 51% or more of the voting securities or voting interests of the LSE and all its retail customers.

(E) All capacity calculations shall be on an Unforced Capacity basis.

(F) Estimated Capacity Obligations and Owned and Contracted Capacity shall be measured on a three-year average basis for the three years starting with the first day of the Delivery Year associated with the RPM Auction for which the exemption is being sought (“MOPR Exemption Measurement Period”). Such measurements shall be verified by PJM using the latest available data that PJM uses to determine capacity obligations.

(G) The Self-Supply LSE’s Estimated Capacity Obligation shall be the average, for the three Delivery Years of the MOPR Exemption Measurement Period, of the Self-Supply LSE’s estimated share of the most recent available Zonal Peak Load Forecast for each such Delivery Year for each Zone in which the Self-Supply LSE will serve load during such Delivery Year, times the Forecast Pool Requirement established for the first such Delivery Year, shall be stated on an Unforced Capacity basis. The Self-Supply LSE’s share of such load shall be determined by the ratio of: (1) the peak load contributions, from the most recent summer peak for which data is available at the time of the exemption request, of the customers or areas within each Zone for which such LSE will have load-serving responsibility during the first Delivery Year of the MOPR Exemption Measurement Period to (2) the weather-normalized summer peak load of such Zone for the same summer peak period addressed in the previous clause. Notwithstanding the foregoing, solely in the case of any Self-Supply LSE that demonstrates to the Office of the Interconnection that its annual peak load occurs in the winter, such LSE’s Estimated Capacity Obligation determined solely for the purposes of this subsection 5.14(h) shall be based on its winter peak. Once submitted, an exemption request shall not be subject to change due to later revisions to the PJM load forecasts for such Delivery Years. The Self-Supply LSE’s Estimated Capacity Obligation shall be limited to the LSE’s firm obligations to serve specific identifiable customers or groups of customers including native load obligations and specific load obligations in effective contracts for which the term of the contract includes at least a portion of the Delivery Year associated with the RPM Auction for which the exemption is requested (and shall not include load that is speculative or load obligations that are not native load or customer specific); as well as retail loads of entities that directly (as through charges on a retail electric bill) or indirectly, contribute to the cost recovery of the MOPR Screened Generation Resource; provided, however, nothing herein shall require a Self-Supply LSE that is a joint owner of a MOPR Screened Generation Resource to aggregate its expected loads with the loads of any other joint owner for purposes of such Self-Supply LSE’s exemption request.

(H) “Owned and Contracted Capacity” includes all of the Self-Supply LSE’s qualified Capacity Resources, whether internal or external to PJM. For purposes of the Self-Supply Exemption, Owned and Contracted Capacity includes Generation

Capacity Resources without regard to whether such resource has failed or could fail the Competitive and Non-Discriminatory procurement standard of the Competitive Entry Exemption. To qualify for a Self-Supply Entry exemption, the MOPR Screened Generation must be used by the Self-Supply LSE, meaning such Self-Supply LSE is the beneficial off-taker of such generation such that the owned or contracted for MOPR Screened Generation is for the Self-Supply LSE's use to supply its customer(s).

(I) If multiple entities will have an ownership or contractual share in, or are otherwise sponsoring, the MOPR Screened Generation Resource, the positions of each such entity will be measured and considered for a Self-Supply Exemption with respect to the individual Self-Supply LSE's ownership or contractual share of such resource.

(7) Competitive Entry Exemption. A Capacity Market Seller may qualify a MOPR Screened Generation Resource for a Competitive Entry Exemption in any RPM Auction for any Delivery Year if the Capacity Market Seller demonstrates that the MOPR Screened Generation Resource satisfies all of the following criteria:

i) No costs of the MOPR Screened Generation Resource are recovered from customers either directly or indirectly through a non-bypassable charge, except in the event that Sections 5.14(h)(7)(ii) and (iii), to the extent either or both are applicable to such resource, are satisfied.

ii) No costs of the MOPR Screened Generation Resource are supported through any contracts having a term of one year or more obtained in any state-sponsored or state-mandated procurement processes that are not Competitive and Non-Discriminatory. The Office of the Interconnection and the Market Monitoring Unit may deem a procurement process to be "Competitive and Non-Discriminatory" only if: (A) both new and existing resources may satisfy the requirements of the procurement; (B) the requirements of the procurement are fully objective and transparent; (C) the procurement terms do not restrict the type of capacity resources that may participate in and satisfy the requirements of the procurement; (D) the procurement terms do not include selection criteria that could give preference to new resources; and (E) the procurement terms do not use indirect means to discriminate against existing capacity, such as geographic constraints inconsistent with LDA import capabilities, unit technology or unit fuel requirements or unit heat-rate requirements, identity or nature of seller requirements, or requirements for new construction.

iii) The Capacity Market Seller does not have any formal or informal agreements or arrangements to seek, recover, accept or receive any (A) material payments, concessions, rebates, or subsidies directly or indirectly from any governmental entity connected with the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource, or (B) other material support through contracts having a term of one year or more obtained in any state-sponsored or state-mandated procurement processes, connected to the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource. These restrictions shall not include (C) payments (including payments in lieu of taxes), concessions, rebates, subsidies, or incentives designed to incent, or participation in a program, contract or other arrangement that utilizes criteria designed to incent or promote, general

industrial development in an area; (D) payments, concessions, rebates, subsidies or incentives designed to incent, or participation in a program, contract or other arrangements from a county or other local governmental authority using eligibility or selection criteria designed to incent, siting facilities in that county or locality rather than another county or locality; or (E) federal government production tax credits, investment tax credits, and similar tax advantages or incentives that are available to generators without regard to the geographic location of the generation.

iv) The Capacity Market Seller shall submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, the facts and circumstances supporting the Capacity Market Seller's decision to submit a Sell Offer into the RPM Auction for the MOPR Screened Generation Resource and seek an exemption from the MOPR Floor Offer Price for such resource, and, to the best of his/her knowledge and belief: (A) the information supplied to the Market Monitoring Unit and the Office of Interconnection to support its exemption is true and correct and the resource is being constructed or contracted for purposes of competitive entry by the Capacity Market Seller; (B) the Capacity Market Seller has disclosed all material facts relevant to the request for the exemption; and (C) the exemption request satisfies the criteria for the exemption.

(8) Unit-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction below the MOPR Floor Offer Price for any Delivery Year based on a MOPR Screened Generation Resource may, at its election, submit a request for a Unit-Specific Exception in addition to, or in lieu of, a request for a Self-Supply Exemption or a Competitive Entry Exemption, for such MOPR Screened Generation Resource. A Sell Offer meeting the Unit-Specific Exception criteria in this subsection shall be permitted and shall not be re-set to the MOPR Floor Offer Price if the Capacity Market Seller obtains a determination from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets. The following requirements shall apply to requests for such determinations:

i) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, per subsection (h)(9)(i) below, the Office of the Interconnection shall post a preliminary estimate for the relevant Delivery Year of the MOPR Floor Offer Price expected to be established hereunder. If the MOPR Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the MOPR Screened Generation Resource, as well as estimates of offsetting net revenues. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may

include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction–period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for a Unit-Specific Exception hereunder. The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller’s forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities.

iii) A Sell Offer evaluated under the Unit-Specific Exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer’s competitive, cost-based, fixed, net cost of new entry is below the MOPR Floor Offer Price, based on competitive cost advantages relative to the costs implied by the MOPR Floor Offer Price, including, without limitation, competitive cost advantages resulting from the Capacity Market Seller’s business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant’s costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those implied by the MOPR Floor Offer Price. Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm’s-length transactions, or that are not in the ordinary course of the Capacity Market Seller’s business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of a Unit-Specific Exception hereunder by the Office of the Interconnection.

(9) Exemption/Exception Process.

i) The Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for an RPM Auction, a preliminary estimate for the relevant Delivery Year of the MOPR Floor Offer Price.

ii) The Capacity Market Seller must submit its request for a Unit-Specific Exception, Competitive Entry Exemption or a Self-Supply Exemption in writing simultaneously to the Market Monitoring Unit and the Office of Interconnection by no later than one hundred thirty five (135) days prior to the commencement of the offer period for the RPM Auction in which such seller seeks to submit its Sell Offer. The Capacity Market Seller shall include in its request a description of its MOPR Screened Generation Resource, the exemption or exception that the Capacity Market Seller is requesting, and all documentation necessary to demonstrate that the exemption or exception criteria are satisfied, including without limitation the applicable certification(s) specified in this subsection (h). In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the exemption request. The Capacity Market Seller shall have an ongoing obligation through the closing of the offer period for the RPM Auction to update the request to reflect any material changes in the request.

iii) As further described in Section II.D. of Attachment M-Appendix to this Tariff, the Market Monitoring Unit shall review the request and supporting documentation and shall provide its determination by no later than forty-five (45) days after receipt of the exemption or exception request. The Office of the Interconnection shall also review all exemption and exception requests to determine whether the request is acceptable in accordance with the standards and criteria under this section 5.14(h) and shall provide its determination in writing to the Capacity Market Seller, with a copy to the Market Monitoring Unit, by no later than sixty-five (65) days after receipt of the exemption or exception request. The Office of the Interconnection shall reject a requested exemption or exception if the Capacity Market Seller's request does not comply with the PJM Market Rules, as interpreted and applied by the Office of the Interconnection. Such rejection shall specify those points of non-compliance upon which the Office of the Interconnection based its rejection of the exemption or exception request. If the Office of the Interconnection does not provide its determination on an exemption or exception request by no later than sixty-five (65) days after receipt of the exemption or exception request, the request shall be deemed granted. Following the Office of the Interconnection's determination on a Unit-Specific Exception request, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer, consistent with such determination, to which it agrees to commit by no later than five (5) days after receipt of the Office of the Interconnection's determination of its Unit-Specific Exception request. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules unless and until ordered to do otherwise by FERC.

(10) Procedures and Remedies in Cases of Suspected Fraud or Material Misrepresentation or Omissions in Connection with Exemption Requests.

In the event the Office of the Interconnection reasonably believes that a request for a Competitive Entry Exemption or a Self-Supply Exemption that has been granted contains

fraudulent or material misrepresentations or fraudulent or material omissions such that the Capacity Market Seller would not have been eligible for the exemption for that resource had the request not contained such misrepresentations or omissions, then:

i) if the Office of the Interconnection provides written notice of revocation to the Capacity Market Seller no later than thirty (30) days prior to the commencement of the offer period for the RPM Auction for which the seller submitted a fraudulent exemption request, the Office of the Interconnection shall revoke the exemption for that auction. In such event, the Office of the Interconnection shall make any filings with FERC that the Office of the Interconnection deems necessary, and

ii) if the Office of the Interconnection does not provide written notice of revocation no later than 30 days before the start of the relevant RPM Auction, then the Office of the Interconnection may not revoke the exemption absent FERC approval. In any such filing to FERC, the requested remedies shall include (A) in the event that such resource has not cleared in the RPM Auction for which the exemption has been granted and the filing is made no later than 5 days prior to the commencement of the offer period for the RPM Auction, revocation of the exemption or, (B) in the event that the resource has cleared the RPM Auction for which the exemption has been granted and the filing is made no later than two (2) years after the close of the offer period for the relevant RPM Auction, suspension of any payments, during the pendency of the FERC proceeding, to the Capacity Market Seller for the resource that cleared in any RPM Auction relying on such exemption; and suspension of the Capacity Market Seller's exemption for that resource for future RPM Auctions.

iii) Prior to any automatic revocation or submission to FERC, the Office of the Interconnection and/or the Market Monitoring Unit shall notify the affected Capacity Market Seller and, to the extent practicable, provide the Capacity Market Seller an opportunity to explain the alleged misrepresentation or omission. Any filing to FERC under this provision shall seek fast track treatment and neither the name nor any identifying characteristics of the Capacity Market Seller or the resource shall be publicly revealed, but otherwise the filing shall be public. The Capacity Market Seller may apply for a new exemption for that resource for subsequent auctions, including auctions held during the pendency of the FERC proceeding. In the event that the Capacity Market Seller is cleared by FERC from such allegations of misrepresentations or omissions then the exemption shall be restored to the extent and in the manner permitted by FERC. The remedies required by this subsection (h)(10) to be requested in any filing to FERC shall not be exclusive of any other remedies or penalties that may be pursued against the Capacity Market Seller.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export (“Export Reserved Capacity”) multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery

Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$

$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$

Where:

“Export Path Import” means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

5.14A [Reserved.]

5.14B Generating Unit Capability Verification Test Requirements Transition Provision for RPM Delivery Years 2014/2015, 2015/2016, and 2016/2017

A. This transition provision applies only with respect to Generation Capacity Resources with existing capacity commitments for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years that experience reductions in verified installed capacity available for sale as a direct result of revised generating unit capability verification test procedures effective with the summer 2014 capability tests, as set forth in the PJM Manuals. A Generation Capacity Resource meeting the description of the preceding sentence, and the Capacity Market Seller of such a resource, are hereafter in this section 5.14B referred to as an “Affected Resource” and an “Affected Resource Owner,” respectively.

B. For each of its Affected Resources, an Affected Resource Owner is required to provide documentation to the Office of the Interconnection sufficient to show a reduction in installed capacity value as a direct result of the revised capability test procedures. Upon acceptance by the Office of the Interconnection, the Affected Resource’s installed capacity value will be updated in the eRPM system to reflect the reduction, and the Affected Resource’s Capacity Interconnection Rights value will be updated to reflect the reduction, effective June 1, 2014. The reduction’s impact on the Affected Resource’s existing capacity commitments for the 2014/2015 Delivery Year will be determined in Unforced Capacity terms, using the final EFORD value established by the Office of the Interconnection for the 2014/2015 Delivery Year as applied to the Third Incremental Auction for the 2014/2015 Delivery Year, to convert installed capacity to Unforced Capacity. The reduction’s impact on the Affected Resource’s existing capacity commitments for each of the 2015/2016 and 2016/2017 Delivery Years will be determined in Unforced Capacity terms, using the EFORD value from each Sell Offer in each applicable RPM Auction, applied on a pro-rata basis, to convert installed capacity to Unforced Capacity. The Unforced Capacity impact for each Delivery Year represents the Affected Resource’s capacity commitment shortfall, resulting wholly and directly from the revised capability test procedures, for which the Affected Resource Owner is subject to a Capacity Resource Deficiency Charge for the Delivery Year, as described in section 8 of this Attachment DD, unless the Affected Resource Owner (i) provides replacement Unforced Capacity, as described in section 8.1 of this Attachment DD, prior to the start of the Delivery Year to resolve the Affected Resource’s total capacity commitment shortfall; or (ii) requests relief from Capacity Resource Deficiency Charges that result wholly and directly from the revised capability test procedures by electing the transition mechanism described in this section 5.14B (“Transition Mechanism”).

C. Under the Transition Mechanism, an Affected Resource Owner may elect to have the Unforced Capacity commitments for all of its Affected Resources reduced for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years to eliminate the capacity commitment shortfalls, across all of its Affected Resources, that result wholly and directly from the revised capability test procedures, and for which the Affected Resource Owner otherwise would be subject to Capacity Resource Deficiency Charges for the Delivery Year. In electing this option, the Affected Resource Owner relinquishes RPM Auction Credits associated with the reductions in Unforced Capacity commitments for all of its Affected Resources for the Delivery Year, and Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are adjusted accordingly. Affected Resource Owners wishing to elect the Transition Mechanism for the 2015/2016 Delivery Year must notify the Office of the Interconnection by May 30, 2014.

Affected Resource Owners wishing to elect the Transition Mechanism for the 2016/2017 Delivery Year must notify the Office of the Interconnection by July 25, 2014.

D. The Office of the Interconnection will offset the total reduction (across all Affected Resources and Affected Resource Owners) in Unforced Capacity commitments associated with the Transition Mechanism for the 2015/2016 and 2016/2017 Delivery Years by applying corresponding adjustments to the quantity of Buy Bid or Sell Offer activity in the upcoming Incremental Auctions for each of those Delivery Years, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD.

E. By electing the Transition Mechanism, an Affected Resource Owner may receive relief from applicable Capacity Resource Deficiency Charges for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years, and a Locational UCAP Seller that sells Locational UCAP based on an Affected Resource owned by the Affected Resource Owner may receive relief from applicable Capacity Resource Deficiency Charges for the 2014/2015 Delivery Year, to the extent that the Affected Resource Owner demonstrates, to the satisfaction of the Office of the Interconnection, that an inability to deliver the amount of Unforced Capacity previously committed for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years is due to a reduction in verified installed capacity available for sale as a direct result of revised generating unit capability verification test procedures effective with the summer 2014 capability tests, as set forth in the PJM Manuals; provided, however, that the Affected Resource Owner must provide the Office of the Interconnection with all information deemed necessary by the Office of the Interconnection to assess the merits of the request for relief.

5.14C Demand Response Operational Resource Flexibility Transition Provision for RPM Delivery Years 2015/2016 and 2016/2017

A. This transition provision applies only to Demand Resources for which a Curtailment Service Provider has existing RPM commitments for the 2015/2016 or 2016/2017 Delivery Years (alternatively referred to in this section 5.14C as “Applicable Delivery Years” and each an “Applicable Delivery Year”) that (i) cannot satisfy the 30-minute notification requirement as described in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; (ii) are not excepted from the 30-minute notification requirement as described in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; and (iii) cleared in the Base Residual Auction or First Incremental Auction for the 2015/2016 Delivery Year, or cleared in the Base Residual Auction for the 2016/2017 Delivery Year. A Demand Resource meeting these criteria and the Curtailment Service Provider of such a resource are hereafter in this section 5.14C referred to as an “Affected Demand Resource” and an “Affected Curtailment Service Provider,” respectively.

B. For this section 5.14C to apply to an Affected Demand Resource, the Affected Curtailment Service Provider must notify the Office of the Interconnection in writing, with regard to the following information by the applicable deadline:

- i) For each applicable Affected Demand Resource: the number of cleared megawatts of Unforced Capacity for the Applicable Delivery Year by end-use customer site that the Affected Curtailment Service Provider cannot deliver, calculated based on

the most current information available to the Affected Curtailment Service Provider; the end-use customer name; electric distribution company's account number for the end-use customer; address of end-use customer; type of Demand Resource (i.e., Limited DR, Annual DR, Extended Summer DR); the Zone or sub-Zone in which the end-use customer is located; and, a detailed description of why the end-use customer cannot comply with the 30-minute notification requirement or qualify for one of the exceptions to the 30-minute notification requirement provided in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA.

ii) If applicable, a detailed analysis that quantifies the amount of cleared megawatts of Unforced Capacity for the Applicable Delivery Year for prospective customer sales that could not be contracted by the Affected Curtailment Service Provider because of the 30-minute notification requirement provided in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA that the Affected Curtailment Service Provider cannot deliver, by type of Demand Resource (i.e. Limited DR, Annual DR, Extended Summer DR) and by Zone and sub-Zone, as applicable. The analysis should include the amount of Unforced Capacity expected from prospective customer sales for each Applicable Delivery Year and must include supporting detail to substantiate the difference in reduced sales expectations. The Affected Curtailment Service Provider should maintain records to support its analysis.

1. For the 2015/2016 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Third Incremental Auction for the 2015/2016 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Third Incremental Auction for the 2015/2016 Delivery Year.

2. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Second Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Second or Third Incremental Auctions for the 2016/2017 Delivery Year.

3. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Third Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision must not have sold or offered to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Second Incremental Auction for the 2016/2017 Delivery Year, and may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Third Incremental Auction for the 2016/2017 Delivery Year.

C. For the Third Incremental Auction for the 2015/2016 Delivery Year and the First, Second, and Third Incremental Auctions for the 2016/2017 Delivery Year, the Office of the

Interconnection shall publish aggregate information on the undeliverable megawatts declared under this transition provision (hereafter, “non-viable megawatts”), by type of Demand Resource and by Zone or sub-Zone, concurrently with its posting of planning parameters for the applicable Scheduled Incremental Auction. Non-viable megawatts for a Scheduled Incremental Auction for an Applicable Delivery Year represent those megawatts meeting the criteria of subsection A above and declared in accordance with subsection B above. Prior to each Third Incremental Auction for an Applicable Delivery Year, the Office of the Interconnection shall apply adjustments equal to the declared non-viable megawatt quantity to the quantity of Buy Bid or Sell Offer activity in the upcoming Scheduled Incremental Auctions for the Applicable Delivery Year, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD. Prior to the Second Incremental Auction for the 2016/2017 Delivery Year, the Office of the Interconnection shall adjust the recalculated PJM Region Reliability Requirement and recalculated LDA Reliability Requirements, as described in section 5.4(c) of this Attachment DD, by the applicable quantity of declared non-viable megawatts, and shall update the PJM Region Reliability Requirement and each LDA Reliability Requirement for such Second Incremental Auction only if the combined change of the applicable adjustment and applicable recalculation is greater than or equal to the lesser of (i) 500 megawatts or (ii) one percent of the prior PJM Region Reliability Requirement or one percent of the prior LDA Reliability Requirement, as applicable.

D. Prior to the start of each Applicable Delivery Year, the Office of the Interconnection shall reduce, by type of Demand Resource and by Zone or sub-Zone, the capacity commitment of each Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year based on the non-viable megawatts declared by the Affected Curtailment Service Provider under this transition provision. If the Affected Curtailment Service Provider cleared megawatts from multiple Affected Demand Resources of the same type and Zone or sub-Zone, or cleared megawatts in multiple RPM Auctions for the Applicable Delivery Year, the Office of the Interconnection shall allocate the reduction in capacity commitment by type of Demand Resource and by Zone or sub-Zone across the applicable Affected Demand Resources and relevant RPM Auctions. Such allocation shall be performed on a pro-rata basis, based on megawatts cleared by the Affected Demand Resources in the relevant RPM Auctions.

E. For each Applicable Delivery Year, an Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year relinquishes an Affected Demand Resource’s RPM Auction Credits for the amount of capacity commitment reduction as determined under subsection D above. Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are also adjusted accordingly.

5.14D Capacity Performance and Base Capacity Transition Provision for RPM Delivery Years 2016/2017 and 2017/2018

A. This transition provision applies only for procuring Capacity Performance Resources for the 2016/2017 and 2017/2018 Delivery Years.

B. For both the 2016/2017 and 2017/2018 Delivery Years, PJM will hold a Capacity Performance Transition Incremental Auction to procure Capacity Performance Resources.

1. For each Capacity Performance Transition Incremental Auction, the optimization

algorithm shall consider:

- the target quantities of Capacity Performance Resources specified below;
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity of Capacity Performance Resources specified for that Delivery Year. For the 2016/2017 Delivery Year, the Office of the Interconnection shall submit a Buy Bid, at a price no higher than 0.5 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year, for a quantity of Capacity Performance Resources equal to 60 percent of the updated Reliability Requirement for the PJM Region. For the 2017/2018 Delivery Year, the Office of the Interconnection shall submit a Buy Bid, at a price no higher than 0.6 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year, for a quantity of Capacity Performance Resources equal to 70 percent of the updated Reliability Requirement for the PJM Region.

2. For each Capacity Performance Transition Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. For the 2016/2017 Delivery Year, the Capacity Resource Clearing Price for any Capacity Performance Transition Incremental Auction shall not exceed 0.5 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year. For the 2017/2018 Delivery Year, the Capacity Resource Clearing Price for any Capacity Performance Transition Incremental Auction shall not exceed 0.6 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year.

3. A Capacity Market Seller may offer any Capacity Resource that has not been committed in an FRR Capacity Plan, that qualifies as a Capacity Performance Resource under section 5.5A(a) and that (i) has not cleared an RPM Auction for that Delivery Year; or (ii) has cleared in an RPM Auction for that Delivery Year. A Capacity Market Seller may offer an external Generation Capacity Resource to the extent that such resource: (i) is reasonably expected, by the relevant Delivery Year, to meet all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction; (ii) has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and (iii) is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by section 6.6 of Attachment DD of the PJM Tariff to offer their capacity into RPM Auctions.

4. Capacity Resources that already cleared an RPM Auction for a Delivery Year, retain the capacity obligations for that Delivery Year, and clear in a Capacity Performance Transition Incremental Auction for the same Delivery Year shall: (i) receive a payment equal to the Capacity Resource Clearing Price as established in that Capacity Performance Transition Incremental Auction; and (ii) not be eligible to receive a payment for clearing in any prior RPM Auction for that Delivery Year.

D. All Capacity Performance Resources that clear in a Capacity Performance Transition Incremental Auction will be subject to the Non-Performance Charge set forth in section 10A.

5.14E Demand Response Legacy Direct Load Control Transition Provision for RPM Delivery Years 2016/2017, 2017/2018, and 2018/2019

A. This transition provision applies only to Demand Resources for which a Curtailment Service Provider has existing RPM commitments for the 2016/2017, 2017/2018, or 2018/2019 Delivery Years (alternatively referred to in this section 5.14E as “Applicable Delivery Years” and each an “Applicable Delivery Year”) that (i) qualified as Legacy Direct Load Control before June 1, 2016 as described in Section G of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; (ii) cannot meet the requirements for using statistical sampling for residential non-interval metered customers as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; and (iii) cleared in the Base Residual Auction or First Incremental Auction for the 2016/2017 Delivery Year, cleared in the Base Residual Auction for the 2017/2018 Delivery Year, or cleared in the Base Residual Auction for the 2018/2019 Delivery Year. A Demand Resource meeting these criteria and the Curtailment Service Provider of such a resource are hereafter in this section 5.14E referred to as an “Affected Demand Resource” and an “Affected Curtailment Service Provider,” respectively.

B. For this section 5.14E to apply to an Affected Demand Resource, the Affected Curtailment Service Provider must notify the Office of the Interconnection in writing, with regard to the following information, by the applicable deadline:

- i) For each applicable Affected Demand Resource: the number of cleared megawatts of Unforced Capacity for the Applicable Delivery Year by end-use customer site that the Affected Curtailment Service Provider cannot deliver, calculated based on the most current information available to the Affected Curtailment Service Provider; electric distribution company’s account number for the end-use customer; address of end-use customer; type of Demand Resource (i.e., Limited DR, Annual DR, Extended Summer DR); the Zone or sub-Zone in which the end-use customer is located; and, a detailed description of why the end-use customer cannot comply with statistical sampling for residential non-interval metered customers requirement as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA.
- ii) If applicable, a detailed analysis that quantifies the amount of cleared megawatts of Unforced Capacity for the Applicable Delivery Year for prospective customer sales that could not be contracted by the Affected Curtailment Service Provider because of the statistical sampling for residential non-interval metered customers requirement as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA that the Affected Curtailment Service Provider cannot deliver, by type of Demand Resource (i.e. Limited DR, Annual DR, Extended Summer DR) and by Zone and sub-Zone, as applicable. The analysis should include the amount of Unforced Capacity expected from prospective customer sales for each Applicable Delivery Year and must include supporting detail to substantiate the difference in reduced sales expectations. The

Affected Curtailment Service Provider should maintain records to support its analysis.

1. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Second and/or Third Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the Second or Third Incremental Auction for the 2016/2017 Delivery Year.

2. For the 2017/2018 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the First, Second and/or Third Incremental Auction for the 2017/2018 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the First, Second or Third Incremental Auctions for the 2017/2018 Delivery Year.

3. For the 2018/2019 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the First, Second and/or Third Incremental Auction for the 2018/2019 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the First, Second or Third Incremental Auctions for the 2018/2019 Delivery Year.

C. For the Second and Third Incremental Auction for the 2016/2017 Delivery Year, the First, Second, and Third Incremental Auctions for the 2017/2018 Delivery Year, and the First, Second, and Third Incremental Auctions for the 2018/2019 Delivery Year, the Office of the Interconnection shall publish aggregate information on the undeliverable megawatts declared under this transition provision (hereafter, “non-viable megawatts”), by type of Demand Resource and by Zone or sub-Zone, concurrently with its posting of planning parameters for the applicable Scheduled Incremental Auction. Non-viable megawatts for a Scheduled Incremental Auction for an Applicable Delivery Year represent those megawatts meeting the criteria of subsection A above and declared in accordance with subsection B above. Prior to each Scheduled Incremental Auction for an Applicable Delivery Year, the Office of the Interconnection shall apply adjustments equal to the declared non-viable megawatt quantity to the quantity of Buy Bid or Sell Offer activity in the upcoming Scheduled Incremental Auctions for the Applicable Delivery Year, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD. Prior to the Second Incremental Auction for the 2016/2017 Delivery Year, the First and Second Incremental Auction for the 2017/2018 Delivery Year, and the First and Second Incremental Auction for the 2018/2019 Delivery Year, the Office of the Interconnection shall adjust the recalculated PJM Region Reliability Requirement and recalculated LDA Reliability Requirements, as described in section 5.4(c) of this Attachment DD, by the applicable quantity of declared non-viable megawatts, and shall update the PJM Region Reliability Requirement and each LDA Reliability Requirement for such Incremental Auction only if the combined change of the applicable adjustment and applicable recalculation is greater than or equal to the lessor of (i) 500 megawatts or (ii) one percent of the prior PJM Region Reliability Requirement or one percent of the prior

LDA Reliability Requirement, as applicable.

D. Prior to the start of each Applicable Delivery Year, the Office of the Interconnection shall reduce, by type of Demand Resource and by Zone or sub-Zone, the capacity commitment of each Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year based on the non-viable megawatts declared by the Affected Curtailment Service Provider under this transition provision. If the Affected Curtailment Service Provider cleared megawatts from multiple Affected Demand Resources of the same type and Zone or sub-Zone, or cleared MWs in multiple RPM Auctions for the Applicable Delivery Year, the Office of the Interconnection shall allocate the reduction in capacity commitment by type of Demand Resource and by Zone or sub-Zone across the applicable Affected Demand Resources and relevant RPM Auctions. Such allocation shall be performed on a pro-rata basis, based on megawatts cleared by the Affected Demand Resources in the relevant RPM Auctions.

E. For each Applicable Delivery Year, an Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year relinquishes an Affected Demand Resource's RPM Auction credits for the amount of capacity commitment reduction as determined under subsection D above. Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are also adjusted accordingly.

9. PEAK SEASON MAINTENANCE COMPLIANCE PENALTY CHARGE.

a) Purpose

To preserve and maintain the reliability of the PJM Region and to recognize the impact of planned outages and maintenance outages of Generation Capacity Resources during the Peak Season, each Capacity Market Seller that commits a Generation Capacity Resource for a Delivery Year, and each Locational UCAP Seller that sells Locational UCAP from a Generation Capacity Resource for a Delivery Year, must ensure that such Generation Capacity Resource has available sufficient Unforced Capacity during the Peak Season to satisfy the megawatt amount committed from such resource as a result of all Sell Offers by such seller based on such resource in any RPM Auctions for such Delivery Year the reduction in any such commitment for such resource to the extent and for the time period of any replacement capacity committed in lieu of such resource, and the increase in any such commitment for such resource to the extent and for the time period that such resource is committed as replacement capacity for any other resource. The provisions of this section 9 do not apply to Capacity Performance Resources or Seasonal Capacity Performance Resources.

b) Peak Season Requirement

To the extent the Generation Capacity Resource will not be available due to a planned or maintenance outage that occurs during the Peak Season without the approval of the Office of the Interconnection, the Capacity Market Seller or Locational UCAP Seller must obtain replacement Unforced Capacity meeting the same locational requirements and same or better temporal availability characteristics (i.e., Annual Resources) from a Capacity Resource that is not already committed for such Delivery Year and that meets all characteristics specified in the Sell Offer or Locational UCAP transaction, including the megawatt quantity of Unforced Capacity committed for such Delivery Year (with such Unforced Capacity, in the case of a Generation Capacity Resource, determined on the basis of such Generation Capacity Resource's EFORD for the twelve months ending on the September 30 last preceding the Delivery Year), or otherwise, for Delivery Years through May 31, 2018, pay a Peak Season Maintenance Compliance Penalty Charge. The Capacity Market Seller or Locational UCAP Seller shall commit such replacement Capacity Resource in accordance with the procedure set forth in the PJM Manuals.

c) Peak Season Planned and Maintenance Outages

The Office of the Interconnection shall adopt and maintain rules and procedures for determining the allowable Peak Season planned and maintenance outages.

d) Peak Season Maintenance Compliance Penalty Charge

The Peak Season Maintenance Compliance Penalty Charge shall equal the Daily Deficiency Rate multiplied by the unforced value of a positive shortfall calculated for the capacity committed for each day during the Peak Season that such resource is out-of-service on a maintenance outage that is not authorized by the Office of the Interconnection. The shortfall shall equal (i) the annual average of the installed capacity committed for each day of such Delivery Year as a result

of all cleared Sell Offers in all RPM Auctions for such Delivery Year relying on such resource, reduction in any such commitment for such resource to the extent and for the time period of any replacement capacity committed in lieu of such resource, and increase in any such commitment for such resource to the extent and for the time period that such resource is committed as replacement capacity for any other resource, minus (ii) the summer net dependable rating minus the amount of capacity out-of-service on unapproved planned or maintenance outage on a peak season day.

e) Allocation of Revenue Collected from Peak Season Maintenance Compliance Penalty Charges

The revenue collected from assessment of a Peak Season Maintenance Compliance Penalty Charge shall be distributed on a pro-rata basis to all LSEs that were charged a Locational Reliability Charge for the day for which the Capacity Resource Deficiency Charge was assessed. Such revenues shall be distributed on a pro-rata basis to all such LSEs based on their Daily Unforced Capacity Obligation.

10. PEAK-HOUR-PERIOD AVAILABILITY CHARGES AND CREDITS

(a) To preserve and maintain the reliability of the PJM Region and to encourage Capacity Market Sellers and Locational UCAP Sellers to maintain the availability of Generation Capacity Resources during critical peak hours of the Delivery Year, each Capacity Market Seller that commits a Generation Capacity Resource for the 2017/2018 Delivery Year and any prior Delivery Year, and each Locational UCAP Seller that sells Locational UCAP from a Generation Capacity Resource for the 2017/2018 Delivery Year and any prior Delivery Year, shall be credited or charged to the extent the critical peak-period availability of its committed Generation Capacity Resources exceeds or falls short, respectively, of the expected availability of such resources. Charges and credits hereunder shall not apply to wind, solar resources, ~~or~~ Capacity Performance Resources or Seasonal Capacity Performance Resources.

(b) Critical peak periods for purposes of this assessment (“Peak-Hour Periods”) shall be the hour ending 1500 local prevailing time through the hour ending 1900 local prevailing time on any day during the calendar months of June through August that is not a Saturday, Sunday, or federal holiday, and the hour ending 800 local prevailing time through the hour ending 900 local prevailing time and the hour ending 1900 local prevailing time through the hour ending 2000 local prevailing time on any day during the calendar months of January and February that is not a Saturday, Sunday or federal holiday.

(c) Peak-Period Equivalent Forced Outage Rate and Peak-Period Capacity Calculations

The Peak-Period Equivalent Forced Outage Rate shall be calculated for Peak-Hour Periods based on the following formula:

$$\text{EFORP (\%)} = (\text{FOH} + \text{EFPOH}) / (\text{SH} + \text{FOH})$$

where

FOH = full forced outage hours when the unit was called upon, excluding those outages deemed as OMC (as defined below);

EFPOH = equivalent forced partial outage hours when the unit was called upon, excluding those outages deemed as OMC (as defined below); and

SH = service hours as defined pursuant to NERC GADS standards.

The Peak-Period Capacity of a Generation Capacity Resource shall be calculated as follows:

$$\text{PCAP} = \text{ICAP} * (1.0 - \text{EFOR}_p)$$

where

ICAP = the installed capacity rating of such Generation Capacity Resource

(d) Determination of Expected EFOR_P and PCAP for Generation Capacity Resources

For each Delivery Year, the expected EFOR_P and PCAP of each Generation Capacity Resource committed to serve load in such Delivery Year shall be the EFORD and UCAP, respectively, calculated on a rolling-average basis using such resource's service history during the five consecutive annual periods of twelve consecutive months ending September 30 last preceding such Delivery Year. Such EFOR_D and UCAP shall be determined in accordance with Schedule 5 of the Reliability Assurance Agreement, which excludes (for purposes of Capacity Resource UCAP calculations) outages deemed outside management control in accordance with the standards and guidelines of NERC, as defined in the Generating Availability Data System, Data Reporting Instructions in Attachment K or its successor ("Outside Plant Management Control" or "OMC").

(e) For each Delivery Year, the actual EFOR_P and PCAP of each Generation Capacity Resource shall be calculated during the Peak-Hour Periods of such Delivery Year, provided however, that such calculation shall not include any day such a resource was unavailable if such unavailability resulted in a charge or penalty due to delay, cancellation, retirement, de-rating, or rating test failure. The full or partial forced outage hours when called upon shall be those outage hours during which the cost-based offer for energy from the resource would have been less than the applicable Locational Marginal Price for such resource, or when the Office of the Interconnection would have called upon the resource (absent the outage) for Operating Reserves, in both cases as determined by the Office of the Interconnection in accordance with the procedures specified in the PJM Manuals (including, without limitation, respecting such unit's current operating constraints). In addition, for single-fueled, natural gas-fired units, a failure to perform during the winter Peak-Hour Period shall be excused for purposes of this section if the Capacity Market Seller, or Locational UCAP Seller, as applicable, can demonstrate to the Office of the Interconnection that such failure was due to non-availability of gas to supply the unit.

(f) If the calculation under subsection (e) for any Generation Capacity Resource for a Delivery Year results in fewer than fifty total Service Hours during Peak Hours, then the actual EFOR_P for purposes of such calculation shall be the lower of the resource's EFOR_D (based on Delivery Year outage data) and its EFOR_P and the actual PCAP for purposes of such calculation shall be, respectively, the resource's UCAP or its PCAP.

(g) For each Delivery Year, the excess or shortfall in Peak-Hour Period availability for each Generation Capacity Resource shall be determined by comparing such resource's expected and actual PCAP, subject to the limitation under subsection (i) below. The net Peak-Hour Period availability shortfall or excess for each Capacity Market Seller and FRR Entity in each Locational Deliverability Area shall be the net of the shortfalls and excesses of all Generation Capacity Resources in such Locational Deliverability Area committed by such Capacity Market Seller or Locational UCAP Seller for such Delivery Year. If there is a net positive Peak Hour Period availability shortfall in the LDA for such committed resources in the LDA, the sum of the excesses of all Generation Capacity Resources in such Locational Deliverability Area owned or controlled by such Capacity Market Seller, available for the

Delivery Year but not committed for such Delivery Year, and satisfying all obligations of a committed Capacity Resource for such Delivery Year shall be used to reduce the net positive Peak Hour Period availability shortfall in the LDA of committed resources by the amount of the sum of the excesses of such available uncommitted resources; however, such reduction shall not result in a net Peak Hour Period availability excess in the LDA.

(h) As to any Generation Capacity Resource experiencing or expected to experience a full or partial outage during any Peak-Hour Period that would or could result in a shortfall under subsection (g) above, a Capacity Market Seller or Locational UCAP Seller may obtain and commit Unforced Capacity from a replacement Capacity Resource (not previously committed) meeting the same locational requirements and same or better temporal availability characteristics (i.e., Annual Resources) as such resource. Such Unforced Capacity shall be recognized for purposes of this section prospectively from the effective date of commitment of such replacement resource, and to the extent such replacement Unforced Capacity thereafter is available during Peak-Hour Periods, any shortfall that otherwise would have been calculated shall be reduced to that extent. Any such commitment of replacement capacity shall be effective upon no less than one day's notice to the Office of the Interconnection.

(i) The shortfall determined for any Generation Capacity Resource shall not exceed an amount equal to 0.50 times the Unforced Capacity of such resource; provided, however, that if such limitation is triggered as to any Generation Capacity Resource for a Delivery Year, then the decimal multiplier for this calculation as to such resource in the immediately succeeding Delivery Year shall be increased to 0.75, and if such limitation again is triggered in such succeeding Delivery Year, then the multiplier shall be increased to 1.00. The multiplier shall remain at either such elevated level for each succeeding Delivery Year until the shortfall experienced by such resource is less than 0.50 times the Unforced Capacity of such resource for three consecutive Delivery Years.

(j) A Peak-Hour Period Availability Charge shall be assessed on each Capacity Market Seller or Locational UCAP Seller with a net shortfall in PCAP in an LDA, where such charge is equal to such shortfall times the Capacity Resource Clearing Price determined for such Locational Deliverability Area for such Delivery Year.

(k) The revenues from such charges shall be distributed to the Capacity Market Sellers, Locational UCAP Sellers, and FRR Entities that committed Generation Capacity Resources, in such Locational Deliverability Area that have net excess PCAP for such Delivery Year, provided however that any such seller shall be paid no more than the product of such seller's net excess PCAP times the Capacity Clearing Price determined for such Locational Deliverability Area for such Delivery Year. Any excess revenues remaining after such distribution shall be distributed on a pro-rata basis to all LSEs in the Zone that were charged the same Locational Reliability Charge for the Delivery Year for which the Peak Hour Availability Charge was assessed, and to all FRR Entities in the Zone that are LSEs and whose FRR Capacity Plan resources over-performed in the Delivery Year, on a pro-rata basis in accordance with each LSE's Daily Unforced Capacity Obligation.

(1) The Office of the Interconnection shall provide estimated charges and credits based on the summer Peak-Hour Periods within three calendar months after the end of the summer period. Final charges and credits for the Delivery Year shall be billed within three calendar months following the end of the Delivery Year.

10A. CHARGES FOR NON-PERFORMANCE AND CREDITS FOR PERFORMANCE

(a) For the 2018/2019 Delivery Year and any subsequent Delivery Year (and for certain purposes for the 2016/2017 and 2017/2018 Delivery Years as provided in subsections (h) and (i) hereof), each Capacity Market Seller that commits a Capacity Resource for a Delivery Year (whether through an RPM Auction, a bilateral transaction, or as Locational UCAP), and each Locational UCAP Seller that sells Locational UCAP from a Capacity Resource for a Delivery Year, shall be charged to the extent the performance of each of its committed Capacity Resources during all or any part of a clock-hour when an Emergency Action is in effect falls short of the expected performance of such resources (as determined herein) and the revenue from such charges shall be provided to Market Participants with generation or demand response resources that perform during such hour in excess of the level expected based on commitments (if any) of such resources.

(b) Performance shall be measured for purposes of this assessment during each Performance Assessment Hour.

(c) For each Performance Assessment Hour, the Office of the Interconnection shall determine whether, and the extent to which, the actual performance of each Capacity Resource and Locational UCAP has fallen short of the performance expected of such committed Capacity Resource, and the magnitude of any such shortfall, based on the following formula:

Performance Shortfall = Expected Performance - Actual Performance

Where the result of such formula is a positive number and where:
Expected Performance =

for Generation Capacity Resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and Capacity Storage Resources: [(Resource Committed Capacity * the Balancing Ratio)];

where

Resource Committed Capacity = the total megawatts of Unforced Capacity of the Capacity Resource committed by such Capacity Market Seller or Locational UCAP Seller; and

The Balancing Ratio = (All Actual Generation Performance, Storage Resource Performance, Net Energy Imports and Demand Response Bonus Performance) / (All Committed Generation and Storage Capacity); provided, however, that Net Energy Imports shall be included in the calculation of the Balancing Ratio only for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region; and provided further that the Balancing Ratio shall not exceed a value of 1.0.

for purposes of which

All Committed Generation and Storage Capacity = the total megawatts of Unforced Capacity of all Generation Capacity Resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and all Capacity Storage Resources committed by all Capacity Market Sellers, FRR Entities, Locational UCAP Sellers;

All Actual Generation Performance and Storage Resource Performance = the total amount of Actual Performance for all generation resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and storage resources during the interval;

Net Energy Imports = the sum of interchange transactions importing energy into PJM (not including those associated with external Generation Capacity Resources and therefore included in All Actual Generation Performance) minus the sum of interchange transactions exporting energy out of PJM, but not less than zero;

Demand Response Bonus Performance = the sum of Bonus performance provided by Demand Response resources as calculated in (g) below;

and for Demand Resources, Energy Efficiency Resources, and Qualifying Transmission Upgrades: Resource Committed Capacity;

where

Resource Committed Capacity = the total megawatts of capacity committed from such Capacity Resource committed capacity without making any adjustment for the Forecast Pool Requirement

and

Actual Performance =

for each generation resource, the metered output of energy delivered by such resource plus the resource's real-time reserve or regulation assignment, if any, during the Performance Assessment Hour;

for each storage resource, the metered output of energy delivered by such resource plus the resource's real-time reserve or regulation assignment, if any, during the Performance Assessment Hour;

for each Demand Resource, the demand response provided by such resource, plus such resource's real-time reserve or regulation assignment, if any, during the

Performance Assessment Hour, as established through the PJM demand response settlement procedure consistent with the standards specified in Schedule 6 of the RAA;

for each Energy Efficiency Resource, the load reduction quantity approved by PJM subsequent to the pre-delivery year submittal of a post-installation measurement and verification report; and

for each Qualified Transmission Upgrade, the megawatt quantity cleared by such Qualified Transmission Upgrade if it is in service during the Performance Assessment Hour, and zero if it is not in service during such Performance Assessment Hour.

Such calculation shall encompass all resources located in the area defined by the Emergency Action; provided, however, that Performance Shortfall shall be calculated for external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region. For purposes of this provision, Qualifying Transmission Upgrades shall be deemed to be located in the Locational Deliverability Area into which such upgrade increased the Capacity Emergency Transfer Limit, and a Qualifying Transmission Upgrade shall be included in calculations of Expected Performance and Actual Performance only if, and to the extent that, the declared Emergency Action encompasses the Locational Deliverability Area into which such upgrade increased the Capacity Emergency Transfer Limit. The Performance Shortfall shall be calculated for each Performance Assessment Hour, and any committed Capacity Resource for which the above calculation produces a negative number for a Performance Assessment Hour shall not have a Performance Shortfall for such Performance Assessment Hour. For any resource that is partially committed as a Capacity Performance Resource and partially committed as a Base Capacity Resource, the performance of such resource during a Performance Assessment Hour shall first be attributed to the resource's Capacity Performance Resource obligation; any performance by such resource in excess of the Capacity Performance Resource's Expected Performance shall be attributed to the resource's Base Capacity Resource obligation.

(d) Notwithstanding subsection (c) above, a Capacity Resource or Locational UCAP of a Capacity Market Seller or Locational UCAP Seller shall not be considered in the calculation of a Performance Shortfall for a Performance Assessment Hour to the extent such Capacity Resource or Locational UCAP was unavailable during such Performance Assessment Hour solely because the resource on which such Capacity Resource or Locational UCAP is based was on a Generator Planned Outage or Generator Maintenance Outage approved by the Office of the Interconnection, or was not scheduled to operate by the Office of the Interconnection, or was online but was scheduled down, by the Office of the Interconnection, based on a determination by the Office of the Interconnection that such scheduling action was appropriate to the security-constrained economic dispatch of the PJM Region. Such a resource shall be considered in the calculation of a Performance Shortfall if it otherwise *was needed and would* have been scheduled by the Office of the Interconnection to perform, but was not scheduled to operate, or was scheduled down, solely due to: (i) any operating parameter limitations submitted in the resource's offer, or (ii) the seller's submission of a market-based offer higher than its cost-based.

(e) Subject to the Non-Performance Charge Limit specified in subsection (f) hereof, each Capacity Market Seller and Locational UCAP Seller shall be assessed a Non-Performance Charge for each of its Capacity Resources or Locational UCAP that has a Performance Shortfall for a Performance Assessment Hour based on the following formula, applied to each such resource:

$$\text{Non-Performance Charge} = \text{Performance Shortfall} * \text{Non-Performance Charge Rate}$$

Where

For Capacity Performance Resources and Seasonal Capacity Performance Resources, the Non-Performance Charge Rate = (Net Cost of New Entry (stated in terms of installed capacity) for the LDA and Delivery Year for which such calculation is performed * (365 / 30)

and for Base Capacity Resources the Non-Performance Charge Rate = (Weighted Average Resource Clearing Price applicable to the resource * (365 / 30)

(f) The Non-Performance Charges for each Capacity Performance Resource or (including Locational UCAP from such a resource) for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to 1.5 times the Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365. All references to Net Cost of New Entry in this section 10A shall be to the Net Cost of New Entry for the LDA and Delivery Year for which the calculation is performed. The total Non-Performance Charges for each Base Capacity Resource (including Locational UCAP from such a resource) for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to the total payments due such Capacity Resource or Locational UCAP under section 5.14 of this Attachment DD for such Delivery Year. The Non-Performance Charges for each Seasonal Capacity Performance Resource for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to 1.5 times the Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times the number of days in the season applicable to such resource.

(g) Revenues collected from assessment of Non-Performance Charges for a Performance Assessment Hour shall be distributed to each Market Participant, whether or not such Market Participant committed a Capacity Resource or Locational UCAP for a Performance Assessment Hour, that provided energy or load reductions above the levels expected for such resource during such hour. For purposes of this provision, the performance expected of a resource, and the revenue distribution payment, if any, for a resource, shall be determined in accordance with the following formulae:

Formula 1: Market Participant Bonus Performance = Actual Performance – Expected Performance

And

Formula 2: Performance Payment = (Market Participant Bonus Performance / All Market Participants Bonus Performance) * Non-Performance Charge Revenues.

Where the result of Formula 1 is a positive number and where:

Actual Performance is as defined in subsection (c), provided, however, that Actual Performance for purposes of this calculation shall not exceed the megawatt level at which such resource was scheduled by the Office of the Interconnection during the Performance Assessment Hours; and provided further that Actual Performance for a Market Participant that imports energy into the PJM Region during such Performance Assessment Hour shall be the net import, if any, from all interchange transactions scheduled by such Market Participant during such Performance Assessment Hour;

Expected Performance is as defined in subsection (c), provided, however, that for purposes of this calculation, Expected Performance shall be zero for any resource that is not a Capacity Resource or Locational UCAP, or that is a Capacity Resource or Locational UCAP, but for which the Performance Assessment Hour occurs outside the resource's capacity obligation period, including, without limitation, a Base Capacity Demand Resource providing demand response during non-summer months; and

All Market Participants Bonus Performance is the sum of the results of calculating Formula 1 of this subsection (g) for all Market Participants that have Bonus Performance during such Performance Assessment Hour.

(h) The provisions of this section 10A shall apply during the 2016/2017 Delivery Year, provided that:

- (i) Non-Performance Charges shall be determined solely for and assessed solely on, Capacity Performance Resources committed for such Delivery Year;
- (ii) The Non-Performance Charge shall be 0.5 times the Non-Performance Charge calculated under subsection (e) hereof; and
- (iii) The Non-Performance Charge Limit for a Delivery Year shall be 0.75 times Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365.

(i) The provisions of this section 10A shall apply during the 2017-2018 Delivery Year, provided that:

- (i) Non-Performance Charges shall be determined solely for, and assessed solely on, Capacity Performance Resources committed for such Delivery Year;
- (ii) The Non-Performance Charge shall be 0.6 times the Non-Performance Charge calculated under subsection (e) hereof; and

(iii) The Non-Performance Charge Limit for a Delivery Year shall be 0.9 times Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365.

(j) The Office of the Interconnection shall bill charges and credits for performance during Performance Assessment Hours within three calendar months after the calendar month that included such Performance Assessment Hours, provided, for any Non-Performance Charge, the amount shall be divided by the number of months remaining in the Delivery Year for which no invoice has been issued, and the resulting amount shall be invoiced each such remaining month in the Delivery Year.

11A DEMAND RESOURCES TEST FAILURE CHARGE

a) Beginning with the Delivery Year that commences on June 1, 2009, Capacity Market Sellers that commit Demand Resources may be charged to the extent their committed resources fail performance tests, as set forth herein.

b)

- (i) For Demand Resources not committed as Capacity Performance Resources for Delivery Years through May 31, 2018:

For Limited Demand Resources: If a registration for a Limited Demand Resource committed by a Capacity Market Seller is not dispatched by the Office of the Interconnection for a Load Management event prior to August 15 of the relevant Delivery Year, then such registration must demonstrate that it was tested as described below in (iii), in a zone for a one-hour period during any hour when a PJM Load Management event may be called between June 1 and September 30, inclusive. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of the Interconnection for a PJM Load Management event in a zone between August 16 and September 30, no test will be required. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of Interconnection for a PJM Load Management event in a subzone between June 1 and September 30 of the 2012/2013 and 2013/2014 Delivery Years, and such registration performs at or above the nominated amount of capacity on the registration, no test will be required and no Demand Resources Test Failure Charges will be assessed for such registrations. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of the Interconnection for a PJM Load Management event in a zone between June 1 and September 30, inclusive, then Demand Resources Test Failure Charges will not be assessed.

For Annual Demand Resources: if an Annual Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event in a Delivery Year, then the Annual Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Annual Demand Resource registration committed in a zone was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year. If an Annual Demand Resource registration is dispatched by the Office of the Interconnection for a Load

Management event during the Delivery Year, then no test will be required.

For Extended Summer Demand Resources: if an Extended Summer Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through October or the following May, then the Extended Summer Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Extended Summer Demand Resource registration was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year.

- (ii) For Demand Resources committed as Capacity Performance Resources for the 2016/2017 and 2017/2018 Delivery Years and for all Demand Resources for the 2018/2019 Delivery Year and subsequent Delivery Years:

For Base Capacity Demand Resources: if an Base Capacity Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through September, then the Base Capacity Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Base Capacity Demand Resource registration was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through September of the relevant Delivery Year.

For Demand Resources that commit as Capacity Performance Resources: if a Demand Resource that is a Capacity Performance Resource registration is not dispatched by the Office of the Interconnection for a Load Management event in a Delivery Year, then that Demand Resource registration committed by a Capacity Market Seller must demonstrate that that Demand Resource registration committed in a zone was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year. If an Annual Demand Resource registration is dispatched by the Office of the Interconnection for a Load Management event during the Delivery Year, then no test will be required.

For Summer-Period Demand Resources: if a Summer-Period Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through October or the following May of the Delivery Year, then the

registration committed by a Capacity Market Seller must demonstrate that it was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year.

- (iii) All registrations in a zone required to test must be tested simultaneously for each product except that, when less than 25 percent (by megawatts) of a provider's total resources in a zone fail a test, the provider may conduct a re-test limited to all registrations that failed the prior test, provided that such re-test must be at the same time of day and under approximately the same weather conditions as the prior test, and provided further that all affiliated registrations must test simultaneously, where affiliated means registrations that have any ability to shift load and are owned or controlled by the same entity. If less than 25 percent of resources fail the test and the provider chooses to conduct a retest, the provider may elect to maintain the performance compliance result for registration(s) achieved during the test if provider: (1) notifies the Office of the Interconnection 48 hours prior to the retest under this election; and (2) the provider retests affiliated registrations under this election as set forth in the PJM Manual.

c) a Capacity Market Seller that committed Demand Resources shall be assessed a Demand Resources Test Failure Charge equal to the net capability testing shortfall for such products tested in a Zone during such test in the aggregate of all of such Seller's Demand Resources tested in such Zone times the Demand Resources Test Failure Charge Rate. The net capability testing shortfall in such Zone shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable DR Factor and Forecast Pool Requirement: (i) the summer daily average of the megawatts of load reduction capability committed by such seller in such Zone for such product(s) tested minus (ii) the megawatts of load reduction actually provided by all such Demand Resources in such Zone during such test. The net capability testing shortfall in such Zone for such product(s) tested shall be reduced by the provider's summer daily average of the Capacity Resource deficiency shortfalls, determined pursuant to section 8 of Attachment DD of this Tariff, in such Zone for all of the provider's committed Demand Resources that are of the same product(s) tested.

d) the Demand Resources Test Failure Charge Rate shall equal such Seller's Weighted Daily Revenue Rate in such Zone for the product(s) tested plus the greater of (0.20 times the Weighted Daily Revenue Rate in such Zone for the product(s) tested or \$20/MW-day). The Daily Demand Resources Test Failure Charge in a zone for the product(s) tested shall be equal to the net capability testing shortfall in such Zone for such product(s) tested times the Demand Resources Test Failure Charge Rate. Such charge shall be assessed daily and charged monthly (or otherwise in accordance with customary PJM billing practices in effect at the time); provided, however, that a lump sum payment may be required to reflect amounts due, as a result of a test failure, from the start of the Delivery Year to the day that charges are reflected in regular billing.

e) revenues collected from assessment of Demand Resources Test Failure Charges shall be distributed to Load Serving Entities that were charged a Locational Reliability Charge for the Delivery Year for which the Demand Resources Test Failure Charge was assessed, pro-rata based on such Load Serving Entities' Daily Unforced Capacity Obligations.

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, [a Summer-Period Demand Resource](#) or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance

with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the

Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand

Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) **Summary Information.** The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) **Existing Demand Resources.** The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) **Planned Demand Resources.** The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand

response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights

and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine

reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resources in the following ~~four~~ ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider’s market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

~~Customer Baseline Load (CBL) – Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.~~

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as typically determined by the 5CP methodology utilized by the electric distribution company to determine ~~other~~ ICAP obligation values. The Nominated Value for Annual Demand Resources with a Capacity Performance commitment shall equal the lessor of i) total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor and ii) total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The Nominated Value for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment shall be total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor.~~The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution—Firm Contract Level adjusted for system losses.~~

The Nominated Value for a Guaranteed Load Drop customer for Annual Demand Resources with a Capacity Performance commitment will be the lessor of the summer and winter guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The Nominated Value for a Guaranteed Load Drop customer for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment will be the summer guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum ~~credit~~value nominated for any Demand Resource shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish ~~credit~~nominated values. Additional data may be required, as defined in sections J and K and the PJM Manuals.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor,

zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider’s Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in Article 1, subject to the following requirements: ~~For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:~~

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer’s current Delivery Year peak load contribution (“PLC”) minus the metered load

(“Load”) multiplied by the loss factor (“LF”). The calculation is represented by:

(PLC) - (Load *LF)

Winter (November through April of a Delivery Year)– End use customer’s Winter Peak Load (“WPL”) multiplied by Zonal Winter Weather Adjustment Factor (“ZWWAF”) multiplied by LF, minus the metered load (“Load”) multiplied by the LF. The calculation is represented by:

(WPL * ZWWAF * LF) – (Load * LF)

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event for Demand Resource without a Capacity Performance commitment or on an hourly basis for Demand Resources with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock

hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

~~For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:~~

~~Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer's Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.~~

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;

- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and

- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and-

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy

Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, [a Summer-Period Demand Resource](#) or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance

with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the

Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand

Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand

response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights

and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine

reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resources in the following four ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider’s market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

Customer Baseline Load (CBL) - Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office

of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event, for each FSL and GLD customer dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:

Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer

the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; ~~and-~~
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering

an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

Section(s) of the
PJM Reliability Assurance Agreement

(Marked / Redline Format)

ARTICLE 1 – DEFINITIONS

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

Agreement:

“Agreement” shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

Annual Demand Resource:

“Annual Demand Resource” shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Annual Energy Efficiency Resource:

“Annual Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer and winter periods described in such Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Applicable Regional Entity:

“Applicable Regional Entity” shall have the same meaning as in the PJM Tariff.

Base Capacity Demand Resource:

“Base Capacity Demand Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a resource that is placed under the direction of the Office of the Interconnection and that

will be available June through September of a Delivery Year, and will be available to the Office of the Interconnection for an unlimited number of interruptions during such months, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Base Capacity Demand Resource must be available June through September in the corresponding Delivery Year to be offered for sale or self-supplied in an RPM Auction, or included as a Base Capacity Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Base Capacity Energy Efficiency Resource:

“Base Capacity Energy Efficiency Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Base Capacity Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Base Capacity Resource:

“Base Capacity Resource” shall have the same meaning as in Tariff, Attachment DD.

Base Residual Auction:

“Base Residual Auction” shall have the same meaning as in Tariff, Attachment DD.

Behind The Meter Generation:

“Behind The Meter Generation” shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit’s capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

Black Start Capability:

“Black Start Capability” shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

Capacity Emergency Transfer Objective (CETO):

“Capacity Emergency Transfer Objective” or “CETO” shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Reliability Assurance Agreement, Schedule 5, Paragraph C.

Capacity Emergency Transfer Limit (CETL):

Capacity Emergency Transfer Limit” or “CETL” shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

Capacity Import Limit:

“Capacity Import Limit” shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transfer Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions. PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import

Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:

(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;

(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and

(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by Tariff, Attachment DD, section 6.6 to offer their capacity into RPM Auctions; provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.

Capacity Performance Resource:

“Capacity Performance Resource” shall have the same meaning as in Tariff, Attachment DD.

Capacity Resources:

“Capacity Resources” shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; and (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.

Capacity Transfer Right:

“Capacity Transfer Right” shall have the meaning specified in Tariff, Attachment DD.

Compliance Aggregation Area (CAA):

“Compliance Aggregation Area” or “CAA” shall have the same meaning as in the Tariff.

Control Area:

“Control Area” shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

(a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);

(b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;

(c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;

(d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and

(e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

Daily Unforced Capacity Obligation:

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with the Reliability Assurance Agreement, Schedule 8 or, as to an FRR Entity, in the Reliability Assurance Agreement, Schedule 8.1.

Delivery Year:

“Delivery Year” shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Tariff, Attachment DD, section 5 or pursuant to an FRR Capacity Plan.

Demand Resource (DR):

“Demand Resource” or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, Annual Demand Resource, ~~or~~ Base Capacity Demand Resource or Summer-Period Demand Resource with a demonstrated capability to provide a reduction in demand or otherwise control load in accordance with the requirements of the Reliability Assurance Agreement, Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan.

Demand Resource Officer Certification Form:

“Demand Resource Officer Certification Form” shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with the Reliability Assurance Agreement, Schedules 6 and 8.1 and the PJM Manuals.

Demand Resource Sell Offer Plan:

“Demand Resource Sell Offer Plan” shall mean the plan required by the Reliability Assurance Agreement, Schedules 6 and 8.1 in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

Demand Resource Factor or DR Factor:

“Demand Resource Factor” or “DR Factor” shall mean, for Delivery Years through May 31, 2018, that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with the Reliability Assurance Agreement, Schedule 6.

Electric Cooperative:

“Electric Cooperative” shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

Electric Distributor:

“Electric Distributor” shall mean a Member that 1) owns or leases with rights equivalent to ownership of electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to the electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of

system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the periods described in the Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention. Annual Energy Efficiency Resources, ~~and~~ Base Capacity Energy Efficiency Resources and Summer-Period Energy Efficiency Resources are types of Energy Efficiency Resources.

Existing Demand Resource:

“Existing Demand Resource” shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as

those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Facilities Study Agreement:

“Facilities Study Agreement” shall have the same meaning as in the PJM Tariff

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over this Reliability Assurance Agreement.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Tariff, Part II.

Firm Transmission Service:

“Firm Transmission Service” shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

Fixed Resource Requirement Alternative or FRR Alternative:

“Fixed Resource Requirement Alternative” or “FRR Alternative” shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in the Reliability Assurance Agreement, Schedule 8.1.

Forecast Pool Requirement:

“Forecast Pool Requirement” or “FPR” shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Reliability Assurance Agreement, as approved by the PJM Board pursuant to Reliability Assurance Agreement, Schedule 4.1.

FRR Capacity Plan or FRR Plan:

“FRR Capacity Plan” or “FRR Plan” shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in the Reliability Assurance Agreement, Schedule 8.1.

FRR Entity:

“FRR Entity” shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

FRR Service Area:

“FRR Service Area” shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

Full Requirements Service:

“Full Requirements Service” shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Generation Capacity Resource:

“Generation Capacity Resource” shall mean a generation unit, or the contractual right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement, and, for generation units that are committed to an FRR Capacity Plan, that meets the

requirements of Schedule 8.1 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

Generation Owner:

“Generation Owner” shall mean a Member that owns or leases with rights equivalent to ownership, facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

Generator Forced Outage:

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

Generator Maintenance Outage:

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

Generator Planned Outage:

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

Good Utility Practice:

“Good Utility Practice” shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region; including those practices required by Federal Power Act Section 215(a)(4).

Incremental Auction:

“Incremental Auction” shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction.

IOU:

“IOU” shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

Limited Demand Resource:

“Limited Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 Load Management Events during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Load Serving Entity or LSE:

“Load Serving Entity” or “LSE” shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

Locational Reliability Charge:

“Locational Reliability Charge” shall mean the charge determined pursuant to Operating Agreement, Schedule 8.

Markets and Reliability Committee:

“Markets and Reliability Committee” shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

Maximum Emergency Service Level:

“Maximum Emergency Service Level” or “MESL” of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

Member:

“Member” shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with the Reliability Assurance Agreement, Article 4, each Party to this Agreement also is a Member.

Members Committee:

“Members Committee” shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

NERC:

“NERC” shall mean the North American Electric Reliability Corporation or any successor thereto.

Network External Designated Transmission Service:

“Network External Designated Transmission Service” shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.

Network Resources:

“Network Resources” shall have the meaning set forth in the PJM Tariff.

Network Transmission Service:

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Tariff, Part III or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

Nominal PRD Value:

“Nominal PRD Value” shall mean, as to any PRD Provider, an adjustment, determined in accordance with Operating Agreement, Schedule 6.1, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

Nominated Demand Resource Value:

“Nominated Demand Resource Value” shall have the meaning specified in Tariff, Attachment DD.

Non-Retail Behind the Meter Generation:

“Non-Retail Behind the Meter Generation” shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

Obligation Peak Load:

“Obligation Peak Load” shall have the meaning specified in Operating Agreement, Schedule 8.

Office of the Interconnection:

“Office of the Interconnection” shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement:

“Operating Agreement of the PJM Interconnection, L.L.C.” or “Operating Agreement” shall mean that Agreement, dated as of April 1, 1997 and as amended and restated as of June 2, 1997, including all Schedules, Exhibits, Appendices, addenda or supplements hereto, as amended from time to time thereafter, among the Members of the PJM Interconnection, L.L.C.

Operating Day:

“Operating Day” shall have the same meaning as provided in the Operating Agreement.

Operating Reserve:

“Operating Reserve” shall mean the amount of generating capacity scheduled to be available for a specified period of an Operating Day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

Other Supplier:

“Other Supplier” shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

Partial Requirements Service:

“Partial Requirements Service” shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Performance Assessment Hour:

“Performance Assessment Hour” shall have the meaning specified in Attachment DD of the PJM Tariff.

Percentage Internal Resources Required:

“Percentage Internal Resources Required” shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

Party:

“Party” shall mean an entity bound by the terms of the Operating Agreement.

PJM:

“PJM” shall mean the PJM Board and the Office of the Interconnection.

PJM Board:

“PJM Board” shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

PJM Manuals:

“PJM Manuals” shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

PJM Tariff (Tariff):

“PJM Tariff” or “Tariff” shall mean that certain “PJM Open Access Transmission Tariff, including any schedules, appendices, or exhibits attached thereto, on file with FERC and as amended from time to time thereafter.

PJM Region:

“PJM Region” shall have the same meaning as provided in the Operating Agreement.

PJM Region Installed Reserve Margin:

“PJM Region Installed Reserve Margin” shall mean the percent installed reserve margin for the PJM Region required pursuant to the Operating Agreement, as approved by the PJM Board pursuant to Operating Agreement, Schedule 4.1.

Planned Demand Resource:

“Planned Demand Resource” shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Operating Agreement, Schedule 6. As set forth in Operating Agreement, Schedules 6 and 8.1, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

Planned External Generation Capacity Resource:

“Planned External Generation Capacity Resource” shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource’s commitment to the PJM Region. Prior to participation in any Base Residual Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has a fully executed system impact study agreement (or other documentation which is functionally equivalent to a System Impact Study Agreement under the PJM Tariff) or, for resources which are greater than 20MWs participating in a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, an agreement or other documentation which is functionally equivalent to a Facilities Study Agreement under the PJM Tariff), with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. Prior to participating in any Incremental Auction for such Delivery Year, the Capacity Market Seller must demonstrate it has entered into an interconnection agreement, or such other documentation that is functionally equivalent to an Interconnection Service Agreement under the PJM Tariff, with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. A Planned External Generation

Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. Any such resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

Planned Generation Capacity Resource:

“Planned Generation Capacity Resource” shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iv) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (v) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.

Planning Period:

“Planning Period” shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

PRD Curve:

“PRD Curve” shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

PRD Provider:

“PRD Provider” shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

PRD Provider’s Zonal Expected Peak Load Value of PRD:

“PRD Provider’s Zonal Expected Peak Load Value of PRD” shall mean the expected contribution to Delivery Year peak load of a PRD Provider’s Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year’s peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection’s load forecasts used for purposes of the RPM Auctions.

PRD Reservation Price:

“PRD Reservation Price” shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

PRD Substation:

“PRD Substation” shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

Price Responsive Demand:

“Price Responsive Demand” or “PRD” shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

Price Responsive Demand Credit:

“Price Responsive Demand Credit” shall mean a credit, based on committed Price Responsive Demand, as determined under Operating Agreement, Schedule 6.1.

Price Responsive Demand Plan or PRD Plan:

“Price Responsive Demand Plan” or “PRD Plan” shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Operating Agreement, Schedule 6.1 and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider’s Nominal PRD Value.

Public Power Entity:

“Public Power Entity” shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

Qualifying Transmission Upgrades:

“Qualifying Transmission Upgrades” shall have the meaning specified in Attachment DD to the PJM Tariff.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” or “RERRA” shall have the meaning specified in the PJM Operating Agreement.

Reliability Principles and Standards:

“Reliability Principles and Standards” shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

Required Approvals:

“Required Approvals” shall mean all of the approvals required for the Operating Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of the Operating Agreement.

Self-Supply:

“Self-Supply” shall have the meaning provided in Tariff, Attachment DD.

Small Commercial Customer:

“Small Commercial Customer” shall have the same meaning as in the PJM Tariff.

State Consumer Advocate:

“State Consumer Advocate” shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Regulatory Structural Change:

“State Regulatory Structural Change” shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party’s default service rules that materially affect whether retail choice is economically viable.

Summer-Period Demand Resource:

Summer-Period Demand Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a resource that is placed under the direction of the Office of the Interconnection, and will be available June through October and the following May of the Delivery Year, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Summer-Period Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale in an RPM Auction, or included as a Summer-Period Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Summer-Period Energy Efficiency Resource:

Summer-Period Energy Efficiency Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards,

or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Summer-Period Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Supervisory Control:

“Supervisory Control” shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of the Operating Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

Threshold Quantity:

“Threshold Quantity” shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity’s Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Operating Agreement, Schedule 8.1).

Transmission Facilities:

“Transmission Facilities” shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Owner:

“Transmission Owner” shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

Transmission Owners Agreement:

“Transmission Owners Agreement” shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

Unforced Capacity:

“Unforced Capacity” shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

Winter Peak Load (or WPL):

“Winter Peak Load” or “WPL” shall mean the Demand Resource customer specific peak load between hour ending 7:00 EPT through 21:00 EPT on the PJM defined 5 coincident peak days from December through February two Delivery Years prior the Delivery Year for which the registration is submitted and as outlined in the PJM Manuals.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

Zone or Zonal:

“Zone” or “Zonal” shall refer to an area within the PJM Region, as set forth in Operating Agreement, Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

Zonal Winter Weather Adjustment Factor (ZWWAF):

“Zonal Winter Weather Adjustment Factor” or “ZWWAF” shall mean the PJM zonal winter weather normalized coincident peak divided by PJM zonal average of 5 coincident peak loads in December through February.

ARTICLE 1 – DEFINITIONS

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

Agreement:

“Agreement” shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

Annual Demand Resource:

“Annual Demand Resource” shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Annual Energy Efficiency Resource:

“Annual Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer and winter periods described in such Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Applicable Regional Entity:

“Applicable Regional Entity” shall have the same meaning as in the PJM Tariff.

Base Capacity Demand Resource:

“Base Capacity Demand Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a resource that is placed under the direction of the Office of the Interconnection and that

will be available June through September of a Delivery Year, and will be available to the Office of the Interconnection for an unlimited number of interruptions during such months, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Base Capacity Demand Resource must be available June through September in the corresponding Delivery Year to be offered for sale or self-supplied in an RPM Auction, or included as a Base Capacity Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Base Capacity Energy Efficiency Resource:

“Base Capacity Energy Efficiency Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Base Capacity Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Base Capacity Resource:

“Base Capacity Resource” shall have the same meaning as in Tariff, Attachment DD.

Base Residual Auction:

“Base Residual Auction” shall have the same meaning as in Tariff, Attachment DD.

Behind The Meter Generation:

“Behind The Meter Generation” shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit’s capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

Black Start Capability:

“Black Start Capability” shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

Capacity Emergency Transfer Objective (CETO):

“Capacity Emergency Transfer Objective” or “CETO” shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Reliability Assurance Agreement, Schedule 5, Paragraph C.

Capacity Emergency Transfer Limit (CETL):

Capacity Emergency Transfer Limit” or “CETL” shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

Capacity Import Limit:

“Capacity Import Limit” shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transfer Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions. PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import

Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:

(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;

(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and

(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by Tariff, Attachment DD, section 6.6 to offer their capacity into RPM Auctions; provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.

Capacity Performance Resource:

“Capacity Performance Resource” shall have the same meaning as in Tariff, Attachment DD.

Capacity Resources:

“Capacity Resources” shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; and (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.

Capacity Transfer Right:

“Capacity Transfer Right” shall have the meaning specified in Tariff, Attachment DD.

Compliance Aggregation Area (CAA):

“Compliance Aggregation Area” or “CAA” shall have the same meaning as in the Tariff.

Control Area:

“Control Area” shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

(a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);

(b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;

(c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;

(d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and

(e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

Daily Unforced Capacity Obligation:

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with the Reliability Assurance Agreement, Schedule 8 or, as to an FRR Entity, in the Reliability Assurance Agreement, Schedule 8.1.

Delivery Year:

“Delivery Year” shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Tariff, Attachment DD, section 5 or pursuant to an FRR Capacity Plan.

Demand Resource (DR):

“Demand Resource” or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, Annual Demand Resource, ~~or~~ Base Capacity Demand Resource or Summer-Period Demand Resource with a demonstrated capability to provide a reduction in demand or otherwise control load in accordance with the requirements of the Reliability Assurance Agreement, Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan.

Demand Resource Officer Certification Form:

“Demand Resource Officer Certification Form” shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with the Reliability Assurance Agreement, Schedules 6 and 8.1 and the PJM Manuals.

Demand Resource Sell Offer Plan:

“Demand Resource Sell Offer Plan” shall mean the plan required by the Reliability Assurance Agreement, Schedules 6 and 8.1 in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

Demand Resource Factor or DR Factor:

“Demand Resource Factor” or “DR Factor” shall mean, for Delivery Years through May 31, 2018, that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with the Reliability Assurance Agreement, Schedule 6.

Electric Cooperative:

“Electric Cooperative” shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

Electric Distributor:

“Electric Distributor” shall mean a Member that 1) owns or leases with rights equivalent to ownership of electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to the electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of

system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the periods described in the Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention. Annual Energy Efficiency Resources, ~~and~~ Base Capacity Energy Efficiency Resources and Summer-Period Energy Efficiency Resources are types of Energy Efficiency Resources.

Existing Demand Resource:

“Existing Demand Resource” shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as

those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Facilities Study Agreement:

“Facilities Study Agreement” shall have the same meaning as in the PJM Tariff

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over this Reliability Assurance Agreement.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Tariff, Part II.

Firm Transmission Service:

“Firm Transmission Service” shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

Fixed Resource Requirement Alternative or FRR Alternative:

“Fixed Resource Requirement Alternative” or “FRR Alternative” shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in the Reliability Assurance Agreement, Schedule 8.1.

Forecast Pool Requirement:

“Forecast Pool Requirement” or “FPR” shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Reliability Assurance Agreement, as approved by the PJM Board pursuant to Reliability Assurance Agreement, Schedule 4.1.

FRR Capacity Plan or FRR Plan:

“FRR Capacity Plan” or “FRR Plan” shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in the Reliability Assurance Agreement, Schedule 8.1.

FRR Entity:

“FRR Entity” shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

FRR Service Area:

“FRR Service Area” shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

Full Requirements Service:

“Full Requirements Service” shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Generation Capacity Resource:

“Generation Capacity Resource” shall mean a generation unit, or the contractual right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement, and, for generation units that are committed to an FRR Capacity Plan, that meets the

requirements of Schedule 8.1 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

Generation Owner:

“Generation Owner” shall mean a Member that owns or leases with rights equivalent to ownership, facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

Generator Forced Outage:

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

Generator Maintenance Outage:

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

Generator Planned Outage:

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

Good Utility Practice:

“Good Utility Practice” shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region; including those practices required by Federal Power Act Section 215(a)(4).

Incremental Auction:

“Incremental Auction” shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction.

IOU:

“IOU” shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

Limited Demand Resource:

“Limited Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 Load Management Events during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Load Serving Entity or LSE:

“Load Serving Entity” or “LSE” shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

Locational Reliability Charge:

“Locational Reliability Charge” shall mean the charge determined pursuant to Operating Agreement, Schedule 8.

Markets and Reliability Committee:

“Markets and Reliability Committee” shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

Maximum Emergency Service Level:

“Maximum Emergency Service Level” or “MESL” of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

Member:

“Member” shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with the Reliability Assurance Agreement, Article 4, each Party to this Agreement also is a Member.

Members Committee:

“Members Committee” shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

NERC:

“NERC” shall mean the North American Electric Reliability Corporation or any successor thereto.

Network External Designated Transmission Service:

“Network External Designated Transmission Service” shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.

Network Resources:

“Network Resources” shall have the meaning set forth in the PJM Tariff.

Network Transmission Service:

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Tariff, Part III or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

Nominal PRD Value:

“Nominal PRD Value” shall mean, as to any PRD Provider, an adjustment, determined in accordance with Operating Agreement, Schedule 6.1, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

Nominated Demand Resource Value:

“Nominated Demand Resource Value” shall have the meaning specified in Tariff, Attachment DD.

Non-Retail Behind the Meter Generation:

“Non-Retail Behind the Meter Generation” shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

Obligation Peak Load:

“Obligation Peak Load” shall have the meaning specified in Operating Agreement, Schedule 8.

Office of the Interconnection:

“Office of the Interconnection” shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement:

“Operating Agreement of the PJM Interconnection, L.L.C.” or “Operating Agreement” shall mean that Agreement, dated as of April 1, 1997 and as amended and restated as of June 2, 1997, including all Schedules, Exhibits, Appendices, addenda or supplements hereto, as amended from time to time thereafter, among the Members of the PJM Interconnection, L.L.C.

Operating Day:

“Operating Day” shall have the same meaning as provided in the Operating Agreement.

Operating Reserve:

“Operating Reserve” shall mean the amount of generating capacity scheduled to be available for a specified period of an Operating Day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

Other Supplier:

“Other Supplier” shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

Partial Requirements Service:

“Partial Requirements Service” shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Performance Assessment Hour:

“Performance Assessment Hour” shall have the meaning specified in Attachment DD of the PJM Tariff.

Percentage Internal Resources Required:

“Percentage Internal Resources Required” shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

Party:

“Party” shall mean an entity bound by the terms of the Operating Agreement.

PJM:

“PJM” shall mean the PJM Board and the Office of the Interconnection.

PJM Board:

“PJM Board” shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

PJM Manuals:

“PJM Manuals” shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

PJM Tariff (Tariff):

“PJM Tariff” or “Tariff” shall mean that certain “PJM Open Access Transmission Tariff, including any schedules, appendices, or exhibits attached thereto, on file with FERC and as amended from time to time thereafter.

PJM Region:

“PJM Region” shall have the same meaning as provided in the Operating Agreement.

PJM Region Installed Reserve Margin:

“PJM Region Installed Reserve Margin” shall mean the percent installed reserve margin for the PJM Region required pursuant to the Operating Agreement, as approved by the PJM Board pursuant to Operating Agreement, Schedule 4.1.

Planned Demand Resource:

“Planned Demand Resource” shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Operating Agreement, Schedule 6. As set forth in Operating Agreement, Schedules 6 and 8.1, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

Planned External Generation Capacity Resource:

“Planned External Generation Capacity Resource” shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource’s commitment to the PJM Region. Prior to participation in any Base Residual Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has a fully executed system impact study agreement (or other documentation which is functionally equivalent to a System Impact Study Agreement under the PJM Tariff) or, for resources which are greater than 20MWs participating in a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, an agreement or other documentation which is functionally equivalent to a Facilities Study Agreement under the PJM Tariff), with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. Prior to participating in any Incremental Auction for such Delivery Year, the Capacity Market Seller must demonstrate it has entered into an interconnection agreement, or such other documentation that is functionally equivalent to an Interconnection Service Agreement under the PJM Tariff, with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. A Planned External Generation

Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. Any such resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

Planned Generation Capacity Resource:

“Planned Generation Capacity Resource” shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iv) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (v) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.

Planning Period:

“Planning Period” shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

PRD Curve:

“PRD Curve” shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

PRD Provider:

“PRD Provider” shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

PRD Provider’s Zonal Expected Peak Load Value of PRD:

“PRD Provider’s Zonal Expected Peak Load Value of PRD” shall mean the expected contribution to Delivery Year peak load of a PRD Provider’s Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year’s peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection’s load forecasts used for purposes of the RPM Auctions.

PRD Reservation Price:

“PRD Reservation Price” shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

PRD Substation:

“PRD Substation” shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

Price Responsive Demand:

“Price Responsive Demand” or “PRD” shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

Price Responsive Demand Credit:

“Price Responsive Demand Credit” shall mean a credit, based on committed Price Responsive Demand, as determined under Operating Agreement, Schedule 6.1.

Price Responsive Demand Plan or PRD Plan:

“Price Responsive Demand Plan” or “PRD Plan” shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Operating Agreement, Schedule 6.1 and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider’s Nominal PRD Value.

Public Power Entity:

“Public Power Entity” shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

Qualifying Transmission Upgrades:

“Qualifying Transmission Upgrades” shall have the meaning specified in Attachment DD to the PJM Tariff.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” or “RERRA” shall have the meaning specified in the PJM Operating Agreement.

Reliability Principles and Standards:

“Reliability Principles and Standards” shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

Required Approvals:

“Required Approvals” shall mean all of the approvals required for the Operating Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of the Operating Agreement.

Self-Supply:

“Self-Supply” shall have the meaning provided in Tariff, Attachment DD.

Small Commercial Customer:

“Small Commercial Customer” shall have the same meaning as in the PJM Tariff.

State Consumer Advocate:

“State Consumer Advocate” shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Regulatory Structural Change:

“State Regulatory Structural Change” shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party’s default service rules that materially affect whether retail choice is economically viable.

Summer-Period Demand Resource:

Summer-Period Demand Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a resource that is placed under the direction of the Office of the Interconnection, and will be available June through October and the following May of the Delivery Year, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Summer-Period Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale in an RPM Auction, or included as a Summer-Period Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Summer-Period Energy Efficiency Resource:

Summer-Period Energy Efficiency Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards,

or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Summer-Period Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Supervisory Control:

“Supervisory Control” shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of the Operating Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

Threshold Quantity:

“Threshold Quantity” shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity’s Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Operating Agreement, Schedule 8.1).

Transmission Facilities:

“Transmission Facilities” shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Owner:

“Transmission Owner” shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

Transmission Owners Agreement:

“Transmission Owners Agreement” shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

Unforced Capacity:

“Unforced Capacity” shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

Zone or Zonal:

“Zone” or “Zonal” shall refer to an area within the PJM Region, as set forth in Operating Agreement, Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically

incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total

Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the

PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the

current Delivery Year (at the time of plan submission) and two preceding Delivery Years;

- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the

threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand

Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

- | G. PJM measures Demand Resources in the following ~~four~~ ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction

for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

~~Customer Baseline Load (CBL) – Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.~~

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as typically determined by the 5CP methodology utilized by the electric distribution company to determine ~~other~~ ICAP obligation values. The

Nominated Value for Annual Demand Resources with a Capacity Performance commitment shall equal the lessor of i) total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor and ii) total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The Nominated Value for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment shall be total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor.~~The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution—Firm Contract Level adjusted for system losses.~~

The Nominated Value for a Guaranteed Load Drop customer for Annual Demand Resources with a Capacity Performance commitment will be the lessor of the summer and winter guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The Nominated Value for a Guaranteed Load Drop customer for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment will be the summer guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum ~~credit~~value nominated for any Demand Resource shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish ~~credit~~nominated values. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the

Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider’s Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in Article 1, subject to the following requirements: ~~For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:~~

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event for Demand Resource without a Capacity Performance commitment or on an hourly basis for Demand Resources with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at

least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

~~For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:~~

~~Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.~~

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer’s retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a

measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; ~~and-~~
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the

Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically

incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total

Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the

PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the

current Delivery Year (at the time of plan submission) and two preceding Delivery Years;

- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the

threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand

Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resources in the following four ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction

for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

Customer Baseline Load (CBL) - Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.

- H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:
- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
 - Supplemental status reports, detailing Demand Resources available, as requested by PJM;
 - Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
 - Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
 - Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.
- I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load

reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are

responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load

Management Event, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:

Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer’s retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of

the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; ~~and~~.
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office

of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. -An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The

audit may be conducted any time including the Performance Hours of the Delivery Year.

C. Election, and Termination of Election, of FRR Alternative

1. No less than four months before the conduct of the Base Residual Auction for the first Delivery Year for which such election is to be effective, any Party seeking to elect the FRR Alternative shall notify the Office of the Interconnection in writing of such election. Such election shall be for a minimum term of five consecutive Delivery Years. No later than one month before such Base Residual Auction, such Party shall submit its FRR Capacity Plan demonstrating its commitment of Capacity Resources for the term of such election sufficient to meet such Party's Daily Unforced Capacity Obligation (and all other applicable obligations under this Schedule) for the load identified in such plan. No later than the last business day prior to the start of the relevant Delivery Year in which Capacity Performance requirements shall apply to such FRR Entity, the FRR Entity must also elect whether it seeks to be subject to the Non-Performance Charge for ~~both~~ Capacity Performance Resources, Seasonal Capacity Performance Resources, and Base Capacity Resources, as provided in section 10A of Attachment DD of the PJM Tariff, and described in section G.1 of this Schedule 8.1, or to physical non-performance assessments, as described in section G.2 of this Schedule 8.1.

2. An FRR Entity may terminate its election of the FRR Alternative effective with the commencement of any Delivery Year following the minimum five Delivery Year commitment by providing written notice of such termination to the Office of the Interconnection no later than two months prior to the Base Residual Auction for such Delivery Year. An FRR Entity that has terminated its election of the FRR Alternative shall not be eligible to re-elect the FRR Alternative for a period of five consecutive Delivery Years following the effective date of such termination.

3. Notwithstanding subsections C.1 and C.2 of this Schedule, in the event of a State Regulatory Structural Change, a Party may elect, or terminate its election of, the FRR Alternative effective as to any Delivery Year by providing written notice of such election or termination to the Office of the Interconnection in good faith as soon as the Party becomes aware of such State Regulatory Structural Change but in any event no later than two months prior to the Base Residual Auction for such Delivery Year.

4. To facilitate the elections and notices required by this Schedule, except a new FRR Entity's initial election, the Office of the Interconnection shall post, in addition to the information required by Section 5.11(a) of Attachment DD to the PJM Tariff, the percentage of Capacity Resources required to be located in each Locational Deliverability Area by no later than one month prior to the deadline for a Party to provide such elections and notices.

D. FRR Capacity Plans

1. Each FRR Entity shall submit its initial FRR Capacity Plan as required by subsection C.1 of this Schedule, and shall annually extend and update such plan by no later than one month prior to the Base Residual Auction for each succeeding Delivery Year in such plan. Each FRR Capacity Plan shall indicate the nature and current status of each resource, including the status of each Planned Generation Capacity Resource or Planned Demand Resource, the planned deactivation or retirement of any Generation Capacity Resource or Demand Resource, and the status of commitments for each sale or purchase of capacity included in such plan.

1.1 Beginning with the 2020/2021 Delivery Year and for all subsequent Delivery Years, the FRR Capacity Plan shall comprise only Capacity Performance Resources and Seasonal Capacity Performance Resources.

2. The FRR Capacity Plan of each FRR Entity that commits that it will not sell surplus Capacity Resources as a Capacity Market Seller in any auction conducted under Attachment DD of the PJM Tariff, or to any direct or indirect purchaser that uses such resource as the basis of any Sell Offer in such auction, shall designate Capacity Resources in a megawatt quantity no less than the Forecast Pool Requirement for each applicable Delivery Year times the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast for such Delivery Year, as determined in accordance with procedures set forth in the PJM Manuals. For the 2016/2017 Delivery Year and prior Delivery Years, the set of Capacity Resources designated in the FRR Capacity Plan must meet the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement associated with the FRR Entity's capacity obligation. For the 2017/2018 and 2018/2019 Delivery Years, the set of Capacity Resources designated in the FRR Capacity Plan must satisfy the Limited Resource Constraints and the Sub-Annual Resource Constraints applicable to the FRR Entity's capacity obligation. For the 2019/2020 Delivery Year, the set of Capacity Resources designated in the FRR Capacity Plan must satisfy the Base Capacity Resource Constraints and Base Capacity Demand Resource Constraints applicable to the FRR Entity's capacity obligation. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity's Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base Zonal FRR Scaling Factor. The FRR Capacity Plan of each FRR Entity that does not commit that it will not sell surplus Capacity Resources as set forth above shall designate Capacity Resources at least equal to the Threshold Quantity. To the extent the FRR Entity's allocated share of the Final Zonal Peak Load Forecast exceeds the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast, such FRR Entity's FRR Capacity Plan shall be updated to designate additional Capacity Resources in an amount no less than the Forecast Pool Requirement times such increase; provided, however, any excess megawatts of Capacity Resources included in such FRR Entity's previously designated Threshold Quantity, if any, may be used to satisfy the capacity obligation for such increased load. To the extent the FRR Entity's allocated share of the Final Zonal Peak Load Forecast is less than the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast, such FRR Entity's FRR Capacity Plan may be updated to release previously designated Capacity Resources in an amount no greater than the Forecast Pool Requirement times such decrease. Peak load values referenced in this section shall be adjusted as necessary to take into account any applicable Nominal PRD Values approved

pursuant to Schedule 6.1 of this Agreement. Any FRR Entity seeking an adjustment to peak load for Price Responsive Demand must submit a separate PRD Plan in compliance with Section 6.1 (provided that the FRR Entity shall not specify any PRD Reservation Price), and shall register all PRD-eligible load needed to satisfy its PRD commitment and be subject to compliance charges as set forth in that Schedule under the circumstances specified therein; provided that for non-compliance by an FRR Entity, the compliance charge rate shall be equal to 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the FRR Entity's Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in the RPM auctions for such Delivery Year; and provided further that an alternative PRD Provider may provide PRD in an FRR Service Area by agreement with the FRR Entity responsible for the load in such FRR Service Area, subject to the same terms and conditions as if the FRR Entity had provided the PRD.

3. As to any FRR Entity, the Base Zonal FRR Scaling Factor for each Zone in which it serves load for a Delivery Year shall equal $ZPLDY/ZWNSP$, where:

$ZPLDY$ = Preliminary Zonal Peak Load Forecast for such Zone for such Delivery Year; and

$ZWNSP$ = Zonal Weather-Normalized Summer Peak Load for such Zone for the summer concluding four years prior to the commencement of such Delivery Year.

4. Capacity Resources identified and committed in an FRR Capacity Plan shall meet all requirements under this Agreement, the PJM Tariff, and the PJM Operating Agreement applicable to Capacity Resources, including, as applicable, requirements and milestones for Planned Generation Capacity Resources and Planned Demand Resources. A Capacity Resource submitted in an FRR Capacity Plan must be on a unit-specific basis, and may not include "slice of system" or similar agreements that are not unit specific. An FRR Capacity Plan may include bilateral transactions that commit capacity for less than a full Delivery Year only if the resources included in such plan in the aggregate satisfy all obligations for all Delivery Years. All demand response, load management, energy efficiency, or similar programs on which such FRR Entity intends to rely for a Delivery Year must be included in the FRR Capacity Plan, subject to applicable demand resource constraints for the relevant Delivery Year, submitted three years in advance of such Delivery Year and must satisfy all requirements applicable to Demand Resources or Energy Efficiency Resources, as applicable, including, without limitation, those set forth in Schedule 6 to this Agreement and the PJM Manuals; provided, however, that previously uncommitted Unforced Capacity from such programs may be used to satisfy any increased capacity obligation for such FRR Entity resulting from a Final Zonal Peak Load Forecast applicable to such FRR Entity. Without limiting the generality of the foregoing, the FRR Entity must submit a Demand Resource Sell Offer Plan 15 business days before the deadline for submitting an FRR Capacity Plan as to any Demand Resources it intends to include in such FRR Capacity Plan and may only include in such FRR Capacity Plan Demand Resources that are approved by PJM following review of such Demand Resource Sell Offer Plan. The requirements, standards, and procedures for a Demand Resource Sell Offer Plan shall be as set forth in Schedule 6 of this Agreement, provided that all references (including deadlines) in Schedule 6, section A-1 to submission or clearing of a Demand Resource offer in an RPM Auction shall be understood for purposes of FRR Entities as referring to inclusion of a Demand

Resource in an FRR Capacity Plan, and a distinct Demand Resource Officer Certification Form shall be applicable to FRR Entities, as shown in the PJM Manuals and provided on the PJM website.

5. For each LDA for which the Office of the Interconnection is required to establish a separate Variable Resource Requirement Curve for any Delivery Year addressed by such FRR Capacity Plan, the plan must include a Percentage Internal Resources Required, subject to subsections D.1.1 and D.2 of this Schedule. The Percentage Internal Resources Required will be calculated as the LDA Reliability Requirement less the CETL for the Delivery Year, as determined by the RTEP process as set forth in the PJM Manuals. Such requirement shall be expressed as a percentage of the Unforced Capacity Obligation based on the Preliminary Zonal Peak Load Forecast multiplied by the Forecast Pool Requirement. Notwithstanding the provisions of Sections C.1 and C.2 of this Schedule 8.1, an FRR Entity may terminate its election of the FRR Alternative prior to meeting its minimum five year commitment without penalty for any Delivery Year after the first Delivery Year of its minimum five year FRR commitment for which the Office of the Interconnection will be required to establish a separate Variable Resource Requirement Curve by giving written notice two months prior to the Base Residual Auction for the Delivery Year. The Office of the Interconnection shall be deemed to be required to establish a separate Variable Resource Requirement Curve for an LDA if the LDA is the Eastern Mid-Atlantic Region (“EMAR”), Southwest Mid-Atlantic Region (“SWMAR”), or Mid-Atlantic Region (“MAR”), or for other LDAs if the separate modeling is required by Section 5.10(a)(ii)(A) or (B) of Attachment DD of the Tariff.

6. An FRR Entity may reduce the Percentage Internal Resources Required as to any LDA to the extent the FRR Entity commits to a transmission upgrade that increases the CETL for such LDA. Any such transmission upgrade shall adhere to all requirements for a Qualified Transmission Upgrade as set forth in Attachment DD to the PJM Tariff. The increase in CETL used in the FRR Capacity Plan shall be that approved by PJM prior to inclusion of any such upgrade in an FRR Capacity Plan. The FRR Entity shall designate specific additional Capacity Resources located in the LDA from which the CETL was increased, to the extent of such increase.

7. The Office of the Interconnection will review the adequacy of all submittals hereunder both as to timing and content. A Party that seeks to elect the FRR Alternative that submits an FRR Capacity Plan which, upon review by the Office of the Interconnection, is determined not to satisfy such Party’s capacity obligations hereunder, shall not be permitted to elect the FRR Alternative. If a previously approved FRR Entity submits an FRR Capacity Plan that, upon review by the Office of the Interconnection, is determined not to satisfy such Party’s capacity obligations hereunder, the Office of the Interconnection shall notify the FRR Entity, in writing, of the insufficiency within five (5) business days of the submittal of the FRR Capacity Plan. If the FRR Entity does not cure such insufficiency within five (5) business days after receiving such notice of insufficiency, then such FRR Entity shall be assessed an FRR Commitment Insufficiency Charge, in an amount equal to two times the Cost of New Entry for the relevant location, in \$/MW-day, times the shortfall of Capacity Resources below the FRR Entity’s

capacity obligation (including any Threshold Quantity requirement) in such FRR Capacity Plan, for the remaining term of such plan.

8. In a state regulatory jurisdiction that has implemented retail choice, the FRR Entity must include in its FRR Capacity Plan all load, including expected load growth, in the FRR Service Area, notwithstanding the loss of any such load to or among alternative retail LSEs. In the case of load reflected in the FRR Capacity Plan that switches to an alternative retail LSE, where the state regulatory jurisdiction requires switching customers or the LSE to compensate the FRR Entity for its FRR capacity obligations, such state compensation mechanism will prevail. In the absence of a state compensation mechanism, the applicable alternative retail LSE shall compensate the FRR Entity at the capacity price in the unconstrained portions of the PJM Region, as determined in accordance with Attachment DD to the PJM Tariff, provided that the FRR Entity may, at any time, make a filing with FERC under Sections 205 of the Federal Power Act proposing to change the basis for compensation to a method based on the FRR Entity's cost or such other basis shown to be just and reasonable, and a retail LSE may at any time exercise its rights under Section 206 of the FPA.

9. Notwithstanding the foregoing, in lieu of providing the compensation described above, such alternative retail LSE may, for any Delivery Year subsequent to those addressed in the FRR Entity's then-current FRR Capacity Plan, provide to the FRR Entity Capacity Resources sufficient to meet the capacity obligation described in paragraph D.2 for the switched load. Such Capacity Resources shall meet all requirements applicable to Capacity Resources pursuant to this Agreement, the PJM Tariff, and the PJM Operating Agreement, all requirements applicable to resources committed to an FRR Capacity Plan under this Agreement, and shall be committed to service to the switched load under the FRR Capacity Plan of such FRR Entity. The alternative retail LSE shall provide the FRR Entity all information needed to fulfill these requirements and permit the resource to be included in the FRR Capacity Plan. The alternative retail LSE, rather than the FRR Entity, shall be responsible for any performance charges or compliance penalties related to the performance of the resources committed by such LSE to the switched load. For any Delivery Year, or portion thereof, the foregoing obligations apply to the alternative retail LSE serving the load during such time period. PJM shall manage the transfer accounting associated with such compensation and shall administer the collection and payment of amounts pursuant to the compensation mechanism.

Such load shall remain under the FRR Capacity Plan until the effective date of any termination of the FRR Alternative and, for such period, shall not be subject to Locational Reliability Charges under Section 7.2 of this Agreement.

G. Capacity Resource Performance

1. Any Capacity Resource committed by an FRR Entity in an FRR Capacity Plan for a Delivery Year shall be subject during such Delivery Year to the charges set forth in sections 7, 9, 10, 10A, 11, and 13 of Attachment DD to the PJM Tariff; provided, however: (i) the Daily Deficiency Rate under sections 7, 9, and 13 thereof shall be 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions); (ii) the charges set forth in section 10A of Attachment DD to the PJM Tariff shall apply only for the 2019/2020 and subsequent Delivery Years and only to those FRR Entities which opted to be subject to the Non-Performance Charge under section C.1 of this Schedule 8.1 and the charge rates under section 10A thereof for Base Capacity Resources shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above; and (iii) the charge rates under section 10 thereof, shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above. An FRR Entity shall have the same opportunities to cure deficiencies and avoid or reduce associated charges during the Delivery Year that a Market Seller has under sections 7, 9, 10, and 10A of Attachment DD to the PJM Tariff. An FRR Entity may cure deficiencies and avoid or reduce associated charges prior to the Delivery Year by procuring replacement Unforced Capacity outside of any RPM Auction and committing such capacity in its FRR Capacity Plan.

2. For any FRR Entity which opted to be subject to physical non-performance assessments under section C.1. of this Schedule 8.1, such FRR Entity will not be subject to charges under section 10A of Attachment DD of the PJM Tariff, but, rather, it will be required to update its FRR Capacity Plan with additional megawatts of Capacity Performance Resources or Seasonal Capacity Performance Resources determined in accordance with the following: For each Performance Assessment Hour, the Actual Performance and Expected Performance of each resource contained in an FRR Entity's FRR Capacity Plan will be determined in the same fashion as prescribed by the PJM Tariff, Attachment DD, section 10A, and for such hour, a net Performance Shortfall shall be determined separately for Capacity Performance Resources and for Base Capacity Resources. If, for a Performance Assessment Hour, the combined Actual Performance of all an FRR Entity's committed Capacity Performance Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Base Capacity Resources for such hour. If, for a Performance Assessment Hour, the combined Actual Performance of all an FRR Entity's committed Base Capacity Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Capacity Performance Resources for such hour. For the 2020/2021 Delivery Year and subsequent Delivery Years, the net Performance Shortfall determined for Capacity Performance Resources shall include the performance of Seasonal Capacity Performance Resources contained in the FRR Capacity Plan.

The FRR Entity's net Performance Shortfall among Capacity Performance Resources, if any, for each such Performance Assessment Hour shall be multiplied by a rate of 0.01667

MWs/Performance Assessment Hour to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Capacity Performance Resources in any Delivery Year shall not exceed a MW quantity equal to 0.5 times the MW quantity of the Capacity Performance Resources and Seasonal Capacity Performance Resources that were committed in the FRR Capacity Plan for such Delivery Year. The FRR Entity's net Performance Shortfall among Base Capacity Resources, if any, for each such Performance Assessment Hour shall be multiplied by a rate of [(0.01667 MWs/Performance Assessment Hour) times (the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year)] to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Base Capacity Resources in any Delivery Year shall not exceed a MW quantity equal to [(0.5 times the MW quantity of the Base Capacity Resources that were committed in the FRR Capacity Plan for such Delivery Year) times (the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year)].

An FRR Entity that elects the physical option shall not be eligible for, or subject to, the revenue allocation described in section 10A(g) of Attachment DD of the PJM Tariff.

Attachment B

Revisions to the
PJM Open Access Transmission Tariff
and PJM Reliability Assurance
Agreement

(Identified by Additional Cover Pages)

(Clean Format)

Section(s) of the
PJM Open Access Transmission Tariff

(Clean Format)

Definitions – R - S

Ramping Capability:

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

Real-time Congestion Price:

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time Loss Price:

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time Energy Market:

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

Real-time Prices:

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Real-time System Energy Price:

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

Reasonable Efforts:

“Reasonable Efforts” shall mean, with respect to any action required to be made, attempted, or taken by an Interconnection Party or by a Construction Party under Tariff, Part IV or Part VI, an Interconnection Service Agreement, or a Construction Service Agreement, such efforts as are timely and consistent with Good Utility Practice and with efforts that such party would undertake for the protection of its own interests.

Receiving Party:

“Receiving Party” shall mean the entity receiving the capacity and energy transmitted by the Transmission Provider to Point(s) of Delivery.

Referral:

“Referral” shall mean a formal report of the Market Monitoring Unit to the Commission for investigation of behavior of a Market Participant, of behavior of PJM, or of a market design flaw, pursuant to Tariff, Attachment M, section IV.I.

Reference Resource:

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology all CONE Areas, dual fuel capability, and a heat rate of 10.096 Mmbtu/MWh.

Regional Entity:

“Regional Entity” shall have the same meaning specified in the Operating Agreement.

Regional Transmission Expansion Plan:

“Regional Transmission Expansion Plan” shall mean the plan prepared by the Office of the Interconnection pursuant to Schedule 6 of the Operating Agreement for the enhancement and expansion of the Transmission System in order to meet the demands for firm transmission service in the PJM Region.

Regional Transmission Group (RTG):

“Regional Transmission Group” or “RTG” shall mean a voluntary organization of transmission owners, transmission users and other entities approved by the Commission to efficiently coordinate transmission planning (and expansion), operation and use on a regional (and interregional) basis.

Regulation:

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to separately increase and decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

Regulation Zone:

“Regulation Zone” shall mean any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” shall mean an entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

Reliability Assurance Agreement:

“Reliability Assurance Agreement” shall mean that certain Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, on file with FERC as PJM Interconnection L.L.C. Rate Schedule FERC No. 44, and as amended from time to time thereafter.

Reliability Pricing Model Auction:

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction, or, for the 2016/2017 and 2017/2018 Delivery Years, any Capacity Performance Transition Incremental Auction.

Repowered / Repowering:

“Repowered” or “Repowering” shall refer to a partial or total replacement of existing steam production equipment with new technology or a partial or total replacement of steam production process and power generation equipment, or an addition of steam production and/or power generation equipment, or a change in the primary fuel being used at the plant. A resource can be considered Repowered whether or not such aforementioned replacement, addition, or fuel change provides an increase in installed capacity, and whether or not the pre-existing plant capability is formally deactivated or retired.

Required Transmission Enhancements:

“Regional Transmission Enhancements” shall mean enhancements and expansions of the Transmission System that (1) a Regional Transmission Expansion Plan developed pursuant to Schedule 6 of the Operating Agreement or (2) any joint planning or coordination agreement between PJM and another region or transmission planning authority set forth in Tariff, Schedule 12-Appendix B (“Appendix B Agreement”) designates one or more of the Transmission Owner(s) to construct and own or finance. Required Transmission Enhancements shall also include enhancements and expansions of facilities in another region or planning authority that meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities constructed pursuant to an Appendix B Agreement cost responsibility for which has been assigned at least in part to PJM pursuant to such Appendix B Agreement.

Reserved Capacity:

“Reserved Capacity” shall mean the maximum amount of capacity and energy that the Transmission Provider agrees to transmit for the Transmission Customer over the Transmission Provider’s Transmission System between the Point(s) of Receipt and the Point(s) of Delivery

under Tariff, Part II. Reserved Capacity shall be expressed in terms of whole megawatts on a sixty (60) minute interval (commencing on the clock hour) basis.

Reserve Penalty Factor:

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

Reserve Sub-zone:

“Reserve Sub-zone” shall mean any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

Reserve Zone:

“Reserve Zone” shall mean any of those geographic areas consisting of a combination of one or more Control Zone(s), as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

Residual Auction Revenue Rights:

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to Operating Agreement, Schedule 1, section 7.5 and the parallel provisions of Tariff, Attachment K-Appendix in compliance with Operating Agreement, Schedule 1, section 7.4.2 (h) and the parallel provisions of Tariff, Attachment K-Appendix, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to Operating Agreement, Schedule 1, section 7.4.2 and the parallel provisions of Tariff, Attachment K-Appendix; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Tariff, Part VI; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Operating Agreement, Schedule 6 for transmission upgrades that create such rights.

Residual Metered Load:

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

Resource Substitution Charge:

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

RPM Seller Credit:

“RPM Seller Credit” shall mean an additional form of Unsecured Credit defined in Tariff, Attachment Q, section IV.

Scheduled Incremental Auctions:

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

Schedule of Work:

“Schedule of Work” shall mean that schedule attached to the Interconnection Construction Service Agreement setting forth the timing of work to be performed by the Constructing Entity pursuant to the Interconnection Construction Service Agreement, based upon the Facilities Study and subject to modification, as required, in accordance with Transmission Provider’s scope change process for interconnection projects set forth in the PJM Manuals.

Scope of Work:

“Scope of Work” shall mean that scope of the work attached as a schedule to the Interconnection Construction Service Agreement and to be performed by the Constructing Entity(ies) pursuant to the Interconnection Construction Service Agreement, provided that such Scope of Work may be modified, as required, in accordance with Transmission Provider’s scope change process for interconnection projects set forth in the PJM Manuals.

Seasonal Capacity Performance Resource:

“Seasonal Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Secondary Systems:

“Secondary Systems” shall mean control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers.

Second Incremental Auction:

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

Security:

“Security” shall mean the security provided by the New Service Customer pursuant to Section 212.4 or Section 213.4 of the Tariff to secure the New Service Customer’s responsibility for Costs under the Interconnection Service Agreement or Upgrade Construction Service Agreement and Section 217 of the Tariff.

Self-Supply:

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

Sell Offer:

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

Service Agreement:

“Service Agreement” shall mean the initial agreement and any amendments or supplements thereto entered into by the Transmission Customer and the Transmission Provider for service under the Tariff.

Service Commencement Date:

“Service Commencement Date” shall mean the date the Transmission Provider begins to provide service pursuant to the terms of an executed Service Agreement, or the date the Transmission Provider begins to provide service in accordance with Section 15.3 or Section 29.1 under the Tariff.

Short-Term Firm Point-To-Point Transmission Service:

“Short-Term Firm Point-To-Point Transmission Service” shall mean Firm Point-To-Point Transmission Service under Tariff, Part II with a term of less than one year.

Short-term Project:

“Short-term Project” shall have the same meaning provided in the Operating Agreement.

Short-Term Resource Procurement Target:

“Short-Term Resource Procurement Target” shall mean, for Delivery Years through May 31, 2018, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

Short-Term Resource Procurement Target Applicable Share:

“Short-Term Resource Procurement Target Applicable Share” shall mean, for Delivery Years through May 31, 2018: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

Site:

“Site” shall mean all of the real property, including but not limited to any leased real property and easements, on which the Customer Facility is situated and/or on which the Customer Interconnection Facilities are to be located.

Small Commercial Customer:

“Small Commercial Customer,” as used in RAA, Schedule 6 and Tariff, Attachment DD-1, shall mean a commercial retail electric end-use customer of an electric distribution company that participates in a mass market demand response program under the jurisdiction of a RERRA and satisfies the definition of a “small commercial customer” under the terms of the applicable RERRA’s program, provided that the customer has an annual peak demand no greater than 100kW.

Small Generation Resource:

“Small Generation Resource” shall mean an Interconnection Customer’s device of 20 MW or less for the production and/or storage for later injection of electricity identified in an Interconnection Request, but shall not include the Interconnection Customer’s Interconnection Facilities. This term shall include Energy Storage Resources and/or other devices for storage for later injection of energy.

Small Inverter Facility:

“Small Inverter Facility” shall mean an Energy Resource that is a certified small inverter-based facility no larger than 10 kW.

Small Inverter ISA:

“Small Inverter ISA” shall mean an agreement among Transmission Provider, Interconnection Customer, and Interconnected Transmission Owner regarding interconnection of a Small Inverter Facility under Tariff, Part IV, section 112B.

Special Member:

“Special Member” shall mean an entity that satisfies the requirements of Operating Agreement, Schedule 1, section 1.5A.02, and the parallel provisions of Tariff, Attachment K-Appendix, or the special membership provisions established under the Emergency Load Response and Pre-Emergency Load Response Programs.

Spot Market Backup:

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

Spot Market Energy:

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Operating Agreement, Schedule 1, section 2, and the parallel provisions of Tariff, Attachment K-Appendix.

State:

“State” shall mean the District of Columbia and any State or Commonwealth of the United States.

State Commission:

“State Commission” shall mean any state regulatory agency having jurisdiction over retail electricity sales in any State in the PJM Region.

State Estimator:

“State Estimator” shall mean the computer model of power flows specified in Operating Agreement, Schedule 1, section 2.3 and the parallel provisions of Tariff, Attachment K-Appendix.

Station Power:

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource or a Capacity Storage Resource; or (v) used in association with restoration or black start service.

Sub-Annual Resource Constraint:

“Sub-Annual Resource Constraint” shall mean, for the 2017/2018 Delivery Year and for FRR Capacity Plans the 2017/2018 and 2018/2019 Delivery Years, for the PJM Region or for each LDA for which the Office of the Interconnection is required under section 5.10(a) of Tariff Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources and Extended Summer Demand Resources for the 2017/2018 Delivery Year in the PJM Region or in such LDA, calculated as the Sub-Annual Resource Reliability Target for the PJM Region or for such LDA, respectively, minus the Short-Term Resource Procurement Target for the PJM Region or for such LDA, respectively.

Sub-Annual Resource Price Decrement:

“Sub-Annual Resource Price Decrement” shall mean, for the 2017/2018 Delivery Year, a difference between the clearing price for Extended Summer Demand Resources and the clearing price for Annual Resources, representing the cost to procure additional Annual Resources out of merit order when the Sub-Annual Resource Constraint is binding.

Sub-Annual Resource Reliability Target:

“Sub-Annual Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement for Delivery Years through May 31, 2017 and the Sub-Annual Resource Constraint for the 2017/2018 and 2018/2019 Delivery Years. As more fully set forth in the PJM Manuals, PJM calculates the Sub-Annual Resource Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a

range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Sub-Annual Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

Sub-meter:

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

Summer-Period Capacity Performance Resource:

“Summer-Period Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Switching and Tagging Rules:

“Switching and Tagging Rules” shall mean the switching and tagging procedures of Interconnected Transmission Owners and Interconnection Customer as they may be amended from time to time.

Synchronized Reserve:

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

Synchronized Reserve Event:

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve in one or more specified Reserve Zones or Reserve Sub-zones, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

Synchronized Reserve Requirement:

“Synchronized Reserve Requirement” shall mean the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone as Synchronized Reserve, absent any increase to account for additional reserves scheduled to address operational uncertainty. The Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

System Condition:

“System Condition” shall mean a specified condition on the Transmission Provider’s system or on a neighboring system, such as a constrained transmission element or flowgate, that may trigger Curtailment of Long-Term Firm Point-to-Point Transmission Service using the curtailment priority pursuant to Tariff, Part II, section 13.6. Such conditions must be identified in the Transmission Customer’s Service Agreement.

System Energy Price:

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Operating Agreement, Schedule 1, section 2 and the parallel provisions of Tariff, Attachment K-Appendix.

System Impact Study:

“System Impact Study” shall mean an assessment by the Transmission Provider of (i) the adequacy of the Transmission System to accommodate a Completed Application, an Interconnection Request or an Upgrade Request, (ii) whether any additional costs may be incurred in order to provide such transmission service or to accommodate an Interconnection Request, and (iii) with respect to an Interconnection Request, an estimated date that an Interconnection Customer’s Customer Facility can be interconnected with the Transmission System and an estimate of the Interconnection Customer’s cost responsibility for the interconnection; and (iv) with respect to an Upgrade Request, the estimated cost of the requested system upgrades or expansion, or of the cost of the system upgrades or expansion, necessary to provide the requested incremental rights.

System Protection Facilities:

“System Protection Facilities” shall refer to the equipment required to protect (i) the Transmission System, other delivery systems and/or other generating systems connected to the Transmission System from faults or other electrical disturbance occurring at or on the Customer

Facility, and (ii) the Customer Facility from faults or other electrical system disturbance occurring on the Transmission System or on other delivery systems and/or other generating systems to which the Transmission System is directly or indirectly connected. System Protection Facilities shall include such protective and regulating devices as are identified in the Applicable Technical Requirements and Standards or that are required by Applicable Laws and Regulations or other Applicable Standards, or as are otherwise necessary to protect personnel and equipment and to minimize deleterious effects to the Transmission System arising from the Customer Facility.

Definitions – W – X – Y - Z

Wholesale Transaction:

As used in Tariff, Part IV, “Wholesale Transaction” shall mean any transaction involving the transmission or sale for resale of electricity in interstate commerce that utilizes any portion of the Transmission System.

Winter-Period Capacity Performance Resource:

“Winter-Period Capacity Performance Resource” shall have the same meaning specified in Tariff, Attachment DD, section 5.5A.

Working Credit Limit:

“Working Credit Limit” shall mean an amount is 75% of the Market Participant’s Unsecured Credit Allowance and/or 75% of the Financial Security provided by the Market Participant to PJMSettlement. The Working Credit Limit establishes the maximum amount of Total Net Obligation that a Market Participant may have outstanding at any time. The calculation of Working Credit Limit shall take into account applicable reductions for Minimum Participation Requirements, FTR, or other credit requirement determinants as defined in Tariff, Attachment Q.

Working Credit Limit for Virtual Transactions:

The “Working Credit Limit for Virtual Transactions” shall be calculated as 75% of the Market Participant’s Unsecured Credit Allowance and/or 75% of the Financial Security provided by the Market Participant to PJMSettlement when the Market Participant is at or below its Peak Market Activity credit requirements as specified in Tariff, Attachment Q, section II.D. When the Market Participant provides additional Unsecured Credit Allowance and/or Financial Security in excess of its Peak Market Activity credit requirements, such additional Unsecured Credit Allowance and/or Financial Security shall not be discounted by 25% when calculating the Working Credit Limit for Virtual Transactions. The Working Credit Limit for Virtual Transactions is a component in the calculation of Credit Available for Virtual Transactions. The calculation of Working Credit Limit for Virtual Transactions shall take into account applicable reductions for Minimum Participation Requirements, FTR, or other credit requirement determinants as defined in Tariff, Attachment Q.

Zonal Base Load:

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone, when non-extraordinary conditions exist for the applicable twelve month period, as determined by PJM. If the lowest daily zonal peak load from the applicable twelve month period is abnormally low due to extraordinary conditions, as determined by PJM, Zonal Base Load shall mean the next lowest daily zonal peak load that was not affected by

extraordinary conditions during the applicable twelve month period, increased by the projected load growth rate for the relevant Zone. For the purposes of this definition, extraordinary conditions shall mean a significant event, or combination of events, that affect the operation of the bulk power system in an atypical manner and results in an abnormal reduction in the consumption of energy within a Zone.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

Zone:

“Zone” shall mean an area within the PJM Region, as set forth in Tariff, Attachment J.

Zone Network Load:

“Zone Network Load” shall mean Network Load that is located inside of the area comprised of the PJM Region.

IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM

References to section numbers in this Part IV refer to sections of this Part IV, unless otherwise specified.

Preamble

An Interconnection Customer that proposes to (i) interconnect a generating unit to the Transmission System in the PJM Region, (ii) increase the capacity of a generating unit in the PJM Region, (iii) interconnect Merchant Transmission Facilities with the Transmission System, (iv) increase the capacity of existing Merchant Transmission Facilities interconnected to the Transmission System, or (v) interconnect a generating unit to distribution facilities located in the PJM Region that are used for transmission of power in interstate commerce, and to make wholesale sales using the output of the generating unit shall request interconnection with the Transmission System pursuant to, and shall comply with, the terms, conditions, and procedures set forth in Part IV of the Tariff. Subpart G of Part IV of the Tariff and related portions of the PJM Manuals apply to Interconnection Requests involving new Small Generation Resources or increases of 20 MW or less to the capability of existing generation resources over any consecutive 24-month period. Part VI of the Tariff contains procedures, terms and conditions governing the Transmission Provider's administration of the New Services Queue, System Impact Studies and Facilities Studies of Interconnection Requests (as well as other New Service Requests), and agreements related to such studies and Interconnection Service. Each Interconnection Customer must pay for any Attachment Facilities, Local Upgrades, and Network Upgrades necessary to accommodate the requested interconnection. Notwithstanding the foregoing, by August 31 of each calendar year, PJM shall solicit requests from Generation Owners of Intermittent Resources and Environmentally Limited Resources which seek to obtain additional Capacity Interconnection Rights related to the winter period (defined as November through April of a Delivery Year) for the purposes of aggregation under the Tariff, Attachment DD. Such additional Capacity Interconnection Rights would be for a one-year period as specified by PJM in the solicitation. Responses to such solicitation must be submitted by such interested Generation Owners by October 31 prior to the upcoming Base Residual Auction. Such requests shall be studied for deliverability similar to any Generation Interconnection Customer seeking to enter the New Services Queue; however, such requests shall not be required to enter the New Services Queue. PJM shall study such requests in a manner so as to prevent infringement on available system capabilities of any resource which is already in service, or which has an executed Interconnection Service Agreement, Transmission Service Agreement, Upgrade Construction Service Agreement, or has obtained a Queue Position in the New Services Queue.

230.2 Receipt of Capacity Interconnection Rights:

Generation accredited under the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region as a Generation Capacity Resource prior to the original effective date of Part IV shall have Capacity Interconnection Rights commensurate with the size in megawatts of the accredited generation. When a Generation Interconnection Customer's generation is accredited as deliverable through the applicable procedures in Part VI and Part VI of the Tariff, the Generation Interconnection Customer also shall receive Capacity Interconnection Rights commensurate with the size in megawatts of the generation as identified in the Interconnection Service Agreement. Any Generation Owner of an Intermittent Resource or Environmentally Limited Resource which has been accredited as deliverable for additional Capacity Interconnection Rights for the winter period (defined as November through April of a Delivery Year) under the Preamble of Part IV of the Tariff, shall receive such Capacity Interconnection Rights as further documented in section 2.0 of the Specifications of the Interconnection Service Agreement of such Generation Owner for the year specified. Pursuant to applicable terms of Schedule 10 of the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, a Transmission Interconnection Customer may combine Incremental Deliverability Rights associated with Merchant Transmission Facilities with generation capacity that is not otherwise accredited as a Generation Capacity Resource for the purposes of obtaining accreditation of such generation as a Generation Capacity Resource and associated Capacity Interconnection Rights.

ATTACHMENT Q

PJM CREDIT POLICY

POLICY STATEMENT:

It is the policy of PJM Interconnection, LLC (“PJM”) that prior to an entity participating in the PJM Markets, or in order to take Transmission Service, the entity must demonstrate its ability to meet PJMSettlement’s credit requirements.

Prior to becoming a Market Participant, Transmission Customer, and/or Member of PJM, PJMSettlement must accept and approve a Credit Application (including Credit Agreement) from such entity and establish a Working Credit Limit with PJMSettlement. PJMSettlement shall approve or deny an accepted Credit Application on the basis of a complete credit evaluation including, but not be limited to, a review of financial statements, rating agency reports, and other pertinent indicators of credit strength.

POLICY INTENT:

This credit policy describes requirements for: (1) the establishment and maintenance of credit by Market Participants, Transmission Customers, and entities seeking either such status (collectively “Participants”), pursuant to one or more of the Agreements, and (2) forms of security that will be deemed acceptable (hereinafter the “Financial Security”) in the event that the Participant does not satisfy the financial or other requirements to establish Unsecured Credit.

This policy also sets forth the credit limitations that will be imposed on Participants in order to minimize the possibility of failure of payment for services rendered pursuant to the Agreements, and conditions that will be considered an event of default pursuant to this policy and the Agreements.

These credit rules may establish certain set-asides of credit for designated purposes (such as for FTR or RPM activity). Such set-asides shall be construed to be applicable to calculation of credit requirements only, and shall not restrict PJMSettlement’s ability to apply such designated credit to any obligation(s) in case of a default.

PJMSettlement may post on PJM’s web site, and may reference on OASIS, a supplementary document which contains additional business practices (such as algorithms for credit scoring) that are not included in this document. Changes to the supplementary document will be subject to stakeholder review and comment prior to implementation. PJMSettlement may specify a required compliance date, not less than 15 days from notification, by which time all Participants must comply with provisions that have been revised in the supplementary document.

APPLICABILITY:

This policy applies to all Participants.

IMPLEMENTATION:

I. CREDIT EVALUATION

Each Participant will be subject to a complete credit evaluation in order for PJMSettlement to determine creditworthiness and to establish an **Unsecured Credit Allowance**, if applicable; provided, however, that a Participant need not provide the information specified in section I.A or I.B if it notifies PJMSettlement in writing that it does not seek any Unsecured Credit Allowance. PJMSettlement will identify any necessary Financial Security requirements and establish a Working Credit Limit for each Participant. In addition, PJMSettlement will perform follow-up credit evaluations on at least an annual basis.

If a **Corporate Guaranty** is being utilized to establish credit for a Participant, the guarantor will be evaluated and the Unsecured Credit Allowance or Financial Security requirement will be based on the financial strength of the Guarantor.

PJMSettlement will provide a Participant, upon request, with a written explanation for any change in credit levels or collateral requirements. PJMSettlement will provide such explanation within ten Business Days.

If a Participant believes that either its level of unsecured credit or its collateral requirement has been incorrectly determined, according to this credit policy, then the Participant may send a request for reconsideration in writing to PJMSettlement. Such a request should include:

- A citation to the applicable section(s) of the PJMSettlement credit policy along with an explanation of how the respective provisions of the credit policy were not carried out in the determination as made
- A calculation of what the Participant believes should be the correct credit level or collateral requirement, according to terms of the credit policy

PJMSettlement will reconsider the determination and will provide a written response as promptly as practical, but no longer than ten Business Days of receipt of the request. If the Participant still feels that the determination is incorrect, then the Participant may contest that determination. Such contest should be in written form, addressed to PJMSettlement, and should contain:

- ◆ A complete copy of the Participant's earlier request for reconsideration, including citations and calculations
- ◆ A copy of PJMSettlement's written response to its request for reconsideration
- ◆ An explanation of why it believes that the determination still does not comply with the credit policy

PJMSettlement will investigate and will respond to the Participant with a final determination on the matter as promptly as practical, but no longer than 20 Business Days.

Neither requesting reconsideration nor contesting the determination following such request shall relieve or delay Participant's responsibility to comply with all provisions of this credit policy.

A. Initial Credit Evaluation

In completing the initial credit evaluation, PJMSettlement will consider:

1) Rating Agency Reports

In evaluating credit strength, PJMSettlement will review rating agency reports from Standard & Poor's, Moody's Investors Service, Fitch Ratings, or other nationally known rating agencies. The focus of the review will be on senior unsecured debt ratings; however, PJMSettlement will consider other ratings if senior unsecured debt ratings are not available.

2) Financial Statements and Related Information

Each Participant must submit with its application audited financial statements for the most recent fiscal quarter, as well as the most recent three fiscal years, or the period of existence of the Participant, if shorter. All financial and related information considered for a Credit Score must be audited by an outside entity, and must be accompanied by an unqualified audit letter acceptable to PJMSettlement.

The information should include, but not be limited to, the following:

- a. If publicly traded:
 - i. Annual and quarterly reports on Form 10-K and Form 10-Q, respectively.
 - ii. Form 8-K reports disclosing Material changes, if any.
- b. If privately held:
 - i. Management's Discussion & Analysis
 - ii. Report of Independent Accountants
 - iii. Financial Statements, including:
 - Balance Sheet
 - Income Statement
 - Statement of Cash Flows
 - Statement of Stockholder's Equity
 - iv. Notes to Financial Statements

If the above information is available on the Internet, the Participant may provide a letter stating where such statements may be located and retrieved by PJMSettlement. For certain Participants, some of the above financial submittals may not be applicable, and alternate requirements may be specified by PJMSettlement.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

3) References

PJMSettlement may request Participants to provide with their applications at least one (1) bank and three (3) utility credit references. In the case where a Participant does not have the required utility references, trade payable vendor references may be substituted.

4) Litigation, Commitments and Contingencies

Each Participant is also required to provide with its application information as to any known Material litigation, commitments or contingencies as well as any prior bankruptcy declarations or Material defalcations by the Participant or its predecessors, subsidiaries or Affiliates, if any. These disclosures shall be made upon application, upon initiation or change, and at least annually thereafter, or as requested by PJMSettlement.

5) Other Disclosures

Each Participant is required to disclose any Affiliates that are currently Members of PJMSettlement or are applying for membership with PJMSettlement. Each Participant is also required to disclose the existence of any ongoing investigations by the Securities and Exchange Commission (“SEC”), Federal Energy Regulatory Commission (“FERC”), Commodity Futures Trading Commission (“CFTC”), or any other governing, regulatory, or standards body. These disclosures shall be made upon application, upon initiation or change, and at least annually thereafter, or as requested by PJMSettlement.

B. Ongoing Credit Evaluation

On at least an annual basis, PJMSettlement will perform follow-up credit evaluations on all Participants. In completing the credit evaluation, PJMSettlement will consider:

1) Rating Agency Reports

In evaluating credit strength, PJMSettlement will review rating agency reports from Standard & Poor’s, Moody’s Investors Service, Fitch Ratings, or other nationally known rating agencies. The focus of the review will be on senior unsecured debt ratings; however, PJMSettlement will consider other ratings if senior unsecured debt ratings are not available.

2) Financial Statements and Related Information

Each Participant must submit audited annual financial statements as soon as they become available and no later than 120 days after fiscal year end. Each Participant is also required to provide PJMSettlement with quarterly financial statements promptly upon their issuance, but no later than 60 days after the end of each quarter. All financial and related information considered

for a Credit Score must be audited by an outside entity, and must be accompanied by an unqualified audit letter acceptable to PJMSettlement. If financial statements are not provided within the timeframe required, the Participant may not be granted an Unsecured Credit Allowance.

The information should include, but not be limited to, the following:

- a. If publicly traded:
 - i. Annual and quarterly reports on Form 10-K and Form 10-Q, respectively.
 - ii. Form 8-K reports disclosing Material changes, if any, immediately upon issuance.
- b. If privately held:
 - i. Management's Discussion & Analysis
 - ii. Report of Independent Accountants
 - iii. Financial Statements, including:
 - Balance Sheet
 - Income Statement
 - Statement of Cash Flows
 - Statement of Stockholder's Equity
 - iv. Notes to Financial Statements

If the above information is available on the Internet, the Participant may provide a letter stating where such statements may be located and retrieved by PJMSettlement. For certain Participants, some of the above financial submittals may not be applicable, and alternate requirements may be specified by PJMSettlement.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

3) Material Changes

Each Participant is responsible for informing PJMSettlement immediately, in writing, of any Material change in its financial condition. However, PJMSettlement may also independently establish from available information that a Participant has experienced a Material change in its financial condition without regard to whether such Participant has informed PJMSettlement of the same.

For the purpose of this policy, a Material change in financial condition may include, but not be limited to, any of the following:

- a. a downgrade of any debt rating by any rating agency;
- b. being placed on a credit watch with negative implications by any rating agency;
- c. a bankruptcy filing;
- d. insolvency;

- e. a report of a quarterly or annual loss or a decline in earnings of ten percent or more compared to the prior period;
- f. restatement of prior financial statements;
- g. the resignation of key officer(s);
- h. the filing of a lawsuit that could adversely impact any current or future financial results by ten percent or more;
- i. financial default in another organized wholesale electric market futures exchange or clearing house;
- j. revocation of a license or other authority by any Federal or State regulatory agency; where such license or authority is necessary or important to the Participants continued business for example, FERC market-based rate authority, or State license to serve retail load; or
- k. a significant change in credit default spreads, market capitalization, or other market-based risk measurement criteria, such as a recent increase in Moody's KMV Expected Default Frequency (EDFtm) that is noticeably greater than the increase in its peers' EDFtm rates, or a collateral default swap (CDS) premium normally associated with an entity rated lower than investment grade.

If PJMSettlement determines that a Material change in the financial condition of the Participant has occurred, it may require the Participant to provide Financial Security within two Business Days, in an amount and form approved by PJMSettlement. If the Participant fails to provide the required Financial Security, the Participant shall be in default under this credit policy.

In the event that PJMSettlement determines that a Material change in the financial condition of a Participant warrants a requirement to provide Financial Security, PJMSettlement shall provide the Participant with a written explanation of why such determination was made. However, under no circumstances shall the requirement that a Participant provide the requisite Financial Security be deferred pending the issuance of such written explanation.

4) Litigation, Commitments, and Contingencies

Each Participant is also required to provide information as to any known Material litigation, commitments or contingencies as well as any prior bankruptcy declarations or Material defalcations by the Participant or its predecessors, subsidiaries or Affiliates, if any. These disclosures shall be made upon initiation or change or as requested by PJMSettlement.

5) Other Disclosures

Each Participant is required to disclose any Affiliates that are currently Members of PJM or are applying for membership within PJM. Each Participant is also required to disclose the existence of any ongoing investigations by the SEC, FERC, CFTC or any other governing, regulatory, or standards body. These disclosures shall be made upon initiation or change, or as requested by PJMSettlement.

C. Corporate Guaranty

If a Corporate Guaranty is being utilized to establish credit for a Participant, the Guarantor will be evaluated and the Unsecured Credit Allowance or Financial Security requirement will be based on the financial strength of the Guarantor.

An irrevocable and unconditional Corporate Guaranty may be utilized as part of the credit evaluation process, but will not be considered a form of Financial Security. The Corporate Guaranty will be considered a transfer of credit from the Guarantor to the Participant. The Corporate Guaranty must guarantee the (i) full and prompt payment of all amounts payable by the Participant under the Agreements, and (ii) performance by the Participant under this policy.

The Corporate Guaranty should clearly state the identities of the “Guarantor,” “Beneficiary” (PJMSettlement) and “Obligor” (Participant). The Corporate Guaranty must be signed by an officer of the Guarantor, and must demonstrate that it is duly authorized in a manner acceptable to PJMSettlement. Such demonstration may include either a Corporate Seal on the Guaranty itself, or an accompanying executed and sealed Secretary’s Certificate noting that the Guarantor was duly authorized to provide such Corporate Guaranty and that the person signing the Corporate Guaranty is duly authorized, or other manner acceptable to PJMSettlement.

A Participant supplying a Corporate Guaranty must provide the same information regarding the Guarantor as is required in the “Initial Credit Evaluation” §I.A. and the “Ongoing Evaluation” §I.B. of this policy, including providing the Rating Agency Reports, Financial Statements and Related Information, References, Litigation Commitments and Contingencies, and Other Disclosures. A Participant supplying a Foreign or Canadian Guaranty must also satisfy the requirements of §I.C.1 or §I.C.2, as appropriate.

If there is a Material change in the financial condition of the Guarantor or if the Corporate Guaranty comes within 30 days of expiring without renewal, the Participant will be required to provide Financial Security either in the form of a cash deposit or a letter of credit. Failure to provide the required Financial Security within two Business Days after request by PJMSettlement will constitute an event of default under this credit policy. A Participant may request PJMSettlement to perform a credit evaluation in order to determine creditworthiness and to establish an Unsecured Credit Allowance, if applicable. If PJMSettlement determines that a Participant does qualify for a sufficient Unsecured Credit Allowance, then Financial Security will not be required.

The PJMSettlement Credit Application contains an acceptable form of Corporate Guaranty that should be utilized by a Participant choosing to establish its credit with a Corporate Guaranty. If the Corporate Guaranty varies in any way from the PJMSettlement format, it must first be reviewed and approved by PJMSettlement. All costs associated with obtaining and maintaining a Corporate Guaranty and meeting the policy provisions are the responsibility of the Participant.

1) Foreign Guaranties

A Foreign Guaranty is a Corporate Guaranty that is provided by an Affiliate entity that is domiciled in a country other than the United States or Canada. The entity providing a Foreign Guaranty on behalf of a Participant is a Foreign Guarantor. A Participant may provide a Foreign

Guaranty in satisfaction of part of its credit obligations or voluntary credit provision at PJMSettlement provided that all of the following conditions are met:

PJMSettlement reserves the right to deny, reject, or terminate acceptance of any Foreign Guaranty at any time, including for material adverse circumstances or occurrences.

- a. A Foreign Guaranty:
 - i. Must contain provisions equivalent to those contained in PJMSettlement’s standard form of Foreign Guaranty with any modifications subject to review and approval by PJMSettlement counsel.
 - ii. Must be denominated in US currency.
 - iii. Must be written and executed solely in English, including any duplicate originals.
 - iv. Will not be accepted towards a Participant’s Unsecured Credit Allowance for more than the following limits, depending on the Foreign Guarantor's credit rating:

Rating of Foreign Guarantor	Maximum Accepted Guaranty if Country Rating is AAA	Maximum Accepted Guaranty if Country Rating is AA+
A- and above	USD50,000,000	USD30,000,000
BBB+	USD30,000,000	USD20,000,000
BBB	USD10,000,000	USD10,000,000
BBB- or below	USD 0	USD 0

- v. May not exceed 50% of the Participant’s total credit, if the Foreign Grantor is rated less than BBB+.

- b. A Foreign Guarantor:
 - i. Must satisfy all provisions of the PJM credit policy applicable to domestic Guarantors.
 - ii. Must be an Affiliate of the Participant.
 - iii. Must maintain an agent for acceptance of service of process in the United States; such agent shall be situated in the Commonwealth of Pennsylvania, absent legal constraint.
 - iv. Must be rated by at least one Rating Agency acceptable to PJMSettlement; the credit strength of a Foreign Guarantor may not be determined based on an evaluation of its financials without an actual credit rating as well.
 - v. Must have a Senior Unsecured (or equivalent, in PJMSettlement's sole discretion) rating of BBB (one notch above BBB-) or greater by any and all agencies that provide rating coverage of the entity.
 - vi. Must provide financials in GAAP format or other format acceptable to PJMSettlement with clear representation of net worth, intangible assets, and any other information PJMSettlement may require in order to determine the entity’s Unsecured Credit Allowance

- vii. Must provide a Secretary's Certificate certifying the adoption of Corporate Resolutions:
 - 1. Authorizing and approving the Guaranty; and
 - 2. Authorizing the Officers to execute and deliver the Guaranty on behalf of the Guarantor.
- viii. Must be domiciled in a country with a minimum long-term sovereign (or equivalent) rating of AA+/Aa1, with the following conditions:
 - 1. Sovereign ratings must be available from at least two rating agencies acceptable to PJMSettlement (e.g. S&P, Moody's, Fitch, DBRS).
 - 2. Each agency's sovereign rating for the domicile will be considered to be the lowest of: country ceiling, senior unsecured government debt, long-term foreign currency sovereign rating, long-term local currency sovereign rating, or other equivalent measures, at PJMSettlement's sole discretion.
 - 3. Whether ratings are available from two or three agencies, the lowest of the two or three will be used.
- ix. Must be domiciled in a country that recognizes and enforces judgments of US courts.
- x. Must demonstrate financial commitment to activity in the United States as evidenced by one of the following:
 - 1. American Depository Receipts (ADR) are traded on the New York Stock Exchange, American Stock Exchange, or NASDAQ.
 - 2. Equity ownership worth over USD100,000,000 in the wholly-owned or majority owned subsidiaries in the United States.
- xi. Must satisfy all other applicable provisions of the PJM Tariff and/or Operating Agreement, including this credit policy.
- xii. Must pay for all expenses incurred by PJMSettlement related to reviewing and accepting a foreign guaranty beyond nominal in-house credit and legal review.
- xiii. Must, at its own cost, provide PJMSettlement with independent legal opinion from an attorney/solicitor of PJMSettlement's choosing and licensed to practice law in the United States and/or Guarantor's domicile, in form and substance acceptable to PJMSettlement in its sole discretion, confirming the enforceability of the Foreign Guaranty, the Guarantor's legal authorization to grant the Guaranty, the conformance of the Guaranty, Guarantor, and Guarantor's domicile to all of these requirements, and such other matters as PJMSettlement may require in its sole discretion.

2) Canadian Guaranties

A Canadian Guaranty is a Corporate Guaranty that is provided by an Affiliate entity that is domiciled in Canada and satisfies all of the provisions below. The entity providing a Canadian Guaranty on behalf of a Participant is a Canadian Guarantor. A Participant may provide a Canadian Guaranty in satisfaction of part of its credit obligations or voluntary credit provision at PJMSettlement provided that all of the following conditions are met.

PJMSettlement reserves the right to deny, reject, or terminate acceptance of any Canadian Guaranty at any time for reasonable cause, including adverse material circumstances.

- a. A Canadian Guaranty:
 - i. Must contain provisions equivalent to those contained in PJMSettlement's standard form of Foreign Guaranty with any modifications subject to review and approval by PJMSettlement counsel.
 - ii. Must be denominated in US currency.
 - iii. Must be written and executed solely in English, including any duplicate originals.

- b. A Canadian Guarantor:
 - i. Must satisfy all provisions of the PJM credit policy applicable to domestic Guarantors.
 - ii. Must be an Affiliate of the Participant.
 - iii. Must maintain an agent for acceptance of service of process in the United States; such agent shall be situated in the Commonwealth of Pennsylvania, absent legal constraint.
 - iv. Must be rated by at least one Rating Agency acceptable to PJMSettlement; the credit strength of a Canadian Guarantor may not be determined based on an evaluation of its financials without an actual credit rating as well.
 - v. Must provide financials in GAAP format or other format acceptable to PJMSettlement with clear representation of net worth, intangible assets, and any other information PJMSettlement may require in order to determine the entity's Unsecured Credit Allowance.

 - vi. Must satisfy all other applicable provisions of the PJM Tariff and/or Operating Agreement, including this Credit Policy.

Ia. MINIMUM PARTICIPATION REQUIREMENTS

A. PJM Market Participation Eligibility Requirements

To be eligible to transact in PJM Markets, a Market Participant must demonstrate in accordance with the Risk Management and Verification processes set forth below that it qualifies in one of the following ways:

1. an "appropriate person," as that term is defined under Section 4(c)(3), or successor provision, of the Commodity Exchange Act, or;
2. an "eligible contract participant," as that term is defined in Section 1a(18), or successor provision, of the Commodity Exchange Act, or;
3. a business entity or person who is in the business of: (1) generating, transmitting, or distributing electric energy, or (2) providing electric energy services that are necessary to support the reliable operation of the transmission system, or;

4. a Market Participant seeking eligibility as an “appropriate person” providing an unlimited Corporate Guaranty in a form acceptable to PJMSettlement as described in Section I.C of Attachment Q from an issuer that has at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty, or;
5. a Market Participant providing a letter of credit of at least \$5 million to PJMSettlement in a form acceptable to PJMSettlement as described in Section VI.B of Attachment Q that the Market Participant acknowledges is separate from, and cannot be applied to meet, its credit requirements to PJMSettlement.

If, at any time, a Market Participant cannot meet the eligibility requirements set forth above, it shall immediately notify PJMSettlement and immediately cease conducting transactions in the PJM Markets. PJMSettlement shall terminate a Market Participant’s transaction rights in the PJM Markets if, at any time, it becomes aware that the Market Participant does not meet the minimum eligibility requirements set forth above.

In the event that a Market Participant is no longer able to demonstrate it meets the minimum eligibility requirements set forth above, and possesses, obtains or has rights to possess or obtain, any open or forward positions in PJM’s Markets, PJMSettlement may take any such action it deems necessary with respect to such open or forward positions, including, but not limited to, liquidation, transfer, assignment or sale; provided, however, that the Market Participant will, notwithstanding its ineligibility to participate in the PJM Markets, be entitled to any positive market value of those positions, net of any obligations due and owing to PJM and/or PJMSettlement.

B. Risk Management and Verification

All Participants shall provide to PJMSettlement an executed copy of the annual certification set forth in Appendix 1 to this Attachment Q. This certification shall be provided before an entity is eligible to participate in the PJM Markets and shall be initially submitted to PJMSettlement together with the entity’s Credit Application. Thereafter, it shall be submitted each calendar year by all Participants during a period beginning on January 1 and ending April 30, except that new Participants who became eligible to participate in PJM markets during the period of January through April shall not be required to resubmit such certification until the following calendar year. Except for certain FTR Participants (discussed below) or in cases of manifest error, PJMSettlement will accept such certifications as a matter of course and Participants will not need further notice from PJMSettlement before commencing or maintaining their eligibility to participate in PJM markets. A Participant that fails to provide its annual certification by April 30 shall be ineligible to transact in the PJM markets and PJM will disable the Participant’s access to the PJM markets until such time as PJMSettlement receives the Participant’s certification.

Participants acknowledge and understand that the annual certification constitutes a representation upon which PJMSettlement will rely. Such representation is additionally made under the PJM Tariff, filed with and accepted by FERC, and any inaccurate or incomplete statement may subject the Participant to action by FERC. Failure to comply with any of the criteria or

requirements listed herein or in the certification may result in suspension of a Participant's transaction rights in the PJM markets.

Certain FTR Participants (those providing representations found in paragraph 3.b of the annual certification set forth in Appendix 1 to this Attachment Q) are additionally required to submit to PJMSettlement (at the time they make their annual certification) a copy of their current governing risk control policies, procedures and controls applicable to their FTR trading activities, except that if no substantive changes have been made to such policies, practices and/or controls applicable to their FTR trading activities, they may instead submit to PJMSettlement a certification stating that no changes have been made. PJMSettlement will review such documentation to verify that it appears generally to conform to prudent risk management practices for entities trading in FTR-type markets. If principles or best practices relating to risk management in FTR-type markets are published, as may be modified from time to time, by a third-party industry association, such as the Committee of Chief Risk Officers, PJMSettlement may, following stakeholder discussion and with no less than six months prior notice to stakeholders, apply such principles or best practices in determining the fundamental sufficiency of the FTR Participant's risk controls. Those FTR Participants subject to this provision shall make a one-time payment of \$1,000.00 to PJMSettlement to cover costs associated with review and verification. Thereafter, if such FTR Participant's risk policies, procedures and controls applicable to its FTR trading activities change substantively, it shall submit such modified documentation, without charge, to PJMSettlement for review and verification at the time it makes its annual certification. Such FTR Participant's continued eligibility to participate in the PJM FTR markets is conditioned on PJMSettlement notifying such FTR Participant that its annual certification, including the submission of its risk policies, procedures and controls, has been accepted by PJMSettlement. PJMSettlement may retain outside expertise to perform the review and verification function described in this paragraph, however, in all circumstances, PJMSettlement and any third-party it may retain will treat as confidential the documentation provided by an FTR Participant under this paragraph, consistent with the applicable provisions of PJM's Operating Agreement.

An FTR Participant that makes the representation in paragraph 3.a of the annual certification understand that PJMSettlement, given the visibility it has over a Participant's overall market activity in performing billing and settlement functions, may at any time request the FTR Participant provide additional information demonstrating that it is in fact eligible to make the representation in paragraph 3.a of the annual certification. If such additional information is not provided or does not, in PJMSettlement's judgment, demonstrate eligibility to make the representation in paragraph 3.a of the annual certification, PJMSettlement will require the FTR Participant to instead make the representations required in paragraph 3.b of the annual certification, including representing that it has submitted a copy of its current governing risk control policies, procedures and controls applicable to its FTR trading activities. If the FTR Participant cannot or does not make those representations as required in paragraph 3.b of the annual certification, then PJM will terminate the FTR Participant's rights to purchase FTRs in the FTR market and may terminate the FTR Participant's rights to sell FTRs in the PJM FTR market.

PJMSettlement shall also conduct a periodic compliance verification process to review and verify, as applicable, Participants' risk management policies, practices, and procedures pertaining to the Participants' activities in the PJM markets. Such review shall include verification that:

1. The risk management framework is documented in a risk policy addressing market, credit and liquidity risks.
2. The Participant maintains an organizational structure with clearly defined roles and responsibilities that clearly segregates trading and risk management functions.
3. There is clarity of authority specifying the types of transactions into which traders are allowed to enter.
4. The Participant has requirements that traders have adequate training relative to their authority in the systems and PJM markets in which they transact.
5. As appropriate, risk limits are in place to control risk exposures.
6. Reporting is in place to ensure that risks and exceptions are adequately communicated throughout the organization.
7. Processes are in place for qualified independent review of trading activities.
8. As appropriate, there is periodic valuation or mark-to-market of risk positions.

If principles or best practices relating to risk management in PJM-type markets are published, as may be modified from time to time, by a third-party industry association, PJMSettlement may, following stakeholder discussion and with no less than six months prior notice to stakeholders, apply such principles or best practices in determining the sufficiency of the Participant's risk controls. PJMSettlement may select Participants for review on a random basis and/or based on identified risk factors such as, but not limited to, the PJM markets in which the Participant is transacting, the magnitude of the Participant's transactions in the PJM markets, or the volume of the Participant's open positions in the PJM markets. Those Participants notified by PJMSettlement that they have been selected for review shall, upon 14 calendar days notice, provide a copy of their current governing risk control policies, procedures and controls applicable to their PJM market activities and shall also provide such further information or documentation pertaining to the Participants' activities in the PJM markets as PJMSettlement may reasonably request. Participants selected for risk management verification through a random process and satisfactorily verified by PJMSettlement shall be excluded from such verification process based on a random selection for the subsequent two years. PJMSettlement shall annually randomly select for review no more than 20% of the Participants in each member sector.

Each selected Participant's continued eligibility to participate in the PJM markets is conditioned upon PJMSettlement notifying the Participant of successful completion of PJMSettlement's verification of the Participant's risk management policies, practices and procedures, as discussed

herein. However, if PJMSettlement notifies the Participant in writing that it could not successfully complete the verification process, PJMSettlement shall allow such Participant 14 calendar days to provide sufficient evidence for verification prior to declaring the Participant as ineligible to continue to participate in PJM's markets, which declaration shall be in writing with an explanation of why PJMSettlement could not complete the verification. If, prior to the expiration of such 14 calendar days, the Participant demonstrates to PJMSettlement that it has filed with the Federal Energy Regulatory Commission an appeal of PJMSettlement's risk management verification determination, then the Participant shall retain its transaction rights, pending the Commission's determination on the Participant's appeal. PJMSettlement may retain outside expertise to perform the review and verification function described in this paragraph. PJMSettlement and any third party it may retain will treat as confidential the documentation provided by a Participant under this paragraph, consistent with the applicable provisions of the Operating Agreement. If PJMSettlement retains such outside expertise, a Participant may direct in writing that PJMSettlement perform the risk management review and verification for such Participant instead of utilizing a third party, provided however, that employees and contract employees of PJMSettlement and PJM shall not be considered to be such outside expertise or third parties.

Participants are solely responsible for the positions they take and the obligations they assume in PJM markets. PJMSettlement hereby disclaims any and all responsibility to any Participant or PJM Member associated with Participant's submitting or failure to submit its annual certification or PJMSettlement's review and verification of an FTR Participant's risk policies, procedures and controls. Such review and verification is limited to demonstrating basic compliance by an FTR Participant with the representation it makes under paragraph 3.b of its annual certification showing the existence of written policies, procedures and controls to limit its risk in PJM's FTR markets and does not constitute an endorsement of the efficacy of such policies, procedures or controls.

C. Capitalization

In addition to the Annual Certification requirements in Appendix 1 to this Attachment Q, a Participant must demonstrate that it meets the minimum financial requirements appropriate for the PJM market(s) in which it transacts by satisfying either the Minimum Capitalization or the Provision of Collateral requirements listed below:

1. Minimum Capitalization

FTR Participants must demonstrate a tangible net worth in excess of \$1 million or tangible assets in excess of \$10 million. Other Participants must demonstrate a tangible net worth in excess of \$500,000 or tangible assets in excess of \$5 million.

- a. In either case, consideration of "tangible" assets and net worth shall exclude assets (net of any matching liabilities, assuming the result is a positive value) which PJMSettlement reasonably believes to be restricted, highly risky, or potentially unavailable to settle a claim in the event of default. Examples include, but are not

limited to, restricted assets and Affiliate assets, derivative assets, goodwill, and other intangible assets.

- b. Demonstration of “tangible” assets and net worth may be satisfied through presentation of an acceptable Corporate Guaranty, provided that both:
 - (i) the guarantor is an affiliate company that satisfies the tangible net worth or tangible assets requirements herein, and;
 - (ii) the Corporate Guaranty is either unlimited or at least \$500,000.

If the Corporate Guaranty presented by the Participant to satisfy these Capitalization requirements is limited in value, then the Participant’s resulting Unsecured Credit Allowance shall be the lesser of:

- (1) the applicable Unsecured Credit Allowance available to the Participant by the Corporate Guaranty pursuant to the creditworthiness provisions of this Credit Policy, or:
- (2) the face value of the Corporate Guaranty, reduced by \$500,000 and further reduced by 10%. (For example, a \$10.5 million Corporate Guaranty would be reduced first by \$500,000 to \$10 million and then further reduced 10% more to \$9 million. The resulting \$9 million would be the Participant’s Unsecured Credit Allowance available through the Corporate Guaranty).

In the event that a Participant provides collateral in addition to a limited Corporate Guaranty to increase its available credit, the value of such collateral shall be reduced by 10%. This reduced value shall be deemed Financial Security and available to satisfy the requirements of this Credit Policy.

Demonstrations of capitalization must be presented in the form of audited financial statements for the Participant’s most recent fiscal year.

2. Provision of Collateral

If a Participant does not demonstrate compliance with its applicable Minimum Capitalization Requirements above, it may still qualify to participate in PJM’s markets by posting additional collateral, subject to the terms and conditions set forth herein.

Any collateral provided by a Participant unable to satisfy the Minimum Capitalization Requirements above will be restricted in the following manner:

- i. Collateral provided by FTR Participants shall be reduced by \$500,000 and then further reduced by 10%. This reduced amount shall be considered the Financial Security provided by the Participant and available to satisfy requirements of this Credit Policy.
- ii. Collateral provided by other Participants that engage in Virtual Transactions or Export Transactions shall be reduced by \$200,000 and then further reduced by 10%. This reduced value shall be considered Financial Security available to satisfy requirements of this Credit Policy.
- iii. Collateral provided by other Participants that do not engage in Virtual Transactions or Export Transactions shall be reduced by 10%, and this reduced value shall be considered Financial Security available to satisfy requirements of this Credit Policy.

In the event a Participant that satisfies the Minimum Participation Requirements through provision of collateral also provides a Corporate Guaranty to increase its available credit, then the Participant's resulting Unsecured Credit Allowance conveyed through such Guaranty shall be the lesser of:

- (1) the applicable Unsecured Credit Allowance available to the Participant by the Corporate Guaranty pursuant to the creditworthiness provisions of this credit policy, or,
- (2) the face value of the Guaranty, reduced by 10%.

II. CREDIT ALLOWANCE AND WORKING CREDIT LIMIT

PJMSettlement's credit evaluation process will include calculating a Credit Score for each Participant. The credit score will be utilized to determine a Participant's Unsecured Credit Allowance.

Participants who do not qualify for an Unsecured Credit Allowance will be required to provide Financial Security based on their Peak Market Activity, as provided below.

A corresponding Working Credit Limit will be established based on the Unsecured Credit Allowance and/or the Financial Security provided.

Where Participant of PJM are considered Affiliates, Unsecured Credit Allowances and Working Credit Limits will be established for each individual Participant, subject to an aggregate maximum amount for all Affiliates as provided for in §II.F of this policy.

In its credit evaluation of Cooperatives and Municipalities, PJMSettlement may request additional information as part of the overall financial review process and may also consider qualitative factors in determining financial strength and creditworthiness.

A. Credit Score

For participants with credit ratings, a Credit Score will be assigned based on their senior unsecured credit rating and credit watch status as shown in the table below. If an explicit senior unsecured rating is not available, PJMSettlement may impute an equivalent rating from other ratings that are available. For Participants without a credit rating, but who wish to be considered for unsecured Credit, a Credit Score will be generated from PJMSettlement's review and analysis of various factors that are predictors of financial strength and creditworthiness. Key factors in the scoring process include, financial ratios, and years in business. PJMSettlement will consistently apply the measures it uses in determining Credit Scores. The credit scoring methodology details are included in a supplementary document available on OASIS.

Rated Entities Credit Scores

Rating	Score	Score Modifier	
		Credit Watch Negative	Credit Watch Positive
AAA	100	-1.0	0.0
AA+	99	-1.0	0.0
AA	99	-1.0	0.0
AA-	98	-1.0	0.0
A+	97	-1.0	0.0
A	96	-2.0	0.0
A-	93	-3.0	1.0
BBB+	88	-4.0	2.0
BBB	78	-4.0	2.0
BBB-	65	-4.0	2.0
BB+ and below	0	0.0	0.0

B. Unsecured Credit Allowance

PJMSettlement will determine a Participant's Unsecured Credit Allowance based on its Credit Score and the parameters in the table below. The maximum Unsecured Credit Allowance is the lower of:

- 1) A percentage of the Participant's Tangible Net Worth, as stated in the table below, with the percentage based on the Participant's credit score; and
- 2) A dollar cap based on the credit score, as stated in the table below:

Credit Score	Tangible Net Worth Factor	Maximum Unsecured Credit Allowance (\$ Million)
91-100	2.125 – 2.50%	\$50
81-90	1.708 – 2.083%	\$42
71-80	1.292 – 1.667%	\$33
61-70	0.875 – 1.25%	\$7
51-60	0.458 – 0.833%	\$0-\$2
50 and Under	0%	\$0

If a Corporate Guaranty is utilized to establish an Unsecured Credit Allowance for a Participant, the value of a Corporate Guaranty will be the lesser of:

- The limit imposed in the Corporate Guaranty;
- The Unsecured Credit Allowance calculated for the Guarantor; and
- A portion of the Unsecured Credit Allowance calculated for the Guarantor in the case of Affiliated Participants.

PJMSettlement has the right at any time to modify any Unsecured Credit Allowance and/or require additional Financial Security as may be deemed reasonably necessary to support current market activity. Failure to pay the required amount of additional Financial Security within two Business Days shall be an event of default.

PJMSettlement will maintain a posting of each Participant’s unsecured Credit Allowance, along with certain other credit related parameters, on the PJM web site in a secure, password-protected location. Such information will be updated at least weekly. Each Participant will be responsible for monitoring such information and recognizing changes that may occur.

C. Peak Market Activity and Financial Security Requirement

A PJM Participant or Applicant that has an insufficient Unsecured Credit Allowance to satisfy its Peak Market Activity will be required to provide Financial Security such that its Unsecured Credit Allowance and Financial Security together are equal to its Peak Market Activity in order to secure its transactional activity in the PJM Market.

Peak Market Activity for Participants will be determined semi-annually beginning in the first complete billing week in the months of April and October. Peak Market Activity shall be the greater of the initial Peak Market Activity, as explained below, or the greatest amount invoiced for the Participant’s transaction activity for all PJM markets and services in any rolling one, two, or three week period, ending within a respective semi-annual period. However, Peak Market Activity shall not exceed the greatest amount invoiced for the Participant’s transaction activity for all PJM markets and services in any rolling one, two or three week period in the prior 52 weeks.

Peak Market Activity shall exclude FTR Net Activity, Virtual Transactions Net Activity, and Export Transactions Net Activity.

The initial Peak Market Activity for Applicants will be determined by PJMSettlement based on a review of an estimate of their transactional activity for all PJM markets and services over the next 52 weeks, which the Applicant shall provide to PJMSettlement.

The initial Peak Market Activity for Participants, calculated at the beginning of each respective semi-annual period, shall be the three-week average of all non-zero invoice totals over the previous 52 weeks. This calculation shall be performed and applied within three business days following the day the invoice is issued for the first full billing week in the current semi-annual period.

Prepayments shall not affect Peak Market Activity unless otherwise agreed to in writing pursuant to this Credit Policy.

All Peak Market Activity calculations shall take into account reductions of invoice values effectuated by early payments which are applied to reduce a Participant's Peak Market Activity as contemplated by other terms of the Credit Policy; provided that the initial Peak Market Activity shall not be less than the average value calculated using the weeks for which no early payment was made.

A Participant may reduce its Financial Security Requirement by agreeing in writing (in a form acceptable to PJMSettlement) to make additional payments, including prepayments, as and when necessary to ensure that such Participant's Total Net Obligation at no time exceeds such reduced Financial Security Requirement.

PJMSettlement may, at its discretion, adjust a Participant's Financial Security Requirement if PJMSettlement determines that the Peak Market Activity is not representative of such Participant's expected activity, as a consequence of known, measurable, and sustained changes. Such changes may include the loss (without replacement) of short-term load contracts, when such contracts had terms of three months or more and were acquired through state-sponsored retail load programs, but shall not include short-term buying and selling activities.

PJMSettlement may waive the Financial Security Requirement for a Participant that agrees in writing that it shall not, after the date of such agreement, incur obligations under any of the Agreements. Such entity's access to all electronic transaction systems administered by PJM shall be terminated.

PJMSettlement will maintain a posting of each Participant's Financial Security Requirement on the PJM web site in a secure, password-protected location. Such information will be updated at least weekly. Each Participant will be responsible for monitoring such information and recognizing changes that may occur.

D. Working Credit Limit

PJMSettlement will establish a Working Credit Limit for each Participant against which its **Total Net Obligation** will be monitored. The Working Credit Limit is defined as 75% of the Financial Security provided to PJMSettlement and/or 75% of the Unsecured Credit Allowance determined by PJMSettlement based on a credit evaluation, as reduced by any applicable credit requirement determinants defined in this policy. A Participant's Total Net Obligation should not exceed its Working Credit Limit.

Example: After a credit evaluation by PJMSettlement, a Participant is deemed able to support an Unsecured Credit Allowance of \$10.0 million. The Participant will be assigned a Working Credit Limit of \$8.5 million. PJMSettlement will monitor the Participant's Total Net Obligations against the Working Credit Limit.

A Participant with an Unsecured Credit Allowance may choose to provide Financial Security in order to increase its Working Credit Limit. A Participant with no Unsecured Credit Allowance may also choose to increase its Working Credit Limit by providing Financial Security in an amount greater than its Peak Market Activity.

If a Participant's Total Net Obligation approaches its Working Credit Limit, PJMSettlement may require the Participant to make an advance payment or increase its Financial Security in order to maintain its Total Net Obligation below its Working Credit Limit. Except as explicitly provided below, advance payments shall not serve to reduce the Participant's Peak Market Activity for the purpose of calculating credit requirements.

Example: After 10 days, and with 5 days remaining before the bill is due to be paid, a Participant approaches its \$4.0 million Working Credit Limit. PJMSettlement may require a prepayment of \$2.0 million in order that the Total Net Obligation will not exceed the Working Credit Limit.

If a Participant exceeds its Working Credit Limit or is required to make advance payments more than ten times during a 52-week period, PJMSettlement may require Financial Security in an amount as may be deemed reasonably necessary to support its Total Net Obligation.

A Participant receiving unsecured credit may make early payments up to ten times in a rolling 52-week period in order to reduce its Peak Market Activity for credit requirement purposes. Imputed Peak Market Activity reductions for credit purposes will be applied to the billing period for which the payment was received. Payments used as the basis for such reductions must be received prior to issuance or posting of the invoice for the relevant billing period. The imputed Peak Market Activity reduction attributed to any payment may not exceed the amount of Unsecured Credit for which the Participant is eligible.

E. Credit Limit Setting For Affiliates

If two or more Participants are Affiliates and each is being granted an Unsecured Credit Allowance and a corresponding Working Credit Limit, PJMSettlement will consider the overall creditworthiness of the Affiliated Participants when determining the Unsecured Credit Allowances and Working Credit Limits in order not to grant more Unsecured Credit than the overall corporation could support.

Example: Participants A and B each have a \$10.0 million Corporate Guaranty from their common parent, a holding company with an Unsecured Credit Allowance calculation of \$12.0 million. PJMSettlement may limit the Unsecured Credit Allowance for each Participant to \$6.0 million, so the total Unsecured Credit Allowance does not exceed the corporate total of \$12.0 million.

PJMSettlement will work with Affiliated Participants to allocate the total Unsecured Credit Allowance among the Affiliates while assuring that no individual Participant, nor common guarantor, exceeds the Unsecured Credit Allowance appropriate for its credit strength. The aggregate Unsecured Credit for a Participant, including Unsecured Credit Allowance granted based on its own creditworthiness and any Unsecured Credit Allowance conveyed through a Guaranty shall not exceed \$50 million. The aggregate Unsecured Credit for a group of Affiliates shall not exceed \$50 million. A group of Affiliates subject to this cap shall request PJMSettlement to allocate the maximum Unsecured Credit and Working Credit Limit amongst the group, assuring that no individual Participant or common guarantor, shall exceed the Unsecured Credit level appropriate for its credit strength and activity.

F. Working Credit Limit Violations

1) Notification

A Participant is subject to notification when its Total Net Obligation to PJMSettlement approaches the Participant's established Working Credit Limit.

2) Suspension

A Participant that exceeds its Working Credit Limit is subject to suspension from participation in the PJM markets and from scheduling any future Transmission Service unless and until Participant's credit standing is brought within acceptable limits. A Participant will have two Business Days from notification to remedy the situation in a manner deemed acceptable by PJMSettlement. Additionally, PJMSettlement, in coordination with PJM, will take such actions as may be required or permitted under the Agreements, including but not limited to the termination of the Participant's ongoing Transmission Service and participation in PJM Markets. Failure to comply with this policy will be considered an event of default under this credit policy.

G. PJM Administrative Charges

Financial Security held by PJMSettlement shall also secure obligations to PJM for PJM administrative charges.

H. Pre-existing Financial Security

PJMSettlement's credit requirements are applicable as of the effective date of the filing on May 5, 2010 by PJM and PJMSettlement of amendments to Attachment Q. Financial Security held by

PJM prior to the effective date of such amendments shall be held by PJM for the benefit of PJMSettlement.

III. VIRTUAL TRANSACTION SCREENING

A. Credit and Financial Security

PJMSettlement does not require a Market Participant to establish separate or additional credit for submitting Virtual Transactions. If a Market Participant chooses to establish additional Financial Security and/or Unsecured Credit Allowance in order to increase its Credit Available for Virtual Transactions, the Market Participant's Working Credit Limit for Virtual Transactions shall be increased in accordance with the definition thereof. The Financial Security and/or Unsecured Credit Allowance available to increase a Market Participant's Credit Available for Virtual Transactions shall be the amount of Financial Security and/or Unsecured Credit Allowance available after subtracting any credit required for Minimum Participation Requirements, FTR, Export Transactions, or other credit requirement determinants as defined in this policy, as applicable.

If a Market Participant chooses to provide additional Financial Security in order to increase its **Credit Available for Virtual Transactions PJMSettlement** may establish a reasonable timeframe, not to exceed three months, for which such Financial Security must be maintained. PJMSettlement will not impose such restriction on a deposit unless a Market Participant is notified prior to making the deposit. Such restriction, if applied, shall be applied to all future deposits by all Market Participants engaging in Virtual Transactions.

A Market Participant wishing to increase its Credit Available for Virtual Transactions by providing additional Financial Security may make the appropriate arrangements with PJMSettlement. PJMSettlement will make a good faith effort to make new Financial Security available as Credit Available for Virtual Transactions as soon as practicable after confirmation of receipt. In any event, however, Financial Security received and confirmed by noon on a business day will be applied (as provided under this policy) to Credit Available for Virtual Transactions no later than 10:00 am on the following business day. Receipt and acceptance of wired funds for cash deposit shall mean actual receipt by PJMSettlement's bank, deposit into PJMSettlement's customer deposit account, and confirmation by PJMSettlement that such wire has been received and deposited. Receipt and acceptance of letters of credit shall mean receipt of the original letter of credit or amendment thereto, and confirmation from PJMSettlement's credit and legal staffs that such letter of credit or amendment thereto conforms to PJMSettlement's requirements, which confirmation shall be made in a reasonable and practicable timeframe. To facilitate this process, bidders wiring funds for the purpose of increasing their Credit Available for Virtual Transactions are advised to specifically notify PJMSettlement that a wire is being sent for such purpose.

B. Virtual Transaction Screening Process

All Virtual Transactions submitted to PJM shall be subject to a credit screen prior to acceptance in the Day-ahead Energy Market auction. The credit screen process will automatically reject

Virtual Transactions submitted by the PJM market participant if the participant's Credit Available for Virtual Transactions is exceeded by the **Virtual Credit Exposure** that is calculated based on the participant's submitted Virtual Transactions as described below.

A Participant's Virtual Credit Exposure will be calculated on a daily basis for all Virtual Transactions submitted by the market participant for the next market day using the following equation:

Virtual Credit Exposure = INC and DEC Exposure + Up-to Congestion Exposure

Where:

1) INC and DEC Exposure is calculated as:

(a) ((the total MWh bid or offered, whichever is greater, hourly at each node) x the Nodal Reference Price x 1 day) summed over all nodes and all hours; plus (b) ((the difference between the total bid MWh cleared and total offered MWh cleared hourly at each node) x Nodal Reference Price) summed over all nodes and all hours for the previous cleared Day-ahead Energy Market.

2) Up-to Congestion Exposure is calculated as:

(a) Total MWh bid hourly for each Up-to Congestion Transaction x (price bid – Up-to Congestion Reference Price) summed over all Up-to Congestion Transactions and all hours; plus (b) Total MWh cleared hourly for each Up-to Congestion Transaction x (cleared price – Up-to Congestion Reference Price) summed over all Up-to Congestion Transactions and all hours for the previous cleared Day-ahead Energy Market, provided that hours for which the calculation for an Up-to Congestion Transaction is negative, it shall be deemed to have a zero contribution to the sum.

If a Market Participant's Virtual Transactions are rejected as a result of the credit screen process, the Market Participant will be notified via an Markets Gateway error message. A Market Participant whose Virtual Transactions are rejected may alter its Virtual Transactions so that its Virtual Credit Exposure does not exceed its Credit Available for Virtual Transactions, and may resubmit them. Virtual Transactions may be submitted in one or more groups during a day. If one or more groups of Virtual Transactions is submitted and accepted, and a subsequent group of submitted Virtual Transactions causes the total submitted Virtual Transactions to exceed the Virtual Credit Exposure, then only that subsequent set of Virtual Transactions will be rejected. Previously accepted Virtual Transactions will not be affected, though the Market Participant may choose to withdraw them voluntarily.

IV. RELIABILITY PRICING MODEL AUCTION AND PRICE RESPONSIVE DEMAND CREDIT REQUIREMENTS

Settlement during any Delivery Year of cleared positions resulting or expected to result from any Reliability Pricing Model Auction shall be included as appropriate in Peak Market Activity, and the provisions of this Attachment Q shall apply to any such activity and obligations arising

therefrom. In addition, the provisions of this section shall apply to any entity seeking to participate in any RPM Auction, to address credit risks unique to such auctions. The provisions of this section also shall apply under certain circumstances to PRD Providers that seek to commit Price Responsive Demand pursuant to the provisions of the Reliability Assurance Agreement.

A. Applicability

A Market Seller seeking to submit a Sell Offer in any Reliability Pricing Model Auction based on any Capacity Resource for which there is a materially increased risk of nonperformance must satisfy the credit requirement specified in section IV.B before submitting such Sell Offer. A PRD Provider seeking to commit Price Responsive Demand for which there is a materially increased risk of non-performance must satisfy the credit requirement specified in section IV.B before it may commit the Price Responsive Demand. Credit must be maintained until such risk of non-performance is substantially eliminated, but may be reduced commensurate with the reduction in such risk, as set forth in Section IV.C.

For purposes of this provision, a resource for which there is a materially increased risk of nonperformance shall mean: (i) a Planned Generation Capacity Resource; (ii) a Planned Demand Resource or an Energy Efficiency Resource; (iii) a Qualifying Transmission Upgrade; (iv) an existing or Planned Generation Capacity Resource located outside the PJM Region that at the time it is submitted in a Sell Offer has not secured firm transmission service to the border of the PJM Region sufficient to satisfy the deliverability requirements of the Reliability Assurance Agreement; or (v) Price Responsive Demand to the extent the responsible PRD Provider has not registered PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment, in accordance with Schedule 6.1 of the Reliability Assurance Agreement.

B. Reliability Pricing Model Auction and Price Responsive Demand Credit Requirement

Except as provided for Credit-Limited Offers below, for any resource specified in Section IV.A, other than Price Responsive Demand, the credit requirement shall be the RPM Auction Credit Rate, as provided in Section IV.D, times the megawatts to be offered for sale from such resource in a Reliability Pricing Model Auction. For Qualified Transmission Upgrades, the credit requirements shall be based on the Locational Deliverability Area in which such upgrade was to increase the Capacity Emergency Transfer Limit. However, the credit requirement for Planned Financed Generation Capacity Resources and Planned External Financed Generation Capacity Resources shall be one half of the product of the RPM Auction Credit Rate, as provided in Section IV.D, times the megawatts to be offered for sale from such resource in a Reliability Pricing Model Auction. The RPM Auction Credit Requirement for each Market Seller shall be the sum of the credit requirements for all such resources to be offered by such Market Seller in the auction or, as applicable, cleared by such Market Seller from the relevant auctions. For Price Responsive Demand specified in section IV.A, the credit requirement shall be based on the Nominal PRD Value (stated in Unforced Capacity terms) times the Price Responsive Demand Credit Rate as set forth in section IV.E.

Except for Credit-Limited Offers, the RPM Auction Credit Requirement for a Market Seller will be reduced for any Delivery Year to the extent less than all of such Market Seller's offers clear in the Base Residual Auction or any Incremental Auction for such Delivery Year. Such reduction shall be proportional to the quantity, in megawatts, that failed to clear in such Delivery Year.

A Sell Offer based on a Planned Generation Capacity Resource, Planned Demand Resource, or Energy Efficiency Resource may be submitted as a Credit-Limited Offer. A Market Seller electing this option shall specify a maximum amount of Unforced Capacity, in megawatts, and a maximum credit requirement, in dollars, applicable to the Sell Offer. A Credit-Limited Offer shall clear the RPM Auction in which it is submitted (to the extent it otherwise would clear based on the other offer parameters and the system's need for the offered capacity) only to the extent of the lesser of: (i) the quantity of Unforced Capacity that is the quotient of the division of the specified maximum credit requirement by the Auction Credit Rate resulting from section IV.D.b.; and (ii) the maximum amount of Unforced Capacity specified in the Sell Offer. For a Market Seller electing this alternative, the RPM Auction Credit Requirement applicable prior to the posting of results of the auction shall be the maximum credit requirement specified in its Credit-Limited Offer, and the RPM Auction Credit Requirement subsequent to posting of the results will be the Auction Credit Rate, as provided in Section IV.D.b, c. or d., as applicable, times the amount of Unforced Capacity from such Sell Offer that cleared in the auction. The availability and operational details of Credit-Limited Offers shall be as described in the PJM Manuals.

As set forth in Section IV.D, a Market Seller's Auction Credit Requirement shall be determined separately for each Delivery Year.

C. Reduction in Credit Requirement

As specified in Section IV.D, the RPM Auction Credit Rate may be reduced under certain circumstances after the auction has closed.

The Price Responsive Demand credit requirement shall be reduced as and to the extent the PRD Provider registers PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment, in accordance with Schedule 6.1 of the Reliability Assurance Agreement.

In addition, the RPM Auction Credit Requirement for a Participant for any given Delivery Year shall be reduced periodically, provided the Participant successfully meets progress milestones that reduce the risk of non-performance, as follows:

a. For Planned Demand Resources and Energy Efficiency Resources, the RPM Auction Credit Requirement will be reduced in direct proportion to the megawatts of such Demand Resource that the Resource Provider qualifies as a Capacity Resource, in accordance with the procedures established under the Reliability Assurance Agreement.

b. For Existing Generation Capacity Resources located outside the PJM Region that have not secured sufficient firm transmission to the border of the PJM Region prior to the auction in

which such resource is first offered, the RPM Auction Credit Requirement shall be reduced in direct proportion to the megawatts of firm transmission service secured by the Market Seller that qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

c. For Planned Generation Capacity Resources located in the PJM Region, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals.

Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Effective Date of Interconnection Service Agreement	50%
Financial Close	15%
Full Notice to Proceed and Commencement of Construction (e.g., footers poured)	5%
Main Power Generating Equipment Delivered	5%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, except for the Interconnection Service Agreement and Commencement of Interconnection Service milestones, the Capacity Market Seller must submit a sworn, notarized certification of a duly authorized independent engineer in a form acceptable to PJM, certifying that the engineer has personal knowledge, or has engaged in a diligent inquiry to determine, that the milestone has been achieved and that, based on its review of the relevant project information, the independent engineer is not aware of any information that could reasonably cause it to believe that the Capacity Resource will not be in-service by the beginning of the applicable Delivery Year. The Capacity Market Seller shall, if requested by PJM, supply to PJM on a confidential basis all records and documents relating to the independent engineer’s certification.

d. For Planned External Generation Capacity Resources, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals; provided, however, that the total percentage reduction in the RPM Auction Credit Requirement shall be no greater than the quotient of (a) the MWs of firm transmission service that the Capacity Market Seller has secured for the complete transmission path divided by (b) the MWs of firm transmission service required to qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

Credit Reduction Milestones for Planned External Generation Capacity Resources	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement

Effective Date of the equivalent of an Interconnection Service Agreement	50%
Financial Close	15%
Full Notice to Proceed and Commencement of Construction (e.g., footers poured)	5%
Main Power Generating Equipment Delivered	5%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

e. For Planned Financed Generation Capacity Resources located in the PJM Region, the RPM Auction Credit Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals.

Credit Reduction Milestones for Planned Financed Generation Capacity Resources	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Full Notice to Proceed	50%
Commencement of Construction (e.g., footers poured)	15%
Main Power Generating Equipment Delivered	10%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

f. For Planned External Financed Generation Capacity Resources, the RPM Credit Auction Requirement shall be reduced as the Capacity Resource attains the milestones stated in the following table and as further described in the PJM Manuals; provided, however, that the total percentage reduction in the RPM Auction Credit Requirement, including the initial 50% reduction for being a Planned External Financed Generation Capacity Resources, shall be no greater than the quotient of (a) the MWs of firm transmission service that the Capacity Market Seller has secured for the complete transmission path divided by (b) the MWs of firm transmission service required to qualify such resource under the deliverability requirements of the Reliability Assurance Agreement.

Credit Reduction Milestones for Planned External Financed Generation Capacity	
Milestones	Increment of reduction from initial RPM Auction Credit Requirement
Full Notice to Proceed	50%

Commencement of Construction (e.g., footers poured)	15%
Main Power Generating Equipment Delivered	10%
Commencement of Interconnection Service	25%

To obtain a reduction in its RPM Auction Credit Requirement, the Capacity Market Seller must demonstrate satisfaction of the applicable milestone in the same manner as set forth for Planned Generation Capacity Resources in subsection (c) above.

g. For Qualifying Transmission Upgrades, the RPM Auction Credit Requirement shall be reduced to 50% of the amount calculated under Section IV.B beginning as of the effective date of the latest associated Interconnection Service Agreement (or, when a project will have no such agreement, an Upgrade Construction Service Agreement), and shall be reduced to zero on the date the Qualifying Transmission Upgrade is placed in service. In addition, a Qualifying Transmission Upgrade will be allowed a reduction in its RPM Auction Credit Requirement equal to the amount of collateral currently posted with PJM for the facility construction when the Qualifying Transmission Upgrade meets the following requirements: the Upgrade Construction Service Agreement has been fully executed, the full estimated cost to complete as most recently determined or updated by PJM has been fully paid or collateralized, and all regulatory and other required approvals (except those that must await construction completion) have been obtained. Such reduction in RPM Auction Credit Requirement may not be transferred across different projects.

D. RPM Auction Credit Rate

As set forth in the PJM Manuals, a separate Auction Credit Rate shall be calculated for each Delivery Year prior to each Reliability Pricing Model Auction for such Delivery Year, as follows:

a. Prior to the posting of the results of a Base Residual Auction for a Delivery Year, the Auction Credit Rate shall be:

(i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (B) \$20 per MW-day) times the number of days in such Delivery Year; and

(ii) For Capacity Performance Resources, the greater of ((A) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in MW-day or (B) \$20 per MW-day) times the number of days in such Delivery Year.

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

b. Subsequent to the posting of the results from a Base Residual Auction, the Auction Credit Rate used for ongoing credit requirements for supply committed in such auction shall be:

- (i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) times the number of days in such Delivery Year; and
- (ii) For Capacity Performance Resources, the (greater of [(A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) or (C) the lesser of (i) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day or (ii) 1.5 times the Net Cost of New Entry (stated on an installed capacity basis) for the PJM Region for such Delivery year or for the Relevant LDA, in \$/MW-day minus (the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located)] times the number of days in such Delivery Year).
- (iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

c. For any resource not previously committed for a Delivery Year that seeks to participate in an Incremental Auction, the Auction Credit Rate shall be:

(i) For all Capacity Resources other than Capacity Performance Resources, (the greater of (A) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (B) 0.24 times the Capacity Resource Clearing Price in the Base Residual Auction for such Delivery Year for the Locational Deliverability Area within which the resource is located or (C) \$20 per MW-day) times the number of days in such Delivery Year; and

(ii) For Capacity Performance Resources, the (greater of (A) 0.5 times Net Cost of New Entry for the PJM Region for such Delivery year or for the Relevant LDA or (B) \$20/MW-day) times the number of days in such Delivery Year.

(iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

d. Subsequent to the posting of the results of an Incremental Auction, the Auction Credit Rate used for ongoing credit requirements for supply committed in such auction shall be:

- (i) For Base Capacity Resources: (the greater of (A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) times the number of days in such Delivery Year, but no greater than the Auction Credit Rate

previously established for such resource's participation in such Incremental Auction pursuant to subsection (c) above) times the number of days in such Delivery Year; and

- (ii) For Capacity Performance Resources, the greater of [(A) \$20/MW-day or (B) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located) or (C) the lesser of (i) 0.5 times the Net Cost of New Entry for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day or (ii) 1.5 times the Net Cost of New Entry (stated on an installed capacity basis) for the PJM Region for such Delivery Year or for the Relevant LDA, in \$/MW-day minus (the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the resource is located)] times the number of days in such Delivery Year).
- (iii) For Seasonal Capacity Performance Resources, the same as the Auction Credit Rate for Capacity Performance Resources, but reduced to be proportional to the number of days in the relevant season.

e. For the purposes of this section IV.D, "Relevant LDA" means the Locational Deliverability Area in which the Capacity Performance Resource is located if a separate Variable Resource Requirement Curve has been established for that Locational Deliverability Area for the Base Residual Auction for such Delivery Year.

E. Price Responsive Demand Credit Rate

a. Prior to the posting of the results of a Base Residual Auction for a Delivery Year, the Price Responsive Demand Credit Rate shall be (the greater of (i) 0.3 times the Net Cost of New Entry for the PJM Region for such Delivery Year, in MW-day or (ii) \$20 per MW-day) times the number of days in such Delivery Year;

b. Subsequent to the posting of the results from a Base Residual Auction, the Price Responsive Demand Credit Rate used for ongoing credit requirements for Price Responsive Demand registered prior to such auction shall be (the greater of (i) \$20/MW-day or (ii) 0.2 times the Capacity Resource Clearing Price in such auction for the Locational Deliverability Area within which the PRD load is located) times the number of days in such Delivery Year times a final price uncertainty factor of 1.05;

c. For any additional Price Responsive Demand that seeks to commit in a Third Incremental Auction in response to a qualifying change in the final LDA load forecast, the Price Responsive Demand Credit Rate shall be the same as the rate for Price Responsive Demand that had cleared in the Base Residual Auction;

d. Subsequent to the posting of the results of the Third Incremental Auction, the Price Responsive Demand Credit Rate used for ongoing credit requirements for all Price Responsive Demand, shall be (the greater of (i) \$20/MW-day or (ii) 0.2 times the Final Zonal Capacity Price for the Locational Deliverability Area within which the Price Responsive Demand is located)

times the number of days in such Delivery Year, but no greater than the Price Responsive Demand Credit Rate previously established under subsections (a), (b), or (c) of this section for such Delivery Year.

F. RPM Seller Credit - Additional Form of Unsecured Credit for RPM

In addition to the forms of credit specified elsewhere in this Attachment Q, RPM Seller Credit shall be available to Market Sellers, but solely for purposes of satisfying RPM Auction Credit Requirements. If a supplier has a history of being a net seller into PJM markets, on average, over the past 12 months, then PJMSettlement will count as available Unsecured Credit twice the average of that participant's total net monthly PJMSettlement bills over the past 12 months. This RPM Seller Credit shall be subject to the cap on available Unsecured Credit as established in Section II.F.

G. Credit Responsibility for Traded Planned RPM Capacity Resources

PJMSettlement may require that credit and financial responsibility for planned RPM Capacity Resources that are traded remain with the original party (which for these purposes, means the party bearing credit responsibility for the planned RPM Capacity Resource immediately prior to trade) unless the receiving party independently establishes consistent with the PJM credit policy, that it has sufficient credit with PJMSettlement and agrees by providing written notice to PJMSettlement that it will fully assume the credit responsibility associated with the traded planned RPM Capacity Resource.

V. FINANCIAL TRANSMISSION RIGHT AUCTIONS

A. FTR Credit Limit.

PJMSettlement will establish an FTR Credit Limit for each Participant. Participants must maintain their FTR Credit Limit at a level equal to or greater than their FTR Credit Requirement. FTR Credit Limits will be established only by a Participant providing Financial Security.

B. FTR Credit Requirement.

For each Participant with FTR activity, PJMSettlement shall calculate an FTR Credit Requirement based on FTR cost less a discounted historical value. FTR Credit Requirements shall be further adjusted by ARR credits available and by an amount based on portfolio diversification, if applicable. The requirement will be based on individual monthly exposures which are then used to derive a total requirement.

The FTR Credit Requirement shall be calculated by first adding for each month the FTR Monthly Credit Requirement Contribution for each submitted, accepted, and cleared FTR and then subtracting the prorated value of any ARRs held by the Participant for that month. The resulting twelve monthly subtotals represent the expected value of net payments between PJMSettlement and the Participant for FTR activity each month during the Planning Period. Subject to later adjustment by an amount based on portfolio diversification, if applicable, the FTR Credit Requirement shall be the sum of the individual positive monthly subtotals, representing months in which net payments to PJMSettlement are expected.

C. Rejection of FTR Bids.

Bids submitted into an auction will be rejected if the Participant's FTR Credit Requirement including such submitted bids would exceed the Participant's FTR Credit Limit, or if the Participant fails to establish additional credit as required pursuant to provisions related to portfolio diversification.

D. FTR Credit Collateral Returns.

A Market Participant may request from PJMSettlement the return of any collateral no longer required for the FTR auctions. PJMSettlement is permitted to limit the frequency of such requested collateral returns, provided that collateral returns shall be made by PJMSettlement at least once per calendar quarter, if requested by a Market Participant.

E. Credit Responsibility for Traded FTRs.

PJMSettlement may require that credit responsibility associated with an FTR traded within PJM's eFTR system remain with the original party (which for these purposes, means the party bearing credit responsibility for the FTR immediately prior to trade) unless and until the receiving party independently establishes, consistent with the PJM credit policy, sufficient credit with PJMSettlement and agrees through confirmation of the FTR trade within the eFTR system that it will meet in full the credit requirements associated with the traded FTR.

F. Portfolio Diversification.

Subsequent to calculating a tentative cleared solution for an FTR auction (or auction round), PJM shall both:

1. Determine the FTR Portfolio Auction Value, including the tentative cleared solution. Any Participants with such FTR Portfolio Auction Values that are negative shall be deemed FTR Flow Undiversified.
2. Measure the geographic concentration of the FTR Flow Undiversified portfolios by testing such portfolios using a simulation model including, one at a time, each planned transmission outage or other network change which would substantially affect the network for the specific auction period. A list of such planned outages or changes anticipated to be modeled shall be posted prior to commencement of the auction (or auction round). Any FTR Flow Undiversified portfolio that experiences a net reduction in calculated congestion credits as a result of any one or more of such modeled outages or changes shall be deemed FTR Geographically Undiversified.

For portfolios that are FTR Flow Undiversified but not FTR Geographically Undiversified, PJMSettlement shall increment the FTR Credit Requirement by an amount equal to twice the absolute value of the FTR Portfolio Auction Value, including the tentative cleared solution. For Participants with portfolios that are both FTR Flow Undiversified and FTR Geographically

Undiversified, PJMSettlement shall increment the FTR Credit Requirement by an amount equal to three times the absolute value of the FTR Portfolio Auction Value, including the tentative cleared solution. For portfolios that are FTR Flow Undiversified in months subsequent to the current planning year, these incremental amounts, calculated on a monthly basis, shall be reduced (but not below zero) by an amount up to 25% of the monthly value of ARR credits that are held by a Participant. Subsequent to the ARR allocation process preceding an annual FTR auction, such ARR credits shall be reduced to zero for months associated with that ARR allocation process. PJMSettlement may recalculate such ARR credits at any time, but at a minimum shall do so subsequent to each annual FTR auction. If a reduction in such ARR credits at any time increases the amount of credit required for the Participant beyond its credit available for FTR activity, the Participant must increase its credit to eliminate the shortfall.

If the FTR Credit Requirement for any Participant exceeds its credit available for FTRs as a result of these diversification requirements for the tentatively cleared portfolio of FTRs, PJMSettlement shall immediately issue a demand for additional credit, and such demand must be fulfilled before 4:00 p.m. on the business day following the demand. If any Participant does not timely satisfy such demand, PJMSettlement, in coordination with PJM, shall cause the removal that Participant's entire set of bids for that FTR auction (or auction round) and a new cleared solution shall be calculated for the entire auction (or auction round).

If necessary, PJM shall repeat the auction clearing calculation. PJM shall repeat these portfolio diversification calculations subsequent to any such secondary clearing calculation, and PJMSettlement shall require affected Participants to establish additional credit.

G. FTR Administrative Charge Credit Requirement

In addition to any other credit requirements, PJMSettlement may apply a credit requirement to cover the maximum administrative fees that may be charged to a Participant for its bids and offers.

H. Long-Term FTR Credit Recalculation

Long-term FTR Credit Requirement calculations shall be updated annually for known history, consistent with updating of historical values used for FTR Credit Requirement calculations in the annual auctions.

VI. EXPORT TRANSACTION SCREENING

Export Transactions in the Real-time Energy Market shall be subject to Export Transaction Screening. Export Transaction Screening may be performed either for the duration of the entire Export Transaction, or separately for each time interval comprising an Export Transaction. PJM will deny or curtail all or a portion (based on the relevant time interval) of an Export Transaction if that Export Transaction, or portion thereof, would otherwise cause the Market Participant's Export Credit Exposure to exceed its Credit Available for Export Transactions. Export Transaction Screening shall be applied separately for each Operating Day and shall also be applied to each Export Transaction one or more times prior to the market clearing process for

each relevant time interval. Export Transaction Screening shall not apply to transactions established directly by and between PJM and a neighboring Balancing Authority for the purpose of maintaining reliability.

A Market Participant's credit exposure for an individual Export Transaction shall be the MWh volume of the Export Transaction for each relevant time interval multiplied by each relevant Export Transaction Price Factor and summed over all relevant time intervals of the Export Transaction.

VII. FORMS OF FINANCIAL SECURITY

Participants that provide Financial Security must provide the security in a PJMSettlement approved form and amount according to the guidelines below.

Financial Security which is no longer required to be maintained under provisions of the Agreements shall be returned at the request of a participant no later than two Business Days following determination by PJMSettlement within a commercially reasonable period of time that such collateral is not required.

Except when an event of default has occurred, a Participant may substitute an approved PJMSettlement form of Financial Security for another PJMSettlement approved form of Financial Security of equal value. The Participant must provide three (3) Business Days notice to PJMSettlement of its intent to substitute the Financial Security. PJMSettlement will release the replaced Financial Security with interest, if applicable, within (3) Business Days of receiving an approved form of substitute Financial Security.

A. Cash Deposit

Cash provided by a Participant as Financial Security will be held in a depository account by PJMSettlement with interest earned at PJMSettlement's overnight bank rate, and accrued to the Participant. PJMSettlement also may establish an array of investment options among which a Participant may choose to invest its cash deposited as Financial Security. Such investment options shall be comprised of high quality debt instruments, as determined by PJMSettlement, and may include obligations issued by the federal government and/or federal government sponsored enterprises. These investment options will reside in accounts held in PJMSettlement's name in a banking or financial institution acceptable to PJMSettlement. Where practicable, PJMSettlement may establish a means for the Participant to communicate directly with the bank or financial institution to permit the Participant to direct certain activity in the PJMSettlement account in which its Financial Security is held. PJMSettlement will establish and publish procedural rules, identifying the investment options and respective discounts in collateral value that will be taken to reflect any liquidation, market and/or credit risk presented by such investments. PJMSettlement has the right to liquidate all or a portion of the account balances at its discretion to satisfy a Participant's Total Net Obligation to PJMSettlement in the event of default under this credit policy or one or more of the Agreements.

B. Letter Of Credit

An unconditional, irrevocable standby letter of credit can be utilized to meet the Financial Security requirement. As stated below, the form, substance, and provider of the letter of credit must all be acceptable to PJMSettlement.

- The letter of credit will only be accepted from U.S.-based financial institutions or U.S. branches of foreign financial institutions (“financial institutions”) that have a minimum corporate debt rating of “A” by Standard & Poor’s or Fitch Ratings, or “A2” from Moody’s Investors Service, or an equivalent short term rating from one of these agencies. PJMSettlement will consider the lowest applicable rating to be the rating of the financial institution. If the rating of a financial institution providing a letter of credit is lowered below A/A2 by any rating agency, then PJMSettlement may require the Participant to provide a letter of credit from another financial institution that is rated A/A2 or better, or to provide a cash deposit. If a letter of credit is provided from a U.S. branch of a foreign institution, the U.S. branch must itself comply with the terms of this credit policy, including having its own acceptable credit rating.
- The letter of credit shall state that it shall renew automatically for successive one-year periods, until terminated upon at least ninety (90) days prior written notice from the issuing financial institution. If PJM or PJMSettlement receives notice from the issuing financial institution that the current letter of credit is being cancelled, the Participant will be required to provide evidence, acceptable to PJMSettlement, that such letter of credit will be replaced with appropriate Financial Security, effective as of the cancellation date of the letter of credit, no later than thirty (30) days before the cancellation date of the letter of credit, and no later than ninety (90) days after the notice of cancellation. Failure to do so will constitute a default under this credit policy and one of more of the Agreements.
- The letter of credit must clearly state the full names of the "Issuer", "Account Party" and "Beneficiary" (PJMSettlement), the dollar amount available for drawings, and shall specify that funds will be disbursed upon presentation of the drawing certificate in accordance with the instructions stated in the letter of credit. The letter of credit should specify any statement that is required to be on the drawing certificate, and any other terms and conditions that apply to such drawings.
- The PJMSettlement Credit Application contains an acceptable form of a letter of credit that should be utilized by a Participant choosing to meet its Financial Security requirement with a letter of credit. If the letter of credit varies in any way from the PJMSettlement format, it must first be reviewed and approved by PJMSettlement. All costs associated with obtaining and maintaining a letter of credit and meeting the policy provisions are the responsibility of the Participant
- PJMSettlement may accept a letter of credit from a Financial Institution that does not meet the credit standards of this policy provided that the letter of credit has third-party support, in a form acceptable to PJMSettlement, from a financial institution that does meet the credit standards of this policy.

VIII. POLICY CREDIT BREACH AND EVENTS OF DEFAULT

A Participant will have two Business Days from notification of Credit Breach (including late payment notice) or notification of a Collateral Call to remedy the Credit Breach or satisfy the Collateral Call in a manner deemed acceptable by PJMSettlement. Failure to remedy the Credit Breach or satisfy such Collateral Call within such two Business Days will be considered an event of default. If a Participant fails to meet the requirements of this policy but then remedies the Credit Breach or satisfies a Collateral Call within the two Business Day cure period, then the Participant shall be deemed to have complied with the policy. Any such two Business Day cure period will expire at 4:00 p.m. eastern prevailing time on the final day.

Only one cure period shall apply to a single event giving rise to a Credit Breach or default. Application of Financial Security towards a non-payment Credit Breach shall not be considered a satisfactory cure of the Credit Breach if the Participant fails to meet all requirements of this policy after such application.

Failure to comply with this policy (except for the responsibility of a Participant to notify PJMSettlement of a Material change) shall be considered an event of default. Pursuant to § 15.1.3(a) of the Operating Agreement of PJM Interconnection, L.L.C. and § I.7.3 of the PJM Open Access Transmission Tariff, non-compliance with the PJMSettlement credit policy is an event of default under those respective Agreements. In event of default under this credit policy or one or more of the Agreements, PJMSettlement, in coordination with PJM, will take such actions as may be required or permitted under the Agreements, including but not limited to the termination of the Participant's ongoing Transmission Service and participation in PJM Markets. PJMSettlement has the right to liquidate all or a portion of a Participant's Financial Security at its discretion to satisfy Total Net Obligations to PJMSettlement in the event of default under this credit policy or one or more of the Agreements.

PJMSettlement may hold a defaulting Participant's Financial Security for as long as such party's positions exist and consistent with the PJM credit policy in this Attachment Q, in order to protect PJM's membership from default.

No payments shall be due to a Participant, nor shall any payments be made to a Participant, while the Participant is in default or has been declared in Credit Breach of this policy or the Agreements, or while a Collateral Call is outstanding. PJMSettlement may apply towards an ongoing default any amounts that are held or later become available or due to the defaulting Participant through PJM's markets and systems.

In order to cover Obligations, PJMSettlement may hold a Participant's Financial Security through the end of the billing period which includes the 90th day following the last day a Participant had activity, open positions, or accruing obligations (other than reconciliations and true-ups), and until such Participant has satisfactorily paid any obligations invoiced through such period. Obligations incurred or accrued through such period shall survive any withdrawal from PJM. In event of non-payment, PJMSettlement may apply such Financial Security to such Participant's Obligations, even if Participant had previously announced and effected its withdrawal from PJM.

IX. [Reserved for Future Use]

Appendix 1 to Attachment Q

**PJM MINIMUM PARTICIPATION CRITERIA
OFFICER CERTIFICATION FORM**

Participant Name: _____ ("Participant")

I, _____, a duly authorized officer of Participant, understanding that PJM Interconnection, L.L.C. and PJM Settlement, Inc. ("PJMSettlement") are relying on this certification as evidence that Participant meets the minimum requirements set forth in Attachment Q to the PJM Open Access Transmission Tariff ("PJM Tariff"), hereby certify that I have full authority to represent on behalf of Participant and further represent as follows, as evidenced by my initialing each representation in the space provided below:

- 1. All employees or agents transacting in markets or services provided pursuant to the PJM Tariff or PJM Amended and Restated Operating Agreement ("PJM Operating Agreement") on behalf of the Participant have received appropriate¹ training and are authorized to transact on behalf of Participant. _____

- 2. Participant has written risk management policies, procedures, and controls, approved by Participant's independent risk management function² and applicable to transactions in the PJM markets in which it participates and for which employees or agents transacting in markets or services provided pursuant to the PJM Tariff or PJM Operating Agreement have been trained, that provide an appropriate, comprehensive risk management framework that, at a minimum, clearly identifies and documents the range of risks to which Participant is exposed, including, but not limited to credit risks, liquidity risks and market risks. _____

- 3. An FTR Participant must make either the following 3.a. or 3.b. additional representations, evidenced by the undersigned officer initialing either the one 3.a. representation or the six 3.b. representations in the spaces provided below:
 - 3.a. Participant transacts in PJM's FTR markets with the sole intent to hedge congestion risk in connection with either obligations Participant has to serve load or rights Participant has to generate electricity in the PJM Region ("physical

¹ As used in this representation, the term "appropriate" as used with respect to training means training that is (i) comparable to generally accepted practices in the energy trading industry, and (ii) commensurate and proportional in sophistication, scope and frequency to the volume of transactions and the nature and extent of the risk taken by the participant.

² As used in this representation, a Participant's "independent risk management function" can include appropriate corporate persons or bodies that are independent of the Participant's trading functions, such as a risk management committee, a risk officer, a Participant's board or board committee, or a board or committee of the Participant's parent company.

transactions”) and monitors all of the Participant’s FTR market activity to endeavor to ensure that its FTR positions, considering both the size and pathways of the positions, are either generally proportionate to or generally do not exceed the Participant’s physical transactions, and remain generally consistent with the Participant’s intention to hedge its physical transactions. _____

- 3.b. On no less than a weekly basis, Participant values its FTR positions and engages in a probabilistic assessment of the hypothetical risk of such positions using analytically based methodologies, predicated on the use of industry accepted valuation methodologies. _____

Such valuation and risk assessment functions are performed either by persons within Participant’s organization independent from those trading in PJM’s FTR markets or by an outside firm qualified and with expertise in this area of risk management. _____

Having valued its FTR positions and quantified their hypothetical risks, Participant applies its written policies, procedures and controls to limit its risks using industry recognized practices, such as value-at-risk limitations, concentration limits, or other controls designed to prevent Participant from purposefully or unintentionally taking on risk that is not commensurate or proportional to Participant’s financial capability to manage such risk. _____

Exceptions to Participant’s written risk policies, procedures and controls applicable to Participant’s FTR positions are documented and explain a reasoned basis for the granting of any exception. _____

Participant has provided to PJMSettlement, in accordance with Section I A. of Attachment Q to the PJM Tariff, a copy of its current governing risk management policies, procedures and controls applicable to its FTR trading activities. _____

If the risk management policies, procedures and controls applicable to Participant’s FTR trading activities submitted to PJMSettlement were submitted prior to the current certification, Participant certifies that no substantive changes have been made to such policies, procedures and controls applicable to its FTR trading activities since such submission. _____

4. Participant has appropriate personnel resources, operating procedures and technical abilities to promptly and effectively respond to all PJM communications and directions. _____
5. Participant has demonstrated compliance with the Minimum Capitalization criteria set forth in Attachment Q of the PJM Open Access Transmission Tariff that are applicable to the PJM market(s) in which Participant transacts, and is not aware of any change having occurred or being imminent that would invalidate such compliance. _____

6. All Participants must certify and initial in at least one of the four sections below:

- a. I certify that Participant qualifies as an “appropriate person” as that term is defined under Section 4(c)(3), or successor provision, of the Commodity Exchange Act or an “eligible contract participant” as that term is defined under Section 1a(18), or successor provision, of the Commodity Exchange Act. I certify that Participant will cease transacting in PJM’s Markets and notify PJMSettlement immediately if Participant no longer qualifies as an “appropriate person” or “eligible contract participant.” _____

If providing financial statements to support Participant’s certification of qualification as an “appropriate person:”

I certify, to the best of my knowledge and belief, that the financial statements provided to PJMSettlement present fairly, pursuant to such disclosures in such financial statements, the financial position of Participant as of the date of those financial statements. Further, I certify that Participant continues to maintain the minimum \$1 million total net worth and/or \$5 million total asset levels reflected in these financial statements as of the date of this certification. I acknowledge that both PJM and PJMSettlement are relying upon my certification to maintain compliance with federal regulatory requirements. _____

If providing financial statements to support Participant’s certification of qualification as an “eligible contract participant:”

I certify, to the best of my knowledge and belief, that the financial statements provided to PJMSettlement present fairly, pursuant to such disclosures in such financial statements, the financial position of Participant as of the date of those financial statements. Further, I certify that Participant continues to maintain the minimum \$1 million total net worth and/or \$10 million total asset levels reflected in these financial statements as of the date of this certification. I acknowledge that both PJM and PJMSettlement are relying upon my certification to maintain compliance with federal regulatory requirements. _____

- b. I certify that Participant has provided an unlimited Corporate Guaranty in a form acceptable to PJM as described in Section I.C of Attachment Q from an issuer that has at least \$1 million of total net worth or \$5 million of total assets per Participant per Participant for which the issuer has issued an unlimited Corporate Guaranty. I certify that Participant will cease transacting PJM’s Markets and notify PJMSettlement immediately if issuer of the unlimited Corporate Guaranty for Participant no longer has at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty. _____

I certify that the issuer of the unlimited Corporate Guaranty to Participant continues to have at least \$1 million of total net worth or \$5 million of total assets per Participant for which the issuer has issued an unlimited Corporate Guaranty. I acknowledge that PJM and PJMSettlement are relying upon my certifications to maintain compliance with federal regulatory requirements._____

c. I certify that Participant fulfills the eligibility requirements of the Commodity Futures Trading Commission exemption order (78 F.R. 19880 – April 2, 2013) by being in the business of at least one of the following in the PJM Region as indicated below (initial those applicable):

1. Generating electric energy, including Participants that resell physical energy acquired from an entity generating electric energy:_____
2. Transmitting electric energy:_____
3. Distributing electric energy delivered under Point-to-Point or Network Integration Transmission Service, including scheduled import, export and wheel through transactions:_____
4. Other electric energy services that are necessary to support the reliable operation of the transmission system:_____

Description only if c(4) is initialed:

Further, I certify that Participant will cease transacting in PJM’s Markets and notify PJMSettlement immediately if Participant no longer performs at least one of the functions noted above in the PJM Region. I acknowledge that PJM and PJMSettlement are relying on my certification to maintain compliance with federal energy regulatory requirements._____

- d. I certify that Participant has provided a letter of credit of \$5 million or more to PJMSettlement in a form acceptable to PJMSettlement as described in Section VI.B of Attachment Q that the Participant acknowledges cannot be utilized to meet its credit requirements to PJMSettlement. I acknowledge that PJM and PJMSettlement are relying on the provision of this letter of credit and my certification to maintain compliance with federal regulatory requirements._____
7. I acknowledge that I have read and understood the provisions of Attachment Q of the PJM Tariff applicable to Participant's business in the PJM markets, including those provisions describing PJM’s minimum participation requirements and the enforcement actions available to PJMSettlement of a Participant not satisfying those requirements. I acknowledge that the information provided herein is true and accurate to the best of my belief and knowledge after due investigation. In addition, by signing this Certification, I

acknowledge the potential consequences of making incomplete or false statements in this Certification. _____

Date: _____

(Signature)

Print Name: _____

Title: _____

5.5A Capacity Resource Types

a) Capacity Performance Resources

Capacity Performance Resources are Capacity Resources which, to the extent such resources cleared in a Reliability Pricing Model Auction or are otherwise committed as a Capacity Resource, are obligated to deliver energy during the relevant Delivery Year as scheduled and/or dispatched by the Office of Interconnection during the Performance Assessment Hours. As further detailed in Section 10A of this Attachment, Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to Section 10A(d) of this Attachment. Subject to 5.5A(a)(i)-(ii), the following types of Capacity Resources are eligible to submit a Sell Offer as a Capacity Performance Resource: internal or external Generation Capacity Resources; Annual Demand Resources; Capacity Storage Resources; Annual Energy Efficiency Resources; and Qualifying Transmission Upgrades. To the extent the underlying Capacity Resource is an external Generation Capacity Resource, such resource must meet the criteria for obtaining an exception to the Capacity Import Limit as contained in section 1.7A of the Reliability Assurance Agreement.

i). Process for Support and Review of Capacity Performance Resource Offers

A. The Capacity Market Seller shall provide to the Office of the Interconnection and the Market Monitoring Unit, upon their request, all supporting data and information requested by either the Office of the Interconnection or the Market Monitoring Unit to evaluate whether the underlying Capacity Resource can meet the operational and performance requirements of Capacity Performance Resources. The Capacity Market Seller shall have an ongoing obligation through the closing of the offer period for the RPM Auction to update the request to reflect any material changes.

B. The Office of the Interconnection and the Market Monitoring Unit shall review any requested supporting data and information, and the Office of the Interconnection, considering advice and recommendation from the Market Monitoring Unit, shall reject a request for a resource to offer as a Capacity Performance Resource if the Capacity Market Seller does not demonstrate that it can reasonably be expected to meet its Capacity Performance obligations consistent with the resource's offer by the relevant Delivery Year. The Office of Interconnection shall provide its determination to reject eligibility of the resource as a Capacity Performance Resource, and notify the Market Monitoring Unit, by no later than sixty-five (65) days prior to the date on which the offer period for the applicable RPM Auction commences. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules unless and until ordered to do otherwise by FERC.

b) Base Capacity Resources

For the 2018/2019 and 2019/2020 Delivery Years, following types of Capacity Resources eligible to submit a Sell Offer as a Base Capacity Resource: Generation Capacity Resources, Capacity Storage Resources, Annual Demand Resources, Base Capacity Demand Resources, and Base Capacity Energy Efficiency Resources. Each resource that clears a RPM Auction as a Base Capacity Resource must provide energy output to PJM if called during Performance Assessment Hours occurring in the calendar months of June through September, including any necessary recall of such capacity and energy from service to areas outside the PJM Region. As further detailed in Section 10A of this Attachment, Base Capacity Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to Section 10A(d) of this section.

c) Seasonal Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, a Seasonal Capacity Performance Resource shall mean a Summer-Period Capacity Performance Resource or Winter-Period Capacity Performance Resource, as defined below.

i) Summer-Period Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Summer-Period Capacity Performance Resource: Summer Period Demand Resource, Summer-Period Energy Efficiency Resource, and Capacity Storage Resource, Intermittent Resource, or Environmentally-Limited Resource that has an average expected energy output during summer peak-hour periods consistently and measurably greater than its average expected energy output during winter peakhour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Summer-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of June through October and the following May of the Delivery Year, and must satisfy the requirements of a Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Summer-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment.

ii) Winter-Period Capacity Performance Resource

For the 2020/2021 Delivery Year and subsequent Delivery Years, the following types of Capacity Resources are eligible to submit a Sell Offer as a Winter-Period Capacity Performance Resource: Capacity Storage Resource, Intermittent Resource, and Environmentally-Limited Resource that has an average expected energy output during winter peak-hour periods consistently and measurably greater than its average expected energy output during summer peak-hour periods. To the extent such resource clears an RPM Auction or is otherwise committed as a Winter-Period Capacity Performance Resource, it is obligated to deliver energy as scheduled and/or dispatched by the Office of Interconnection during Performance Assessment Hours occurring in the calendar months of November through April of the Delivery Year, and must satisfy the requirements of a

Capacity Performance Resource for such period of time. As further detailed in section 10A of this Attachment, Winter-Period Capacity Performance Resources that fail to meet this obligation will be subject to a Non-Performance Charge, unless excused pursuant to section 10A(d) of this Attachment.

5.6 Sell Offers

Sell Offers shall be submitted or withdrawn via the internet site designated by the Office of the Interconnection, under the procedures and time schedule set forth in the PJM Manuals.

5.6.1 Specifications

A Sell Offer shall state quantities in increments of 0.1 megawatts and shall specify, as appropriate:

a) Identification of the Generation Capacity Resource, Demand Resource, Capacity Storage Resource or Energy Efficiency Resource on which such Sell Offer is based;

b) Minimum and maximum megawatt quantity of installed capacity that the Capacity Market Seller is willing to offer (notwithstanding such specification, the product offered shall be Unforced Capacity), or designate as Self-Supply, from a Generation Capacity Resource;

i) Price, in dollars and cents per megawatt-day, that will be accepted by the Capacity Market Seller for the megawatt quantity of Unforced Capacity offered from such Generation Capacity Resource.

ii) The Sell Offer may take the form of offer segments with varying price-quantity pairs for varying output levels from the underlying resource, but may not take the form of an offer curve with nonzero slope.

c) EFORd of each Generation Capacity Resource offered.

i) If a Capacity Market Seller is offering such resource in a Base Residual Auction, First Incremental Auction, Second Incremental Auction, or Conditional Incremental Auction occurring before the Third Incremental Auction, the Capacity Market Seller shall specify the EFORd to apply to the offer.

ii) If a Capacity Market Seller is committing the resource as Self-Supply, the Capacity Market Seller shall specify the EFORd to apply to the commitment.

iii) The EFORd applied to the Third Incremental Auction will be the final EFORd established by the Office of the Interconnection six (6) months prior to the Delivery Year, based on the actual EFORd in the PJM Region during the 12-month period ending September 30 that last precedes such Delivery Year.

d) The Nominated Demand Resource Value for each Demand Resource offered and the Nominated Energy Efficiency Value for each Energy Efficiency Resource offered. The Office of the Interconnection shall, in both cases, convert such value to an Unforced Capacity basis by multiplying such value by the DR Factor (for Delivery Years through May 31, 2018) times the Forecast Pool Requirement. Demand Resources shall specify the LDA in which the Demand Resource is located, including the location of such resource within any Zone that includes more than one LDA as identified on Schedule 10.1 of the RAA.

e) For Delivery Years through May 31, 2018, a Demand Resource with the potential to qualify as two or more of a Limited Demand Resource, Extended Summer Demand Resource or Annual Demand Resource may submit separate but coupled Sell Offers for each Demand Resource type for which it qualifies at different prices and the auction clearing algorithm will select the Sell Offer that yields the least-cost solution. For such coupled Demand Resource offers, the offer price of an Annual Demand Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Extended Summer Demand Resource offer and the offer price of a Extended Summer Demand Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Limited Demand Resource offer.

f) For a Qualifying Transmission Upgrade, the Sell Offer shall identify such upgrade, and the Office of the Interconnection shall determine and certify the increase in CETL provided by such upgrade. The Capacity Market Seller may offer the upgrade with an associated increase in CETL to an LDA in accordance with such certification, including an offer price that will be accepted by the Capacity Market Seller, stated in dollars and cents per megawatt-day as a price difference between a Capacity Resource located outside such an LDA and a Capacity Resource located inside such LDA; and the increase in CETL into such LDA to be provided by such Qualifying Transmission Upgrade, as certified by the Office of the Interconnection.

g) For the 2018/2019 and 2019/2020 Delivery Years, each Capacity Market Seller owning or controlling a resource that qualifies as both a Base Capacity Resource and a Capacity Performance Resource may submit separate but coupled Sell Offers for such resource as a Base Capacity Resource and as a Capacity Performance Resource, at different prices, and the auction clearing algorithm will select the Sell Offer that yields the least-cost solution. Submission of a coupled Base Capacity Resource Sell Offer shall be mandatory for any Capacity Performance Resource Sell Offer that exceeds a Sell Offer Price equal to the applicable Net Cost of New Entry times the Balancing Ratio as provided for in section 6.4. For such coupled Sell Offers, the offer price of a Capacity Performance Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Base Capacity Resource offer.

(h) For the 2018/2019 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, or Energy Efficiency Resources may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with their average expected output during peak-hour periods. Alternatively, for the 2018/2019 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls one or more Capacity Storage Resources, Intermittent Resources, Demand Resources, Energy Efficiency Resources, or Environmentally-Limited Resources may submit a Sell Offer which represents the aggregated Unforced Capacity value of such resources, where such Sell Offer shall be considered to be located in the smallest modeled LDA common to the aggregated resources. Such aggregated resources shall be owned by or under contract to the Capacity Market Seller, including all such resources obtained through bilateral contract and reported to the Office of the Interconnection in accordance with the Office of the Interconnection's rules related to its eRPM tools. For the 2018/2019 and 2019/2020 Delivery Years, any such offer may be submitted as Capacity Performance Resource, Base Capacity Resource, or as a coupled offer for Capacity Performance Resource and Base Capacity Resource, provided that, for any such coupled Sell Offers, the offer

price of a Capacity Performance Resource offer must be at least \$.01 per MW-day greater than the offer price of a coupled Base Capacity Resource offer. For the 2020/2021 Delivery Year and subsequent Delivery Years, any such offer must be submitted as a Capacity Performance Resource.

(i) For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Summer-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Summer-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during summer peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Summer-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. For the 2020/2021 Delivery Year and subsequent Delivery Years, a Capacity Market Seller that owns or controls a resource that qualifies as a Winter-Period Capacity Performance Resource may submit a Sell Offer as a Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during peak-hour periods, and may submit a separate Sell Offer as a Winter-Period Capacity Performance Resource in a MW quantity consistent with the average expected output of such resource during winter peak-hour periods, provided the total Sell Offer MW quantity submitted as both a Capacity Performance Resource and a Winter-Period Capacity Performance Resource does not exceed the Unforced Capacity value of the resource. Each segment of a Seasonal Capacity Performance Resource Sell Offer must be submitted as a flexible Sell Offer segment with the minimum MW quantity offered set to zero.

5.6.2 Compliance with PJM Credit Policy

Capacity Market Sellers shall comply with the provisions of the PJM Credit Policy as set forth in Attachment Q to this Tariff, including the provisions specific to the Reliability Pricing Model, prior to submission of Sell Offers in any Reliability Pricing Model Auction. A Capacity Market Seller desiring to submit a Credit-Limited Offer shall specify in its Sell Offer the maximum auction credit requirement, in dollars, and the maximum amount of Unforced Capacity, in megawatts, applicable to its Sell Offer.

5.6.3 [reserved]

5.6.4 Qualifying Transmission Upgrades

A Qualifying Transmission Upgrade may not be the subject of any Sell Offer in a Base Residual Auction unless it has been approved by the Office of the Interconnection, including certification of the increase in Import Capability to be provided by such Qualifying Transmission Upgrade, no later than 45 days prior to such Base Residual Auction. No such approval shall be granted unless, at a minimum, a Facilities Study Agreement has been executed with respect to such upgrade, and such upgrade conforms to all applicable standards of the Regional Transmission Expansion Plan process.

5.6.5 Market-based Sell Offers

Subject to section 6, a Market Seller authorized by FERC to sell electric generating capacity at market-based prices, or that is not required to have such authorization, may submit Sell Offers that specify market-based prices in any Base Residual Auction or Incremental Auction.

5.6.6 Availability of Capacity Resources for Sale

(a) The Office of the Interconnection shall determine the quantity of megawatts of available installed capacity that each Capacity Market Seller must offer in any RPM Auction pursuant to Section 6.6 of Attachment DD, through verification of the availability of megawatts of installed capacity from: (i) all Generation Capacity Resources owned by or under contract to the Capacity Market Seller, including all Generation Capacity Resources obtained through bilateral contract; (ii) the results of prior Reliability Pricing Model Auctions, if any, for such Delivery Year (including consideration of any restriction imposed as a consequence of a prior failure to offer); and (iii) such other information as may be available to the Office of the Interconnection. The Office of the Interconnection shall reject Sell Offers or portions of Sell Offers for Capacity Resources in excess of the quantity of installed capacity from such Capacity Market Seller's Capacity Resource that it determines to be available for sale.

(b) The Office of the Interconnection shall determine the quantity of installed capacity available for sale in a Base Residual Auction or Incremental Auction as of the beginning of the period during which Buy Bids and Sell Offers are accepted for such auction, as applicable, in accordance with the time schedule set forth in the PJM Manuals. Removal of a resource from Capacity Resource status shall not be reflected in the determination of available installed capacity unless the associated unit-specific bilateral transaction is approved, the designation of such resource (or portion thereof) as a network resource for the external load is demonstrated to the Office of the Interconnection, or equivalent evidence of a firm external sale is provided prior to the deadline established therefor. The determination of available installed capacity shall also take into account, as they apply in proportion to the share of each resource owned or controlled by a Capacity Market Seller, any approved capacity modifications, and existing capacity commitments established in a prior RPM Auction, an FRR Capacity Plan, Locational UCAP transactions and/or replacement capacity transactions under this Attachment DD. To enable the Office of the Interconnection to make this determination, no bilateral transactions for Capacity Resources applicable to the period covered by an auction will be processed from the beginning of the period for submission of Sell Offers and Buy Bids, as appropriate, for that auction until completion of the clearing determination for such auction. Processing of such bilateral transactions will reconvene once clearing for that auction is completed. A Generation Capacity Resource located in the PJM Region shall not be removed from Capacity Resource status to the extent the resource is committed to service of PJM loads as a result of an RPM Auction, FRR Capacity Plan, Locational UCAP transaction and/or by designation as a replacement resource under this Attachment DD.

(c) In order for a bilateral transaction for the purchase and sale of a Capacity Resource to be processed by the Office of the Interconnection, both parties to the transaction must notify the Office of the Interconnection of the transfer of the Capacity Resource from the seller to the buyer in accordance with procedures established by the Office of the Interconnection and set forth in the PJM Manuals. If a material change with respect to any of the prerequisites for the application of Section 5.6.6 to the Generation Capacity Resource occurs, the Capacity

Resource Owner shall immediately notify the Market Monitoring Unit and the Office of the Interconnection.

5.12 Conduct of RPM Auctions

The Office of the Interconnection shall employ an optimization algorithm for each Base Residual Auction and each Incremental Auction to evaluate the Sell Offers and other inputs to such auction to determine the Sell Offers that clear such auction.

a) Base Residual Auction

For each Base Residual Auction, the optimization algorithm shall consider:

- all Sell Offers submitted in such auction;
- the Variable Resource Requirement Curves for the PJM Region and each LDA;
- any constraints resulting from the Locational Deliverability Requirement and any applicable Capacity Import Limit;
- for Delivery Years starting June 1, 2014 and ending May 31, 2017, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; for the 2017/2018 Delivery Year, the Limited Resource Constraints and the Sub-Annual Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; and for the 2018/2019 and 2019/2020 Delivery Years, the Base Capacity Demand Resource Constraints and the Base Capacity Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD;
- For the Delivery Years through May 31, 2018, the PJM Region Reliability Requirement minus the Short-Term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, the PJM Reliability Requirement; and
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the requirement that the cleared quantity of Summer-Period Capacity Performance Resources equal the cleared quantity of Winter-Period Capacity Performance Resources for the PJM Region.

The optimization algorithm shall be applied to calculate the overall clearing result to minimize the cost of satisfying the reliability requirements across the PJM Region, regardless of whether the quantity clearing the Base Residual Auction is above or below the applicable target quantity,

while respecting all applicable requirements and constraints, including any restrictions specified in any Credit-Limited Offers. Where the supply curve formed by the Sell Offers submitted in an auction falls entirely below the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all such Sell Offers. Where the supply curve consists only of Sell Offers located entirely below the Variable Resource Requirement Curve and Sell Offers located entirely above the Variable Resource Requirement Curve, the auction shall clear at the price-capacity point on the Variable Resource Requirement Curve corresponding to the total Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. In determining the lowest-cost overall clearing result that satisfies all applicable constraints and requirements, the optimization may select from among multiple possible alternative clearing results that satisfy such requirements, including, for example (without limitation by such example), accepting a lower-priced Sell Offer that intersects the Variable Resource Requirement Curve and that specifies a minimum capacity block, accepting a higher-priced Sell Offer that intersects the Variable Resource Requirement Curve and that contains no minimum-block limitations, or rejecting both of the above alternatives and clearing the auction at the higher-priced point on the Variable Resource Requirement Curve that corresponds to the Unforced Capacity provided by all Sell Offers located entirely below the Variable Resource Requirement Curve. For the 2020/2021 Delivery Year and subsequent Delivery Years, the supply curve formed by the Sell Offers submitted within an LDA for which a separate VRR Curve is established, shall only consider the quantity of MW from Summer-Period Capacity Performance Resources that are equally matched with Winter-Period Capacity Performance Resources within the LDA, such that only the equally matched quantity of opposite-season Sell Offers are considered in satisfying the LDA's reliability requirement.

The Sell Offer price of a Qualifying Transmission Upgrade shall be treated as a capacity price differential between the LDAs specified in such Sell Offer between which CETL is increased, and the Import Capability provided by such upgrade shall clear to the extent the difference in clearing prices between such LDAs is greater than the price specified in such Sell Offer. The Capacity Resource clearing results and Capacity Resource Clearing Prices so determined shall be applicable for such Delivery Year. The Capacity Resource clearing results and Capacity Resource Clearing Prices determined for Summer-Period Capacity Performance Resources shall be applicable for the calendar months of June through October and the following May of such Delivery Year; and shall be applicable for Winter-Period Capacity Performance Resources for the calendar months of November through April of such Delivery Year.

b) Scheduled Incremental Auctions.

For purposes of a Scheduled Incremental Auction, the optimization algorithm shall consider:

- For the Delivery years through May 31, 2018, the PJM Region Reliability Requirement, less the Short-term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, the PJM Reliability Requirement;

- Updated LDA Reliability Requirements taking into account any updated Capacity Emergency Transfer Objectives;
- The Capacity Emergency Transfer Limit used in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction;
- All applicable Capacity Import Limits;
- For the Delivery Years through May 31, 2018, for each LDA, such LDA's updated Reliability Requirement, less such LDA's Short-Term Resource Procurement Target;
- For the 2018/2019 Delivery Year and subsequent Delivery Years, for each LDA, such LDA's updated Reliability Requirement
- For Delivery Years starting June 1, 2014 and ending May 31, 2017, the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each LDA for which PJM is required to establish a separate VRR Curve for the Base Residual Auction for the relevant Delivery Year; for the 2017/2018 Delivery Year, the Limited Resource Constraints and the Sub-annual Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD; and for the 2018/2019 and 2019/2020 Delivery Years, the Base Capacity Demand Resource Constraints and the Base Capacity Resource Constraints for the PJM Region and for each Locational Deliverability Area for which a separate VRR Curve is required by section 5.10(a) of this Attachment DD;
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the requirement that the cleared quantity of Summer-Period Capacity Performance Resources equal the cleared quantity of Winter-Period Capacity Performance Resources for the PJM Region;
- A demand curve consisting of the Buy Bids submitted in such auction and, if indicated for use in such auction in accordance with the provisions below, the Updated VRR Curve Increment;
- The Sell Offers submitted in such auction; and
- The Unforced Capacity previously committed for such Delivery Year.

(i) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(2) of this Attachment, the Office of the Interconnection shall employ in the clearing of such auction the Updated VRR Curve Increment.

(ii) When the requirement to seek additional resource commitments in a Scheduled Incremental Auction is triggered by section 5.4(c)(1) of this Attachment, and the conditions stated in section 5.4(c)(2) do not apply, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus (C) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year plus any amount required by section 5.4(c)(2)(ii), plus (D) the reduction in Unforced Capacity commitments associated with the transition provisions of sections 5.14B, 5.14C and 5.14E of this Attachment DD, minus (E) the quantity of new Unforced Capacity commitments for the 2016/2017 Delivery Year associated with the transition provisions in section 5.14D of this Attachment DD (*as related to the 2016/2017 Delivery Year*) where this quantity is assumed to have been procured in the form of non-Capacity Performance Resources for purposes of this paragraph E. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. *For the Third Incremental Auction for the 2017/2018 Delivery Year, such positive quantity will be reduced but not below zero by the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year.* If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity.

Additionally, for the Third Incremental Auction for the 2017/2018 Delivery Year, the Office of the Interconnection shall seek to sell back the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year reduced but not below zero by any positive quantity sought to otherwise be procured in the auction as determined in the preceding paragraph. In seeking to sell back such quantity, the Office of the Interconnection shall employ in the clearing of the auction an upward sloping curve originating at a point located at 0 megawatt on the x-axis and a starting price as defined below on the y-axis, and ending at a point located at a megawatt quantity equal to the quantity sought to be released on the x-axis and a price equal to 1.2 times the applicable 2017/2018 Delivery Year Base Residual Auction Capacity Resource Clearing Price on the y-axis. The starting price at the point of origin will be set equal to the total cost to procure the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year divided by the total quantity of PJM Region load as determined by the final PJM Region Peak Load Forecast for the 2017/2018 Delivery Year (excluding load served through the

Fixed Resource Requirement Alternative). The quantity of such attempted sell back that does not clear the auction, if any, will not be included in the determination of Excess Commitment Credits as described in subsection (viii) of this section.

(iii) When the possible need to seek agreements to release capacity commitments in any Scheduled Incremental Auction is indicated for the PJM Region or any LDA by section 5.4(c)(3)(i) of this Attachment, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus (C) the difference between the updated PJM Region Reliability Requirement or updated LDA Reliability Requirement and, respectively, the PJM Region Reliability Requirement, or LDA Reliability Requirement, utilized in the most recent prior auction conducted for such Delivery Year minus any capacity sell-back amount determined by PJM to be required for the PJM Region or such LDA by section 5.4(c)(3)(ii) of this Attachment, plus (D) the reduction in Unforced Capacity commitments associated with the transition provisions of sections 5.14B, 5.14C and 5.14E of this Attachment DD, minus (E) the quantity of new Unforced Capacity commitments for the 2016/2017 Delivery Year associated with the transition provisions in section 5.14D of this Attachment DD (*as related to the 2016/2017 Delivery Year*) where this quantity is assumed to have been procured in the form of non-Capacity Performance Resources for purposes of this paragraph E; provided, however, that the amount sold in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade may not exceed the amounts purchased in total for all LDAs and the PJM Region related to a delay in a Backbone Transmission upgrade. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. *For the Third Incremental Auction for the 2017/2018 Delivery Year, such positive quantity will be reduced but not below zero by the new Unforced Capacity committed to the PJM Region associated with the transition provision of 5.14D as related to the 2017/2018 Delivery Year.* If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity.

Additionally, for the Third Incremental Auction for the 2017/2018 Delivery Year, the Office of the Interconnection shall seek to sell back the new Unforced Capacity committed to the PJM Region associated with the transition provision Tariff, Attachment DD, section 5.14D as related to the 2017/218 Delivery Year reduced but not below zero by any positive quantity sought to otherwise be procured in the auction as determined in the preceding paragraph. In seeking to sell back such quantity, the Office of the Interconnection shall employ in the clearing of the auction an upward sloping curve originating at a point located at 0 megawatt on the x-axis and a starting price as defined below on the y-axis, and ending at a point located at a megawatt quantity equal to the quantity sought to be released on the x-axis and a price equal to 1.2 times

the applicable 2017/2018 Delivery Year Base Residual Auction Capacity Resource Clearing Price on the y-axis. The starting price at the point of origin will be set equal to the total cost to procure the new Unforced Capacity committed to the PJM Region associated with the transition provision of Tariff, Attachment DD, section 5.14D as related to the 2017/2018 Delivery Year divided by the total quantity of PJM Region load as determined by the final PJM Region Peak Load Forecast for the 2017/2018 Delivery Year (excluding load served through the Fixed Resource Requirement Alternative). The quantity of such attempted sell back that does not clear the auction, if any, will not be included in the determination of Excess Commitment Credits as described in subsection (viii) of this section.

(iv) If none of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection first shall determine the total quantity of (A) the amount that the Office of the Interconnection sought to procure in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction, plus, for the Delivery Years through May 31, 2018, the Short-Term Resource Procurement Target Applicable Share for such auction, minus (B) the amount that the Office of the Interconnection sought to sell back in prior Scheduled Incremental Auctions for such Delivery Year that does not clear such auction. If the result of such equation is a positive quantity, the Office of the Interconnection shall employ in the clearing of such auction a portion of the Updated VRR Curve Increment extending right from the left-most point on that curve in a megawatt amount equal to that positive quantity defined above, to seek to procure such quantity. If the result of such equation is a negative quantity, the Office of the Interconnection shall employ in the clearing of the auction a portion of the Updated VRR Curve Decrement, extending and ascending to the left from the right-most point on that curve in a megawatt amount corresponding to the negative quantity defined above, to seek to sell back such quantity. For the Delivery Years through May 31, 2018, if more than one of the tests for adjustment of capacity procurement in subsections (i), (ii), or (iii) is satisfied for the PJM Region or an LDA in a Scheduled Incremental Auction, the Office of the Interconnection shall not seek to procure the Short-Term Resource Procurement Target Applicable Share more than once for such region or area for such auction

(v) If PJM seeks to procure additional capacity in an Incremental Auction for the 2014-15, 2015-16 or 2016-17 Delivery Years due to a triggering of the tests in subsections (i), (ii), (iii) or (iv) then the Minimum Annual Resource Requirement for such Auction will be equal to the updated Minimum Annual Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity from Annual Resources, and the Minimum Extended Summer Resource Requirement for such Auction will be equal to the updated Minimum Extended Summer Resource Requirement (based on the latest DR Reliability Targets) minus the amount of previously committed capacity in an Incremental Auction for the 2014-15, 2015-16 or 2016-17 Delivery Years from Annual Resources and Extended Summer Demand Resources. If PJM seeks to release prior committed capacity due to a triggering of the test in subsection (iii) then PJM may not release prior committed capacity from Annual Resources or Extended Summer Demand Resources below the updated Minimum Annual Resource Requirement and updated Minimum Extended Summer Resource Requirement, respectively.

(vi) If the above tests are triggered for an LDA and for another LDA wholly located within the first LDA, the Office of the Interconnection may adjust the amount of any Sell Offer or Buy Bids otherwise required by subsections (i), (ii), or (iii) above in one LDA as appropriate to take into account any reliability impacts on the other LDA.

(vii) The optimization algorithm shall calculate the overall clearing result to minimize the cost to satisfy the Unforced Capacity Obligation of the PJM Region to account for the updated PJM Peak Load Forecast and the cost of committing replacement capacity in response to the Buy Bids submitted, while satisfying or honoring such reliability requirements and constraints, in the same manner as set forth in subsection (a) above.

(viii) Load Serving Entities may be entitled to certain credits (“Excess Commitment Credits”) under certain circumstances as follows:

- (A) For either or both of the Delivery Years commencing on June 1, 2010 or June 1, 2011, if the PJM Region Reliability Requirement used for purposes of the Base Residual Auction for such Delivery Year exceeds the PJM Region Reliability Requirement that is based on the last updated load forecast prior to such Delivery Year, then such excess will be allocated to Load Serving Entities as set forth below;
- (B) For any Delivery Year beginning with the Delivery Year that commences June 1, 2012, the total amount that the Office of the Interconnection sought to sell back pursuant to subsection (b)(iii) above in the Scheduled Incremental Auctions for such Delivery Year that does not clear such auctions, less the total amount that the Office of the Interconnection sought to procure pursuant to subsections (b)(i) and (b)(ii) above in the Scheduled Incremental Auctions for such Delivery Years that does not clear such auctions, will be allocated to Load Serving Entities as set forth below;
- (C) the amount from (A) or (B) above for the PJM Region shall be allocated among Locational Deliverability Areas pro rata based on the reduction for each such Locational Deliverability Area in the peak load forecast from the time of the Base Residual Auction to the time of the Third Incremental Auction; provided, however, that the amount allocated to a Locational Deliverability Area may not exceed the reduction in the corresponding Reliability Requirement for such Locational Deliverability Area; and provided further that any LDA with an increase in its load forecast shall not be allocated any Excess Commitment Credits;
- (D) the amount, if any, allocated to a Locational Deliverability Area shall be further allocated among Load Serving Entities in such areas that are charged a Locational Reliability Charge based on the Daily Unforced Capacity Obligation of such Load Serving Entities as of June 1 of the Delivery Year and shall be constant for the entire Delivery Year. Excess

Commitment Credits may be used as Replacement Capacity or traded bilaterally.

c) Conditional Incremental Auction

For each Conditional Incremental Auction, the optimization algorithm shall consider:

- The quantity and location of capacity required to address the identified reliability concern that gave rise to the Conditional Incremental Auction;
- All applicable Capacity Import Limits;
- the same Capacity Emergency Transfer Limits that were modeled in the Base Residual Auction, or any updated value resulting from a Conditional Incremental Auction; and
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity and location of capacity required to address the identified reliability violation at a Buy Bid price equal to 1.5 times Net CONE.

The optimization algorithm shall calculate the overall clearing result to minimize the cost to address the identified reliability concern, while satisfying or honoring such reliability requirements and constraints.

d) Equal-priced Sell Offers

If two or more Sell Offers submitted in any auction satisfying all applicable constraints include the same offer price, and some, but not all, of the Unforced Capacity of such Sell Offers is required to clear the auction, then the auction shall be cleared in a manner that minimizes total costs, including total make-whole payments if any such offer includes a minimum block and, to the extent consistent with the foregoing, in accordance with the following additional principles:

1) as necessary, the optimization shall clear such offers that have a flexible megawatt quantity, and the flexible portions of such offers that include a minimum block that already has cleared, where some but not all of such equal-priced flexible quantities are required to clear the auction, pro rata based on their flexible megawatt quantities; and

2) when equal-priced minimum-block offers would result in equal overall costs, including make-whole payments, and only one such offer is required to clear the auction, then the offer that was submitted earliest to the Office of the Interconnection, based on its assigned timestamp, will clear.

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the marginal value of system capacity for the PJM Region, without considering locational constraints, adjusted as necessary by any applicable Locational Price Adders, Annual Resource Price Adders, Extended Summer Resource Price Adders, Limited Resource Price Decrements, Sub-Annual Resource Price Decrements, Base Capacity Demand Resource Price Decrements, and Base Capacity Resource Price Decrements, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

The Locational Price Adder applicable to each cleared Seasonal Capacity Performance Resource is determined during the post-processing of the RPM Auction results consistent with the manner in which the auction clearing algorithm recognizes the contribution of Seasonal Capacity Performance Resource Sell Offers in satisfying an LDA's reliability requirement. For each LDA with a positive Locational Price Adder with respect to the immediate higher level LDA, starting with the lowest level constrained LDAs and moving up, PJM determines the quantity of equally matched Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources located and cleared within that LDA. Up to this quantity, the cleared Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources with the lowest Sell Offer prices will be compensated using the highest Locational Price Adder applicable to such LDA; and any remaining Seasonal Capacity Performance Resources cleared within the LDA are effectively moved to the next higher level constrained LDA, where they are considered in a similar manner for compensation.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. If the Sell Offer price of a cleared Seasonal Capacity Performance Resource exceeds the applicable Capacity Resource Clearing Price, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the difference between the Sell Offer price and Capacity Resource Clearing Price in such RPM Auction. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole

Payments required in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource. When the Capacity Market Seller provides notice of such election, it must specify whether its Sell Offer is contingent upon qualifying for the New Entry Price Adjustment. The Office of the Interconnection shall not clear such contingent Sell Offer if it does not qualify for the New Entry Price Adjustment.

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement, minus the Short Term Resource Procurement Target, to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE divided by (one minus the pool-wide average EFORd).

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with sections 5.12(a) and 5.14(a).

- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b); or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in section 5.12(a) of this Attachment, and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) that is entitled to compensation pursuant to section 5.14(b) of this Attachment; and
- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with Section 5.14(b). Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in Section 5.14(a).

6. The failure to submit a Sell Offer consistent with Section 5.14(c)(i)-(iii) in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Section 5.10(a)(ii) of this Attachment.

8. On or before August 1, 2012, PJM shall file with FERC under FPA section 205, as determined necessary by PJM following a stakeholder process, tariff changes to establish a long-term auction process as a not unduly discriminatory means to provide adequate

long-term revenue assurances to support new entry, as a supplement to or replacement of this New Entry Price Adjustment.

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under section 5.15, as set forth in that section. PJMSettlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets and other adjustments as described in sections 5.14B, 5.14C, 5.14D, 5.14E and 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; 3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located; 4) an adjustment, if required, to account for Resource Make-Whole Payments; and (5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity

weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity); and (5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits. The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall calculate and post the Final Zonal Capacity Price for each Delivery Year after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted to reflect any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain Generation Capacity Resources

(1) General Rule. Any Sell Offer submitted in any RPM Auction for any Delivery Year based on a MOPR Screened Generation Resource shall have an offer price no lower than the MOPR Floor Offer Price for the period specified in this subsection (h), unless the Capacity Market Seller has obtained a Self-Supply Exemption, a Competitive Entry Exemption, or a Unit-Specific Exception with respect to such MOPR Screened Generation Resource in such auction prior to the submission of such offer, in accordance with the provisions of this subsection. Nothing in subsection (c) of this section 5.14 shall be read to excuse compliance of any Sell Offer with the requirements of this subsection (h).

(2) Applicability. A MOPR Screened Generation Resource shall be any Generation Capacity Resource, and any uprate to a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof by 20 MW or more, based on a combustion turbine, combined cycle, or integrated gasification combined cycle generating plant (including Repowering of an existing plant whenever the repowered plant utilizes combustion turbine, combined cycle, or integrated gasification combined cycle technology) with an installed capacity rating, combined for all units comprising such resource at a single point of interconnection to the Transmission System, of no less than 20 MW; provided, however, that a MOPR Screened Generation Resource shall not include: (i) the

Installed Capacity equivalent (measured as of the time of clearing) of any of a resource's Unforced Capacity that has cleared any RPM Auction conducted prior to February 1, 2013 or an uprate of such resource to the extent that the developer or owner of the uprate timely submitted a request for, and PJM issued, an offer floor pursuant to the unit-specific exception process of this subsection (h) before the start of the commencement of the Base Residual Auction for the 2016/2017 Delivery Year and the capacity associated with the uprate clears that auction; (ii) any unit primarily fueled with landfill gas; (iii) any cogeneration unit that is certified or self-certified as a Qualifying Facility (as defined in Part 292 of FERC's regulations), where the Capacity Market Seller is the owner of the Qualifying Facility or has contracted for the Unforced Capacity of such facility and the Unforced Capacity of the unit is no larger than approximately all of the Unforced Capacity Obligation of the host load, and all Unforced Capacity of the unit is used to meet the Unforced Capacity Obligation of the host load. A MOPR Screened Generation Resource shall include all Generation Capacity Resources located in the PJM Region that meet the foregoing criteria, and all Generation Capacity Resources located outside the PJM Region (where such Sell Offer is based solely on such resource) that entered commercial service on or after January 1, 2013, that meet the foregoing criteria and that require sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region.

(3) MOPR Floor Offer Price. The MOPR Floor Offer Price shall be 100% of the Net Asset Class Cost of New Entry for the relevant generator type and location, as determined hereunder. The gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be, for purposes of the 2018/2019 Delivery Year and subsequent Delivery Years, the values indicated in the table below for each CONE Area for a combustion turbine generator ("CT"), a combined cycle generator ("CC"), and an integrated gasification combined cycle generator ("IGCC"), respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(3)(i) below. For purposes of Incremental Auctions for the 2015/2016, 2016/2017 and 2017/2018 Delivery Years, the MOPR Floor Offer Price shall be the same as that used in the Base Residual Auction for such Delivery Year. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3)(ii) below.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4
CT \$/MW-yr	132,200	130,300	128,900	130,300
CC \$/MW-yr	185,700	176,000	172,600	179,400
IGCC \$/MW-yr	582,042	558,486	547,240	537,306

i) Commencing with the Delivery Year that begins on June 1, 2019, the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs in the same manner as set forth for the cost of new entry in section 5.10(a)(iv)(B), provided, however, that the Applicable BLS Composite Index used for CC plants shall be calculated from the three indices referenced in that section but weighted 25% for the wages index, 60% for the construction materials index, and 15% for the turbines index, and provided further that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

ii) For purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by section 5.10(a)(v)(A) of this Attachment DD, provided that the energy revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.722 MMBtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$3.23 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3198 per MW-year. The net energy and ancillary services revenue estimate for an integrated gasification combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator above, except that the heat rate assumed for the combined cycle resource shall be 8.7 MMBtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$7.77 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3,198 per MW-year.

(4) **Duration.** The MOPR Floor Offer Price shall apply to any Sell Offer based on a MOPR Screened Generation Resource (to the extent an exemption has not been obtained for such resource under this subsection) until (and including) the first Delivery Year for which a Sell Offer based on the non-exempt portion of such resource has cleared an RPM Auction.

(5) **Effect of Exemption or Exception.** To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a MOPR Screened Generation Resource for which the Capacity Market Seller obtains, prior to the submission of such offer, either a Competitive Entry Exemption or a Self-Supply Exemption, such offer (to the extent of such exemption) may include an offer price below the MOPR Floor Offer Price (including, without limitation, an offer price of zero or other indication of intent to clear regardless of price). To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a MOPR Screened Generation Resource for which the Capacity Market Seller obtains, prior to the submission of such offer, a Unit-Specific Exception, such offer (to the extent of such exception) may include an offer price below the MOPR Floor Offer Price but no lower than the minimum offer price determined in such exception process. The Installed Capacity equivalent of any MOPR Screened Generation Resource's Unforced Capacity that has both obtained such an exemption or exception and cleared the RPM Auction for which it obtained such exemption or exception shall not be subject to a MOPR Floor Offer Price in any subsequent RPM Auction, except as provided in subsection (h)(10) hereof.

(6) Self-Supply Exemption. A Capacity Market Seller that is a Self-Supply LSE may qualify its MOPR Screened Generation Resource in any RPM Auction for any Delivery Year for a Self-Supply Exemption if the MOPR Screened Generation Resource satisfies the criteria specified below:

i) Cost and revenue criteria. The costs and revenues associated with a MOPR Screened Generation Resource for which a Self-Supply LSE seeks a Self-Supply Exemption may permissibly reflect: (A) payments, concessions, rebates, subsidies, or incentives designed to incent or promote, or participation in a program, contract, or other arrangement that utilizes criteria designed to incent or promote, general industrial development in an area; (B) payments, concessions, rebates, subsidies or incentives from a county or other local government authority designed to incent, or participation in a program, contract or other arrangement established by a county or other local governmental authority utilizing eligibility or selection criteria designed to incent, siting facilities in that county or locality rather than another county or locality; (C) revenues received by the Self-Supply LSE attributable to the inclusion of costs of the MOPR Screened Generation Resource in such LSE's regulated retail rates where such LSE is a Vertically Integrated Utility and the MOPR Screened Generation Resource is planned consistent with such LSE's most recent integrated resource plan found reasonable by the RERRA to meet the needs of its customers; and (D) payments to the Self-Supply LSE (such as retail rate recovery) traditionally associated with revenues and costs of Public Power Entities (or joint action of multiple Public Power Entities); revenues to a Public Power Entity from its contracts having a term of one year or more with its members or customers (including wholesale power contracts between an electric cooperative and its members); or cost or revenue advantages related to a longstanding business model employed by the Self-Supply LSE, such as its financial condition, tax status, access to capital, or other similar conditions affecting the Self-Supply LSE's costs and revenues. A Self-Supply Exemption shall not be permitted to the extent that the Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, has any formal or informal agreements or arrangements to seek, recover, accept or receive: (E) any material payments, concessions, rebates, or subsidies, connected to the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource, not described by (A) through (D) of this section; or (F) other support through contracts having a term of one year or more obtained in any procurement process sponsored or mandated by any state legislature or agency connected with the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource. Any cost and revenue advantages described by (A) through (D) of this subsection that are material to the cost of the MOPR Screened Generation Resource and that are irregular or anomalous, that do not reflect arms-length transactions, or that are not in the ordinary course of the Self-Supply LSE's business, shall disqualify application of the Self-Supply Exemption unless the Self-Supply LSE demonstrates in the exemption process provided hereunder that such costs and revenues are consistent with the overall objectives of the Self-Supply Exemption.

ii) Owned and Contracted Capacity. To qualify for the Self-Supply Exemption, the Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, must demonstrate that the MOPR Screened Generation Resource is included in such LSE's Owned and Contracted Capacity and that its Owned and Contracted Capacity meets the criteria outlined below after the addition of such MOPR Screened Generation Resource.

iii) **Maximum Net Short Position.** If the excess, if any, of the Self-Supply LSE’s Estimated Capacity Obligation above its Owned and Contracted Capacity (“Net Short”) is less than the amount of Unforced Capacity specified in or calculated under the table below for all relevant areas based on the specified type of LSE, then this exemption criterion is satisfied. For this purpose, the Net Short position shall be calculated for any Self-Supply LSE requesting this exemption for the PJM Region and for each LDA specified in the table below in which the MOPR Screened Generation Resource is located (including through nesting of LDAs) to the extent the Self-Supply LSE has an Estimated Capacity Obligation in such LDA. If the Self-Supply LSE does not have an Estimated Capacity Obligation in an evaluated LDA, then the Self-Supply LSE is deemed to satisfy the test for that LDA.

Type of Self-Supply LSE	Maximum Net Short Position (UCAP MW, measured at RTO, MAAC, SWMAAC and EMAAC unless otherwise specified)
Single Customer Entity	150 MW
Public Power Entity	1000 MW
Multi-state Public Power Entity*	1000 MW in SWMAAC, EMAAC, or MAAC LDAs and 1800 MW RTO
Vertically Integrated Utility	20% of LSE's Reliability Requirement

*A Multi-state Public Power Entity shall not have more than 90% of its total load in any one state.

iv) **Maximum Net Long Position.** If the excess, if any, of the Self-Supply LSE’s Owned and Contracted Capacity for the PJM Region above its Estimated Capacity Obligation for the PJM Region (“Net Long”), is less than the amount of Unforced Capacity specified in or calculated under the table below, then this exemption criterion is satisfied:

Self-Supply LSE Total Estimated Capacity Obligation in the PJM Region (UCAP MW)	Maximum Net Long Position (UCAP MW)
Less than 500	75 MW
Greater than or equal to 500 and less than 5,000	15% of LSE's Estimated Capacity Obligation
Greater than or equal to 5,000 and less than 15,000	750 MW
Greater than or equal to 15,000 and less than 25,000	1,000 MW
Greater than or equal to 25,000	4% of LSE's Estimated Capacity Obligation capped at 1300 MWs

If the MOPR Screened Generation Resource causes the Self-Supply LSE’s Net Long Position to exceed the applicable threshold stated above, the MOPR Floor Offer Price shall apply, for the Delivery Year in which such threshold is exceeded, only to the quantity of Unforced Capacity of such resource that exceeds such threshold. In such event, such Unforced Capacity of such resource shall be subject to the MOPR Floor Offer Price for the period specified in subsection

(h)(4) hereof; provided however, that any such Unforced Capacity that did not qualify for such exemption for such Delivery Year may qualify for such exemption in any RPM Auction for a future Delivery Year to the extent the Self-Supply LSE's future load growth accommodates the resource under the Net Long Position criteria.

v) Beginning with the Delivery Year that commences June 1, 2020, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the Maximum Net Short and Net Long positions, as required by the foregoing subsection. Such review may include, without limitation, analyses under various appropriate scenarios of the minimum net short quantities at which the benefit to an LSE of a clearing price reduction for its capacity purchases from the RPM Auction outweighs the cost to the LSE of a new generating unit that is offered at an uneconomic price, and may, to the extent appropriate, reasonably balance the need to protect the market with the need to accommodate the normal business operations of Self-Supply LSEs. Based on the results of such review, PJM shall propose either to modify or retain the existing Maximum Net Short and Net Long positions. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the Maximum Net Short and/or Net Long positions are proposed, the Office of the Interconnection shall file such modified Maximum Net Short and/or Net Long positions with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

vi) Officer Certification. The Self-Supply LSE, acting either as the Capacity Market Seller or on behalf of the Capacity Market Seller, shall submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, the facts and circumstances supporting the Capacity Market Seller's decision to submit a Sell Offer into the RPM Auction for the MOPR Screened Generation Resource and seek an exemption from the MOPR Floor Offer Price for such resource, and to the best of his/her knowledge and belief: (A) the information supplied to the Market Monitoring Unit and the Office of Interconnection in support of its exemption request is true and correct and the MOPR Screened Generation Resource will be Owned and Contracted Capacity for the purpose of self-supply for the benefit of the Self-Supply LSE; (B) the Self-Supply LSE has disclosed all material facts relevant to the exemption request; and (C) the Capacity Market Seller satisfies the criteria for the exemption.

vii) For purposes of the Self-Supply Exemption:

(A) "Self-Supply LSE" means the following types of Load Serving Entity, which operate under long-standing business models: Municipal/Cooperative Entity, Single Customer Entity, or Vertically Integrated Utility.

(B) "Municipal/Cooperative Entity" means cooperative and municipal utilities, including public power supply entities comprised of either or both of the same, and joint action agencies.

(C) "Vertically Integrated Utility" means a utility that owns generation, includes such generation in its regulated rates, and earns a regulated return on its investment in such generation.

(D) “Single Customer Entity” means an LSE that serves at retail only customers that are under common control with such LSE, where such control means holding 51% or more of the voting securities or voting interests of the LSE and all its retail customers.

(E) All capacity calculations shall be on an Unforced Capacity basis.

(F) Estimated Capacity Obligations and Owned and Contracted Capacity shall be measured on a three-year average basis for the three years starting with the first day of the Delivery Year associated with the RPM Auction for which the exemption is being sought (“MOPR Exemption Measurement Period”). Such measurements shall be verified by PJM using the latest available data that PJM uses to determine capacity obligations.

(G) The Self-Supply LSE’s Estimated Capacity Obligation shall be the average, for the three Delivery Years of the MOPR Exemption Measurement Period, of the Self-Supply LSE’s estimated share of the most recent available Zonal Peak Load Forecast for each such Delivery Year for each Zone in which the Self-Supply LSE will serve load during such Delivery Year, times the Forecast Pool Requirement established for the first such Delivery Year, shall be stated on an Unforced Capacity basis. The Self-Supply LSE’s share of such load shall be determined by the ratio of: (1) the peak load contributions, from the most recent summer peak for which data is available at the time of the exemption request, of the customers or areas within each Zone for which such LSE will have load-serving responsibility during the first Delivery Year of the MOPR Exemption Measurement Period to (2) the weather-normalized summer peak load of such Zone for the same summer peak period addressed in the previous clause. Notwithstanding the foregoing, solely in the case of any Self-Supply LSE that demonstrates to the Office of the Interconnection that its annual peak load occurs in the winter, such LSE’s Estimated Capacity Obligation determined solely for the purposes of this subsection 5.14(h) shall be based on its winter peak. Once submitted, an exemption request shall not be subject to change due to later revisions to the PJM load forecasts for such Delivery Years. The Self-Supply LSE’s Estimated Capacity Obligation shall be limited to the LSE’s firm obligations to serve specific identifiable customers or groups of customers including native load obligations and specific load obligations in effective contracts for which the term of the contract includes at least a portion of the Delivery Year associated with the RPM Auction for which the exemption is requested (and shall not include load that is speculative or load obligations that are not native load or customer specific); as well as retail loads of entities that directly (as through charges on a retail electric bill) or indirectly, contribute to the cost recovery of the MOPR Screened Generation Resource; provided, however, nothing herein shall require a Self-Supply LSE that is a joint owner of a MOPR Screened Generation Resource to aggregate its expected loads with the loads of any other joint owner for purposes of such Self-Supply LSE’s exemption request.

(H) “Owned and Contracted Capacity” includes all of the Self-Supply LSE’s qualified Capacity Resources, whether internal or external to PJM. For purposes of the Self-Supply Exemption, Owned and Contracted Capacity includes Generation

Capacity Resources without regard to whether such resource has failed or could fail the Competitive and Non-Discriminatory procurement standard of the Competitive Entry Exemption. To qualify for a Self-Supply Entry exemption, the MOPR Screened Generation must be used by the Self-Supply LSE, meaning such Self-Supply LSE is the beneficial off-taker of such generation such that the owned or contracted for MOPR Screened Generation is for the Self-Supply LSE's use to supply its customer(s).

(I) If multiple entities will have an ownership or contractual share in, or are otherwise sponsoring, the MOPR Screened Generation Resource, the positions of each such entity will be measured and considered for a Self-Supply Exemption with respect to the individual Self-Supply LSE's ownership or contractual share of such resource.

(7) Competitive Entry Exemption. A Capacity Market Seller may qualify a MOPR Screened Generation Resource for a Competitive Entry Exemption in any RPM Auction for any Delivery Year if the Capacity Market Seller demonstrates that the MOPR Screened Generation Resource satisfies all of the following criteria:

i) No costs of the MOPR Screened Generation Resource are recovered from customers either directly or indirectly through a non-bypassable charge, except in the event that Sections 5.14(h)(7)(ii) and (iii), to the extent either or both are applicable to such resource, are satisfied.

ii) No costs of the MOPR Screened Generation Resource are supported through any contracts having a term of one year or more obtained in any state-sponsored or state-mandated procurement processes that are not Competitive and Non-Discriminatory. The Office of the Interconnection and the Market Monitoring Unit may deem a procurement process to be "Competitive and Non-Discriminatory" only if: (A) both new and existing resources may satisfy the requirements of the procurement; (B) the requirements of the procurement are fully objective and transparent; (C) the procurement terms do not restrict the type of capacity resources that may participate in and satisfy the requirements of the procurement; (D) the procurement terms do not include selection criteria that could give preference to new resources; and (E) the procurement terms do not use indirect means to discriminate against existing capacity, such as geographic constraints inconsistent with LDA import capabilities, unit technology or unit fuel requirements or unit heat-rate requirements, identity or nature of seller requirements, or requirements for new construction.

iii) The Capacity Market Seller does not have any formal or informal agreements or arrangements to seek, recover, accept or receive any (A) material payments, concessions, rebates, or subsidies directly or indirectly from any governmental entity connected with the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource, or (B) other material support through contracts having a term of one year or more obtained in any state-sponsored or state-mandated procurement processes, connected to the construction, or clearing in any RPM Auction, of the MOPR Screened Generation Resource. These restrictions shall not include (C) payments (including payments in lieu of taxes), concessions, rebates, subsidies, or incentives designed to incent, or participation in a program, contract or other arrangement that utilizes criteria designed to incent or promote, general

industrial development in an area; (D) payments, concessions, rebates, subsidies or incentives designed to incent, or participation in a program, contract or other arrangements from a county or other local governmental authority using eligibility or selection criteria designed to incent, siting facilities in that county or locality rather than another county or locality; or (E) federal government production tax credits, investment tax credits, and similar tax advantages or incentives that are available to generators without regard to the geographic location of the generation.

iv) The Capacity Market Seller shall submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of, or has engaged in a diligent inquiry to determine, the facts and circumstances supporting the Capacity Market Seller's decision to submit a Sell Offer into the RPM Auction for the MOPR Screened Generation Resource and seek an exemption from the MOPR Floor Offer Price for such resource, and, to the best of his/her knowledge and belief: (A) the information supplied to the Market Monitoring Unit and the Office of Interconnection to support its exemption is true and correct and the resource is being constructed or contracted for purposes of competitive entry by the Capacity Market Seller; (B) the Capacity Market Seller has disclosed all material facts relevant to the request for the exemption; and (C) the exemption request satisfies the criteria for the exemption.

(8) Unit-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction below the MOPR Floor Offer Price for any Delivery Year based on a MOPR Screened Generation Resource may, at its election, submit a request for a Unit-Specific Exception in addition to, or in lieu of, a request for a Self-Supply Exemption or a Competitive Entry Exemption, for such MOPR Screened Generation Resource. A Sell Offer meeting the Unit-Specific Exception criteria in this subsection shall be permitted and shall not be re-set to the MOPR Floor Offer Price if the Capacity Market Seller obtains a determination from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets. The following requirements shall apply to requests for such determinations:

i) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, per subsection (h)(9)(i) below, the Office of the Interconnection shall post a preliminary estimate for the relevant Delivery Year of the MOPR Floor Offer Price expected to be established hereunder. If the MOPR Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the MOPR Screened Generation Resource, as well as estimates of offsetting net revenues. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may

include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction–period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for a Unit-Specific Exception hereunder. The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller’s forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities.

iii) A Sell Offer evaluated under the Unit-Specific Exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer’s competitive, cost-based, fixed, net cost of new entry is below the MOPR Floor Offer Price, based on competitive cost advantages relative to the costs implied by the MOPR Floor Offer Price, including, without limitation, competitive cost advantages resulting from the Capacity Market Seller’s business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant’s costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those implied by the MOPR Floor Offer Price. Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm’s-length transactions, or that are not in the ordinary course of the Capacity Market Seller’s business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of a Unit-Specific Exception hereunder by the Office of the Interconnection.

(9) Exemption/Exception Process.

i) The Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for an RPM Auction, a preliminary estimate for the relevant Delivery Year of the MOPR Floor Offer Price.

ii) The Capacity Market Seller must submit its request for a Unit-Specific Exception, Competitive Entry Exemption or a Self-Supply Exemption in writing simultaneously to the Market Monitoring Unit and the Office of Interconnection by no later than one hundred thirty five (135) days prior to the commencement of the offer period for the RPM Auction in which such seller seeks to submit its Sell Offer. The Capacity Market Seller shall include in its request a description of its MOPR Screened Generation Resource, the exemption or exception that the Capacity Market Seller is requesting, and all documentation necessary to demonstrate that the exemption or exception criteria are satisfied, including without limitation the applicable certification(s) specified in this subsection (h). In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the exemption request. The Capacity Market Seller shall have an ongoing obligation through the closing of the offer period for the RPM Auction to update the request to reflect any material changes in the request.

iii) As further described in Section II.D. of Attachment M-Appendix to this Tariff, the Market Monitoring Unit shall review the request and supporting documentation and shall provide its determination by no later than forty-five (45) days after receipt of the exemption or exception request. The Office of the Interconnection shall also review all exemption and exception requests to determine whether the request is acceptable in accordance with the standards and criteria under this section 5.14(h) and shall provide its determination in writing to the Capacity Market Seller, with a copy to the Market Monitoring Unit, by no later than sixty-five (65) days after receipt of the exemption or exception request. The Office of the Interconnection shall reject a requested exemption or exception if the Capacity Market Seller's request does not comply with the PJM Market Rules, as interpreted and applied by the Office of the Interconnection. Such rejection shall specify those points of non-compliance upon which the Office of the Interconnection based its rejection of the exemption or exception request. If the Office of the Interconnection does not provide its determination on an exemption or exception request by no later than sixty-five (65) days after receipt of the exemption or exception request, the request shall be deemed granted. Following the Office of the Interconnection's determination on a Unit-Specific Exception request, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer, consistent with such determination, to which it agrees to commit by no later than five (5) days after receipt of the Office of the Interconnection's determination of its Unit-Specific Exception request. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules unless and until ordered to do otherwise by FERC.

(10) Procedures and Remedies in Cases of Suspected Fraud or Material Misrepresentation or Omissions in Connection with Exemption Requests.

In the event the Office of the Interconnection reasonably believes that a request for a Competitive Entry Exemption or a Self-Supply Exemption that has been granted contains

fraudulent or material misrepresentations or fraudulent or material omissions such that the Capacity Market Seller would not have been eligible for the exemption for that resource had the request not contained such misrepresentations or omissions, then:

i) if the Office of the Interconnection provides written notice of revocation to the Capacity Market Seller no later than thirty (30) days prior to the commencement of the offer period for the RPM Auction for which the seller submitted a fraudulent exemption request, the Office of the Interconnection shall revoke the exemption for that auction. In such event, the Office of the Interconnection shall make any filings with FERC that the Office of the Interconnection deems necessary, and

ii) if the Office of the Interconnection does not provide written notice of revocation no later than 30 days before the start of the relevant RPM Auction, then the Office of the Interconnection may not revoke the exemption absent FERC approval. In any such filing to FERC, the requested remedies shall include (A) in the event that such resource has not cleared in the RPM Auction for which the exemption has been granted and the filing is made no later than 5 days prior to the commencement of the offer period for the RPM Auction, revocation of the exemption or, (B) in the event that the resource has cleared the RPM Auction for which the exemption has been granted and the filing is made no later than two (2) years after the close of the offer period for the relevant RPM Auction, suspension of any payments, during the pendency of the FERC proceeding, to the Capacity Market Seller for the resource that cleared in any RPM Auction relying on such exemption; and suspension of the Capacity Market Seller's exemption for that resource for future RPM Auctions.

iii) Prior to any automatic revocation or submission to FERC, the Office of the Interconnection and/or the Market Monitoring Unit shall notify the affected Capacity Market Seller and, to the extent practicable, provide the Capacity Market Seller an opportunity to explain the alleged misrepresentation or omission. Any filing to FERC under this provision shall seek fast track treatment and neither the name nor any identifying characteristics of the Capacity Market Seller or the resource shall be publicly revealed, but otherwise the filing shall be public. The Capacity Market Seller may apply for a new exemption for that resource for subsequent auctions, including auctions held during the pendency of the FERC proceeding. In the event that the Capacity Market Seller is cleared by FERC from such allegations of misrepresentations or omissions then the exemption shall be restored to the extent and in the manner permitted by FERC. The remedies required by this subsection (h)(10) to be requested in any filing to FERC shall not be exclusive of any other remedies or penalties that may be pursued against the Capacity Market Seller.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export (“Export Reserved Capacity”) multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery

Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$

$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$

Where:

“Export Path Import” means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

5.14A [Reserved.]

5.14B Generating Unit Capability Verification Test Requirements Transition Provision for RPM Delivery Years 2014/2015, 2015/2016, and 2016/2017

A. This transition provision applies only with respect to Generation Capacity Resources with existing capacity commitments for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years that experience reductions in verified installed capacity available for sale as a direct result of revised generating unit capability verification test procedures effective with the summer 2014 capability tests, as set forth in the PJM Manuals. A Generation Capacity Resource meeting the description of the preceding sentence, and the Capacity Market Seller of such a resource, are hereafter in this section 5.14B referred to as an “Affected Resource” and an “Affected Resource Owner,” respectively.

B. For each of its Affected Resources, an Affected Resource Owner is required to provide documentation to the Office of the Interconnection sufficient to show a reduction in installed capacity value as a direct result of the revised capability test procedures. Upon acceptance by the Office of the Interconnection, the Affected Resource’s installed capacity value will be updated in the eRPM system to reflect the reduction, and the Affected Resource’s Capacity Interconnection Rights value will be updated to reflect the reduction, effective June 1, 2014. The reduction’s impact on the Affected Resource’s existing capacity commitments for the 2014/2015 Delivery Year will be determined in Unforced Capacity terms, using the final EFORD value established by the Office of the Interconnection for the 2014/2015 Delivery Year as applied to the Third Incremental Auction for the 2014/2015 Delivery Year, to convert installed capacity to Unforced Capacity. The reduction’s impact on the Affected Resource’s existing capacity commitments for each of the 2015/2016 and 2016/2017 Delivery Years will be determined in Unforced Capacity terms, using the EFORD value from each Sell Offer in each applicable RPM Auction, applied on a pro-rata basis, to convert installed capacity to Unforced Capacity. The Unforced Capacity impact for each Delivery Year represents the Affected Resource’s capacity commitment shortfall, resulting wholly and directly from the revised capability test procedures, for which the Affected Resource Owner is subject to a Capacity Resource Deficiency Charge for the Delivery Year, as described in section 8 of this Attachment DD, unless the Affected Resource Owner (i) provides replacement Unforced Capacity, as described in section 8.1 of this Attachment DD, prior to the start of the Delivery Year to resolve the Affected Resource’s total capacity commitment shortfall; or (ii) requests relief from Capacity Resource Deficiency Charges that result wholly and directly from the revised capability test procedures by electing the transition mechanism described in this section 5.14B (“Transition Mechanism”).

C. Under the Transition Mechanism, an Affected Resource Owner may elect to have the Unforced Capacity commitments for all of its Affected Resources reduced for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years to eliminate the capacity commitment shortfalls, across all of its Affected Resources, that result wholly and directly from the revised capability test procedures, and for which the Affected Resource Owner otherwise would be subject to Capacity Resource Deficiency Charges for the Delivery Year. In electing this option, the Affected Resource Owner relinquishes RPM Auction Credits associated with the reductions in Unforced Capacity commitments for all of its Affected Resources for the Delivery Year, and Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are adjusted accordingly. Affected Resource Owners wishing to elect the Transition Mechanism for the 2015/2016 Delivery Year must notify the Office of the Interconnection by May 30, 2014.

Affected Resource Owners wishing to elect the Transition Mechanism for the 2016/2017 Delivery Year must notify the Office of the Interconnection by July 25, 2014.

D. The Office of the Interconnection will offset the total reduction (across all Affected Resources and Affected Resource Owners) in Unforced Capacity commitments associated with the Transition Mechanism for the 2015/2016 and 2016/2017 Delivery Years by applying corresponding adjustments to the quantity of Buy Bid or Sell Offer activity in the upcoming Incremental Auctions for each of those Delivery Years, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD.

E. By electing the Transition Mechanism, an Affected Resource Owner may receive relief from applicable Capacity Resource Deficiency Charges for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years, and a Locational UCAP Seller that sells Locational UCAP based on an Affected Resource owned by the Affected Resource Owner may receive relief from applicable Capacity Resource Deficiency Charges for the 2014/2015 Delivery Year, to the extent that the Affected Resource Owner demonstrates, to the satisfaction of the Office of the Interconnection, that an inability to deliver the amount of Unforced Capacity previously committed for the 2014/2015, 2015/2016, or 2016/2017 Delivery Years is due to a reduction in verified installed capacity available for sale as a direct result of revised generating unit capability verification test procedures effective with the summer 2014 capability tests, as set forth in the PJM Manuals; provided, however, that the Affected Resource Owner must provide the Office of the Interconnection with all information deemed necessary by the Office of the Interconnection to assess the merits of the request for relief.

5.14C Demand Response Operational Resource Flexibility Transition Provision for RPM Delivery Years 2015/2016 and 2016/2017

A. This transition provision applies only to Demand Resources for which a Curtailment Service Provider has existing RPM commitments for the 2015/2016 or 2016/2017 Delivery Years (alternatively referred to in this section 5.14C as “Applicable Delivery Years” and each an “Applicable Delivery Year”) that (i) cannot satisfy the 30-minute notification requirement as described in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; (ii) are not excepted from the 30-minute notification requirement as described in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; and (iii) cleared in the Base Residual Auction or First Incremental Auction for the 2015/2016 Delivery Year, or cleared in the Base Residual Auction for the 2016/2017 Delivery Year. A Demand Resource meeting these criteria and the Curtailment Service Provider of such a resource are hereafter in this section 5.14C referred to as an “Affected Demand Resource” and an “Affected Curtailment Service Provider,” respectively.

B. For this section 5.14C to apply to an Affected Demand Resource, the Affected Curtailment Service Provider must notify the Office of the Interconnection in writing, with regard to the following information by the applicable deadline:

- i) For each applicable Affected Demand Resource: the number of cleared megawatts of Unforced Capacity for the Applicable Delivery Year by end-use customer site that the Affected Curtailment Service Provider cannot deliver, calculated based on

the most current information available to the Affected Curtailment Service Provider; the end-use customer name; electric distribution company's account number for the end-use customer; address of end-use customer; type of Demand Resource (i.e., Limited DR, Annual DR, Extended Summer DR); the Zone or sub-Zone in which the end-use customer is located; and, a detailed description of why the end-use customer cannot comply with the 30-minute notification requirement or qualify for one of the exceptions to the 30-minute notification requirement provided in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA.

ii) If applicable, a detailed analysis that quantifies the amount of cleared megawatts of Unforced Capacity for the Applicable Delivery Year for prospective customer sales that could not be contracted by the Affected Curtailment Service Provider because of the 30-minute notification requirement provided in Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA that the Affected Curtailment Service Provider cannot deliver, by type of Demand Resource (i.e. Limited DR, Annual DR, Extended Summer DR) and by Zone and sub-Zone, as applicable. The analysis should include the amount of Unforced Capacity expected from prospective customer sales for each Applicable Delivery Year and must include supporting detail to substantiate the difference in reduced sales expectations. The Affected Curtailment Service Provider should maintain records to support its analysis.

1. For the 2015/2016 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Third Incremental Auction for the 2015/2016 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Third Incremental Auction for the 2015/2016 Delivery Year.

2. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Second Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Second or Third Incremental Auctions for the 2016/2017 Delivery Year.

3. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Third Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision must not have sold or offered to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Second Incremental Auction for the 2016/2017 Delivery Year, and may not sell or offer to sell megawatts in the modeled LDA or sub-LDA where an Affected Demand Resource is located in the Third Incremental Auction for the 2016/2017 Delivery Year.

C. For the Third Incremental Auction for the 2015/2016 Delivery Year and the First, Second, and Third Incremental Auctions for the 2016/2017 Delivery Year, the Office of the

Interconnection shall publish aggregate information on the undeliverable megawatts declared under this transition provision (hereafter, “non-viable megawatts”), by type of Demand Resource and by Zone or sub-Zone, concurrently with its posting of planning parameters for the applicable Scheduled Incremental Auction. Non-viable megawatts for a Scheduled Incremental Auction for an Applicable Delivery Year represent those megawatts meeting the criteria of subsection A above and declared in accordance with subsection B above. Prior to each Third Incremental Auction for an Applicable Delivery Year, the Office of the Interconnection shall apply adjustments equal to the declared non-viable megawatt quantity to the quantity of Buy Bid or Sell Offer activity in the upcoming Scheduled Incremental Auctions for the Applicable Delivery Year, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD. Prior to the Second Incremental Auction for the 2016/2017 Delivery Year, the Office of the Interconnection shall adjust the recalculated PJM Region Reliability Requirement and recalculated LDA Reliability Requirements, as described in section 5.4(c) of this Attachment DD, by the applicable quantity of declared non-viable megawatts, and shall update the PJM Region Reliability Requirement and each LDA Reliability Requirement for such Second Incremental Auction only if the combined change of the applicable adjustment and applicable recalculation is greater than or equal to the lesser of (i) 500 megawatts or (ii) one percent of the prior PJM Region Reliability Requirement or one percent of the prior LDA Reliability Requirement, as applicable.

D. Prior to the start of each Applicable Delivery Year, the Office of the Interconnection shall reduce, by type of Demand Resource and by Zone or sub-Zone, the capacity commitment of each Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year based on the non-viable megawatts declared by the Affected Curtailment Service Provider under this transition provision. If the Affected Curtailment Service Provider cleared megawatts from multiple Affected Demand Resources of the same type and Zone or sub-Zone, or cleared megawatts in multiple RPM Auctions for the Applicable Delivery Year, the Office of the Interconnection shall allocate the reduction in capacity commitment by type of Demand Resource and by Zone or sub-Zone across the applicable Affected Demand Resources and relevant RPM Auctions. Such allocation shall be performed on a pro-rata basis, based on megawatts cleared by the Affected Demand Resources in the relevant RPM Auctions.

E. For each Applicable Delivery Year, an Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year relinquishes an Affected Demand Resource’s RPM Auction Credits for the amount of capacity commitment reduction as determined under subsection D above. Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are also adjusted accordingly.

5.14D Capacity Performance and Base Capacity Transition Provision for RPM Delivery Years 2016/2017 and 2017/2018

A. This transition provision applies only for procuring Capacity Performance Resources for the 2016/2017 and 2017/2018 Delivery Years.

B. For both the 2016/2017 and 2017/2018 Delivery Years, PJM will hold a Capacity Performance Transition Incremental Auction to procure Capacity Performance Resources.

1. For each Capacity Performance Transition Incremental Auction, the optimization

algorithm shall consider:

- the target quantities of Capacity Performance Resources specified below;
- the Sell Offers submitted in such auction.

The Office of the Interconnection shall submit a Buy Bid based on the quantity of Capacity Performance Resources specified for that Delivery Year. For the 2016/2017 Delivery Year, the Office of the Interconnection shall submit a Buy Bid, at a price no higher than 0.5 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year, for a quantity of Capacity Performance Resources equal to 60 percent of the updated Reliability Requirement for the PJM Region. For the 2017/2018 Delivery Year, the Office of the Interconnection shall submit a Buy Bid, at a price no higher than 0.6 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year, for a quantity of Capacity Performance Resources equal to 70 percent of the updated Reliability Requirement for the PJM Region.

2. For each Capacity Performance Transition Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. For the 2016/2017 Delivery Year, the Capacity Resource Clearing Price for any Capacity Performance Transition Incremental Auction shall not exceed 0.5 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year. For the 2017/2018 Delivery Year, the Capacity Resource Clearing Price for any Capacity Performance Transition Incremental Auction shall not exceed 0.6 times the Net CONE value for the PJM Region determined for the Base Residual Auction for that Delivery Year.

3. A Capacity Market Seller may offer any Capacity Resource that has not been committed in an FRR Capacity Plan, that qualifies as a Capacity Performance Resource under section 5.5A(a) and that (i) has not cleared an RPM Auction for that Delivery Year; or (ii) has cleared in an RPM Auction for that Delivery Year. A Capacity Market Seller may offer an external Generation Capacity Resource to the extent that such resource: (i) is reasonably expected, by the relevant Delivery Year, to meet all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction; (ii) has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and (iii) is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by section 6.6 of Attachment DD of the PJM Tariff to offer their capacity into RPM Auctions.

4. Capacity Resources that already cleared an RPM Auction for a Delivery Year, retain the capacity obligations for that Delivery Year, and clear in a Capacity Performance Transition Incremental Auction for the same Delivery Year shall: (i) receive a payment equal to the Capacity Resource Clearing Price as established in that Capacity Performance Transition Incremental Auction; and (ii) not be eligible to receive a payment for clearing in any prior RPM Auction for that Delivery Year.

D. All Capacity Performance Resources that clear in a Capacity Performance Transition Incremental Auction will be subject to the Non-Performance Charge set forth in section 10A.

5.14E Demand Response Legacy Direct Load Control Transition Provision for RPM Delivery Years 2016/2017, 2017/2018, and 2018/2019

A. This transition provision applies only to Demand Resources for which a Curtailment Service Provider has existing RPM commitments for the 2016/2017, 2017/2018, or 2018/2019 Delivery Years (alternatively referred to in this section 5.14E as “Applicable Delivery Years” and each an “Applicable Delivery Year”) that (i) qualified as Legacy Direct Load Control before June 1, 2016 as described in Section G of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; (ii) cannot meet the requirements for using statistical sampling for residential non-interval metered customers as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA; and (iii) cleared in the Base Residual Auction or First Incremental Auction for the 2016/2017 Delivery Year, cleared in the Base Residual Auction for the 2017/2018 Delivery Year, or cleared in the Base Residual Auction for the 2018/2019 Delivery Year. A Demand Resource meeting these criteria and the Curtailment Service Provider of such a resource are hereafter in this section 5.14E referred to as an “Affected Demand Resource” and an “Affected Curtailment Service Provider,” respectively.

B. For this section 5.14E to apply to an Affected Demand Resource, the Affected Curtailment Service Provider must notify the Office of the Interconnection in writing, with regard to the following information, by the applicable deadline:

- i) For each applicable Affected Demand Resource: the number of cleared megawatts of Unforced Capacity for the Applicable Delivery Year by end-use customer site that the Affected Curtailment Service Provider cannot deliver, calculated based on the most current information available to the Affected Curtailment Service Provider; electric distribution company’s account number for the end-use customer; address of end-use customer; type of Demand Resource (i.e., Limited DR, Annual DR, Extended Summer DR); the Zone or sub-Zone in which the end-use customer is located; and, a detailed description of why the end-use customer cannot comply with statistical sampling for residential non-interval metered customers requirement as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA.
- ii) If applicable, a detailed analysis that quantifies the amount of cleared megawatts of Unforced Capacity for the Applicable Delivery Year for prospective customer sales that could not be contracted by the Affected Curtailment Service Provider because of the statistical sampling for residential non-interval metered customers requirement as described in Section K of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA that the Affected Curtailment Service Provider cannot deliver, by type of Demand Resource (i.e. Limited DR, Annual DR, Extended Summer DR) and by Zone and sub-Zone, as applicable. The analysis should include the amount of Unforced Capacity expected from prospective customer sales for each Applicable Delivery Year and must include supporting detail to substantiate the difference in reduced sales expectations. The

Affected Curtailment Service Provider should maintain records to support its analysis.

1. For the 2016/2017 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the Second and/or Third Incremental Auction for the 2016/2017 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the Second or Third Incremental Auction for the 2016/2017 Delivery Year.

2. For the 2017/2018 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the First, Second and/or Third Incremental Auction for the 2017/2018 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the First, Second or Third Incremental Auctions for the 2017/2018 Delivery Year.

3. For the 2018/2019 Delivery Year, the notice shall be provided by no later than seven (7) days prior to the posting by the Office of the Interconnection of planning parameters for the First, Second and/or Third Incremental Auction for the 2018/2019 Delivery Year. Such Affected Curtailment Service Provider that utilizes this transition provision may not sell or offer to sell megawatts in the matching LDA or sub-LDA where an Affected Demand Resource is located in the First, Second or Third Incremental Auctions for the 2018/2019 Delivery Year.

C. For the Second and Third Incremental Auction for the 2016/2017 Delivery Year, the First, Second, and Third Incremental Auctions for the 2017/2018 Delivery Year, and the First, Second, and Third Incremental Auctions for the 2018/2019 Delivery Year, the Office of the Interconnection shall publish aggregate information on the undeliverable megawatts declared under this transition provision (hereafter, “non-viable megawatts”), by type of Demand Resource and by Zone or sub-Zone, concurrently with its posting of planning parameters for the applicable Scheduled Incremental Auction. Non-viable megawatts for a Scheduled Incremental Auction for an Applicable Delivery Year represent those megawatts meeting the criteria of subsection A above and declared in accordance with subsection B above. Prior to each Scheduled Incremental Auction for an Applicable Delivery Year, the Office of the Interconnection shall apply adjustments equal to the declared non-viable megawatt quantity to the quantity of Buy Bid or Sell Offer activity in the upcoming Scheduled Incremental Auctions for the Applicable Delivery Year, as described in sections 5.12(b)(ii) and 5.12(b)(iii) of this Attachment DD. Prior to the Second Incremental Auction for the 2016/2017 Delivery Year, the First and Second Incremental Auction for the 2017/2018 Delivery Year, and the First and Second Incremental Auction for the 2018/2019 Delivery Year, the Office of the Interconnection shall adjust the recalculated PJM Region Reliability Requirement and recalculated LDA Reliability Requirements, as described in section 5.4(c) of this Attachment DD, by the applicable quantity of declared non-viable megawatts, and shall update the PJM Region Reliability Requirement and each LDA Reliability Requirement for such Incremental Auction only if the combined change of the applicable adjustment and applicable recalculation is greater than or equal to the lessor of (i) 500 megawatts or (ii) one percent of the prior PJM Region Reliability Requirement or one percent of the prior

LDA Reliability Requirement, as applicable.

D. Prior to the start of each Applicable Delivery Year, the Office of the Interconnection shall reduce, by type of Demand Resource and by Zone or sub-Zone, the capacity commitment of each Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year based on the non-viable megawatts declared by the Affected Curtailment Service Provider under this transition provision. If the Affected Curtailment Service Provider cleared megawatts from multiple Affected Demand Resources of the same type and Zone or sub-Zone, or cleared MWs in multiple RPM Auctions for the Applicable Delivery Year, the Office of the Interconnection shall allocate the reduction in capacity commitment by type of Demand Resource and by Zone or sub-Zone across the applicable Affected Demand Resources and relevant RPM Auctions. Such allocation shall be performed on a pro-rata basis, based on megawatts cleared by the Affected Demand Resources in the relevant RPM Auctions.

E. For each Applicable Delivery Year, an Affected Curtailment Service Provider that utilizes this transition provision for the Applicable Delivery Year relinquishes an Affected Demand Resource's RPM Auction credits for the amount of capacity commitment reduction as determined under subsection D above. Locational Reliability Charges as described in section 5.14(e) of this Attachment DD are also adjusted accordingly.

9. PEAK SEASON MAINTENANCE COMPLIANCE PENALTY CHARGE.

a) Purpose

To preserve and maintain the reliability of the PJM Region and to recognize the impact of planned outages and maintenance outages of Generation Capacity Resources during the Peak Season, each Capacity Market Seller that commits a Generation Capacity Resource for a Delivery Year, and each Locational UCAP Seller that sells Locational UCAP from a Generation Capacity Resource for a Delivery Year, must ensure that such Generation Capacity Resource has available sufficient Unforced Capacity during the Peak Season to satisfy the megawatt amount committed from such resource as a result of all Sell Offers by such seller based on such resource in any RPM Auctions for such Delivery Year the reduction in any such commitment for such resource to the extent and for the time period of any replacement capacity committed in lieu of such resource, and the increase in any such commitment for such resource to the extent and for the time period that such resource is committed as replacement capacity for any other resource. The provisions of this section 9 do not apply to Capacity Performance Resources or Seasonal Capacity Performance Resources.

b) Peak Season Requirement

To the extent the Generation Capacity Resource will not be available due to a planned or maintenance outage that occurs during the Peak Season without the approval of the Office of the Interconnection, the Capacity Market Seller or Locational UCAP Seller must obtain replacement Unforced Capacity meeting the same locational requirements and same or better temporal availability characteristics (i.e., Annual Resources) from a Capacity Resource that is not already committed for such Delivery Year and that meets all characteristics specified in the Sell Offer or Locational UCAP transaction, including the megawatt quantity of Unforced Capacity committed for such Delivery Year (with such Unforced Capacity, in the case of a Generation Capacity Resource, determined on the basis of such Generation Capacity Resource's EFORD for the twelve months ending on the September 30 last preceding the Delivery Year), or otherwise, for Delivery Years through May 31, 2018, pay a Peak Season Maintenance Compliance Penalty Charge. The Capacity Market Seller or Locational UCAP Seller shall commit such replacement Capacity Resource in accordance with the procedure set forth in the PJM Manuals.

c) Peak Season Planned and Maintenance Outages

The Office of the Interconnection shall adopt and maintain rules and procedures for determining the allowable Peak Season planned and maintenance outages.

d) Peak Season Maintenance Compliance Penalty Charge

The Peak Season Maintenance Compliance Penalty Charge shall equal the Daily Deficiency Rate multiplied by the unforced value of a positive shortfall calculated for the capacity committed for each day during the Peak Season that such resource is out-of-service on a maintenance outage that is not authorized by the Office of the Interconnection. The shortfall shall equal (i) the annual average of the installed capacity committed for each day of such Delivery Year as a result

of all cleared Sell Offers in all RPM Auctions for such Delivery Year relying on such resource, reduction in any such commitment for such resource to the extent and for the time period of any replacement capacity committed in lieu of such resource, and increase in any such commitment for such resource to the extent and for the time period that such resource is committed as replacement capacity for any other resource, minus (ii) the summer net dependable rating minus the amount of capacity out-of-service on unapproved planned or maintenance outage on a peak season day.

e) Allocation of Revenue Collected from Peak Season Maintenance Compliance Penalty Charges

The revenue collected from assessment of a Peak Season Maintenance Compliance Penalty Charge shall be distributed on a pro-rata basis to all LSEs that were charged a Locational Reliability Charge for the day for which the Capacity Resource Deficiency Charge was assessed. Such revenues shall be distributed on a pro-rata basis to all such LSEs based on their Daily Unforced Capacity Obligation.

10. PEAK-HOUR-PERIOD AVAILABILITY CHARGES AND CREDITS

(a) To preserve and maintain the reliability of the PJM Region and to encourage Capacity Market Sellers and Locational UCAP Sellers to maintain the availability of Generation Capacity Resources during critical peak hours of the Delivery Year, each Capacity Market Seller that commits a Generation Capacity Resource for the 2017/2018 Delivery Year and any prior Delivery Year, and each Locational UCAP Seller that sells Locational UCAP from a Generation Capacity Resource for the 2017/2018 Delivery Year and any prior Delivery Year, shall be credited or charged to the extent the critical peak-period availability of its committed Generation Capacity Resources exceeds or falls short, respectively, of the expected availability of such resources. Charges and credits hereunder shall not apply to wind, solar resources, Capacity Performance Resources or Seasonal Capacity Performance Resources.

(b) Critical peak periods for purposes of this assessment (“Peak-Hour Periods”) shall be the hour ending 1500 local prevailing time through the hour ending 1900 local prevailing time on any day during the calendar months of June through August that is not a Saturday, Sunday, or federal holiday, and the hour ending 800 local prevailing time through the hour ending 900 local prevailing time and the hour ending 1900 local prevailing time through the hour ending 2000 local prevailing time on any day during the calendar months of January and February that is not a Saturday, Sunday or federal holiday.

(c) Peak-Period Equivalent Forced Outage Rate and Peak-Period Capacity Calculations

The Peak-Period Equivalent Forced Outage Rate shall be calculated for Peak-Hour Periods based on the following formula:

$$\text{EFORP (\%)} = (\text{FOH} + \text{EFPOH}) / (\text{SH} + \text{FOH})$$

where

FOH = full forced outage hours when the unit was called upon, excluding those outages deemed as OMC (as defined below);

EFPOH = equivalent forced partial outage hours when the unit was called upon, excluding those outages deemed as OMC (as defined below); and

SH = service hours as defined pursuant to NERC GADS standards.

The Peak-Period Capacity of a Generation Capacity Resource shall be calculated as follows:

$$\text{PCAP} = \text{ICAP} * (1.0 - \text{EFOR}_p)$$

where

ICAP = the installed capacity rating of such Generation Capacity Resource

(d) Determination of Expected EFOR_P and PCAP for Generation Capacity Resources

For each Delivery Year, the expected EFOR_P and PCAP of each Generation Capacity Resource committed to serve load in such Delivery Year shall be the EFORD and UCAP, respectively, calculated on a rolling-average basis using such resource's service history during the five consecutive annual periods of twelve consecutive months ending September 30 last preceding such Delivery Year. Such EFOR_D and UCAP shall be determined in accordance with Schedule 5 of the Reliability Assurance Agreement, which excludes (for purposes of Capacity Resource UCAP calculations) outages deemed outside management control in accordance with the standards and guidelines of NERC, as defined in the Generating Availability Data System, Data Reporting Instructions in Attachment K or its successor ("Outside Plant Management Control" or "OMC").

(e) For each Delivery Year, the actual EFOR_P and PCAP of each Generation Capacity Resource shall be calculated during the Peak-Hour Periods of such Delivery Year, provided however, that such calculation shall not include any day such a resource was unavailable if such unavailability resulted in a charge or penalty due to delay, cancellation, retirement, de-rating, or rating test failure. The full or partial forced outage hours when called upon shall be those outage hours during which the cost-based offer for energy from the resource would have been less than the applicable Locational Marginal Price for such resource, or when the Office of the Interconnection would have called upon the resource (absent the outage) for Operating Reserves, in both cases as determined by the Office of the Interconnection in accordance with the procedures specified in the PJM Manuals (including, without limitation, respecting such unit's current operating constraints). In addition, for single-fueled, natural gas-fired units, a failure to perform during the winter Peak-Hour Period shall be excused for purposes of this section if the Capacity Market Seller, or Locational UCAP Seller, as applicable, can demonstrate to the Office of the Interconnection that such failure was due to non-availability of gas to supply the unit.

(f) If the calculation under subsection (e) for any Generation Capacity Resource for a Delivery Year results in fewer than fifty total Service Hours during Peak Hours, then the actual EFOR_P for purposes of such calculation shall be the lower of the resource's EFOR_D (based on Delivery Year outage data) and its EFOR_P and the actual PCAP for purposes of such calculation shall be, respectively, the resource's UCAP or its PCAP.

(g) For each Delivery Year, the excess or shortfall in Peak-Hour Period availability for each Generation Capacity Resource shall be determined by comparing such resource's expected and actual PCAP, subject to the limitation under subsection (i) below. The net Peak-Hour Period availability shortfall or excess for each Capacity Market Seller and FRR Entity in each Locational Deliverability Area shall be the net of the shortfalls and excesses of all Generation Capacity Resources in such Locational Deliverability Area committed by such Capacity Market Seller or Locational UCAP Seller for such Delivery Year. If there is a net positive Peak Hour Period availability shortfall in the LDA for such committed resources in the LDA, the sum of the excesses of all Generation Capacity Resources in such Locational Deliverability Area owned or controlled by such Capacity Market Seller, available for the

Delivery Year but not committed for such Delivery Year, and satisfying all obligations of a committed Capacity Resource for such Delivery Year shall be used to reduce the net positive Peak Hour Period availability shortfall in the LDA of committed resources by the amount of the sum of the excesses of such available uncommitted resources; however, such reduction shall not result in a net Peak Hour Period availability excess in the LDA.

(h) As to any Generation Capacity Resource experiencing or expected to experience a full or partial outage during any Peak-Hour Period that would or could result in a shortfall under subsection (g) above, a Capacity Market Seller or Locational UCAP Seller may obtain and commit Unforced Capacity from a replacement Capacity Resource (not previously committed) meeting the same locational requirements and same or better temporal availability characteristics (i.e., Annual Resources) as such resource. Such Unforced Capacity shall be recognized for purposes of this section prospectively from the effective date of commitment of such replacement resource, and to the extent such replacement Unforced Capacity thereafter is available during Peak-Hour Periods, any shortfall that otherwise would have been calculated shall be reduced to that extent. Any such commitment of replacement capacity shall be effective upon no less than one day's notice to the Office of the Interconnection.

(i) The shortfall determined for any Generation Capacity Resource shall not exceed an amount equal to 0.50 times the Unforced Capacity of such resource; provided, however, that if such limitation is triggered as to any Generation Capacity Resource for a Delivery Year, then the decimal multiplier for this calculation as to such resource in the immediately succeeding Delivery Year shall be increased to 0.75, and if such limitation again is triggered in such succeeding Delivery Year, then the multiplier shall be increased to 1.00. The multiplier shall remain at either such elevated level for each succeeding Delivery Year until the shortfall experienced by such resource is less than 0.50 times the Unforced Capacity of such resource for three consecutive Delivery Years.

(j) A Peak-Hour Period Availability Charge shall be assessed on each Capacity Market Seller or Locational UCAP Seller with a net shortfall in PCAP in an LDA, where such charge is equal to such shortfall times the Capacity Resource Clearing Price determined for such Locational Deliverability Area for such Delivery Year.

(k) The revenues from such charges shall be distributed to the Capacity Market Sellers, Locational UCAP Sellers, and FRR Entities that committed Generation Capacity Resources, in such Locational Deliverability Area that have net excess PCAP for such Delivery Year, provided however that any such seller shall be paid no more than the product of such seller's net excess PCAP times the Capacity Clearing Price determined for such Locational Deliverability Area for such Delivery Year. Any excess revenues remaining after such distribution shall be distributed on a pro-rata basis to all LSEs in the Zone that were charged the same Locational Reliability Charge for the Delivery Year for which the Peak Hour Availability Charge was assessed, and to all FRR Entities in the Zone that are LSEs and whose FRR Capacity Plan resources over-performed in the Delivery Year, on a pro-rata basis in accordance with each LSE's Daily Unforced Capacity Obligation.

(1) The Office of the Interconnection shall provide estimated charges and credits based on the summer Peak-Hour Periods within three calendar months after the end of the summer period. Final charges and credits for the Delivery Year shall be billed within three calendar months following the end of the Delivery Year.

10A. CHARGES FOR NON-PERFORMANCE AND CREDITS FOR PERFORMANCE

(a) For the 2018/2019 Delivery Year and any subsequent Delivery Year (and for certain purposes for the 2016/2017 and 2017/2018 Delivery Years as provided in subsections (h) and (i) hereof), each Capacity Market Seller that commits a Capacity Resource for a Delivery Year (whether through an RPM Auction, a bilateral transaction, or as Locational UCAP), and each Locational UCAP Seller that sells Locational UCAP from a Capacity Resource for a Delivery Year, shall be charged to the extent the performance of each of its committed Capacity Resources during all or any part of a clock-hour when an Emergency Action is in effect falls short of the expected performance of such resources (as determined herein) and the revenue from such charges shall be provided to Market Participants with generation or demand response resources that perform during such hour in excess of the level expected based on commitments (if any) of such resources.

(b) Performance shall be measured for purposes of this assessment during each Performance Assessment Hour.

(c) For each Performance Assessment Hour, the Office of the Interconnection shall determine whether, and the extent to which, the actual performance of each Capacity Resource and Locational UCAP has fallen short of the performance expected of such committed Capacity Resource, and the magnitude of any such shortfall, based on the following formula:

Performance Shortfall = Expected Performance - Actual Performance

Where the result of such formula is a positive number and where:
Expected Performance =

for Generation Capacity Resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and Capacity Storage Resources: [(Resource Committed Capacity * the Balancing Ratio)];

where

Resource Committed Capacity = the total megawatts of Unforced Capacity of the Capacity Resource committed by such Capacity Market Seller or Locational UCAP Seller; and

The Balancing Ratio = (All Actual Generation Performance, Storage Resource Performance, Net Energy Imports and Demand Response Bonus Performance) / (All Committed Generation and Storage Capacity); provided, however, that Net Energy Imports shall be included in the calculation of the Balancing Ratio only for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region; and provided further that the Balancing Ratio shall not exceed a value of 1.0.

for purposes of which

All Committed Generation and Storage Capacity = the total megawatts of Unforced Capacity of all Generation Capacity Resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and all Capacity Storage Resources committed by all Capacity Market Sellers, FRR Entities, Locational UCAP Sellers;

All Actual Generation Performance and Storage Resource Performance = the total amount of Actual Performance for all generation resources (including external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region) and storage resources during the interval;

Net Energy Imports = the sum of interchange transactions importing energy into PJM (not including those associated with external Generation Capacity Resources and therefore included in All Actual Generation Performance) minus the sum of interchange transactions exporting energy out of PJM, but not less than zero;

Demand Response Bonus Performance = the sum of Bonus performance provided by Demand Response resources as calculated in (g) below;

and for Demand Resources, Energy Efficiency Resources, and Qualifying Transmission Upgrades: Resource Committed Capacity;

where

Resource Committed Capacity = the total megawatts of capacity committed from such Capacity Resource committed capacity without making any adjustment for the Forecast Pool Requirement

and

Actual Performance =

for each generation resource, the metered output of energy delivered by such resource plus the resource's real-time reserve or regulation assignment, if any, during the Performance Assessment Hour;

for each storage resource, the metered output of energy delivered by such resource plus the resource's real-time reserve or regulation assignment, if any, during the Performance Assessment Hour;

for each Demand Resource, the demand response provided by such resource, plus such resource's real-time reserve or regulation assignment, if any, during the

Performance Assessment Hour, as established through the PJM demand response settlement procedure consistent with the standards specified in Schedule 6 of the RAA;

for each Energy Efficiency Resource, the load reduction quantity approved by PJM subsequent to the pre-delivery year submittal of a post-installation measurement and verification report; and

for each Qualified Transmission Upgrade, the megawatt quantity cleared by such Qualified Transmission Upgrade if it is in service during the Performance Assessment Hour, and zero if it is not in service during such Performance Assessment Hour.

Such calculation shall encompass all resources located in the area defined by the Emergency Action; provided, however, that Performance Shortfall shall be calculated for external Generation Capacity Resources for any Performance Assessment Hour for which the Emergency Action was declared for the entire PJM Region. For purposes of this provision, Qualifying Transmission Upgrades shall be deemed to be located in the Locational Deliverability Area into which such upgrade increased the Capacity Emergency Transfer Limit, and a Qualifying Transmission Upgrade shall be included in calculations of Expected Performance and Actual Performance only if, and to the extent that, the declared Emergency Action encompasses the Locational Deliverability Area into which such upgrade increased the Capacity Emergency Transfer Limit. The Performance Shortfall shall be calculated for each Performance Assessment Hour, and any committed Capacity Resource for which the above calculation produces a negative number for a Performance Assessment Hour shall not have a Performance Shortfall for such Performance Assessment Hour. For any resource that is partially committed as a Capacity Performance Resource and partially committed as a Base Capacity Resource, the performance of such resource during a Performance Assessment Hour shall first be attributed to the resource's Capacity Performance Resource obligation; any performance by such resource in excess of the Capacity Performance Resource's Expected Performance shall be attributed to the resource's Base Capacity Resource obligation.

(d) Notwithstanding subsection (c) above, a Capacity Resource or Locational UCAP of a Capacity Market Seller or Locational UCAP Seller shall not be considered in the calculation of a Performance Shortfall for a Performance Assessment Hour to the extent such Capacity Resource or Locational UCAP was unavailable during such Performance Assessment Hour solely because the resource on which such Capacity Resource or Locational UCAP is based was on a Generator Planned Outage or Generator Maintenance Outage approved by the Office of the Interconnection, or was not scheduled to operate by the Office of the Interconnection, or was online but was scheduled down, by the Office of the Interconnection, based on a determination by the Office of the Interconnection that such scheduling action was appropriate to the security-constrained economic dispatch of the PJM Region. Such a resource shall be considered in the calculation of a Performance Shortfall if it otherwise *was needed and would* have been scheduled by the Office of the Interconnection to perform, but was not scheduled to operate, or was scheduled down, solely due to: (i) any operating parameter limitations submitted in the resource's offer, or (ii) the seller's submission of a market-based offer higher than its cost-based.

(e) Subject to the Non-Performance Charge Limit specified in subsection (f) hereof, each Capacity Market Seller and Locational UCAP Seller shall be assessed a Non-Performance Charge for each of its Capacity Resources or Locational UCAP that has a Performance Shortfall for a Performance Assessment Hour based on the following formula, applied to each such resource:

$$\text{Non-Performance Charge} = \text{Performance Shortfall} * \text{Non-Performance Charge Rate}$$

Where

For Capacity Performance Resources and Seasonal Capacity Performance Resources, the Non-Performance Charge Rate = (Net Cost of New Entry (stated in terms of installed capacity) for the LDA and Delivery Year for which such calculation is performed * (365 / 30)

and for Base Capacity Resources the Non-Performance Charge Rate = (Weighted Average Resource Clearing Price applicable to the resource * (365 / 30)

(f) The Non-Performance Charges for each Capacity Performance Resource or (including Locational UCAP from such a resource) for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to 1.5 times the Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365. All references to Net Cost of New Entry in this section 10A shall be to the Net Cost of New Entry for the LDA and Delivery Year for which the calculation is performed. The total Non-Performance Charges for each Base Capacity Resource (including Locational UCAP from such a resource) for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to the total payments due such Capacity Resource or Locational UCAP under section 5.14 of this Attachment DD for such Delivery Year. The Non-Performance Charges for each Seasonal Capacity Performance Resource for a Delivery Year shall not exceed a Non-Performance Charge Limit equal to 1.5 times the Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times the number of days in the season applicable to such resource.

(g) Revenues collected from assessment of Non-Performance Charges for a Performance Assessment Hour shall be distributed to each Market Participant, whether or not such Market Participant committed a Capacity Resource or Locational UCAP for a Performance Assessment Hour, that provided energy or load reductions above the levels expected for such resource during such hour. For purposes of this provision, the performance expected of a resource, and the revenue distribution payment, if any, for a resource, shall be determined in accordance with the following formulae:

Formula 1: Market Participant Bonus Performance = Actual Performance – Expected Performance

And

Formula 2: Performance Payment = (Market Participant Bonus Performance / All Market Participants Bonus Performance) * Non-Performance Charge Revenues.

Where the result of Formula 1 is a positive number and where:

Actual Performance is as defined in subsection (c), provided, however, that Actual Performance for purposes of this calculation shall not exceed the megawatt level at which such resource was scheduled by the Office of the Interconnection during the Performance Assessment Hours; and provided further that Actual Performance for a Market Participant that imports energy into the PJM Region during such Performance Assessment Hour shall be the net import, if any, from all interchange transactions scheduled by such Market Participant during such Performance Assessment Hour;

Expected Performance is as defined in subsection (c), provided, however, that for purposes of this calculation, Expected Performance shall be zero for any resource that is not a Capacity Resource or Locational UCAP, or that is a Capacity Resource or Locational UCAP, but for which the Performance Assessment Hour occurs outside the resource's capacity obligation period, including, without limitation, a Base Capacity Demand Resource providing demand response during non-summer months; and

All Market Participants Bonus Performance is the sum of the results of calculating Formula 1 of this subsection (g) for all Market Participants that have Bonus Performance during such Performance Assessment Hour.

(h) The provisions of this section 10A shall apply during the 2016/2017 Delivery Year, provided that:

- (i) Non-Performance Charges shall be determined solely for and assessed solely on, Capacity Performance Resources committed for such Delivery Year;
- (ii) The Non-Performance Charge shall be 0.5 times the Non-Performance Charge calculated under subsection (e) hereof; and
- (iii) The Non-Performance Charge Limit for a Delivery Year shall be 0.75 times Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365.

(i) The provisions of this section 10A shall apply during the 2017-2018 Delivery Year, provided that:

- (i) Non-Performance Charges shall be determined solely for, and assessed solely on, Capacity Performance Resources committed for such Delivery Year;
- (ii) The Non-Performance Charge shall be 0.6 times the Non-Performance Charge calculated under subsection (e) hereof; and

(iii) The Non-Performance Charge Limit for a Delivery Year shall be 0.9 times Net Cost of New Entry times the megawatts of Unforced Capacity committed by such resource times 365.

(j) The Office of the Interconnection shall bill charges and credits for performance during Performance Assessment Hours within three calendar months after the calendar month that included such Performance Assessment Hours, provided, for any Non-Performance Charge, the amount shall be divided by the number of months remaining in the Delivery Year for which no invoice has been issued, and the resulting amount shall be invoiced each such remaining month in the Delivery Year.

11A DEMAND RESOURCES TEST FAILURE CHARGE

a) Beginning with the Delivery Year that commences on June 1, 2009, Capacity Market Sellers that commit Demand Resources may be charged to the extent their committed resources fail performance tests, as set forth herein.

b)

- (i) For Demand Resources not committed as Capacity Performance Resources for Delivery Years through May 31, 2018:

For Limited Demand Resources: If a registration for a Limited Demand Resource committed by a Capacity Market Seller is not dispatched by the Office of the Interconnection for a Load Management event prior to August 15 of the relevant Delivery Year, then such registration must demonstrate that it was tested as described below in (iii), in a zone for a one-hour period during any hour when a PJM Load Management event may be called between June 1 and September 30, inclusive. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of the Interconnection for a PJM Load Management event in a zone between August 16 and September 30, no test will be required. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of Interconnection for a PJM Load Management event in a subzone between June 1 and September 30 of the 2012/2013 and 2013/2014 Delivery Years, and such registration performs at or above the nominated amount of capacity on the registration, no test will be required and no Demand Resources Test Failure Charges will be assessed for such registrations. If a registration for a Limited Demand Resource committed by a Capacity Market Seller is dispatched by the Office of the Interconnection for a PJM Load Management event in a zone between June 1 and September 30, inclusive, then Demand Resources Test Failure Charges will not be assessed.

For Annual Demand Resources: if an Annual Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event in a Delivery Year, then the Annual Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Annual Demand Resource registration committed in a zone was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year. If an Annual Demand Resource registration is dispatched by the Office of the Interconnection for a Load

Management event during the Delivery Year, then no test will be required.

For Extended Summer Demand Resources: if an Extended Summer Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through October or the following May, then the Extended Summer Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Extended Summer Demand Resource registration was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year.

- (ii) For Demand Resources committed as Capacity Performance Resources for the 2016/2017 and 2017/2018 Delivery Years and for all Demand Resources for the 2018/2019 Delivery Year and subsequent Delivery Years:

For Base Capacity Demand Resources: if an Base Capacity Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through September, then the Base Capacity Demand Resource registration committed by a Capacity Market Seller must demonstrate that the Base Capacity Demand Resource registration was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through September of the relevant Delivery Year.

For Demand Resources that commit as Capacity Performance Resources: if a Demand Resource that is a Capacity Performance Resource registration is not dispatched by the Office of the Interconnection for a Load Management event in a Delivery Year, then that Demand Resource registration committed by a Capacity Market Seller must demonstrate that that Demand Resource registration committed in a zone was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year. If an Annual Demand Resource registration is dispatched by the Office of the Interconnection for a Load Management event during the Delivery Year, then no test will be required.

For Summer-Period Demand Resources: if a Summer-Period Demand Resource registration is not dispatched by the Office of the Interconnection for a Load Management event during June through October or the following May of the Delivery Year, then the

registration committed by a Capacity Market Seller must demonstrate that it was tested as described below in (iii), for a one-hour period during any hour when a PJM Load Management event may be called during June through October or the following May of the relevant Delivery Year.

- (iii) All registrations in a zone required to test must be tested simultaneously for each product except that, when less than 25 percent (by megawatts) of a provider's total resources in a zone fail a test, the provider may conduct a re-test limited to all registrations that failed the prior test, provided that such re-test must be at the same time of day and under approximately the same weather conditions as the prior test, and provided further that all affiliated registrations must test simultaneously, where affiliated means registrations that have any ability to shift load and are owned or controlled by the same entity. If less than 25 percent of resources fail the test and the provider chooses to conduct a retest, the provider may elect to maintain the performance compliance result for registration(s) achieved during the test if provider: (1) notifies the Office of the Interconnection 48 hours prior to the retest under this election; and (2) the provider retests affiliated registrations under this election as set forth in the PJM Manual.

c) a Capacity Market Seller that committed Demand Resources shall be assessed a Demand Resources Test Failure Charge equal to the net capability testing shortfall for such products tested in a Zone during such test in the aggregate of all of such Seller's Demand Resources tested in such Zone times the Demand Resources Test Failure Charge Rate. The net capability testing shortfall in such Zone shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable DR Factor and Forecast Pool Requirement: (i) the summer daily average of the megawatts of load reduction capability committed by such seller in such Zone for such product(s) tested minus (ii) the megawatts of load reduction actually provided by all such Demand Resources in such Zone during such test. The net capability testing shortfall in such Zone for such product(s) tested shall be reduced by the provider's summer daily average of the Capacity Resource deficiency shortfalls, determined pursuant to section 8 of Attachment DD of this Tariff, in such Zone for all of the provider's committed Demand Resources that are of the same product(s) tested.

d) the Demand Resources Test Failure Charge Rate shall equal such Seller's Weighted Daily Revenue Rate in such Zone for the product(s) tested plus the greater of (0.20 times the Weighted Daily Revenue Rate in such Zone for the product(s) tested or \$20/MW-day). The Daily Demand Resources Test Failure Charge in a zone for the product(s) tested shall be equal to the net capability testing shortfall in such Zone for such product(s) tested times the Demand Resources Test Failure Charge Rate. Such charge shall be assessed daily and charged monthly (or otherwise in accordance with customary PJM billing practices in effect at the time); provided, however, that a lump sum payment may be required to reflect amounts due, as a result of a test failure, from the start of the Delivery Year to the day that charges are reflected in regular billing.

e) revenues collected from assessment of Demand Resources Test Failure Charges shall be distributed to Load Serving Entities that were charged a Locational Reliability Charge for the Delivery Year for which the Demand Resources Test Failure Charge was assessed, pro-rata based on such Load Serving Entities' Daily Unforced Capacity Obligations.

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance

with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the

Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand

Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand

response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights

and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine

reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resources in the following ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider’s market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as typically determined by the 5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The Nominated Value for

Annual Demand Resources with a Capacity Performance commitment shall equal the lessor of i) total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor and ii) total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The Nominated Value for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment shall be total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor.

The Nominated Value for a Guaranteed Load Drop customer for Annual Demand Resources with a Capacity Performance commitment will be the lessor of the summer and winter guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The Nominated Value for a Guaranteed Load Drop customer for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment will be the summer guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum value nominated for any Demand Resource shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Additional data may be required, as defined in sections J and K and the PJM Manuals.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on

information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in Article 1, subject to the following requirements:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event for Demand Resource without a Capacity Performance commitment or on an hourly basis for Demand Resources with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be

totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;

- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and

- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or

federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance

with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the

Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand

Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand

response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights

and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine

reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resources in the following four ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider’s market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

Customer Baseline Load (CBL) - Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office

of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event, for each FSL and GLD customer dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:

Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer

the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering

an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

Section(s) of the
PJM Reliability Assurance Agreement

(Clean Format)

ARTICLE 1 – DEFINITIONS

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

Agreement:

“Agreement” shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

Annual Demand Resource:

“Annual Demand Resource” shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Annual Energy Efficiency Resource:

“Annual Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer and winter periods described in such Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Applicable Regional Entity:

“Applicable Regional Entity” shall have the same meaning as in the PJM Tariff.

Base Capacity Demand Resource:

“Base Capacity Demand Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a resource that is placed under the direction of the Office of the Interconnection and that

will be available June through September of a Delivery Year, and will be available to the Office of the Interconnection for an unlimited number of interruptions during such months, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Base Capacity Demand Resource must be available June through September in the corresponding Delivery Year to be offered for sale or self-supplied in an RPM Auction, or included as a Base Capacity Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Base Capacity Energy Efficiency Resource:

“Base Capacity Energy Efficiency Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Base Capacity Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Base Capacity Resource:

“Base Capacity Resource” shall have the same meaning as in Tariff, Attachment DD.

Base Residual Auction:

“Base Residual Auction” shall have the same meaning as in Tariff, Attachment DD.

Behind The Meter Generation:

“Behind The Meter Generation” shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit’s capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

Black Start Capability:

“Black Start Capability” shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

Capacity Emergency Transfer Objective (CETO):

“Capacity Emergency Transfer Objective” or “CETO” shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Reliability Assurance Agreement, Schedule 5, Paragraph C.

Capacity Emergency Transfer Limit (CETL):

Capacity Emergency Transfer Limit” or “CETL” shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

Capacity Import Limit:

“Capacity Import Limit” shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transfer Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions. PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import

Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:

(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;

(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and

(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by Tariff, Attachment DD, section 6.6 to offer their capacity into RPM Auctions; provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.

Capacity Performance Resource:

“Capacity Performance Resource” shall have the same meaning as in Tariff, Attachment DD.

Capacity Resources:

“Capacity Resources” shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; and (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.

Capacity Transfer Right:

“Capacity Transfer Right” shall have the meaning specified in Tariff, Attachment DD.

Compliance Aggregation Area (CAA):

“Compliance Aggregation Area” or “CAA” shall have the same meaning as in the Tariff.

Control Area:

“Control Area” shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

(a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);

(b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;

(c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;

(d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and

(e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

Daily Unforced Capacity Obligation:

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with the Reliability Assurance Agreement, Schedule 8 or, as to an FRR Entity, in the Reliability Assurance Agreement, Schedule 8.1.

Delivery Year:

“Delivery Year” shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Tariff, Attachment DD, section 5 or pursuant to an FRR Capacity Plan.

Demand Resource (DR):

“Demand Resource” or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, Annual Demand Resource, Base Capacity Demand Resource or Summer-Period Demand Resource with a demonstrated capability to provide a reduction in demand or otherwise control load in accordance with the requirements of the Reliability Assurance Agreement, Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan.

Demand Resource Officer Certification Form:

“Demand Resource Officer Certification Form” shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with the Reliability Assurance Agreement, Schedules 6 and 8.1 and the PJM Manuals.

Demand Resource Sell Offer Plan:

“Demand Resource Sell Offer Plan” shall mean the plan required by the Reliability Assurance Agreement, Schedules 6 and 8.1 in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

Demand Resource Factor or DR Factor:

“Demand Resource Factor” or “DR Factor” shall mean, for Delivery Years through May 31, 2018, that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with the Reliability Assurance Agreement, Schedule 6.

Electric Cooperative:

“Electric Cooperative” shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

Electric Distributor:

“Electric Distributor” shall mean a Member that 1) owns or leases with rights equivalent to ownership of electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to the electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of

system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the periods described in the Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention. Annual Energy Efficiency Resources, Base Capacity Energy Efficiency Resources and Summer-Period Energy Efficiency Resources are types of Energy Efficiency Resources.

Existing Demand Resource:

“Existing Demand Resource” shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as

those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Facilities Study Agreement:

“Facilities Study Agreement” shall have the same meaning as in the PJM Tariff

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over this Reliability Assurance Agreement.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Tariff, Part II.

Firm Transmission Service:

“Firm Transmission Service” shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

Fixed Resource Requirement Alternative or FRR Alternative:

“Fixed Resource Requirement Alternative” or “FRR Alternative” shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in the Reliability Assurance Agreement, Schedule 8.1.

Forecast Pool Requirement:

“Forecast Pool Requirement” or “FPR” shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Reliability Assurance Agreement, as approved by the PJM Board pursuant to Reliability Assurance Agreement, Schedule 4.1.

FRR Capacity Plan or FRR Plan:

“FRR Capacity Plan” or “FRR Plan” shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in the Reliability Assurance Agreement, Schedule 8.1.

FRR Entity:

“FRR Entity” shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

FRR Service Area:

“FRR Service Area” shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

Full Requirements Service:

“Full Requirements Service” shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Generation Capacity Resource:

“Generation Capacity Resource” shall mean a generation unit, or the contractual right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement, and, for generation units that are committed to an FRR Capacity Plan, that meets the

requirements of Schedule 8.1 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

Generation Owner:

“Generation Owner” shall mean a Member that owns or leases with rights equivalent to ownership, facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

Generator Forced Outage:

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

Generator Maintenance Outage:

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

Generator Planned Outage:

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

Good Utility Practice:

“Good Utility Practice” shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region; including those practices required by Federal Power Act Section 215(a)(4).

Incremental Auction:

“Incremental Auction” shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction.

IOU:

“IOU” shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

Limited Demand Resource:

“Limited Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 Load Management Events during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Load Serving Entity or LSE:

“Load Serving Entity” or “LSE” shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

Locational Reliability Charge:

“Locational Reliability Charge” shall mean the charge determined pursuant to Operating Agreement, Schedule 8.

Markets and Reliability Committee:

“Markets and Reliability Committee” shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

Maximum Emergency Service Level:

“Maximum Emergency Service Level” or “MESL” of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

Member:

“Member” shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with the Reliability Assurance Agreement, Article 4, each Party to this Agreement also is a Member.

Members Committee:

“Members Committee” shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

NERC:

“NERC” shall mean the North American Electric Reliability Corporation or any successor thereto.

Network External Designated Transmission Service:

“Network External Designated Transmission Service” shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.

Network Resources:

“Network Resources” shall have the meaning set forth in the PJM Tariff.

Network Transmission Service:

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Tariff, Part III or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

Nominal PRD Value:

“Nominal PRD Value” shall mean, as to any PRD Provider, an adjustment, determined in accordance with Operating Agreement, Schedule 6.1, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

Nominated Demand Resource Value:

“Nominated Demand Resource Value” shall have the meaning specified in Tariff, Attachment DD.

Non-Retail Behind the Meter Generation:

“Non-Retail Behind the Meter Generation” shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

Obligation Peak Load:

“Obligation Peak Load” shall have the meaning specified in Operating Agreement, Schedule 8.

Office of the Interconnection:

“Office of the Interconnection” shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement:

“Operating Agreement of the PJM Interconnection, L.L.C.” or “Operating Agreement” shall mean that Agreement, dated as of April 1, 1997 and as amended and restated as of June 2, 1997, including all Schedules, Exhibits, Appendices, addenda or supplements hereto, as amended from time to time thereafter, among the Members of the PJM Interconnection, L.L.C.

Operating Day:

“Operating Day” shall have the same meaning as provided in the Operating Agreement.

Operating Reserve:

“Operating Reserve” shall mean the amount of generating capacity scheduled to be available for a specified period of an Operating Day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

Other Supplier:

“Other Supplier” shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

Partial Requirements Service:

“Partial Requirements Service” shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Performance Assessment Hour:

“Performance Assessment Hour” shall have the meaning specified in Attachment DD of the PJM Tariff.

Percentage Internal Resources Required:

“Percentage Internal Resources Required” shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

Party:

“Party” shall mean an entity bound by the terms of the Operating Agreement.

PJM:

“PJM” shall mean the PJM Board and the Office of the Interconnection.

PJM Board:

“PJM Board” shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

PJM Manuals:

“PJM Manuals” shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

PJM Tariff (Tariff):

“PJM Tariff” or “Tariff” shall mean that certain “PJM Open Access Transmission Tariff, including any schedules, appendices, or exhibits attached thereto, on file with FERC and as amended from time to time thereafter.

PJM Region:

“PJM Region” shall have the same meaning as provided in the Operating Agreement.

PJM Region Installed Reserve Margin:

“PJM Region Installed Reserve Margin” shall mean the percent installed reserve margin for the PJM Region required pursuant to the Operating Agreement, as approved by the PJM Board pursuant to Operating Agreement, Schedule 4.1.

Planned Demand Resource:

“Planned Demand Resource” shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Operating Agreement, Schedule 6. As set forth in Operating Agreement, Schedules 6 and 8.1, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

Planned External Generation Capacity Resource:

“Planned External Generation Capacity Resource” shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource’s commitment to the PJM Region. Prior to participation in any Base Residual Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has a fully executed system impact study agreement (or other documentation which is functionally equivalent to a System Impact Study Agreement under the PJM Tariff) or, for resources which are greater than 20MWs participating in a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, an agreement or other documentation which is functionally equivalent to a Facilities Study Agreement under the PJM Tariff), with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. Prior to participating in any Incremental Auction for such Delivery Year, the Capacity Market Seller must demonstrate it has entered into an interconnection agreement, or such other documentation that is functionally equivalent to an Interconnection Service Agreement under the PJM Tariff, with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. A Planned External Generation

Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. Any such resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

Planned Generation Capacity Resource:

“Planned Generation Capacity Resource” shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iv) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (v) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.

Planning Period:

“Planning Period” shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

PRD Curve:

“PRD Curve” shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

PRD Provider:

“PRD Provider” shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

PRD Provider’s Zonal Expected Peak Load Value of PRD:

“PRD Provider’s Zonal Expected Peak Load Value of PRD” shall mean the expected contribution to Delivery Year peak load of a PRD Provider’s Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year’s peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection’s load forecasts used for purposes of the RPM Auctions.

PRD Reservation Price:

“PRD Reservation Price” shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

PRD Substation:

“PRD Substation” shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

Price Responsive Demand:

“Price Responsive Demand” or “PRD” shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

Price Responsive Demand Credit:

“Price Responsive Demand Credit” shall mean a credit, based on committed Price Responsive Demand, as determined under Operating Agreement, Schedule 6.1.

Price Responsive Demand Plan or PRD Plan:

“Price Responsive Demand Plan” or “PRD Plan” shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Operating Agreement, Schedule 6.1 and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider’s Nominal PRD Value.

Public Power Entity:

“Public Power Entity” shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

Qualifying Transmission Upgrades:

“Qualifying Transmission Upgrades” shall have the meaning specified in Attachment DD to the PJM Tariff.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” or “RERRA” shall have the meaning specified in the PJM Operating Agreement.

Reliability Principles and Standards:

“Reliability Principles and Standards” shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

Required Approvals:

“Required Approvals” shall mean all of the approvals required for the Operating Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of the Operating Agreement.

Self-Supply:

“Self-Supply” shall have the meaning provided in Tariff, Attachment DD.

Small Commercial Customer:

“Small Commercial Customer” shall have the same meaning as in the PJM Tariff.

State Consumer Advocate:

“State Consumer Advocate” shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Regulatory Structural Change:

“State Regulatory Structural Change” shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party’s default service rules that materially affect whether retail choice is economically viable.

Summer-Period Demand Resource:

Summer-Period Demand Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a resource that is placed under the direction of the Office of the Interconnection, and will be available June through October and the following May of the Delivery Year, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Summer-Period Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale in an RPM Auction, or included as a Summer-Period Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Summer-Period Energy Efficiency Resource:

Summer-Period Energy Efficiency Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards,

or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Summer-Period Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Supervisory Control:

“Supervisory Control” shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of the Operating Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

Threshold Quantity:

“Threshold Quantity” shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity’s Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Operating Agreement, Schedule 8.1).

Transmission Facilities:

“Transmission Facilities” shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Owner:

“Transmission Owner” shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

Transmission Owners Agreement:

“Transmission Owners Agreement” shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

Unforced Capacity:

“Unforced Capacity” shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

Winter Peak Load (or WPL):

“Winter Peak Load” or “WPL” shall mean the Demand Resource customer specific peak load between hour ending 7:00 EPT through 21:00 EPT on the PJM defined 5 coincident peak days from December through February two Delivery Years prior the Delivery Year for which the registration is submitted and as outlined in the PJM Manuals.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

Zone or Zonal:

“Zone” or “Zonal” shall refer to an area within the PJM Region, as set forth in Operating Agreement, Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

Zonal Winter Weather Adjustment Factor (ZWWAF):

“Zonal Winter Weather Adjustment Factor” or “ZWWAF” shall mean the PJM zonal winter weather normalized coincident peak divided by PJM zonal average of 5 coincident peak loads in December through February.

ARTICLE 1 – DEFINITIONS

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

Agreement:

“Agreement” shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

Annual Demand Resource:

“Annual Demand Resource” shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Annual Energy Efficiency Resource:

“Annual Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer and winter periods described in such Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Applicable Regional Entity:

“Applicable Regional Entity” shall have the same meaning as in the PJM Tariff.

Base Capacity Demand Resource:

“Base Capacity Demand Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a resource that is placed under the direction of the Office of the Interconnection and that

will be available June through September of a Delivery Year, and will be available to the Office of the Interconnection for an unlimited number of interruptions during such months, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Base Capacity Demand Resource must be available June through September in the corresponding Delivery Year to be offered for sale or self-supplied in an RPM Auction, or included as a Base Capacity Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Base Capacity Energy Efficiency Resource:

“Base Capacity Energy Efficiency Resource” shall mean, for the 2018/2019 and 2019/2020 Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Base Capacity Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Base Capacity Resource:

“Base Capacity Resource” shall have the same meaning as in Tariff, Attachment DD.

Base Residual Auction:

“Base Residual Auction” shall have the same meaning as in Tariff, Attachment DD.

Behind The Meter Generation:

“Behind The Meter Generation” shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit’s capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

Black Start Capability:

“Black Start Capability” shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

Capacity Emergency Transfer Objective (CETO):

“Capacity Emergency Transfer Objective” or “CETO” shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Reliability Assurance Agreement, Schedule 5, Paragraph C.

Capacity Emergency Transfer Limit (CETL):

Capacity Emergency Transfer Limit” or “CETL” shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

Capacity Import Limit:

“Capacity Import Limit” shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transfer Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions. PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import

Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:

(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;

(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and

(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by Tariff, Attachment DD, section 6.6 to offer their capacity into RPM Auctions; provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.

Capacity Performance Resource:

“Capacity Performance Resource” shall have the same meaning as in Tariff, Attachment DD.

Capacity Resources:

“Capacity Resources” shall mean megawatts of (i) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources meeting the requirements of the Reliability Assurance Agreement, Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under the Reliability Assurance Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from Existing Generation Capacity Resources or Planned Generation Capacity Resources not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in such Schedules 9 and 10; and (iii) load reduction capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in the Reliability Assurance Agreement, Schedule 6.

Capacity Transfer Right:

“Capacity Transfer Right” shall have the meaning specified in Tariff, Attachment DD.

Compliance Aggregation Area (CAA):

“Compliance Aggregation Area” or “CAA” shall have the same meaning as in the Tariff.

Control Area:

“Control Area” shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

(a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);

(b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;

(c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;

(d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and

(e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

Daily Unforced Capacity Obligation:

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with the Reliability Assurance Agreement, Schedule 8 or, as to an FRR Entity, in the Reliability Assurance Agreement, Schedule 8.1.

Delivery Year:

“Delivery Year” shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Tariff, Attachment DD, section 5 or pursuant to an FRR Capacity Plan.

Demand Resource (DR):

“Demand Resource” or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, Annual Demand Resource, Base Capacity Demand Resource or Summer-Period Demand Resource with a demonstrated capability to provide a reduction in demand or otherwise control load in accordance with the requirements of the Reliability Assurance Agreement, Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan.

Demand Resource Officer Certification Form:

“Demand Resource Officer Certification Form” shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with the Reliability Assurance Agreement, Schedules 6 and 8.1 and the PJM Manuals.

Demand Resource Sell Offer Plan:

“Demand Resource Sell Offer Plan” shall mean the plan required by the Reliability Assurance Agreement, Schedules 6 and 8.1 in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

Demand Resource Factor or DR Factor:

“Demand Resource Factor” or “DR Factor” shall mean, for Delivery Years through May 31, 2018, that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with the Reliability Assurance Agreement, Schedule 6.

Electric Cooperative:

“Electric Cooperative” shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

Electric Distributor:

“Electric Distributor” shall mean a Member that 1) owns or leases with rights equivalent to ownership of electric distribution facilities that are used to provide electric distribution service to electric load within the PJM Region; or is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to the electric load within the PJM Region; or 2) is a generation and transmission cooperative or a joint municipal agency that has a member that owns electric distribution facilities used to provide electric distribution service to electric load within the PJM Region.

Emergency:

“Emergency” shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of

system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

End-Use Customer:

“End-Use Customer” shall mean a Member that is a retail end-user of electricity within the PJM Region.

Energy Efficiency Resource:

“Energy Efficiency Resource” shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of the Reliability Assurance Agreement, Schedule 6 and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during the periods described in the Reliability Assurance Agreement, Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention. Annual Energy Efficiency Resources, Base Capacity Energy Efficiency Resources and Summer-Period Energy Efficiency Resources are types of Energy Efficiency Resources.

Existing Demand Resource:

“Existing Demand Resource” shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

Existing Generation Capacity Resource:

“Existing Generation Capacity Resource” shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as

those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

Extended Summer Demand Resource:

“Extended Summer Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Facilities Study Agreement:

“Facilities Study Agreement” shall have the same meaning as in the PJM Tariff

FERC:

“FERC” shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department exercising jurisdiction over this Reliability Assurance Agreement.

Firm Point-To-Point Transmission Service:

“Firm Point-To-Point Transmission Service” shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Tariff, Part II.

Firm Transmission Service:

“Firm Transmission Service” shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

Fixed Resource Requirement Alternative or FRR Alternative:

“Fixed Resource Requirement Alternative” or “FRR Alternative” shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in the Reliability Assurance Agreement, Schedule 8.1.

Forecast Pool Requirement:

“Forecast Pool Requirement” or “FPR” shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Reliability Assurance Agreement, as approved by the PJM Board pursuant to Reliability Assurance Agreement, Schedule 4.1.

FRR Capacity Plan or FRR Plan:

“FRR Capacity Plan” or “FRR Plan” shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in the Reliability Assurance Agreement, Schedule 8.1.

FRR Entity:

“FRR Entity” shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

FRR Service Area:

“FRR Service Area” shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

Full Requirements Service:

“Full Requirements Service” shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Generation Capacity Resource:

“Generation Capacity Resource” shall mean a generation unit, or the contractual right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement, and, for generation units that are committed to an FRR Capacity Plan, that meets the

requirements of Schedule 8.1 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

Generation Owner:

“Generation Owner” shall mean a Member that owns or leases with rights equivalent to ownership, facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

Generator Forced Outage:

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

Generator Maintenance Outage:

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

Generator Planned Outage:

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

Good Utility Practice:

“Good Utility Practice” shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region; including those practices required by Federal Power Act Section 215(a)(4).

Incremental Auction:

“Incremental Auction” shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction.

IOU:

“IOU” shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

Limited Demand Resource:

“Limited Demand Resource” shall mean, for Delivery Years through May 31, 2018, and for FRR Capacity Plans Delivery Years through May 31, 2019, a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 Load Management Events during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Load Serving Entity or LSE:

“Load Serving Entity” or “LSE” shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

Locational Reliability Charge:

“Locational Reliability Charge” shall mean the charge determined pursuant to Operating Agreement, Schedule 8.

Markets and Reliability Committee:

“Markets and Reliability Committee” shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

Maximum Emergency Service Level:

“Maximum Emergency Service Level” or “MESL” of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

Member:

“Member” shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with the Reliability Assurance Agreement, Article 4, each Party to this Agreement also is a Member.

Members Committee:

“Members Committee” shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

NERC:

“NERC” shall mean the North American Electric Reliability Corporation or any successor thereto.

Network External Designated Transmission Service:

“Network External Designated Transmission Service” shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.

Network Resources:

“Network Resources” shall have the meaning set forth in the PJM Tariff.

Network Transmission Service:

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Tariff, Part III or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

Nominal PRD Value:

“Nominal PRD Value” shall mean, as to any PRD Provider, an adjustment, determined in accordance with Operating Agreement, Schedule 6.1, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

Nominated Demand Resource Value:

“Nominated Demand Resource Value” shall have the meaning specified in Tariff, Attachment DD.

Non-Retail Behind the Meter Generation:

“Non-Retail Behind the Meter Generation” shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

Obligation Peak Load:

“Obligation Peak Load” shall have the meaning specified in Operating Agreement, Schedule 8.

Office of the Interconnection:

“Office of the Interconnection” shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement:

“Operating Agreement of the PJM Interconnection, L.L.C.” or “Operating Agreement” shall mean that Agreement, dated as of April 1, 1997 and as amended and restated as of June 2, 1997, including all Schedules, Exhibits, Appendices, addenda or supplements hereto, as amended from time to time thereafter, among the Members of the PJM Interconnection, L.L.C.

Operating Day:

“Operating Day” shall have the same meaning as provided in the Operating Agreement.

Operating Reserve:

“Operating Reserve” shall mean the amount of generating capacity scheduled to be available for a specified period of an Operating Day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

Other Supplier:

“Other Supplier” shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

Partial Requirements Service:

“Partial Requirements Service” shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

Performance Assessment Hour:

“Performance Assessment Hour” shall have the meaning specified in Attachment DD of the PJM Tariff.

Percentage Internal Resources Required:

“Percentage Internal Resources Required” shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

Party:

“Party” shall mean an entity bound by the terms of the Operating Agreement.

PJM:

“PJM” shall mean the PJM Board and the Office of the Interconnection.

PJM Board:

“PJM Board” shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

PJM Manuals:

“PJM Manuals” shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

PJM Tariff (Tariff):

“PJM Tariff” or “Tariff” shall mean that certain “PJM Open Access Transmission Tariff, including any schedules, appendices, or exhibits attached thereto, on file with FERC and as amended from time to time thereafter.

PJM Region:

“PJM Region” shall have the same meaning as provided in the Operating Agreement.

PJM Region Installed Reserve Margin:

“PJM Region Installed Reserve Margin” shall mean the percent installed reserve margin for the PJM Region required pursuant to the Operating Agreement, as approved by the PJM Board pursuant to Operating Agreement, Schedule 4.1.

Planned Demand Resource:

“Planned Demand Resource” shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Operating Agreement, Schedule 6. As set forth in Operating Agreement, Schedules 6 and 8.1, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

Planned External Generation Capacity Resource:

“Planned External Generation Capacity Resource” shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource’s commitment to the PJM Region. Prior to participation in any Base Residual Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has a fully executed system impact study agreement (or other documentation which is functionally equivalent to a System Impact Study Agreement under the PJM Tariff) or, for resources which are greater than 20MWs participating in a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, an agreement or other documentation which is functionally equivalent to a Facilities Study Agreement under the PJM Tariff), with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. Prior to participating in any Incremental Auction for such Delivery Year, the Capacity Market Seller must demonstrate it has entered into an interconnection agreement, or such other documentation that is functionally equivalent to an Interconnection Service Agreement under the PJM Tariff, with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and, as applicable, the transmission provider. A Planned External Generation

Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. Any such resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

Planned Generation Capacity Resource:

“Planned Generation Capacity Resource” shall mean a Generation Capacity Resource, or additional megawatts to increase the size of a Generation Capacity Resource that is being or has been modified to increase the number of megawatts of available installed capacity thereof, participating in the generation interconnection process under Tariff, Part IV, Subpart A, as applicable, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Capacity Plan; (ii) for any such resource seeking to offer into a Base Residual Auction, or for any such resource of 20 MWs or less seeking to offer into a Base Residual Auction, a System Impact Study Agreement (or, for resources for which a System Impact Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a System Impact Study Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iii) for any such resource of more than 20 MWs seeking to offer into a Base Residual Auction for the 2019/2020 Delivery Year and subsequent Delivery Years, a Facilities Study Agreement (or, for resources for which a Facilities Study Agreement is not required, has such other agreement or documentation that is functionally equivalent to a Facility Studies Agreement) has been executed prior to the Base Residual Auction for such Delivery Year; (iv) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (v) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years.

Planning Period:

“Planning Period” shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

PRD Curve:

“PRD Curve” shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

PRD Provider:

“PRD Provider” shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

PRD Provider’s Zonal Expected Peak Load Value of PRD:

“PRD Provider’s Zonal Expected Peak Load Value of PRD” shall mean the expected contribution to Delivery Year peak load of a PRD Provider’s Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year’s peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection’s load forecasts used for purposes of the RPM Auctions.

PRD Reservation Price:

“PRD Reservation Price” shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

PRD Substation:

“PRD Substation” shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

Price Responsive Demand:

“Price Responsive Demand” or “PRD” shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

Price Responsive Demand Credit:

“Price Responsive Demand Credit” shall mean a credit, based on committed Price Responsive Demand, as determined under Operating Agreement, Schedule 6.1.

Price Responsive Demand Plan or PRD Plan:

“Price Responsive Demand Plan” or “PRD Plan” shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Operating Agreement, Schedule 6.1 and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider’s Nominal PRD Value.

Public Power Entity:

“Public Power Entity” shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

Qualifying Transmission Upgrades:

“Qualifying Transmission Upgrades” shall have the meaning specified in Attachment DD to the PJM Tariff.

Relevant Electric Retail Regulatory Authority:

“Relevant Electric Retail Regulatory Authority” or “RERRA” shall have the meaning specified in the PJM Operating Agreement.

Reliability Principles and Standards:

“Reliability Principles and Standards” shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

Required Approvals:

“Required Approvals” shall mean all of the approvals required for the Operating Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of the Operating Agreement.

Self-Supply:

“Self-Supply” shall have the meaning provided in Tariff, Attachment DD.

Small Commercial Customer:

“Small Commercial Customer” shall have the same meaning as in the PJM Tariff.

State Consumer Advocate:

“State Consumer Advocate” shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Regulatory Structural Change:

“State Regulatory Structural Change” shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party’s default service rules that materially affect whether retail choice is economically viable.

Summer-Period Demand Resource:

Summer-Period Demand Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a resource that is placed under the direction of the Office of the Interconnection, and will be available June through October and the following May of the Delivery Year, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Summer-Period Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale in an RPM Auction, or included as a Summer-Period Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

Summer-Period Energy Efficiency Resource:

Summer-Period Energy Efficiency Resource shall mean, for the 2020/2021 Delivery Year and subsequent Delivery Years, a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards,

or other relevant standards, designed to achieve a continuous (during the summer peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Summer-Period Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

Supervisory Control:

“Supervisory Control” shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of the Operating Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

Threshold Quantity:

“Threshold Quantity” shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity’s Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Operating Agreement, Schedule 8.1).

Transmission Facilities:

“Transmission Facilities” shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC’s Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Owner:

“Transmission Owner” shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

Transmission Owners Agreement:

“Transmission Owners Agreement” shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

Unforced Capacity:

“Unforced Capacity” shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

Zonal Capacity Price:

“Zonal Capacity Price” shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

Zone or Zonal:

“Zone” or “Zonal” shall refer to an area within the PJM Region, as set forth in Operating Agreement, Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically

incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total

Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the

PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the

current Delivery Year (at the time of plan submission) and two preceding Delivery Years;

- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the

threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand

Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resources in the following ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction

for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as typically determined by the 5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The Nominated Value for Annual Demand Resources with a Capacity Performance commitment shall equal the lessor of i) total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor and ii) total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The Nominated Value for Limited Demand

Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment shall be total peak load contribution for the customers on the registration minus the nominated summer Firm Service Level multiplied by the loss factor.

The Nominated Value for a Guaranteed Load Drop customer for Annual Demand Resources with a Capacity Performance commitment will be the lessor of the summer and winter guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The Nominated Value for a Guaranteed Load Drop customer for Limited Demand Resources, Extended Summer Demand Resources, Base Capacity Demand Resources, Summer Period Demand Resources, and Annual Demand Resources without a Capacity Performance Commitment will be the summer guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum value nominated for any Demand Resource shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in Article 1, subject to the following requirements:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load Management Event for Demand Resource without a Capacity Performance commitment or on an hourly basis for Demand Resources with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.
 - For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
 - For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and

- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy

Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Legacy Direct Load Control (prior to June 1, 2016), as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management Event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically

incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total

Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- Prior to June 1, 2016: if applicable, Legacy Direct Load Control (LDLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the

PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the

current Delivery Year (at the time of plan submission) and two preceding Delivery Years;

- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the

threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand

Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resources in the following four ways:

Prior to June 1, 2016: Legacy Direct Load Control (LDLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction

for LDLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its LDLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

Customer Baseline Load (CBL) - Load management achieved by an end-use customer as measured by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of the Operating Agreement.

- H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:
- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
 - Supplemental status reports, detailing Demand Resources available, as requested by PJM;
 - Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
 - Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
 - Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.
- I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load

reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer's contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer's Peak Load Contribution.

Prior to June 1, 2016, the Nominated Value for a Legacy Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

Prior to June 1, 2016, for Legacy Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved LDLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are

responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

For Load Management Events for all Demand Resources not committed as a Capacity Performance Resource occurring through May 31, 2018, and for Load Management Events for Demand Resources committed as a Base Capacity Resource or a Capacity Performance Resource occurring during the months of June through September:

Prior to June 1, 2016, compliance for Legacy Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management Event for non-interval metered LDLC programs, prior to June 1, 2016. Compliance is averaged over the Load

Management Event, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

For Load Management Events for Demand Resources committed as a Base Capacity Resource or as a Capacity Performance Resource occurring during the months of October through May:

Compliance is determined on an individual customer basis by comparing actual metered load to an end-use customer’s Customer Baseline Load or alternative CBL determined in accordance with the provisions of Section 3.3A.2 or 3.3A.2.01 of Schedule 1 of the Operating Agreement.

For all Delivery Years:

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and LDLC programs (prior to June 1, 2016) to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer’s retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of

the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.

- For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
- For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
- For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and
- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office

of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The

audit may be conducted any time including the Performance Hours of the Delivery Year.

C. Election, and Termination of Election, of FRR Alternative

1. No less than four months before the conduct of the Base Residual Auction for the first Delivery Year for which such election is to be effective, any Party seeking to elect the FRR Alternative shall notify the Office of the Interconnection in writing of such election. Such election shall be for a minimum term of five consecutive Delivery Years. No later than one month before such Base Residual Auction, such Party shall submit its FRR Capacity Plan demonstrating its commitment of Capacity Resources for the term of such election sufficient to meet such Party's Daily Unforced Capacity Obligation (and all other applicable obligations under this Schedule) for the load identified in such plan. No later than the last business day prior to the start of the relevant Delivery Year in which Capacity Performance requirements shall apply to such FRR Entity, the FRR Entity must also elect whether it seeks to be subject to the Non-Performance Charge for Capacity Performance Resources, Seasonal Capacity Performance Resources, and Base Capacity Resources, as provided in section 10A of Attachment DD of the PJM Tariff, and described in section G.1 of this Schedule 8.1, or to physical non-performance assessments, as described in section G.2 of this Schedule 8.1.

2. An FRR Entity may terminate its election of the FRR Alternative effective with the commencement of any Delivery Year following the minimum five Delivery Year commitment by providing written notice of such termination to the Office of the Interconnection no later than two months prior to the Base Residual Auction for such Delivery Year. An FRR Entity that has terminated its election of the FRR Alternative shall not be eligible to re-elect the FRR Alternative for a period of five consecutive Delivery Years following the effective date of such termination.

3. Notwithstanding subsections C.1 and C.2 of this Schedule, in the event of a State Regulatory Structural Change, a Party may elect, or terminate its election of, the FRR Alternative effective as to any Delivery Year by providing written notice of such election or termination to the Office of the Interconnection in good faith as soon as the Party becomes aware of such State Regulatory Structural Change but in any event no later than two months prior to the Base Residual Auction for such Delivery Year.

4. To facilitate the elections and notices required by this Schedule, except a new FRR Entity's initial election, the Office of the Interconnection shall post, in addition to the information required by Section 5.11(a) of Attachment DD to the PJM Tariff, the percentage of Capacity Resources required to be located in each Locational Deliverability Area by no later than one month prior to the deadline for a Party to provide such elections and notices.

D. FRR Capacity Plans

1. Each FRR Entity shall submit its initial FRR Capacity Plan as required by subsection C.1 of this Schedule, and shall annually extend and update such plan by no later than one month prior to the Base Residual Auction for each succeeding Delivery Year in such plan. Each FRR Capacity Plan shall indicate the nature and current status of each resource, including the status of each Planned Generation Capacity Resource or Planned Demand Resource, the planned deactivation or retirement of any Generation Capacity Resource or Demand Resource, and the status of commitments for each sale or purchase of capacity included in such plan.

1.1 Beginning with the 2020/2021 Delivery Year and for all subsequent Delivery Years, the FRR Capacity Plan shall comprise only Capacity Performance Resources and Seasonal Capacity Performance Resources.

2. The FRR Capacity Plan of each FRR Entity that commits that it will not sell surplus Capacity Resources as a Capacity Market Seller in any auction conducted under Attachment DD of the PJM Tariff, or to any direct or indirect purchaser that uses such resource as the basis of any Sell Offer in such auction, shall designate Capacity Resources in a megawatt quantity no less than the Forecast Pool Requirement for each applicable Delivery Year times the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast for such Delivery Year, as determined in accordance with procedures set forth in the PJM Manuals. For the 2016/2017 Delivery Year and prior Delivery Years, the set of Capacity Resources designated in the FRR Capacity Plan must meet the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement associated with the FRR Entity's capacity obligation. For the 2017/2018 and 2018/2019 Delivery Years, the set of Capacity Resources designated in the FRR Capacity Plan must satisfy the Limited Resource Constraints and the Sub-Annual Resource Constraints applicable to the FRR Entity's capacity obligation. For the 2019/2020 Delivery Year, the set of Capacity Resources designated in the FRR Capacity Plan must satisfy the Base Capacity Resource Constraints and Base Capacity Demand Resource Constraints applicable to the FRR Entity's capacity obligation. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity's Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base Zonal FRR Scaling Factor. The FRR Capacity Plan of each FRR Entity that does not commit that it will not sell surplus Capacity Resources as set forth above shall designate Capacity Resources at least equal to the Threshold Quantity. To the extent the FRR Entity's allocated share of the Final Zonal Peak Load Forecast exceeds the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast, such FRR Entity's FRR Capacity Plan shall be updated to designate additional Capacity Resources in an amount no less than the Forecast Pool Requirement times such increase; provided, however, any excess megawatts of Capacity Resources included in such FRR Entity's previously designated Threshold Quantity, if any, may be used to satisfy the capacity obligation for such increased load. To the extent the FRR Entity's allocated share of the Final Zonal Peak Load Forecast is less than the FRR Entity's allocated share of the Preliminary Zonal Peak Load Forecast, such FRR Entity's FRR Capacity Plan may be updated to release previously designated Capacity Resources in an amount no greater than the Forecast Pool Requirement times such decrease. Peak load values referenced in this section shall be adjusted as necessary to take into account any applicable Nominal PRD Values approved

pursuant to Schedule 6.1 of this Agreement. Any FRR Entity seeking an adjustment to peak load for Price Responsive Demand must submit a separate PRD Plan in compliance with Section 6.1 (provided that the FRR Entity shall not specify any PRD Reservation Price), and shall register all PRD-eligible load needed to satisfy its PRD commitment and be subject to compliance charges as set forth in that Schedule under the circumstances specified therein; provided that for non-compliance by an FRR Entity, the compliance charge rate shall be equal to 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the FRR Entity's Zone, weight-averaged for the Delivery Year based on the prices established and quantities cleared in the RPM auctions for such Delivery Year; and provided further that an alternative PRD Provider may provide PRD in an FRR Service Area by agreement with the FRR Entity responsible for the load in such FRR Service Area, subject to the same terms and conditions as if the FRR Entity had provided the PRD.

3. As to any FRR Entity, the Base Zonal FRR Scaling Factor for each Zone in which it serves load for a Delivery Year shall equal $ZPLDY/ZWNSP$, where:

$ZPLDY$ = Preliminary Zonal Peak Load Forecast for such Zone for such Delivery Year; and

$ZWNSP$ = Zonal Weather-Normalized Summer Peak Load for such Zone for the summer concluding four years prior to the commencement of such Delivery Year.

4. Capacity Resources identified and committed in an FRR Capacity Plan shall meet all requirements under this Agreement, the PJM Tariff, and the PJM Operating Agreement applicable to Capacity Resources, including, as applicable, requirements and milestones for Planned Generation Capacity Resources and Planned Demand Resources. A Capacity Resource submitted in an FRR Capacity Plan must be on a unit-specific basis, and may not include "slice of system" or similar agreements that are not unit specific. An FRR Capacity Plan may include bilateral transactions that commit capacity for less than a full Delivery Year only if the resources included in such plan in the aggregate satisfy all obligations for all Delivery Years. All demand response, load management, energy efficiency, or similar programs on which such FRR Entity intends to rely for a Delivery Year must be included in the FRR Capacity Plan, subject to applicable demand resource constraints for the relevant Delivery Year, submitted three years in advance of such Delivery Year and must satisfy all requirements applicable to Demand Resources or Energy Efficiency Resources, as applicable, including, without limitation, those set forth in Schedule 6 to this Agreement and the PJM Manuals; provided, however, that previously uncommitted Unforced Capacity from such programs may be used to satisfy any increased capacity obligation for such FRR Entity resulting from a Final Zonal Peak Load Forecast applicable to such FRR Entity. Without limiting the generality of the foregoing, the FRR Entity must submit a Demand Resource Sell Offer Plan 15 business days before the deadline for submitting an FRR Capacity Plan as to any Demand Resources it intends to include in such FRR Capacity Plan and may only include in such FRR Capacity Plan Demand Resources that are approved by PJM following review of such Demand Resource Sell Offer Plan. The requirements, standards, and procedures for a Demand Resource Sell Offer Plan shall be as set forth in Schedule 6 of this Agreement, provided that all references (including deadlines) in Schedule 6, section A-1 to submission or clearing of a Demand Resource offer in an RPM Auction shall be understood for purposes of FRR Entities as referring to inclusion of a Demand

Resource in an FRR Capacity Plan, and a distinct Demand Resource Officer Certification Form shall be applicable to FRR Entities, as shown in the PJM Manuals and provided on the PJM website.

5. For each LDA for which the Office of the Interconnection is required to establish a separate Variable Resource Requirement Curve for any Delivery Year addressed by such FRR Capacity Plan, the plan must include a Percentage Internal Resources Required, subject to subsections D.1.1 and D.2 of this Schedule. The Percentage Internal Resources Required will be calculated as the LDA Reliability Requirement less the CETL for the Delivery Year, as determined by the RTEP process as set forth in the PJM Manuals. Such requirement shall be expressed as a percentage of the Unforced Capacity Obligation based on the Preliminary Zonal Peak Load Forecast multiplied by the Forecast Pool Requirement. Notwithstanding the provisions of Sections C.1 and C.2 of this Schedule 8.1, an FRR Entity may terminate its election of the FRR Alternative prior to meeting its minimum five year commitment without penalty for any Delivery Year after the first Delivery Year of its minimum five year FRR commitment for which the Office of the Interconnection will be required to establish a separate Variable Resource Requirement Curve by giving written notice two months prior to the Base Residual Auction for the Delivery Year. The Office of the Interconnection shall be deemed to be required to establish a separate Variable Resource Requirement Curve for an LDA if the LDA is the Eastern Mid-Atlantic Region (“EMAR”), Southwest Mid-Atlantic Region (“SWMAR”), or Mid-Atlantic Region (“MAR”), or for other LDAs if the separate modeling is required by Section 5.10(a)(ii)(A) or (B) of Attachment DD of the Tariff.

6. An FRR Entity may reduce the Percentage Internal Resources Required as to any LDA to the extent the FRR Entity commits to a transmission upgrade that increases the CETL for such LDA. Any such transmission upgrade shall adhere to all requirements for a Qualified Transmission Upgrade as set forth in Attachment DD to the PJM Tariff. The increase in CETL used in the FRR Capacity Plan shall be that approved by PJM prior to inclusion of any such upgrade in an FRR Capacity Plan. The FRR Entity shall designate specific additional Capacity Resources located in the LDA from which the CETL was increased, to the extent of such increase.

7. The Office of the Interconnection will review the adequacy of all submittals hereunder both as to timing and content. A Party that seeks to elect the FRR Alternative that submits an FRR Capacity Plan which, upon review by the Office of the Interconnection, is determined not to satisfy such Party’s capacity obligations hereunder, shall not be permitted to elect the FRR Alternative. If a previously approved FRR Entity submits an FRR Capacity Plan that, upon review by the Office of the Interconnection, is determined not to satisfy such Party’s capacity obligations hereunder, the Office of the Interconnection shall notify the FRR Entity, in writing, of the insufficiency within five (5) business days of the submittal of the FRR Capacity Plan. If the FRR Entity does not cure such insufficiency within five (5) business days after receiving such notice of insufficiency, then such FRR Entity shall be assessed an FRR Commitment Insufficiency Charge, in an amount equal to two times the Cost of New Entry for the relevant location, in \$/MW-day, times the shortfall of Capacity Resources below the FRR Entity’s

capacity obligation (including any Threshold Quantity requirement) in such FRR Capacity Plan, for the remaining term of such plan.

8. In a state regulatory jurisdiction that has implemented retail choice, the FRR Entity must include in its FRR Capacity Plan all load, including expected load growth, in the FRR Service Area, notwithstanding the loss of any such load to or among alternative retail LSEs. In the case of load reflected in the FRR Capacity Plan that switches to an alternative retail LSE, where the state regulatory jurisdiction requires switching customers or the LSE to compensate the FRR Entity for its FRR capacity obligations, such state compensation mechanism will prevail. In the absence of a state compensation mechanism, the applicable alternative retail LSE shall compensate the FRR Entity at the capacity price in the unconstrained portions of the PJM Region, as determined in accordance with Attachment DD to the PJM Tariff, provided that the FRR Entity may, at any time, make a filing with FERC under Sections 205 of the Federal Power Act proposing to change the basis for compensation to a method based on the FRR Entity's cost or such other basis shown to be just and reasonable, and a retail LSE may at any time exercise its rights under Section 206 of the FPA.

9. Notwithstanding the foregoing, in lieu of providing the compensation described above, such alternative retail LSE may, for any Delivery Year subsequent to those addressed in the FRR Entity's then-current FRR Capacity Plan, provide to the FRR Entity Capacity Resources sufficient to meet the capacity obligation described in paragraph D.2 for the switched load. Such Capacity Resources shall meet all requirements applicable to Capacity Resources pursuant to this Agreement, the PJM Tariff, and the PJM Operating Agreement, all requirements applicable to resources committed to an FRR Capacity Plan under this Agreement, and shall be committed to service to the switched load under the FRR Capacity Plan of such FRR Entity. The alternative retail LSE shall provide the FRR Entity all information needed to fulfill these requirements and permit the resource to be included in the FRR Capacity Plan. The alternative retail LSE, rather than the FRR Entity, shall be responsible for any performance charges or compliance penalties related to the performance of the resources committed by such LSE to the switched load. For any Delivery Year, or portion thereof, the foregoing obligations apply to the alternative retail LSE serving the load during such time period. PJM shall manage the transfer accounting associated with such compensation and shall administer the collection and payment of amounts pursuant to the compensation mechanism.

Such load shall remain under the FRR Capacity Plan until the effective date of any termination of the FRR Alternative and, for such period, shall not be subject to Locational Reliability Charges under Section 7.2 of this Agreement.

G. Capacity Resource Performance

1. Any Capacity Resource committed by an FRR Entity in an FRR Capacity Plan for a Delivery Year shall be subject during such Delivery Year to the charges set forth in sections 7, 9, 10, 10A, 11, and 13 of Attachment DD to the PJM Tariff; provided, however: (i) the Daily Deficiency Rate under sections 7, 9, and 13 thereof shall be 1.20 times the Capacity Resource Clearing Price resulting from all RPM Auctions for such Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions); (ii) the charges set forth in section 10A of Attachment DD to the PJM Tariff shall apply only for the 2019/2020 and subsequent Delivery Years and only to those FRR Entities which opted to be subject to the Non-Performance Charge under section C.1 of this Schedule 8.1 and the charge rates under section 10A thereof for Base Capacity Resources shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above; and (iii) the charge rates under section 10 thereof, shall be the Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged as described above. An FRR Entity shall have the same opportunities to cure deficiencies and avoid or reduce associated charges during the Delivery Year that a Market Seller has under sections 7, 9, 10, and 10A of Attachment DD to the PJM Tariff. An FRR Entity may cure deficiencies and avoid or reduce associated charges prior to the Delivery Year by procuring replacement Unforced Capacity outside of any RPM Auction and committing such capacity in its FRR Capacity Plan.

2. For any FRR Entity which opted to be subject to physical non-performance assessments under section C.1. of this Schedule 8.1, such FRR Entity will not be subject to charges under section 10A of Attachment DD of the PJM Tariff, but, rather, it will be required to update its FRR Capacity Plan with additional megawatts of Capacity Performance Resources or Seasonal Capacity Performance Resources determined in accordance with the following: For each Performance Assessment Hour, the Actual Performance and Expected Performance of each resource contained in an FRR Entity's FRR Capacity Plan will be determined in the same fashion as prescribed by the PJM Tariff, Attachment DD, section 10A, and for such hour, a net Performance Shortfall shall be determined separately for Capacity Performance Resources and for Base Capacity Resources. If, for a Performance Assessment Hour, the combined Actual Performance of all an FRR Entity's committed Capacity Performance Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Base Capacity Resources for such hour. If, for a Performance Assessment Hour, the combined Actual Performance of all an FRR Entity's committed Base Capacity Resources exceeds the Expected Performance of such resources, then such over-performance may be applied to any Performance Shortfall experienced by such FRR Entity's Capacity Performance Resources for such hour. For the 2020/2021 Delivery Year and subsequent Delivery Years, the net Performance Shortfall determined for Capacity Performance Resources shall include the performance of Seasonal Capacity Performance Resources contained in the FRR Capacity Plan.

The FRR Entity's net Performance Shortfall among Capacity Performance Resources, if any, for each such Performance Assessment Hour shall be multiplied by a rate of 0.01667

MWs/Performance Assessment Hour to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Capacity Performance Resources in any Delivery Year shall not exceed a MW quantity equal to 0.5 times the MW quantity of the Capacity Performance Resources and Seasonal Capacity Performance Resources that were committed in the FRR Capacity Plan for such Delivery Year. The FRR Entity's net Performance Shortfall among Base Capacity Resources, if any, for each such Performance Assessment Hour shall be multiplied by a rate of [(0.01667 MWs/Performance Assessment Hour) times (the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year)] to establish the additional MW quantities of Capacity Performance Resources or Seasonal Capacity Performance Resources that such FRR Entity must add to its FRR Capacity Plan for the next Delivery Year. Notwithstanding the foregoing, the total additional MWs required as a result of non-performance by the FRR Entity's Base Capacity Resources in any Delivery Year shall not exceed a MW quantity equal to [(0.5 times the MW quantity of the Base Capacity Resources that were committed in the FRR Capacity Plan for such Delivery Year) times (the Base Capacity Resource Clearing Price resulting from the RPM Auctions for the Delivery Year for the LDA encompassing the Zone of the FRR Entity, weight-averaged for the Delivery Year based on the prices established and quantities cleared in such auctions, divided by the Net CONE established for such LDA for the Delivery Year)].

An FRR Entity that elects the physical option shall not be eligible for, or subject to, the revenue allocation described in section 10A(g) of Attachment DD of the PJM Tariff.