

February 28, 2012

Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, N.E., Room 1A
Washington, D.C. 20426

Re: *PJM Interconnection, L.L.C.*, Docket No. ER12-513-00_2

Dear Ms. Bose:

PJM Interconnection, L.L.C. (“PJM”), pursuant to section 205 of the Federal Power Act (“FPA”), 16 U.S.C. § 824d, and the Commission’s January 30, 2012 order in this proceeding,¹ hereby submits the revisions to the PJM Open Access Transmission Tariff (“Tariff”) that are required by the January 30 Order to be effective on June 30, 2012. In a companion compliance filing, PJM submits the revisions that are required by the January 30 Order to be effective on January 31, 2012.

I. BACKGROUND

PJM’s December 1, 2011 filing (“December 1 Filing”) in this proceeding contained revisions to various parameters used in the capacity auctions under PJM’s Reliability Pricing Model (“RPM”), including the estimated cost of new entry (“CONE”) by a representative new power plant and the method to determine the energy and ancillary services (“EAS”) revenues that plant would be expected to earn in the PJM markets.

The January 30 Order largely accepted PJM’s Tariff revisions. The order found, however, that material issues of disputed fact had been raised concerning the December 1 Filing’s proposed gross CONE and the similar proposed values for the asset class cost of new entry in RPM’s minimum offer price rule (“MOPR”).² The January 30 Order therefore accepted and suspended those Tariff changes for five months, i.e., to June 30, 2012.³ The January 30 Order also found that the December 1 Filing’s proposed Tariff

¹ *PJM Interconnection, L.L.C.*, 138 FERC ¶ 61,062 (2012) (“January 30 Order”).

² *Id.* at PP 41, 143.

³ *Id.* at PP 42, 143.

changes for determining the gross and net cost of new entry for the PJM Region⁴ had not been shown to be just and reasonable, and rejected those Tariff changes.⁵

To reflect these findings, the Commission directed PJM to file two compliance filings within 30 days. The first, with Tariff records to be effective on January 31, 2012, would omit both the suspended and rejected provisions.⁶ The second, to be effective June 30, 2012, would implement the suspended provisions, but continue to omit the rejected provisions.⁷ This filing, and the companion filing being submitted today, constitute PJM's compliance with these directives.

II. COMPLIANCE TARIFF CHANGES

A. Gross CONE

For the compliance changes effective June 30, 2012, PJM is restoring to Tariff Attachment DD section 5.10(a)(iv)(A) the revised Gross CONE values that the December 1 Filing proposed for the five CONE Areas (as defined in that subsection) of PJM. Because these changes were accepted by the January 30 Order but suspended for five months, the companion compliance filing, with changes to be effective January 31, 2012, removes those new proposed values, but this filing restores them, effective June 30, 2012, to reflect the end of the suspension period.

B. MOPR Net Asset Class CONE Values

Similarly, this filing restores to Tariff Attachment DD section 5.14(h)(1) the December 1 Filing's proposed new gross CONE values for both combustion turbine ("CT") and combined cycle ("CC") plants for use under the MOPR in each of the five CONE Areas. As with the gross CONE values discussed in the previous paragraph, the suspension period for these proposed values from the December 1 Filing ends on June 30, 2012, so they need to be added to the current effective Tariff as of that date.

PJM notes that the January 30 Order anticipated that the compliance filing of changes to be effective June 30, 2012 would affect only section 5.10 of Attachment DD. However, as the Commission accepted and suspended the gross CONE levels used for the MOPR screen, both of today's compliance filings also must address section 5.14, so the new MOPR values can be removed from the January 31, 2012 version of the Tariff section, and restored in the June 30, 2012 version of the section. As discussed below,

⁴ The term "PJM Region" is defined in the Tariff at section 1.32E.

⁵ January 30 Order at P 61.

⁶ *Id.* at P 150.

⁷ *Id.* at P 151.

implementing the directives of the January 30 order also requires PJM to submit an updated version of Tariff Attachment DD, section 2.

C. Tariff Attachment DD, section 2

The version of Tariff Attachment DD, section 2 that was included in the December 1 Filing included changes to that section from PJM's September 23, 2011 filing in Docket No. ER11-4628-000 concerning price responsive demand ("PRD"), for which PJM had proposed a December 15, 2011 effective date. On December 14, 2011, the Commission issued an order in that proceeding suspending PJM's PRD Tariff changes for five months, to be effective on May 15, 2012.⁸ Accordingly, in the companion compliance filing that has an effective date of January 31, 2012, PJM is removing the PRD language from section 2. For this compliance filing, however, which has an effective date of June 30, 2012, PJM is restoring that PRD language, so that it is not inadvertently deleted on June 30, 2012.

III. EFFECTIVE DATE

In accordance with the January 30 Order, the enclosed revisions incorporate an effective date of June 30, 2012.

IV. CORRESPONDENCE

The following individuals are designated for inclusion on the official service list in this proceeding and for receipt of any communications regarding this filing:

Craig Glazer
Vice President—Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
glazec@pjm.com

Barry S. Spector
Paul M. Flynn
Wright & Talisman, P.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 393-1200 (phone)
(202) 393-1240 (fax)
spector@wrightlaw.com
flynn@wrightlaw.com

⁸ *PJM Interconnection, L.L.C.*, 137 FERC ¶ 61,204 (2011).

Jacquelynn B. Hugee
Assistant General Counsel
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, PA 19403
(610) 666-8208 (phone)
(610) 666-4281 (fax)
hugeej@pjm.com

V. DOCUMENTS ENCLOSED

In addition to this transmittal letter, this filing includes revisions to the PJM Tariff (in redlined and non-redlined format (as Attachments A and B, respectively) and in electronic tariff filing format as required by Order No. 714). To better show PJM's compliance with the January 30 Order, the redlining shows changes relative to the Tariff sections submitted with the companion compliance filing in this docket. Specifically, while the companion filing removes the CONE values (including those used for the MOPR screen) that were proposed in the December 1 Filing because they were suspended by the January 30 Order, the redlining in this filing shows those values being put into effect on June 30, 2012. The enclosed Tariff sections also include changes effected by PJM's Tariff filings in Docket Nos. ER11-3322-001, ER11-4628-000, and ER12-91-000 that have an effective date before June 30, 2012, and that were not included in the Tariff sections included with the December 1 Filing.

VI. SERVICE

PJM has served a copy of this filing on all persons listed on the Commission's service list for this proceeding, on all PJM members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission's regulations,⁹ PJM will post a copy of this filing to the FERC filings section of its internet site, located at the following link: <http://www.pjm.com/documents/ferc-manuals/ferc-filings.aspx> with a specific link to the newly-filed document, and will send an e-mail on the same date as this filing to all PJM members and all state utility regulatory commissions in the PJM Region¹⁰ alerting them that this filing has been made by PJM and is available by following such link. PJM also serves the parties listed on the Commission's official service list for this docket. If the document is not immediately available by using the referenced link, the document will be available through the referenced link within 24 hours of the filing. Also, a copy of this filing will be available on the FERC's eLibrary website located at the following link:

⁹ See 18 C.F.R. §§ 35.2(e) and 385.2010(f)(3).

¹⁰ PJM already maintains, updates and regularly uses e-mail lists for all PJM members and affected state commissions.

<http://www.ferc.gov/docs-filing/elibrary.asp> in accordance with the Commission's regulations and Order No. 714.

VII. CONCLUSION

Accordingly, PJM requests that the Commission accept this filing as compliance with the requirements of January 30 Order concerning the Tariff revisions to be effective on June 30, 2012.

Respectfully submitted,

/s/ Paul M. Flynn

Barry S. Spector
Paul M. Flynn
Wright & Talisman, P.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 393-1200 (phone)
(202) 393-1240 (fax)
spector@wrightlaw.com
flynn@wrightlaw.com

Craig Glazer
Vice President–Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W., Suite 600
Washington, D.C. 20005
(202) 423-4743 (phone)
(202) 393-7741 (fax)
glazec@pjm.com

Jacquelyn B. Hugee
Assistant General Counsel
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, PA 19403
(610) 666-8208 (phone)
(610) 666-4281 (fax)
hugeej@pjm.com

February 28, 2012

CERTIFICATE OF SERVICE

I hereby certify that I have this day served the foregoing document upon each person designated on the official service list compiled by the Secretary in this proceeding.

Dated at Washington, D.C., this 28th day of February, 2012.

/s/ Paul M. Flynn
Paul M. Flynn

**Attorney for
PJM Interconnection, L.L.C.**

**Sections of the
PJM Open Access Transmission Tariff
Marked Version / Redline**

2. DEFINITIONS

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

2.1A Annual Demand Resource

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.1B Annual Resource

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

2.1C Annual Resource Price Adder

“Annual Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

2.1D Annual Revenue Rate

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a Demand Resource Provider or ILR Provider under section 11.

2.2 Avoidable Cost Rate

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.3 Base Load Generation Resource

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

2.4 Base Offer Segment

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer Segments of such Market Sellers shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

2.5 Base Residual Auction

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

2.6 Buy Bid

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

2.7 Capacity Credit

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

2.8 Capacity Emergency Transfer Limit

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

2.9 Capacity Emergency Transfer Objective

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

2.9A Capacity Export Transmission Customer

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

2.10 Capacity Market Buyer

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

2.11 Capacity Market Seller

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

2.12 Capacity Resource

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.13 Capacity Resource Clearing Price

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

2.14 Capacity Transfer Right

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

2.14A Conditional Incremental Auction

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

2.15 CONE Area

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

2.16 Cost of New Entry

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

2.16A Credit-Limited Offer

“Credit-Limited Offer” shall have the meaning provided in Attachment Q to this Tariff.

2.17 Daily Deficiency Rate

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

2.18 Daily Unforced Capacity Obligation

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.19 Delivery Year

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

2.20 Demand Resource

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.21 Demand Resource Factor

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

2.22 Demand Resource Provider

“Demand Resource Provider” shall mean a PJM Member that has the capability to reduce load, or that aggregates customers capable of reducing load. The Demand Resource Provider shall notify the Office of the Interconnection whether such load reduction is provided by a Limited Demand Resource, Extended Summer Demand Resource or an Annual Demand Resource. A Curtailment Service Provider, as defined in the Operating Agreement, may be a Demand Resource Provider, provided it qualifies its load reduction capability as a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource.

2.23 EFORD

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24 Energy Efficiency Resource

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24A Extended Summer Demand Resource

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.24B Extended Summer Resource Price Adder

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

2.24C Extended Summer Demand Resource Reliability Target

“Extended Summer Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement. As more fully set forth in the PJM Manuals, PJM calculates the Extended Summer DR Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Extended Summer Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.25 [Reserved]

2.26 Final RTO Unforced Capacity Obligation

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.26A Final Zonal ILR Price

“Final Zonal ILR Price” shall mean the Adjusted Zonal Capacity Price after the Second Incremental Auction, less the amount paid in CTR credits per MW of load in the Zone in which the ILR is to be certified.

2.27 First Incremental Auction

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

2.28 Forecast Pool Requirement

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

2.29 Forecast RTO ILR Obligation

“Forecast RTO ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the PJM Region times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in the PJM Region, for use in Delivery Years through May 31, 2012.

2.30 Forecast Zonal ILR Obligation

“Forecast Zonal ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the Zone times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in such Zone, for use in Delivery Years through May 31, 2012.

2.31 Generation Capacity Resource

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.32 ILR Forecast

“ILR Forecast” shall mean, for any Delivery Year ending on or before May 31, 2012, the average annual megawatt quantity of ILR certified for the five Planning Periods preceding the date of the forecast; provided, however, that before such data becomes available for five Delivery Years under the Reliability Pricing Model, comparable data on Active Load Management (as defined in the preexisting reliability assurance agreements) from up to five prior Planning Periods shall be substituted as necessary; and provided further that, for transmission zones that were integrated into the PJM Region less than five years prior to the conduct of the Base Residual Auction for the Delivery Year, data on incremental load subject to mandatory interruption by Electric Distribution Companies within such zones shall be substituted as necessary.

2.33 ILR Provider

“ILR Provider” shall mean a Member that has the capability to reduce load, or that aggregates customers capable of reducing load. A Curtailment Service Provider, as such term is defined in the PJM Operating Agreement, may be an ILR Provider, provided it obtains certification of its load reduction capability as ILR.

2.34 Incremental Auction

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

2.35 Incremental Capacity Transfer Right

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

2.36 Interruptible Load for Reliability (ILR)

“Interruptible Load for Reliability” or “ILR” shall have the meaning specified in the Reliability Assurance Agreement.

2.36A Limited Demand Resource

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.36B Limited Demand Resource Reliability Target

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement for the PJM Region or such LDA.

As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; and ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result. Second, PJM adopts the lower result from these two tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.37 Load Serving Entity (LSE)

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

2.38 Locational Deliverability Area (LDA)

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

2.39 Locational Deliverability Area Reliability Requirement

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction for the Zones comprising such Locational Deliverability Area for such Delivery Year.

2.40 Locational Price Adder

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

2.41 Locational Reliability Charge

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

2.41A Locational UCAP

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

2.41B Locational UCAP Seller

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

2.41C Market Seller Offer Cap

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section II.E of Attachment M - Appendix.

2.41D Minimum Annual Resource Requirement

“Minimum Annual Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Annual Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Extended Summer Demand Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Extended Summer Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.41E Minimum Extended Summer Resource Requirement

“Minimum Extended Summer Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual

Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.42 Net Cost of New Entry

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

2.43 Nominated Demand Resource Value

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

2.43A Nominated Energy Efficiency Value

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

2.44 Nominated ILR Value

“Nominated ILR Value” shall mean the amount of load reduction that an ILR resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For ILR, the maximum Nominated ILR Capacity Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the ILR is certified.

2.45 Opportunity Cost

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.46 Peak-Hour Dispatch

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is committed in the Day-Ahead Energy Market in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average day-ahead LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be committed independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be committed for such block; and to the extent not committed in any such block in the Day-Ahead Energy Market under the above conditions based on Day-Ahead LMPs, is dispatched in the Real-Time Energy Market for such block if the Real-Time LMP is greater than or equal to the cost to generate under the same conditions as described above for the Day-Ahead Energy Market.

2.47 Peak Season

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

2.48 Percentage Internal Resources Required

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

2.49 Planned Demand Resource

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50 Planned External Generation Capacity Resource

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50A Planned Generation Capacity Resource

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.51 Planning Period

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

2.52 PJM Region

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

2.53 PJM Region Installed Reserve Margin

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

2.54 PJM Region Peak Load Forecast

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

2.55 PJM Region Reliability Requirement

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction (as applicable) for such Delivery Year.

2.56 Projected PJM Market Revenues

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.57 Qualifying Transmission Upgrade

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

2.58 Reference Resource

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology in CONE Areas 1, 2, 3, and 4, dual fuel capability, and a heat rate of 10.096 Mmbtu/ MWh.

2.59 Reliability Assurance Agreement

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

2.60 Reliability Pricing Model Auction

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

2.61 Resource Substitution Charge

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

2.61A Scheduled Incremental Auctions

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

2.62 Second Incremental Auction

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

2.63 Sell Offer

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

2.64 [Reserved for Future Use]

2.65 Self-Supply

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

2.65A Short-Term Resource Procurement Target

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

2.65B Short-Term Resource Procurement Target Applicable Share

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

2.66 Third Incremental Auction

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

2.67 Transition Adder

“Transition Adder” shall mean a component of a Sell Offer permitted for certain Capacity Market Sellers for the Transition Period, as set forth in section 17.

2.68 Transition Period

“Transition Period” shall mean the four-year period consisting of the Delivery Years commencing June 1, 2007, June 1, 2008, June 1, 2009, and June 1, 2010.

2.69 Unforced Capacity

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

2.69A Updated VRR Curve

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant

Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

2.69B Updated VRR Curve Increment

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.69C Updated VRR Curve Decrement

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.70 Variable Resource Requirement Curve

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

2.71 Zonal Capacity Price

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

5.10 Auction Clearing Requirements

The Office of the Interconnection shall clear each Base Residual Auction and Incremental Auction for a Delivery Year in accordance with the following:

a) Variable Resource Requirement Curve

The Office of the Interconnection shall determine Variable Resource Requirement Curves for the PJM Region and for such Locational Deliverability Areas as determined appropriate in accordance with subsection (a)(iii) for such Delivery Year to establish the level of Capacity Resources that will provide an acceptable level of reliability consistent with the Reliability Principles and Standards. It is recognized that the variable resource requirement reflected in the Variable Resource Requirement Curve can result in an optimized auction clearing in which the level of Capacity Resources committed for a Delivery Year exceeds the PJM Region Reliability Requirement (less the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter) or Locational Deliverability Area Reliability Requirement (less the Forecast Zonal ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter for the Zones associated with such LDA) for such Delivery Year. For any auction, the Updated Forecast Peak Load, and Short-Term Resource Procurement Target applicable to such auction, shall be used, and Price Responsive Demand from any applicable approved PRD Plan, including any associated PRD Reservation Prices, shall be reflected in the derivation of the Variable Resource Requirement Curves, in accordance with the methodology specified in the PJM Manuals.

i) Methodology to Establish the Variable Resource Requirement Curve

Prior to the Base Residual Auction, in accordance with the schedule in the PJM Manuals, the Office of the Interconnection shall establish the Variable Resource Requirement Curve for the PJM Region as follows:

- Each Variable Resource Requirement Curve shall be plotted on a graph on which Unforced Capacity is on the x-axis and price is on the y-axis;
- The Variable Resource Requirement Curve for the PJM Region shall be plotted by first combining (i) a horizontal line from the y-axis to point (1), (ii) a straight line connecting points (1) and (2), (iii) a straight line connecting points (2) and (3), and (iv) a vertical line from point (3) to the x-axis, where:
 - For point (1), price equals: {the greater of [the Cost of New Entry] or [1.5 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)]} divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus the approved PJM Region Installed Reserve Margin (“IRM”)% minus

3%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

- For point (2), price equals: (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset) divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 1%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter; and
- For point (3), price equals [0.2 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 5%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

ii) For any Delivery Year, the Office of the Interconnection shall establish a separate Variable Resource Requirement Curve for each LDA for which:

- A. the Capacity Emergency Transfer Limit is less than 1.15 times the Capacity Emergency Transfer Objective, as determined by the Office of the Interconnection in accordance with NERC and Applicable Regional Reliability Council guidelines; or
- B. such LDA had a Locational Price Adder in any one or more of the three immediately preceding Base Residual Auctions; or
- C. such LDA is determined in a preliminary analysis by the Office of the Interconnection to be likely to have a Locational Price Adder, based on historic offer price levels; provided however that for the Base Residual Auction conducted for the Delivery Year commencing on June 1, 2012, the EMAAC, SWMAAC and MAAC LDAs shall employ separate Variable Resource Requirement Curves regardless of the outcome of the above three tests; and provided further that the Office of the Interconnection may establish a separate Variable Resource Requirement Curve for an LDA not otherwise qualifying under the above three tests if it finds that such is required to achieve an acceptable level of reliability consistent with the Reliability Principles and Standards, in which case the Office of the Interconnection shall post such finding, such LDA, and such

Variable Resource Requirement Curve on its internet site no later than the March 31 last preceding the Base Residual Auction for such Delivery Year. The same process as set forth in subsection (a)(i) shall be used to establish the Variable Resource Requirement Curve for any such LDA, except that the Locational Deliverability Area Reliability Requirement for such LDA shall be substituted for the PJM Region Reliability Requirement and the LDA Short-Term Resource Procurement Target shall be substituted for the PJM Region Short-Term Resource Procurement Target. For purposes of calculating the Capacity Emergency Transfer Limit under this section, all generation resources located in the PJM Region that are, or that qualify to become, Capacity Resources, shall be modeled at their full capacity rating, regardless of the amount of capacity cleared from such resource for the immediately preceding Delivery Year.

iii) Procedure for ongoing review of Variable Resource Requirement Curve shape.

Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall perform a review of the shape of the Variable Resource Requirement Curve, as established by the requirements of the foregoing subsection. Such analysis shall be based on simulation of market conditions to quantify the ability of the market to invest in new Capacity Resources and to meet the applicable reliability requirements on a probabilistic basis. Based on the results of such review, PJM shall prepare a recommendation to either modify or retain the existing Variable Resource Requirement Curve shape. The Office of the Interconnection shall post the recommendation and shall review the recommendation through the stakeholder process to solicit stakeholder input. If a modification of the Variable Resource Requirement Curve shape is recommended, the following process shall be followed:

- A) If the Office of the Interconnection determines that the Variable Resource Requirement Curve shape should be modified, Staff of the Office of the Interconnection shall propose a new Variable Resource Requirement Curve shape on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- B) The PJM Members shall review the proposed modification to the Variable Resource Requirement Curve shape.
- C) The PJM Members shall either vote to endorse the proposed modification, to propose alternate modifications or to recommend no modification by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

D) The PJM Board of Managers shall consider a proposed modification to the Variable Resource Requirement Curve shape, and the Office of the Interconnection shall file any approved modified Variable Resource Requirement Curve shape with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

iv) Cost of New Entry

A) For the Delivery Year commencing on June 1, 2012, and continuing thereafter unless and until changed pursuant to subsection (B) below, the Cost of New Entry for the PJM Region shall be \$112,868 per MW-year. The Cost of New Entry for each LDA shall be determined based upon the Transmission Owner zones that comprise such LDA, as provided in the table below. If an LDA combines transmission zones with differing Cost of New Entry values, the lowest such value shall be used.

Geographic Location Within the PJM Region Encompassing These Zones	Cost of New Entry in \$/MW-Year
PS, JCP&L, AE, PECO, DPL, RECO ("CONE Area 1")	134,000 122,040
BGE, PEPSCO ("CONE Area 2")	123,700 112,868
AEP, Dayton, ComEd, APS, DQL, ATSI, DEOK ("CONE Area 3")	123,500 115,479
PPL, MetEd, Penelec ("CONE Area 4")	130,100 112,868
Dominion ("CONE Area 5")	111,000 112,868

B) Beginning with the 2013-2014 Delivery Year, the CONE shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in accordance with the following:

(1) The Applicable H-W Index for any Delivery Year shall be the most recently published twelve-month change, at the time CONE values are required to be posted for the Base Residual Auction for such Delivery Year, in the Total Other Production Plant Index shown in the Handy-Whitman Index of Public Utility Construction Costs for the North Atlantic Region for purposes of CONE Areas 1, 2, and 4, for the North Central Region for purposes of CONE Area 3, and for the South Atlantic Region for purposes of CONE Area 5.

(2) The CONE in a CONE Area shall be adjusted prior to the Base Residual Auction for each Delivery Year by applying the Applicable H-W Index for such CONE Area to the Benchmark CONE for such CONE Area.

(3) The Benchmark CONE for a CONE Area shall be the CONE used for such CONE Area in the Base Residual Auction for the prior Delivery Year.

(4) Notwithstanding the foregoing, CONE values for any CONE Area for any Delivery Year shall be subject to amendment pursuant to appropriate filings with FERC under the Federal Power Act, including, without limitation, any filings resulting from the process described in section 5.10(a)(vii)(C) or any filing to establish new or revised CONE Areas.

v) Net Energy and Ancillary Services Revenue Offset

A) The Office of the Interconnection shall determine the Net Energy and Ancillary Services Revenue Offset each year for the PJM Region as (A) the annual average of the revenues that would have been received by the Reference Resource from the PJM energy markets during a period of three consecutive calendar years preceding the time of the determination, based on (1) the heat rate and other characteristics of such Reference Resource; (2) fuel prices reported during such period at an appropriate pricing point for the PJM Region with a fuel transmission adder appropriate for such region, as set forth in the PJM Manuals, assumed variable operation and maintenance expenses for such resource of \$6.47 per MWh, and actual PJM hourly average Locational Marginal Prices recorded in the PJM Region during such period; and (3) an assumption that the Reference Resource would be dispatched for both the Day-Ahead and Real-Time Energy Markets on a Peak-Hour Dispatch basis; plus (B) ancillary service revenues of \$2,199 per MW-year.

B) The Office of the Interconnection also shall determine a Net Energy and Ancillary Service Revenue Offset each year for each sub-region of the PJM Region for which the Cost of New Entry is determined as identified above, using the same procedures and methods as set forth in the previous subsection; provided, however, that: (1) the average hourly LMPs for the Zone in which the Reference Resource was assumed to be installed for purposes of the CONE estimate (as specified in the PJM Manuals) shall be used in place of the PJM Region average hourly LMPs; (2) if such sub-region was not integrated into the PJM Region for the entire applicable period, then the offset shall be calculated using only those whole calendar years during which the sub-region was integrated; and (3) a posted fuel pricing point in such sub-region, if available, and (if such pricing point is not available) a fuel

transmission adder appropriate to each assumed Cost of New Entry location from an appropriate PJM Region pricing point shall be used for each such sub-region.

vi) Adjustment to Net Energy and Ancillary Services Revenue Offset

Beginning with the Base Residual Auction scheduled for May 2010, the Net Energy and Ancillary Services Revenue Offset for a CONE Area shall be adjusted following any Delivery Year during which Scarcity Pricing was effective in such CONE Area pursuant to the Scarcity Pricing provisions of section 6A of Schedule 1 to the PJM Operating Agreement. Following each Delivery Year, the Scarcity Pricing revenues the Reference Resource in each CONE Area would have received during such Delivery Year shall be calculated based on the assumed heat rate and other characteristics of the Reference Resource, assumed Peak-Hour Dispatch, and the actual locational marginal prices and actual fuel prices during the Delivery Year for the applicable location, which shall be the transmission zone in which such resource was assumed to be installed for purposes of the estimate of CONE applicable to such CONE Area. The Scarcity Pricing revenues so determined shall be subtracted from the Net CONE otherwise calculated for such CONE Area for use in the Base Residual Auction next occurring after the Delivery Year in which Scarcity Pricing was effective in such CONE Area.

vii) Process for Establishing Parameters of Variable Resource Requirement Curve

- A) The parameters of the Variable Resource Requirement Curve will be established prior to the conduct of the Base Residual Auction for a Delivery Year and will be used for such Base Residual Auction.
- B) The Office of the Interconnection shall determine the PJM Region Reliability Requirement and the Locational Deliverability Area Reliability Requirement for each Locational Deliverability Area for which a Variable Resource Requirement Curve has been established for such Base Residual Auction on or before February 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values will be applied, in accordance with the Reliability Assurance Agreement.
- C) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the calculation of the Cost of New Entry for each CONE Area.
 - 1) If the Office of the Interconnection determines that the Cost of New Entry values should be modified, the Staff of the Office of the Interconnection shall propose new Cost of New Entry values on or before September 1, prior to the

conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

- 2) The PJM Members shall review the proposed values.
 - 3) The PJM Members shall either vote to endorse the proposed values or propose alternate values by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - 4) The PJM Board of Managers shall consider Cost of New Entry values, and the Office of the Interconnection shall file any approved modified Cost of New Entry values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- D) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the methodology set forth in this Attachment for determining the Net Energy and Ancillary Services Revenue Offset for the PJM Region and for each Zone.
- 1) If the Office of the Interconnection determines that the Net Energy and Ancillary Services Revenue Offset methodology should be modified, Staff of the Office of the Interconnection shall propose a new Net Energy and Ancillary Services Revenue Offset methodology on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.
 - 2) The PJM Members shall review the proposed methodology.
 - 3) The PJM Members shall either vote to endorse the proposed methodology or propose an alternate methodology by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.
 - 4) The PJM Board of Managers shall consider the Net Revenue Offset methodology, and the Office of the Interconnection shall file any approved modified Net Energy and Ancillary Services Revenue Offset values with

the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

b) Locational Requirements

The Office of Interconnection shall establish locational requirements prior to the Base Residual Auction to quantify the amount of Unforced Capacity that must be committed in each Locational Deliverability Area, in accordance with the PJM Reliability Assurance Agreement.

c) Minimum Annual Resource Requirements

Prior to the Base Residual Auction and each Incremental Auction for each Delivery Year, beginning with the Delivery Year that starts on June 1, 2014, the Office of the Interconnection shall establish the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year.

d) Preliminary PJM Region Peak Load Forecast for the Delivery Year

The Office of the Interconnection shall establish the Preliminary PJM Region Load Forecast for the Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the Base Residual Auction for such Delivery Year.

e) Updated PJM Region Peak Load Forecasts for Incremental Auctions

The Office of the Interconnection shall establish the updated PJM Region Peak Load Forecast for a Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the First, Second, and Third Incremental Auction for such Delivery Year.

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the sum of the following: (1) the marginal value of system capacity for the PJM Region, without considering locational constraints, (2) the Locational Price Adder, if any in such LDA, (3) the Annual Resource Price Adder, if any, and (4) the Extended Summer Resource Price Adder, if any, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole Payments required in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource;

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE divided by (one minus the pool-wide average EFORD); and

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with sections 5.12(a) and 5.14(a).
- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b); or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in section 5.12(a) of this Attachment, and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) that is entitled to compensation pursuant to section 5.14(b) of this Attachment; and

- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with Section 5.14(b). Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in Section 5.14(a).

6. The failure to submit a Sell Offer consistent with Section 5.14(c)(i)-(iii) in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Section 5.10(a)(ii) of this Attachment.

8. On or before August 1, 2012, PJM shall file with FERC under FPA section 205, as determined necessary by PJM following a stakeholder process, tariff changes to establish a long-term auction process as a not unduly discriminatory means to provide adequate long-term revenue assurances to support new entry, as a supplement to or replacement of this New Entry Price Adjustment.

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under section 5.15, as set forth in that section. PJM Settlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets *and other adjustments* as described in sections 5.13, 5.14A, and 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; 3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located; and 4) an adjustment, if required, to account for Resource Make-Whole Payments, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); and (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity). The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall, through May 31, 2012, calculate and post the Final Zonal Capacity Price after all ILR resources are certified for the Delivery Years and, thereafter, shall calculate and post such price after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted (for the Delivery Years through May 31, 2012) to reflect the certified ILR compared to the ILR Forecast previously used for such

Delivery Year, and any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction. For such purpose, for the three consecutive Delivery Years ending May 31, 2012 only, the Forecast ILR allocated to loads located in the AEP transmission zone that are served under the Reliability Pricing Model shall be in proportion for each such year to the load ratio share of such RPM loads compared to the total peak loads of such zone for such year; and any remaining ILR Forecast that otherwise would be allocated to such loads shall be allocated to all Zones in the PJM Region pro rata based on their Preliminary Zonal Peak Load Forecasts.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain Planned Generation Capacity Resources

(1) For purposes of this section, the Net Asset Class Costs of New Entry shall be asset-class estimates of competitive, cost-based nominal levelized Cost of New Entry, net of energy and ancillary service revenues. Determination of the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be consistent with the methodology used to determine the Cost of New Entry set forth in Section 5.10(a)(iv)(A) of this Attachment. The gross Cost of New Entry component of Net Asset Class Cost of New Entry shall be, for purposes of the Delivery Year commencing on June 1, 2014, the values indicated in the table below for each CONE Area for a combustion turbine generator (“CT”) and a combined cycle generator (“CC”), respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(2) below. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3) below. Notwithstanding the foregoing, the Net Asset Class Cost of New Entry shall be zero for: (i) Sell Offers based on nuclear, coal or Integrated Gasification Combined Cycle facilities; or (ii) Sell Offers based on hydroelectric, wind, or solar facilities.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4	CONE Area 5
CT \$/MW- yr	134,000 138,646	123,700 128,226	123,500 131,681	130,100 128,226	111,000 128,340
CC \$/MW- yr	168,200 175,250	147,600 154,870	162,200 164,375	161,800 154,870	143,800 154,870

(2) Beginning with the Delivery Year that begins on June 1, 2015, the Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in the same manner as set forth for the cost of new entry in section 5.10(a)(iv)(B), provided,

however, that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

(3) For purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by section 5.10(a)(v)(A) of this Attachment DD, provided that the energy revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.722 MMbtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$3.23 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the CC resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3198 per MW-year.

(4) *Any Sell Offer that is based on*

(i) a Planned Generation Capacity Resource located in the PJM Region that is submitted in an RPM Auction for a Delivery Year unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM auction for that or any subsequent Delivery Year; or

(ii) a Planned External Generation Capacity Resource that requires sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region, for the first Delivery Year in which such resource qualifies as a Planned External Generation Capacity Resource, or submitted in any RPM Auction for that or any subsequent Delivery Year until an offer based on that resource first clears an RPM Auction,

in any LDA for which a separate VRR Curve is established for use in the Base Residual Auction for the Delivery Year relevant to the RPM Auction in which such offer is submitted, and that is less than 90 percent of the applicable Net Asset Class Cost of New Entry or, if there is no applicable Net Asset Class Cost of New Entry, less than 70 percent of the Net Asset Class Cost of New Entry for a combustion turbine generator as provided in subsection (h)(1) above shall be set to equal 90 percent of the applicable Net Asset Class Cost of New Entry (or set equal to 70 percent of such cost for a combustion turbine, where there is no otherwise applicable net asset class figure), unless the Capacity Market Seller obtains the prior determination from the Office of the Interconnection described in subsection (5) hereof. This provision applies to Sell Offers submitted in Incremental Auctions conducted after December 19, 2011, provided that the Net Asset Class Cost of New Entry values for any such Incremental Auctions for the 2012-13 or

2013-14 Delivery Years shall be the Net Asset Class Cost of New Entry values posted by the Office of the Interconnection for the Base Residual Auction for the 2014-15 Delivery Year.

(5) A Sell Offer meeting the criteria in subsection (4) shall be permitted and shall not be re-set to the price level specified in that subsection if the Capacity Market Seller obtains a determination from the Office of the Interconnection prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets . The following process and requirements shall apply to requests for such determinations:

(i) The Capacity Market Seller may request such a determination at any time, but no later than 60 days prior to the auction in which it seeks to submit its Sell Offer, by submitting simultaneously to the Office of the Interconnection and the Market Monitoring Unit a request with full documentation as described below and in the PJM Manuals. A Capacity Market Seller may request such a determination before the minimum offer level specified in subsection (4) is established for the relevant Delivery Year, based on the minimum offer level established for the prior Delivery Year or other reasonable estimate of the minimum offer level expected for the relevant Delivery Year. In such event, if the minimum offer level subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the planned generation resource, as well as estimates of offsetting net revenues. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for an exception hereunder. The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling

agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller's forecast of electricity prices in such region, employing input data from sources readily available to the Office of the Interconnection and the Market Monitoring Unit. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer.

(iii) A Sell Offer evaluated hereunder shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the minimum offer level prescribed by subsection (4), based on competitive cost advantages relative to the costs estimated for subsection (4), including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than estimated for subsection (4). Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of an exception hereunder by the Office of the Interconnection.

(iv) the determination required under this subsection shall be provided to the Capacity Market Seller in writing by the Office of the Interconnection no later than 45 days after receipt of the request. The Market Monitoring Unit shall first review the information and documentation in support of the request and shall provide its findings in accordance with the standards and criteria hereunder in writing simultaneously to the Capacity Market Seller and the Office of the Interconnection no later than 30 days after receipt of such request. If the findings of the Market Monitoring Unit are adverse to the Capacity Market Seller, such Capacity Market Seller may request, through written notice within 5 days of its receipt of the Market Monitoring Unit's findings, review by the Office of the Interconnection, provided, however, that the Office of the Interconnection as Tariff administrator may elect to review any Market Monitoring Unit determination hereunder on its own initiative.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export (“Export Reserved Capacity”) multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$$

$$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$$

Where:

“Export Path Import” means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

5.14A Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015

A. *This Transition Provision applies only with respect to Demand Resources cleared in the Base Residual Auction for any or all of the 2012/2013, 2013/2014, or 2014/2015 Delivery Years (hereafter, “Transition Delivery Years” and each a “Transition Delivery Year”) by a Curtailment Service Provider as an aggregator of end-use customers registered for the Emergency Load Response Program as Full Program Option or Capacity Only Option. A Curtailment Service Provider meeting the description of the preceding sentence is hereafter in this Section 5.14A referred to as a “Qualified DR Provider.”*

B. *In the event that a Qualified DR Provider concludes that its cleared Demand Resource for a Transition Delivery Year is not viable under the revised Reporting and Compliance provisions of the Emergency Load Response Program which became effective on November 7, 2011, pursuant to the Commission’s order issued on November 4, 2011, in Docket No. ER11-3322-000 (137 FERC ¶ 61,108), the Qualified DR Provider must so inform PJM in writing by no later than 30 days prior to the next Incremental Auction for the Transition Delivery Year for which the identified Demand Resource was cleared. A Qualified DR Provider that does not timely provide the notice described in this paragraph shall be excluded from application of the remainder of this Transition Provision.*

1. *In the event a Qualified DR Provider that participates in an Incremental Auction after providing notice pursuant to paragraph B. above purchases Capacity Resources to replace its previously cleared Demand Resource at a price that exceeds the price at which the provider’s Demand Resource cleared in the Base Residual Auction for the same Transition Delivery Year, the Qualified DR Provider shall receive a DR Capacity Transition Credit in an amount determined by the following:*

$$DRTC = (IAP - BRP) * DRMW$$

Where:

DRTC is the amount of the DR Capacity Transition Credit for the Qualified DR Provider, expressed in dollars;

IAP = the Capacity Resource Clearing Price paid by the Qualified DR

Provider for replacement Capacity Resources in the Incremental Auction for the relevant Transition Delivery Year;

BRP = the Capacity Resource Clearing Price at which the Qualified DR Provider's Demand Resource cleared in the Base Residual Auction for the same Transition Delivery Year; and

DRMW = the capacity in MW of the Qualified DR Provider's previously cleared Demand Resource.

2. *All DR Capacity Transition Credits will be paid monthly to the recipient Qualified DR Providers by PJMSettlement during the relevant Transition Delivery Year.*
3. *The cost of payments of DR Capacity Transition Credits to Qualified DR Providers shall be included in the Locational Reliability Charge collected by PJMSettlement during the relevant Transition Delivery Year from Load-Serving Entities in the LDA(s) for which the Qualified DR Provider's subject Demand Resource was cleared.*

C. *A Qualified DR Provider may seek compensation related to its previously cleared Demand Resource for a particular Transition Delivery Year, in lieu of any DR Capacity Transition Credits for which it otherwise might be eligible under paragraph B.1. above, under the following conditions:*

1. *The Qualified DR Provider must provide timely notice to PJM in accordance with paragraph B of this Transition Provision, and*
2. *The Qualified DR Provider must demonstrate to PJM's reasonable satisfaction, not later than 60 days prior to the start of the applicable Transition Delivery Year, that*
 - a. *the Qualified DR Provider entered into contractual arrangements on or before April 7, 2011, with one or more end-use customers registered for the Emergency Load Response Program as Full Program Option or Capacity Only Option,*
 - b. *under which the Qualified DR Provider is unavoidably obligated to pay to such end-use customers during the relevant Transition Delivery Year*
 - c. *an aggregate amount that exceeds the amount for the same Transition Delivery Year which equals:*

(i) the amount to which the Qualified DR Provider was entitled for its Demand Resource at the applicable clearing price in the Base Residual Auction, plus

(ii) any monetary gains the Qualified DR Provider realizes from purchases of Capacity Resources in Incremental Auctions for the same Transition Delivery

Year to replace resources (including, but not limited to, any Demand Resource which is the subject of a notice by the Qualified DR Provider to PJM pursuant to paragraph B above) that the Qualified DR Provider cleared in the applicable Base Residual Auction,

(iii) where “monetary gains” for the purpose of clause (ii) shall be any positive difference between (A) the aggregate amount the Qualified DR Provider is entitled to receive in payment for any Demand Resource it cleared in the Base Residual Auction, and (B) the aggregate amount the provider is obligated to pay for capacity resources it purchased in the applicable Incremental Auctions to replace any Demand Resource the provider cleared in the Base Residual Auction.

D. A Qualified DR Provider which demonstrates satisfaction of the conditions of paragraph C of this Transition Provision shall be entitled to an Alternative DR Transition Credit equal to the amount described in paragraph C.2.c. above. Any Alternative DR Transition Credit provided in accordance with this paragraph shall be paid and collected by PJM Settlement in the same manner as described in paragraphs B.2. and B.3. of this Transition Provision, provided, however, that each Qualified DR Provider receiving an Alternative DR Transition Credit shall submit to PJM within 15 days following the end of each month of the relevant Transition Delivery Year a report providing the calculation described in paragraph C.2.c. above, using actual amounts paid and received through the end of month just ended. The DR Provider’s Alternative DR Transition Credit shall be adjusted as necessary (including, if required, in the month following the final month of the Transition Delivery Year) to ensure that the total credit paid to the Qualified DR Provider for the Transition Delivery Year will equal, but shall not exceed, the amount described in paragraph C.2.c. above, calculated using the actual amounts paid and received by the Qualified DR Provider.

**Sections of the
PJM Open Access Transmission Tariff
Clean Version**

2. DEFINITIONS

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

2.1A Annual Demand Resource

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.1B Annual Resource

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

2.1C Annual Resource Price Adder

“Annual Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

2.1D Annual Revenue Rate

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a Demand Resource Provider or ILR Provider under section 11.

2.2 Avoidable Cost Rate

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.3 Base Load Generation Resource

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

2.4 Base Offer Segment

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer Segments of such Market Sellers shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

2.5 Base Residual Auction

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

2.6 Buy Bid

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

2.7 Capacity Credit

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

2.8 Capacity Emergency Transfer Limit

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

2.9 Capacity Emergency Transfer Objective

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

2.9A Capacity Export Transmission Customer

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

2.10 Capacity Market Buyer

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

2.11 Capacity Market Seller

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

2.12 Capacity Resource

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.13 Capacity Resource Clearing Price

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

2.14 Capacity Transfer Right

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

2.14A Conditional Incremental Auction

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

2.15 CONE Area

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

2.16 Cost of New Entry

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

2.16A Credit-Limited Offer

“Credit-Limited Offer” shall have the meaning provided in Attachment Q to this Tariff.

2.17 Daily Deficiency Rate

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

2.18 Daily Unforced Capacity Obligation

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.19 Delivery Year

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

2.20 Demand Resource

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.21 Demand Resource Factor

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

2.22 Demand Resource Provider

“Demand Resource Provider” shall mean a PJM Member that has the capability to reduce load, or that aggregates customers capable of reducing load. The Demand Resource Provider shall notify the Office of the Interconnection whether such load reduction is provided by a Limited Demand Resource, Extended Summer Demand Resource or an Annual Demand Resource. A Curtailment Service Provider, as defined in the Operating Agreement, may be a Demand Resource Provider, provided it qualifies its load reduction capability as a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource.

2.23 EFORD

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24 Energy Efficiency Resource

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

2.24A Extended Summer Demand Resource

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.24B Extended Summer Resource Price Adder

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

2.24C Extended Summer Demand Resource Reliability Target

“Extended Summer Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement. As more fully set forth in the PJM Manuals, PJM calculates the Extended Summer DR Reliability Target, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The Extended Summer Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.25 [Reserved]

2.26 Final RTO Unforced Capacity Obligation

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

2.26A Final Zonal ILR Price

“Final Zonal ILR Price” shall mean the Adjusted Zonal Capacity Price after the Second Incremental Auction, less the amount paid in CTR credits per MW of load in the Zone in which the ILR is to be certified.

2.27 First Incremental Auction

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

2.28 Forecast Pool Requirement

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

2.29 Forecast RTO ILR Obligation

“Forecast RTO ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the PJM Region times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in the PJM Region, for use in Delivery Years through May 31, 2012.

2.30 Forecast Zonal ILR Obligation

“Forecast Zonal ILR Obligation” shall mean, in unforced capacity terms, the ILR Forecast for the Zone times the DR Factor, times the Forecast Pool Requirement, less the Unforced Capacity of all Demand Resources committed in FRR Capacity Plans by all FRR Entities in such Zone, for use in Delivery Years through May 31, 2012.

2.31 Generation Capacity Resource

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.32 ILR Forecast

“ILR Forecast” shall mean, for any Delivery Year ending on or before May 31, 2012, the average annual megawatt quantity of ILR certified for the five Planning Periods preceding the date of the forecast; provided, however, that before such data becomes available for five Delivery Years under the Reliability Pricing Model, comparable data on Active Load Management (as defined in the preexisting reliability assurance agreements) from up to five prior Planning Periods shall be substituted as necessary; and provided further that, for transmission zones that were integrated into the PJM Region less than five years prior to the conduct of the Base Residual Auction for the Delivery Year, data on incremental load subject to mandatory interruption by Electric Distribution Companies within such zones shall be substituted as necessary.

2.33 ILR Provider

“ILR Provider” shall mean a Member that has the capability to reduce load, or that aggregates customers capable of reducing load. A Curtailment Service Provider, as such term is defined in the PJM Operating Agreement, may be an ILR Provider, provided it obtains certification of its load reduction capability as ILR.

2.34 Incremental Auction

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

2.35 Incremental Capacity Transfer Right

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

2.36 Interruptible Load for Reliability (ILR)

“Interruptible Load for Reliability” or “ILR” shall have the meaning specified in the Reliability Assurance Agreement.

2.36A Limited Demand Resource

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.36B Limited Demand Resource Reliability Target

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement for the PJM Region or such LDA.

As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; and ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result. Second, PJM adopts the lower result from these two tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

2.37 Load Serving Entity (LSE)

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

2.38 Locational Deliverability Area (LDA)

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

2.39 Locational Deliverability Area Reliability Requirement

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction for the Zones comprising such Locational Deliverability Area for such Delivery Year.

2.40 Locational Price Adder

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

2.41 Locational Reliability Charge

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

2.41A Locational UCAP

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

2.41B Locational UCAP Seller

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

2.41C Market Seller Offer Cap

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section II.E of Attachment M - Appendix.

2.41D Minimum Annual Resource Requirement

“Minimum Annual Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Annual Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Extended Summer Demand Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Extended Summer Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.41E Minimum Extended Summer Resource Requirement

“Minimum Extended Summer Resource Requirement” shall mean the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual

Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

2.42 Net Cost of New Entry

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

2.43 Nominated Demand Resource Value

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

2.43A Nominated Energy Efficiency Value

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

2.44 Nominated ILR Value

“Nominated ILR Value” shall mean the amount of load reduction that an ILR resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For ILR, the maximum Nominated ILR Capacity Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the ILR is certified.

2.45 Opportunity Cost

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.46 Peak-Hour Dispatch

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is committed in the Day-Ahead Energy Market in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average day-ahead LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be committed independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be committed for such block; and to the extent not committed in any such block in the Day-Ahead Energy Market under the above conditions based on Day-Ahead LMPs, is dispatched in the Real-Time Energy Market for such block if the Real-Time LMP is greater than or equal to the cost to generate under the same conditions as described above for the Day-Ahead Energy Market.

2.47 Peak Season

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

2.48 Percentage Internal Resources Required

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

2.49 Planned Demand Resource

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50 Planned External Generation Capacity Resource

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.50A Planned Generation Capacity Resource

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

2.51 Planning Period

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

2.52 PJM Region

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

2.53 PJM Region Installed Reserve Margin

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

2.54 PJM Region Peak Load Forecast

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

2.55 PJM Region Reliability Requirement

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction (as applicable) for such Delivery Year.

2.56 Projected PJM Market Revenues

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

2.57 Qualifying Transmission Upgrade

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

2.58 Reference Resource

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology in CONE Areas 1, 2, 3, and 4, dual fuel capability, and a heat rate of 10.096 Mmbtu/ MWh.

2.59 Reliability Assurance Agreement

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

2.60 Reliability Pricing Model Auction

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

2.61 Resource Substitution Charge

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

2.61A Scheduled Incremental Auctions

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

2.62 Second Incremental Auction

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

2.63 Sell Offer

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

2.64 [Reserved for Future Use]

2.65 Self-Supply

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

2.65A Short-Term Resource Procurement Target

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

2.65B Short-Term Resource Procurement Target Applicable Share

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

2.66 Third Incremental Auction

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

2.67 Transition Adder

“Transition Adder” shall mean a component of a Sell Offer permitted for certain Capacity Market Sellers for the Transition Period, as set forth in section 17.

2.68 Transition Period

“Transition Period” shall mean the four-year period consisting of the Delivery Years commencing June 1, 2007, June 1, 2008, June 1, 2009, and June 1, 2010.

2.69 Unforced Capacity

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

2.69A Updated VRR Curve

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant

Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

2.69B Updated VRR Curve Increment

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.69C Updated VRR Curve Decrement

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

2.70 Variable Resource Requirement Curve

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

2.71 Zonal Capacity Price

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

5.10 Auction Clearing Requirements

The Office of the Interconnection shall clear each Base Residual Auction and Incremental Auction for a Delivery Year in accordance with the following:

a) Variable Resource Requirement Curve

The Office of the Interconnection shall determine Variable Resource Requirement Curves for the PJM Region and for such Locational Deliverability Areas as determined appropriate in accordance with subsection (a)(iii) for such Delivery Year to establish the level of Capacity Resources that will provide an acceptable level of reliability consistent with the Reliability Principles and Standards. It is recognized that the variable resource requirement reflected in the Variable Resource Requirement Curve can result in an optimized auction clearing in which the level of Capacity Resources committed for a Delivery Year exceeds the PJM Region Reliability Requirement (less the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter) or Locational Deliverability Area Reliability Requirement (less the Forecast Zonal ILR Obligation for Delivery Years through May 31, 2012, or less the Short-Term Resource Procurement Target for Delivery Years thereafter for the Zones associated with such LDA) for such Delivery Year. For any auction, the Updated Forecast Peak Load, and Short-Term Resource Procurement Target applicable to such auction, shall be used, and Price Responsive Demand from any applicable approved PRD Plan, including any associated PRD Reservation Prices, shall be reflected in the derivation of the Variable Resource Requirement Curves, in accordance with the methodology specified in the PJM Manuals.

i) Methodology to Establish the Variable Resource Requirement Curve

Prior to the Base Residual Auction, in accordance with the schedule in the PJM Manuals, the Office of the Interconnection shall establish the Variable Resource Requirement Curve for the PJM Region as follows:

- Each Variable Resource Requirement Curve shall be plotted on a graph on which Unforced Capacity is on the x-axis and price is on the y-axis;
- The Variable Resource Requirement Curve for the PJM Region shall be plotted by first combining (i) a horizontal line from the y-axis to point (1), (ii) a straight line connecting points (1) and (2), (iii) a straight line connecting points (2) and (3), and (iv) a vertical line from point (3) to the x-axis, where:
 - For point (1), price equals: {the greater of [the Cost of New Entry] or [1.5 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)]} divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus the approved PJM Region Installed Reserve Margin (“IRM”)% minus

3%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

- For point (2), price equals: (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset) divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 1%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter; and
- For point (3), price equals [0.2 times (the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset)] divided by (one minus the pool-wide average EFORD) and Unforced Capacity equals: [the PJM Region Reliability Requirement multiplied by (100% plus IRM% plus 5%) divided by (100% plus IRM%)] minus the Forecast RTO ILR Obligation for Delivery Years through May 31, 2012 or less the Short-Term Resource Procurement Target for Delivery Years thereafter;

ii) For any Delivery Year, the Office of the Interconnection shall establish a separate Variable Resource Requirement Curve for each LDA for which:

- A. the Capacity Emergency Transfer Limit is less than 1.15 times the Capacity Emergency Transfer Objective, as determined by the Office of the Interconnection in accordance with NERC and Applicable Regional Reliability Council guidelines; or
- B. such LDA had a Locational Price Adder in any one or more of the three immediately preceding Base Residual Auctions; or
- C. such LDA is determined in a preliminary analysis by the Office of the Interconnection to be likely to have a Locational Price Adder, based on historic offer price levels; provided however that for the Base Residual Auction conducted for the Delivery Year commencing on June 1, 2012, the EMAAC, SWMAAC and MAAC LDAs shall employ separate Variable Resource Requirement Curves regardless of the outcome of the above three tests; and provided further that the Office of the Interconnection may establish a separate Variable Resource Requirement Curve for an LDA not otherwise qualifying under the above three tests if it finds that such is required to achieve an acceptable level of reliability consistent with the Reliability Principles and Standards, in which case the Office of the Interconnection shall post such finding, such LDA, and such

Variable Resource Requirement Curve on its internet site no later than the March 31 last preceding the Base Residual Auction for such Delivery Year. The same process as set forth in subsection (a)(i) shall be used to establish the Variable Resource Requirement Curve for any such LDA, except that the Locational Deliverability Area Reliability Requirement for such LDA shall be substituted for the PJM Region Reliability Requirement and the LDA Short-Term Resource Procurement Target shall be substituted for the PJM Region Short-Term Resource Procurement Target. For purposes of calculating the Capacity Emergency Transfer Limit under this section, all generation resources located in the PJM Region that are, or that qualify to become, Capacity Resources, shall be modeled at their full capacity rating, regardless of the amount of capacity cleared from such resource for the immediately preceding Delivery Year.

iii) Procedure for ongoing review of Variable Resource Requirement Curve shape.

Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall perform a review of the shape of the Variable Resource Requirement Curve, as established by the requirements of the foregoing subsection. Such analysis shall be based on simulation of market conditions to quantify the ability of the market to invest in new Capacity Resources and to meet the applicable reliability requirements on a probabilistic basis. Based on the results of such review, PJM shall prepare a recommendation to either modify or retain the existing Variable Resource Requirement Curve shape. The Office of the Interconnection shall post the recommendation and shall review the recommendation through the stakeholder process to solicit stakeholder input. If a modification of the Variable Resource Requirement Curve shape is recommended, the following process shall be followed:

- A) If the Office of the Interconnection determines that the Variable Resource Requirement Curve shape should be modified, Staff of the Office of the Interconnection shall propose a new Variable Resource Requirement Curve shape on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- B) The PJM Members shall review the proposed modification to the Variable Resource Requirement Curve shape.
- C) The PJM Members shall either vote to endorse the proposed modification, to propose alternate modifications or to recommend no modification by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

- D) The PJM Board of Managers shall consider a proposed modification to the Variable Resource Requirement Curve shape, and the Office of the Interconnection shall file any approved modified Variable Resource Requirement Curve shape with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

iv) Cost of New Entry

- A) For the Delivery Year commencing on June 1, 2012, and continuing thereafter unless and until changed pursuant to subsection (B) below, the Cost of New Entry for the PJM Region shall be \$112,868 per MW-year. The Cost of New Entry for each LDA shall be determined based upon the Transmission Owner zones that comprise such LDA, as provided in the table below. If an LDA combines transmission zones with differing Cost of New Entry values, the lowest such value shall be used.

Geographic Location Within the PJM Region Encompassing These Zones	Cost of New Entry in \$/MW-Year
PS, JCP&L, AE, PECO, DPL, RECO (“CONE Area 1”)	134,000
BGE, PEPSCO (“CONE Area 2”)	123,700
AEP, Dayton, ComEd, APS, DQL, ATSI, DEOK (“CONE Area 3”)	123,500
PPL, MetEd, Penelec (“CONE Area 4”)	130,100
Dominion (“CONE Area 5”)	111,000

- B) Beginning with the 2013-2014 Delivery Year, the CONE shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in accordance with the following:

(1) The Applicable H-W Index for any Delivery Year shall be the most recently published twelve-month change, at the time CONE values are required to be posted for the Base Residual Auction for such Delivery Year, in the Total Other Production Plant Index shown in the Handy-Whitman Index of Public Utility Construction Costs for the North Atlantic Region for purposes of CONE Areas 1, 2, and 4, for the North Central Region for purposes of CONE Area 3, and for the South Atlantic Region for purposes of CONE Area 5.

(2) The CONE in a CONE Area shall be adjusted prior to the Base Residual Auction for each Delivery Year by applying the Applicable H-W Index for such CONE Area to the Benchmark CONE for such CONE Area.

(3) The Benchmark CONE for a CONE Area shall be the CONE used for such CONE Area in the Base Residual Auction for the prior Delivery Year.

(4) Notwithstanding the foregoing, CONE values for any CONE Area for any Delivery Year shall be subject to amendment pursuant to appropriate filings with FERC under the Federal Power Act, including, without limitation, any filings resulting from the process described in section 5.10(a)(vii)(C) or any filing to establish new or revised CONE Areas.

v) Net Energy and Ancillary Services Revenue Offset

A) The Office of the Interconnection shall determine the Net Energy and Ancillary Services Revenue Offset each year for the PJM Region as (A) the annual average of the revenues that would have been received by the Reference Resource from the PJM energy markets during a period of three consecutive calendar years preceding the time of the determination, based on (1) the heat rate and other characteristics of such Reference Resource; (2) fuel prices reported during such period at an appropriate pricing point for the PJM Region with a fuel transmission adder appropriate for such region, as set forth in the PJM Manuals, assumed variable operation and maintenance expenses for such resource of \$6.47 per MWh, and actual PJM hourly average Locational Marginal Prices recorded in the PJM Region during such period; and (3) an assumption that the Reference Resource would be dispatched for both the Day-Ahead and Real-Time Energy Markets on a Peak-Hour Dispatch basis; plus (B) ancillary service revenues of \$2,199 per MW-year.

B) The Office of the Interconnection also shall determine a Net Energy and Ancillary Service Revenue Offset each year for each sub-region of the PJM Region for which the Cost of New Entry is determined as identified above, using the same procedures and methods as set forth in the previous subsection; provided, however, that: (1) the average hourly LMPs for the Zone in which the Reference Resource was assumed to be installed for purposes of the CONE estimate (as specified in the PJM Manuals) shall be used in place of the PJM Region average hourly LMPs; (2) if such sub-region was not integrated into the PJM Region for the entire applicable period, then the offset shall be calculated using only those whole calendar years during which the sub-region was integrated; and (3) a posted fuel pricing point in such sub-region, if available, and (if such pricing point is not available) a fuel

transmission adder appropriate to each assumed Cost of New Entry location from an appropriate PJM Region pricing point shall be used for each such sub-region.

vi) Adjustment to Net Energy and Ancillary Services Revenue Offset

Beginning with the Base Residual Auction scheduled for May 2010, the Net Energy and Ancillary Services Revenue Offset for a CONE Area shall be adjusted following any Delivery Year during which Scarcity Pricing was effective in such CONE Area pursuant to the Scarcity Pricing provisions of section 6A of Schedule 1 to the PJM Operating Agreement. Following each Delivery Year, the Scarcity Pricing revenues the Reference Resource in each CONE Area would have received during such Delivery Year shall be calculated based on the assumed heat rate and other characteristics of the Reference Resource, assumed Peak-Hour Dispatch, and the actual locational marginal prices and actual fuel prices during the Delivery Year for the applicable location, which shall be the transmission zone in which such resource was assumed to be installed for purposes of the estimate of CONE applicable to such CONE Area. The Scarcity Pricing revenues so determined shall be subtracted from the Net CONE otherwise calculated for such CONE Area for use in the Base Residual Auction next occurring after the Delivery Year in which Scarcity Pricing was effective in such CONE Area.

vii) Process for Establishing Parameters of Variable Resource Requirement Curve

- A) The parameters of the Variable Resource Requirement Curve will be established prior to the conduct of the Base Residual Auction for a Delivery Year and will be used for such Base Residual Auction.
- B) The Office of the Interconnection shall determine the PJM Region Reliability Requirement and the Locational Deliverability Area Reliability Requirement for each Locational Deliverability Area for which a Variable Resource Requirement Curve has been established for such Base Residual Auction on or before February 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values will be applied, in accordance with the Reliability Assurance Agreement.
- C) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the calculation of the Cost of New Entry for each CONE Area.
 - 1) If the Office of the Interconnection determines that the Cost of New Entry values should be modified, the Staff of the Office of the Interconnection shall propose new Cost of New Entry values on or before September 1, prior to the

conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

- 2) The PJM Members shall review the proposed values.
 - 3) The PJM Members shall either vote to endorse the proposed values or propose alternate values by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
 - 4) The PJM Board of Managers shall consider Cost of New Entry values, and the Office of the Interconnection shall file any approved modified Cost of New Entry values with the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.
- D) Beginning no later than for the Delivery Year that commences June 1, 2015, and continuing no later than for every third Delivery Year thereafter, the Office of the Interconnection shall review the methodology set forth in this Attachment for determining the Net Energy and Ancillary Services Revenue Offset for the PJM Region and for each Zone.
- 1) If the Office of the Interconnection determines that the Net Energy and Ancillary Services Revenue Offset methodology should be modified, Staff of the Office of the Interconnection shall propose a new Net Energy and Ancillary Services Revenue Offset methodology on or before September 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.
 - 2) The PJM Members shall review the proposed methodology.
 - 3) The PJM Members shall either vote to endorse the proposed methodology or propose an alternate methodology by October 31, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new methodology would be applied.
 - 4) The PJM Board of Managers shall consider the Net Revenue Offset methodology, and the Office of the Interconnection shall file any approved modified Net Energy and Ancillary Services Revenue Offset values with

the FERC by December 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

b) Locational Requirements

The Office of Interconnection shall establish locational requirements prior to the Base Residual Auction to quantify the amount of Unforced Capacity that must be committed in each Locational Deliverability Area, in accordance with the PJM Reliability Assurance Agreement.

c) Minimum Annual Resource Requirements

Prior to the Base Residual Auction and each Incremental Auction for each Delivery Year, beginning with the Delivery Year that starts on June 1, 2014, the Office of the Interconnection shall establish the Minimum Annual Resource Requirement and the Minimum Extended Summer Resource Requirement for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year.

d) Preliminary PJM Region Peak Load Forecast for the Delivery Year

The Office of the Interconnection shall establish the Preliminary PJM Region Load Forecast for the Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the Base Residual Auction for such Delivery Year.

e) Updated PJM Region Peak Load Forecasts for Incremental Auctions

The Office of the Interconnection shall establish the updated PJM Region Peak Load Forecast for a Delivery Year in accordance with the PJM Manuals by February 1, prior to the conduct of the First, Second, and Third Incremental Auction for such Delivery Year.

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the sum of the following: (1) the marginal value of system capacity for the PJM Region, without considering locational constraints, (2) the Locational Price Adder, if any in such LDA, (3) the Annual Resource Price Adder, if any, and (4) the Extended Summer Resource Price Adder, if any, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole Payments required in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource;

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE divided by (one minus the pool-wide average EFORD); and

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with sections 5.12(a) and 5.14(a).
- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b); or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in section 5.12(a) of this Attachment, and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) that is entitled to compensation pursuant to section 5.14(b) of this Attachment; and

- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with Section 5.14(b). Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in Section 5.14(a).

6. The failure to submit a Sell Offer consistent with Section 5.14(c)(i)-(iii) in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Section 5.10(a)(ii) of this Attachment.

8. On or before August 1, 2012, PJM shall file with FERC under FPA section 205, as determined necessary by PJM following a stakeholder process, tariff changes to establish a long-term auction process as a not unduly discriminatory means to provide adequate long-term revenue assurances to support new entry, as a supplement to or replacement of this New Entry Price Adjustment.

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under section 5.15, as set forth in that section. PJM Settlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets *and other adjustments* as described in sections 5.13, 5.14A, and 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; 3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located; and 4) an adjustment, if required, to account for Resource Make-Whole Payments, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); and (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity). The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall, through May 31, 2012, calculate and post the Final Zonal Capacity Price after all ILR resources are certified for the Delivery Years and, thereafter, shall calculate and post such price after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted (for the Delivery Years through May 31, 2012) to reflect the certified ILR compared to the ILR Forecast previously used for such

Delivery Year, and any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction. For such purpose, for the three consecutive Delivery Years ending May 31, 2012 only, the Forecast ILR allocated to loads located in the AEP transmission zone that are served under the Reliability Pricing Model shall be in proportion for each such year to the load ratio share of such RPM loads compared to the total peak loads of such zone for such year; and any remaining ILR Forecast that otherwise would be allocated to such loads shall be allocated to all Zones in the PJM Region pro rata based on their Preliminary Zonal Peak Load Forecasts.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain Planned Generation Capacity Resources

(1) For purposes of this section, the Net Asset Class Costs of New Entry shall be asset-class estimates of competitive, cost-based nominal levelized Cost of New Entry, net of energy and ancillary service revenues. Determination of the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be consistent with the methodology used to determine the Cost of New Entry set forth in Section 5.10(a)(iv)(A) of this Attachment. The gross Cost of New Entry component of Net Asset Class Cost of New Entry shall be, for purposes of the Delivery Year commencing on June 1, 2014, the values indicated in the table below for each CONE Area for a combustion turbine generator (“CT”) and a combined cycle generator (“CC”), respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(2) below. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3) below. Notwithstanding the foregoing, the Net Asset Class Cost of New Entry shall be zero for: (i) Sell Offers based on nuclear, coal or Integrated Gasification Combined Cycle facilities; or (ii) Sell Offers based on hydroelectric, wind, or solar facilities.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4	CONE Area 5
CT \$/MW-yr	134,000	123,7000	123,500	130,100	111,000
CC \$/MW-yr	168,200	147,600	162,200	161,800	143,800

(2) Beginning with the Delivery Year that begins on June 1, 2015, the Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs based on changes in the Applicable H-W Index, in the same manner as set forth for the cost of new entry in section 5.10(a)(iv)(B), provided, however, that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

(3) For purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by section 5.10(a)(v)(A) of this Attachment DD, provided that the energy revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.722 MMBtu/Mwh, the variable operations and maintenance expenses for such resource shall be \$3.23 per MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the CC resource continuously during the full peak-hour period, as described in section 2.46, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary service revenues shall be \$3198 per MW-year.

(4) *Any Sell Offer that is based on*

(i) a Planned Generation Capacity Resource located in the PJM Region that is submitted in an RPM Auction for a Delivery Year unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM auction for that or any subsequent Delivery Year; or

(ii) a Planned External Generation Capacity Resource that requires sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region, for the first Delivery Year in which such resource qualifies as a Planned External Generation Capacity Resource, or submitted in any RPM Auction for that or any subsequent Delivery Year until an offer based on that resource first clears an RPM Auction,

in any LDA for which a separate VRR Curve is established for use in the Base Residual Auction for the Delivery Year relevant to the RPM Auction in which such offer is submitted, and that is less than 90 percent of the applicable Net Asset Class Cost of New Entry or, if there is no applicable Net Asset Class Cost of New Entry, less than 70 percent of the Net Asset Class Cost of New Entry for a combustion turbine generator as provided in subsection (h)(1) above shall be set to equal 90 percent of the applicable Net Asset Class Cost of New Entry (or set equal to 70 percent of such cost for a combustion turbine, where there is no otherwise applicable net asset class figure), unless the Capacity Market Seller obtains the prior determination from the Office of the Interconnection described in subsection (5) hereof. This provision applies to Sell Offers submitted in Incremental Auctions conducted after December 19, 2011, provided that the Net Asset Class Cost of New Entry values for any such Incremental Auctions for the 2012-13 or 2013-14 Delivery Years shall be the Net Asset Class Cost of New Entry values posted by the Office of the Interconnection for the Base Residual Auction for the 2014-15 Delivery Year.

(5) A Sell Offer meeting the criteria in subsection (4) shall be permitted and shall not be re-set to the price level specified in that subsection if the Capacity Market Seller

obtains a determination from the Office of the Interconnection prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets . The following process and requirements shall apply to requests for such determinations:

(i) The Capacity Market Seller may request such a determination at any time, but no later than 60 days prior to the auction in which it seeks to submit its Sell Offer, by submitting simultaneously to the Office of the Interconnection and the Market Monitoring Unit a request with full documentation as described below and in the PJM Manuals. A Capacity Market Seller may request such a determination before the minimum offer level specified in subsection (4) is established for the relevant Delivery Year, based on the minimum offer level established for the prior Delivery Year or other reasonable estimate of the minimum offer level expected for the relevant Delivery Year. In such event, if the minimum offer level subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the planned generation resource, as well as estimates of offsetting net revenues. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction–period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for an exception hereunder. The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well defined models that include fully

documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller's forecast of electricity prices in such region, employing input data from sources readily available to the Office of the Interconnection and the Market Monitoring Unit. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer.

(iii) A Sell Offer evaluated hereunder shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the minimum offer level prescribed by subsection (4), based on competitive cost advantages relative to the costs estimated for subsection (4), including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than estimated for subsection (4). Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of an exception hereunder by the Office of the Interconnection.

(iv) the determination required under this subsection shall be provided to the Capacity Market Seller in writing by the Office of the Interconnection no later than 45 days after receipt of the request. The Market Monitoring Unit shall first review the information and documentation in support of the request and shall provide its findings in accordance with the standards and criteria hereunder in writing simultaneously to the Capacity Market Seller and the Office of the Interconnection no later than 30 days after receipt of such request. If the findings of the Market Monitoring Unit are adverse to the Capacity Market Seller, such Capacity Market Seller may request, through written notice within 5 days of its receipt of the Market Monitoring Unit's findings, review by the Office of the Interconnection, provided, however, that the Office of the Interconnection as Tariff administrator may elect to review any Market Monitoring Unit determination hereunder on its own initiative.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export (“Export Reserved Capacity”) multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$$

$$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$$

Where:

“Export Path Import” means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If

more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

5.14A Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015

A. *This Transition Provision applies only with respect to Demand Resources cleared in the Base Residual Auction for any or all of the 2012/2013, 2013/2014, or 2014/2015 Delivery Years (hereafter, “Transition Delivery Years” and each a “Transition Delivery Year”) by a Curtailment Service Provider as an aggregator of end-use customers registered for the Emergency Load Response Program as Full Program Option or Capacity Only Option. A Curtailment Service Provider meeting the description of the preceding sentence is hereafter in this Section 5.14A referred to as a “Qualified DR Provider.”*

B. *In the event that a Qualified DR Provider concludes that its cleared Demand Resource for a Transition Delivery Year is not viable under the revised Reporting and Compliance provisions of the Emergency Load Response Program which became effective on November 7, 2011, pursuant to the Commission’s order issued on November 4, 2011, in Docket No. ER11-3322-000 (137 FERC ¶ 61,108), the Qualified DR Provider must so inform PJM in writing by no later than 30 days prior to the next Incremental Auction for the Transition Delivery Year for which the identified Demand Resource was cleared. A Qualified DR Provider that does not timely provide the notice described in this paragraph shall be excluded from application of the remainder of this Transition Provision.*

1. *In the event a Qualified DR Provider that participates in an Incremental Auction after providing notice pursuant to paragraph B. above purchases Capacity Resources to replace its previously cleared Demand Resource at a price that exceeds the price at which the provider’s Demand Resource cleared in the Base Residual Auction for the same Transition Delivery Year, the Qualified DR Provider shall receive a DR Capacity Transition Credit in an amount determined by the following:*

$$DRTC = (IAP - BRP) * DRMW$$

Where:

DRTC is the amount of the DR Capacity Transition Credit for the Qualified DR Provider, expressed in dollars;

IAP = the Capacity Resource Clearing Price paid by the Qualified DR Provider for replacement Capacity Resources in the Incremental Auction for the relevant Transition Delivery Year;

BRP = the Capacity Resource Clearing Price at which the Qualified DR Provider’s Demand Resource cleared in the Base Residual Auction for the same Transition Delivery Year; and

DRMW = the capacity in MW of the Qualified DR Provider's previously cleared Demand Resource.

- 2. All DR Capacity Transition Credits will be paid monthly to the recipient Qualified DR Providers by PJMSettlement during the relevant Transition Delivery Year.*
- 3. The cost of payments of DR Capacity Transition Credits to Qualified DR Providers shall be included in the Locational Reliability Charge collected by PJMSettlement during the relevant Transition Delivery Year from Load-Serving Entities in the LDA(s) for which the Qualified DR Provider's subject Demand Resource was cleared.*

C. A Qualified DR Provider may seek compensation related to its previously cleared Demand Resource for a particular Transition Delivery Year, in lieu of any DR Capacity Transition Credits for which it otherwise might be eligible under paragraph B.1. above, under the following conditions:

- 1. The Qualified DR Provider must provide timely notice to PJM in accordance with paragraph B of this Transition Provision, and*
- 2. The Qualified DR Provider must demonstrate to PJM's reasonable satisfaction, not later than 60 days prior to the start of the applicable Transition Delivery Year, that*
 - a. the Qualified DR Provider entered into contractual arrangements on or before April 7, 2011, with one or more end-use customers registered for the Emergency Load Response Program as Full Program Option or Capacity Only Option,*
 - b. under which the Qualified DR Provider is unavoidably obligated to pay to such end-use customers during the relevant Transition Delivery Year*
 - c. an aggregate amount that exceeds the amount for the same Transition Delivery Year which equals:*
 - (i) the amount to which the Qualified DR Provider was entitled for its Demand Resource at the applicable clearing price in the Base Residual Auction, plus*
 - (ii) any monetary gains the Qualified DR Provider realizes from purchases of Capacity Resources in Incremental Auctions for the same Transition Delivery Year to replace resources (including, but not limited to, any Demand Resource which is the subject of a notice by the Qualified DR Provider to PJM pursuant to paragraph B above) that the Qualified DR Provider cleared in the applicable Base Residual Auction,*
 - (iii) where "monetary gains" for the purpose of clause (ii) shall be any*

positive difference between (A) the aggregate amount the Qualified DR Provider is entitled to receive in payment for any Demand Resource it cleared in the Base Residual Auction, and (B) the aggregate amount the provider is obligated to pay for capacity resources it purchased in the applicable Incremental Auctions to replace any Demand Resource the provider cleared in the Base Residual Auction.

D. A Qualified DR Provider which demonstrates satisfaction of the conditions of paragraph C of this Transition Provision shall be entitled to an Alternative DR Transition Credit equal to the amount described in paragraph C.2.c. above. Any Alternative DR Transition Credit provided in accordance with this paragraph shall be paid and collected by PJM Settlement in the same manner as described in paragraphs B.2. and B.3. of this Transition Provision, provided, however, that each Qualified DR Provider receiving an Alternative DR Transition Credit shall submit to PJM within 15 days following the end of each month of the relevant Transition Delivery Year a report providing the calculation described in paragraph C.2.c. above, using actual amounts paid and received through the end of month just ended. The DR Provider's Alternative DR Transition Credit shall be adjusted as necessary (including, if required, in the month following the final month of the Transition Delivery Year) to ensure that the total credit paid to the Qualified DR Provider for the Transition Delivery Year will equal, but shall not exceed, the amount described in paragraph C.2.c. above, calculated using the actual amounts paid and received by the Qualified DR Provider.