955 Jefferson Avenue
Valley Forge Corporate Center
Norristown, PA 19403-2497

Jacqulynn Hugee
Assistant General Counsel - Markets
Telephone 610.666.8208 | Facsimile 610.666.8211
hugeej@pjm.com

July 18, 2012

Honorable Kimberly D. Bose, Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, D.C. 20426-0001

Re: PJM Interconnection, L.L.C., Docket Nos. ER12-2262-000
Compliance Filing Per Commission's April 19, 2012 Order

Dear Secretary Bose:

PJM Interconnection, L.L.C. ("PJM") hereby submits revisions to the Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. ("Operating Agreement") and PJM's Open Access Transmission Tariff ("Tariff") in accordance with the Federal Energy Regulatory Commission's ("Commission") Order on Compliance Filing issued on April 19, 2012[1] in Docket No. ER09-1064-004 (hereinafter, this "July Compliance Filing"). PJM also submits numerous additional revisions to correct, clarify and/or make consistent certain provisions of the Tariff and Operating Agreement, most of which are non-substantive, clerical and ministerial.

The Operating Agreement and Tariff revisions that PJM originally submitted in its original compliance filing to address the shortage pricing requirements established by the Commission in Order No. 719[2] in Docket No. ER09-1063-004 on June 18, 2010 ("June 2010 Filing") were incorporated into PJM's eTariff as pending language in a

[1] *PJM Interconnection, L.L.C.*, 139 FERC ¶ 61,057 (2012) ("April Order").

[2] *Wholesale Competition in Regions with Organized Electric Markets*, Order No. 719, 73 Fed. Reg. 64,100 (Oct. 28, 2008), FERC Stats. & Regs. ¶ 31,281, at P 165, *et seq.* (2008), *order on reh'g*, Order No. 719-A, FERC Stats. & Reg. ¶ 31,292 (2009), FERC Stats. & Regs. ¶ 31,292 (2009), *order on reh'g*, Order No. 719-B, 129 FERC ¶ 61,252 (2009).

separate filing in Docket No. ER12-1204-000 that was accepted by the Commission on May 17, 2012.[3] Therefore, the revisions reflected in the sections included with this filing are revisions to the provisions originally filed by PJM in its June 2010 Filing.

PJM requests that the Commission issue its order accepting the proposed revisions by no later than September 17, 2012, sixty-one (61) days from the date of this filing, with an effective date of October 1, 2012.

I. Background

On June 18, 2010, PJM submitted its June 2010 Filing to address the shortage pricing requirements established by the Commission in Order No. 719. In response to numerous protests and comments filed by certain intervenors regarding the June 2010 Filing, on August 23, 2010, PJM filed an Answer to Comments and Motion for Leave to Answer and Answer to Protests ("PJM Answer").

In the April Order, the Commission accepted the June 2010 Filing and the proposed Operating Agreement and Tariff revisions, subject to various conditions and an additional compliance filing within 90 days of the April Order. Generally, the Commission directed PJM to revise the Tariff and Operating Agreement to:

1. clarify the operation of the shortage pricing rules during emergency actions,[4]

2. describe the methods by which PJM will monitor primary reserves and the notification processes that will be followed to alert the market that a primary reserve shortage is expected,[5]

3. explain how non-synchronized reserve credits will be awarded to demand response resources,[6]

[3] *PJM Interconnection, L.L.C.*, 139 FERC ¶ 61,130 (2012).

[4] April Order at PP 8, 62, 83-84.

[5] *Id.* at PP 8, 100.

4. identify the system conditions that will justify or support the creation of additional sub-zones in the synchronized reserves market,[7]

5. remove the $1,000/MWh Day-ahead Energy Market offer cap on capacity demand resources,[8]

6. incorporate the business rules allowing emergency demand response, emergency purchases, and generation from emergency segments of on-line generations to set the market clearing price during emergencies,[9]

7. include provisions requiring that (i) all on-line non-emergency generation resources providing energy are to be considered available to provide Tier 1 and Tier 2 synchronized reserves; and (ii) all other non-emergency generation capacity resources are to submit offers for either Tier 2 synchronized reserves or non-synchronized reserves, as applicable to the capacity resources' eligibility, following the issuance of warnings that indicate upcoming shortage conditions,[10] and,

8. include language from PJM's business rules addressing the occurrence of false positive shortage events, and the monitoring of system conditions to avoid transient conditions that may cause false positive shortage events.[11] [12]

The Commission further directed that PJM notify stakeholders, the public, and the Commission when any additional sub-zone needs to be created, by posting a notification on the PJM website within 10 days after redefining or including an additional

---

[6] *Id.* at PP 8, 101.

[7] *Id.* at PP 8, 102.

[8] *Id.* at P 8, pt.5 and PP 128-31.

[9] *Id.* at P 8, pt.6.

[10] *Id.* at P 8, pt.7 and P 205.

[11] *Id.* at P 8, pt.9 and P 199.

[12] PJM notes that in the April Order at P 8, pt.8, the Commission indicated that it would require PJM to include in the Tariff and Operating Agreement language addressing the recallability of capacity resources during an emergency, but that later in the April Order at Paragraph 240 the Commission indicated that: "we will not require OATT provisions for recallability." PJM has not proposed to revise its Tariff or Operating Agreement to include language addressing the recallability of capacity resources during an emergency because PJM assumes the directive in Paragraph 8, pt.8 is an inadvertent error since in Paragraph 240 the Commission specifically addresses the IMM's arguments regarding this issue and concludes after the detailed discussion therein that it would not require that the Tariff or Operating Agreement be revised to include provisions for recallability.

sub-zone;[13] PJM submit, for informational purposes, a status report within 60 days of the occurrence of a false positive or actual operating reserve shortage;[14] PJM's independent market monitor ("IMM") closely monitor market behavior during periods of shortage; the IMM include a review of false positives or actual operating reserve shortage events; and the IMM address the operation of PJM's shortage pricing mechanism (reserve penalty levels, the operating reserve demand curve, and energy prices during the occurrence of shortage conditions), as part of its quarterly reporting requirement and in its annual state of the market report.[15]

As explained in detail below, PJM is revising its Operating Agreement and Tariff to satisfy each of these compliance requirements.

II. Proposed Revisions

In this July Compliance Filing, PJM proposes the following additional revisions to the Operating Agreement and Tariff consistent with the Commission's directives contained in the April Order.

A. Clarification of Shortage Pricing Rules During Emergency Actions.

1. Commission Directive

In the April Order, the Commission accepted PJM's shortage pricing proposal, subject to conditions, many of which required PJM to submit additional clarifying language addressing the operation of its shortage pricing rules during emergency

[13] April Order at P 102.

[14] *Id.* at page 83, order point C.

[15] *Id.* at P 8, n.7.

actions and/or incorporate business rules from the PJM Manuals into the Tariff and Operating Agreement.[16] The Commission therefore directed PJM to:

- "submit additional clarifying tariff language addressing the operation of its shortage pricing rules during emergency actions;"[17]
- "include in its compliance filing, clarifying OATT and Operating Agreement language addressing exactly how its emergency actions will correspond to the institution of the reserve penalty factors;"[18]
- "incorporate, in its tariff, the warnings and actions indicating a shortage that will trigger implementation of the penalty factors;"[19] and,
- "modify its shortage pricing proposal to . . . incorporate, in its tariff, its business rules allowing emergency demand response, emergency purchases, and generation from emergency segments of on-line generators to set the market clearing price during emergencies."[20]

The Commission accepted PJM's proposal to incorporate Non-synchronized Reserves into the five-minute dispatch, subject to PJM codifying in the Tariff and Operating Agreement "its ability to monitor all primary reserves and notify market participants that the system is approaching a primary reserve shortage."[21] The Commission recognized that PJM's business rules set forth in PJM Manuals 12 and 13 describe the circumstances that will trigger an operating reserve shortage and the implementation of its Reserve Penalty Factors.[22] Nevertheless, the Commission directed PJM to revise its Tariff to incorporate these business rules.[23]

---

[16] *Id.* at P 8.

[17] *Id.* at P 62.

[18] *Id.* at P 84.

[19] *Id.* at P 84.

[20] *Id.* at P 8, pt. 6.

[21] *Id.* at P 105.

[22] *Id.* at P 105.

[23] *Id.* at P 105.

Additionally, the Commission noted the value of providing day-ahead, advance notice to market participants of expected real-time market shortage conditions to "encourage buyers with lower-valued uses to reduce their consumption"[24] and make additional resources "available to provide operating reserves, thereby reducing the reserve shortage and improving reliability." [25] Therefore, the Commission directed PJM to incorporate into the Tariff "language that incorporates the day-ahead emergency procedures discussed in Manual 13 that may cause expectations of shortage conditions in real-time."[26]

2. PJM Response

To address the concerns identified in the April Order, PJM has incorporated new Sections 2.5(c) and (d) of Attachment K-Appendix of the Tariff and the identical, parallel provisions of Schedule 1 of the Operating Agreement,[27] to clarify how and when shortage pricing will be implemented during emergency actions, how its emergency actions will correspond when the Reserve Penalty Factors are instituted, and to specify the day-ahead and real-time warnings and actions that will signal to market participants an impending shortage event that will trigger implementation of the Reserve Penalty Factors. To the extent the provisions of PJM Manuals 12 and/or 13 differ from the proposed Tariff revisions submitted in this filing, PJM will revise the manuals so they are consistent with the Tariff provisions.

[24] *Id.* at P 126.

[25] *Id.* at P 127.

[26] *Id.* at P 127.

[27] The referenced provisions are found in Attachment K - Appendix of the Tariff and the identical, parallel provisions of Schedule 1 of the Operating Agreement. All further references in this transmittal letter to referenced sections in Schedule 1 and Attachment K – Appendix shall only be made to the Tariff provisions, without reference to the parallel Operating Agreement provisions.

PJM is also incorporating the following definition of Reserve Sub-Zone into Section 1.38C.01 of the Tariff and Section 1.40.01 of the Operating Agreement - “any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.” PJM proposes to incorporate this new defined term into the Tariff to give it the flexibility it needs to implement shortage pricing in only the geographic area in which shortage conditions occur. In other words, without the incorporation of the Reserve Sub-zone provisions, PJM may be required at some time in the future to implement shortage pricing in an area larger than is necessary in response to the shortage conditions, i.e. the Reserve Zone, when it can address its reliability concerns by implementing shortage pricing in a smaller geographic area, i.e. Reserve Sub-zone. In addition, PJM needs to be able to model smaller regions than a Reserve Zone that may require separate, local reserve requirements for things like transmission outages that limit deliverability to an area with a large unit, for example. PJM does not expect that the creation of Reserve Sub-zones would be done with short notice, as PJM would be need to have the ability to monitor reserve quantities in the new Sub-zone as of the time it is created. The duration for which the Reserve Sub-zone is utilized though, will be as long as is necessary to address the identified reliability concern that requires the monitoring and maintenance of reserves in a specific area within the PJM Region. PJM expects to provide further detail in the relevant PJM Manuals regarding the conditions when Reserve Sub-zones will be implemented after further discussions with stakeholders regarding the same.

With respect to the directive to incorporate into the Tariff business rules allowing emergency demand response to set the market clearing price during emergencies,[28] PJM has revised Section 2.2(b) of Attachment K-Appendix of the Tariff to specify that the prices at which demand reductions are offered by Emergency Load Response Participants are included in the calculation of Locational Marginal Prices ("LMP") along with the offer prices of other types of resources. Consistent with the compliance requirement to make clear that emergency demand response can set the market clearing price during emergencies, PJM also deleted language in Section 2.2(b) which stated that economic load response in the Real-time Energy Market could not set LMP unless directly metered to PJM and which required "sufficient data" to be available in order for certain emergency load response to set LMP. [29]

Additionally, Sections 3.2.3A(d) and 3.2.3A.001(c) of Attachment K-Appendix of the Tariff, which concern the calculation of the Synchronized Reserves Market Clearing Price and Non-Synchronized Reserves Market Clearing Price, currently take into consideration the marginal cost of procuring energy in the calculation of LMP. Because all generation resources and all Load Response resources can set the market clearing price for energy during emergencies and otherwise, PJM concluded that the currently

[28] April Order at P 8, pt. 6.

[29] PJM notes that while its initial proposed revisions in this matter were pending before the Commission, PJM submitted various Tariff and Operating Agreement changes in Docket No. ER11-4106-000 required to implement the requirements of the Commission's Order No. 745. The Order No. 745 revisions included additional details concerning how load response may set the market clearing price. *See PJM Interconnection, L.L.C.* Docket No. ER11-4106-000 (Order No. 745 compliance filings submitted on July 22, 2011 and March 14, 2012). The Commission has largely accepted PJM's Order No. 745 compliance Tariff and Operating Agreement changes, effective as of April 1, 2012; however, PJM is still required to make certain revisions in certain areas. *See PJM Interconnection, L.L.C.*, 137 FERC ¶61,216 (Order on Compliance Filing, December 2011) and 139 FERC ¶61,256 (Order on Rehearing and Compliance, June 2012). *See also Demand Response Compensation in Organized Wholesale Energy Markets*, Order No. 745, III FERC Stats. & Regs., Regs. Preambles, ¶31,322 ("Order No. 745"), *order on reh'g*, Order No. 745-A, 137 FERC ¶61,215 (2011, *order denying rehearing*, Order No. 745-B, 138 FERC ¶61,148 (2012).

existing provisions of the referenced sections did not need to be revised to specifically call out the ability of emergency purchases and generation from emergency segments of on-line generators to set the market clearing price during emergencies. Therefore, while PJM has not incorporated any new provisions setting forth the rules regarding how emergency purchases and generation from emergency segments of on-line generators set the market clearing price during emergencies, the Tariff is consistent with the Commission's directive nonetheless.

PJM is also proposing further clarifications to Section 2.5(b) to change a reference from "Non-Synchronized Reserves" to "Primary Reserves requirements" because the requirement PJM needs to meet is a Primary Reserve requirement, which can be met with some combination of both Synchronized Reserves and Non-Synchronized Reserves. Typically PJM will assign the minimum required amount of Synchronized Reserves and allow the remainder of the Primary Reserve requirement to be met with Non-Synchronized Reserve because Non-Synchronized Reserve is the least expensive of the two products and therefore results in the minimum cost to load. However, this is not required to be the case. In other words, if committing more than the minimum amount of Synchronized Reserve and therefore a lesser amount of Non-Synchronized Reserve to meet the total Primary Reserve requirement is the least-cost solution (when committing additional Synchronized Reserve avoids incurring the Primary Reserve Penalty Factor cost), then PJM will do so. Therefore, there is no specific, required quantity of Non-Synchronized Reserves because the Non-Synchronized Reserve that PJM is required to maintain is the difference between the

assigned amount of Synchronized Reserve and the total requirement for Primary Reserve.

PJM also made additional non-substantive clarifications to change "dispatch algorithm" to "security constrained economic dispatch algorithm" in Section 2.5(a) and change "deficient reserve product" to "deficient reserve requirement" in Section 2.5(b). PJM also deleted the former Section 2.5(c) to avoid confusion because the calculation of LMP for a Reserve Zone when PJM has initiated a voltage reduction action or manual load dump action in that Reserve Zone, which is outlined therein, is already addressed in Section 2.5(b).

B. False Positive Shortage Events.

1. Commission Directive

The Commission noted the concern expressed by several intervenors that PJM's Tariff and Operating Agreement did not provide for a "clear mechanism that would identify and prevent false positives from being incorporated in PJM's shortage pricing algorithm" and that "PJM's pricing proposal also exposes market participants to risks attributable to false positive shortage events and gaming opportunities."[30] The Commission agreed with these intervenors and directed PJM to revise the Tariff to address the occurrence of false positive shortage events given their rate implications.[31] The Commission also required that PJM submit an informational status report of false positive or actual operating reserve shortage events to the Commission within 60 days of the occurrence.[32]

[30] April Order at P 196.

[31] *Id.* at P 199.

[32] *Id.* at page 83, order point C.

2. PJM Response

PJM proposes a new Section 2.2(d) to describe how it intends to use its security-constrained economic dispatch ("SCED") programs to monitor system conditions and identify the potential for shortage conditions and therefore avoid false positive events and prevent price administration through the application of the Reserve Penalty Factors when actual shortage conditions do not materialize. Specifically, PJM will utilize a two-stage process through its SCED programs to ensure that shortage conditions were forecasted ahead of time before allowing shortage pricing to result from the real-time dispatch. This two-stage process will minimize the possibility that the real-time dispatch and pricing algorithms will detect a reserve shortage condition without the longer-term dispatch algorithm first dispatching all available resources to meet both energy and reserve requirements. In this section PJM also provides language indicating that in the event that a software error prevents detection of a reserve shortage condition, PJM operators have the ability to manually include the Reserve Penalty Factors in the dispatch and pricing if their other reserve monitoring tools confirm the existence of an actual reserve shortage. Proposed Section 2.2(e) codifies PJM's false positive and actual operating reserve shortage informational status report requirement.

C. Emergency Resources.

1. Commission Directive

In the April Order, the Commission accepted PJM's proposal to expand the circumstances in which emergency resources are eligible to set the market-clearing price during emergencies, subject to conditions.[33] The Commission also noted that the

[33] *Id.* at P 171.

Tariff generally provides that PJM must first determine that an emergency exists in all or part of the PJM Region before an emergency resource will be dispatched.[34] Nevertheless, the Commission directed PJM to revise its Tariff to incorporate "its business rules and clarifications addressing the dispatch of emergency load response resources."[35] It also required PJM to revise its Tariff to specify "how PJM will dispatch emergency load response resources by offer price to ensure that LMP is accurate and that only marginal demand response resources set price."[36]

Finally, the Commission opined that PJM's proposal was unclear with respect to "the specific circumstances regarding when emergency demand response can set price."[37] Therefore, it directed PJM to revise its Tariff to identify "which emergency demand response resources can set price and under what circumstances."[38]

2. PJM Response

In response to the requirement that PJM revise its Tariff "to detail how PJM will dispatch emergency load response resources by offer price to ensure that LMP is accurate and that only marginal demand response resources set price,"[39] PJM has revised the Emergency Operations section of the PJM Emergency Load Response Program provisions of the Tariff and Operating Agreement to insert the words "dispatch price" as reflected below.

---

[34] *Id.* at P 174.

[35] *Id.* at P 174.

[36] *Id.* at P 175. *See also Id.* at P 186 ("we require PJM to revise its tariff to explain how its emergency demand response dispatch will result in accurate, least-cost pricing").

[37] *Id.* at P 177.

[38] *Id.* at P 177.

[39] *Id.* at P 175. *See also Id.* at P 186 ("we require PJM to revise its tariff to explain how its emergency demand response dispatch will result in accurate, least-cost pricing").

Emergency Operations

. . .

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, dispatch price and/or quantity of load reduction needed.[40]

PJM has not proposed revisions to its Tariff to specifically provide that only marginal demand response resources set price, however. To the extent practicable, PJM will dispatch emergency load response resources based on offer price. However, by definition, emergency load response resources are only dispatched in emergency conditions - when PJM anticipates that it will have to call on all generation capacity resources in an area to operate at their maximum emergency output levels.[41] Accordingly, PJM respectfully believes that it should not be required to dispatch emergency load responses resources simply based on offer price alone. Rather, in

[40] *See* Emergency Operations provisions of the PJM Emergency Load Response Program of Attachment K-Appendix of the Tariff. Since PJM's June 2010 Filing, the Emergency Operations section has been revised to include additional details concerning how PJM will dispatch the resources of Emergency Load Response Program participants. On March 28, 2012, PJM proposed revisions regarding sub-zonal dispatch of demand response resources in Docket No. ER12-1372-000, PJM's initial filing in Docket No. ER12-1372 includes a comprehensive discussion of how PJM dispatches load response resources on a Zonal and/or group (rather than individual resource) basis. On May 31, 2012, the Commission issued an order accepting PJM's filing revisions in Docket No. ER12-1372-000, effective June 1, 2012. *See PJM Interconnection, L.L.C*., 139 FERC ¶ 61,165 (2012). Accordingly, beyond inserting the phrase "dispatch price", PJM has not included in this compliance filing any further revisions to the Emergency Operations provisions concerning the dispatch of emergency demand response resources. For additional background concerning how PJM dispatches load response resources during emergency events, *see also PJM Interconnection, L.L.C.*, Transmittal Letter, Docket No. ER11-2288-000 (December 2, 2010).

[41] If PJM dispatchers still require relief after invoking such resources, the dispatchers will likely have few if any other options to call on generation resources and will need to move to voltage reductions or load dumps.

PJM's view, the dispatch of emergency load response resources must not be based solely on price, but also on availability, location and/or quantity of load reduction needed. This is because PJM dispatches a group of demand response resources by Zone or sub-zone based on expected system conditions when the demand response resources will be needed, including transmission constraints. For this reason, there may be times when the least-cost demand response resources are not selected to be dispatched to ensure the reliability of PJM's bulk power system. In emergency conditions, PJM's dispatchers need to have the flexibility to address reliability concerns in the most effective and timely manner.

In other words, if all things are equal as between different groups of load response resources with respect to the availability of the resources, location and reliability impact of the resources and quantity of load reduction needed, then the least-cost group of load response resources would be dispatched. However, if all things aren't equal as between different groups of load response resources with respect to the availability of the resources, location of the resources and quantity of load reduction needed, then PJM dispatchers will invoke the resources that offer the most assurance of effective relief of the emergency conditions, and such resources may or may not be the least-cost. For example if one group of demand response resources is within the same Reserve Sub-zone for which PJM is trying to address a reliability concern and offered its load reduction at a price of $201/MWh, while the second group of demand response resources are in a Reserve Sub-zone other than the Reserve Sub-zone for which PJM is trying to address a reliability concern and offered its load reduction at a price of $200/MWh, then the $200/MWh least-cost load response resources may not be

dispatched if the slightly higher-cost load response resources provide the most effective and timely solution to the reliability constraint. This is no different than the least-cost, security-constrained economic dispatch that PJM applies to generation resources. PJM cannot always dispatch the least-cost generation resources across the PJM Region. Rather, PJM must dispatch the least-cost set of resources such that transmission limits are not exceeded, and will do the same in emergency conditions with respect to emergency demand response resources.

The revisions that PJM proposed to Section 2 of Attachment K-Appendix to the Tariff generally address the Commission's requirement that PJM revise its Tariff to identify the circumstances under which emergency demand response resources can set price[42] and also addresses and clarifies the dispatch of emergency demand response resources.[43]

As for the requirement to revise the Tariff to identify the emergency demand response resources that can set price, the current provisions of the Emergency Operations section of the PJM Emergency Load Response Program provisions discussed above already specify that Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real-time LMP.

D. Reserve Levels.

1. Commission Directive

In the April Order, the Commission accepted PJM's proposal to implement a Non-Synchronized Reserve Market and the associated proposed reserve levels, subject

[42] *Id.* at P 177.

[43] *Id.* at P 174.

to conditions.[44] The Commission recognized that PJM monitors and maintains both primary reserve requirements and synchronized reserve requirements in real-time operations.[45] However, the Commission believed that the Tariff lacked sufficient detail regarding the monitoring of primary reserves, notification to market participants of a primary reserve shortage, how demand resources that reduce load in response to a Non-Synchronized Reserve Event will be credited, and PJM's dispatch procedures. Accordingly, in the April Order the Commission directed PJM to revise its Tariff to:

- incorporate in its OATT and Operating Agreement the methods by which PJM will monitor these reserves,[46]

- include, in its OATT and Operating Agreement, the notification process that will be followed to alert the market that the system is approaching a primary reserve shortage,[47] and,

- identify, in its OATT and Operating Agreement, the system conditions allowing PJM to redefine or include additional sub-zones in its synchronized reserves market.[48]

Further, the Commission opined "that the incorporation of a non-synchronized reserve product into the five minute co-optimized dispatch for energy and reserves as a penalty factor affects the rates, terms and conditions of jurisdictional transactions. Accordingly, we require PJM, in its compliance filing, to incorporate in its OATT and Operating Agreement provisions pertaining to non-synchronized reserves, including

[44] *Id.* at P 96.

[45] *Id.* at P 96.

[46] *Id.* at P 100.

[47] *Id.* at P 100.

[48] *Id.* at P 102.

provisions addressing: (i) resource eligibility; (ii) offer information; (iii) transactions; and (iv) non-performance penalties."[49]

The Commission also required PJM to explain in its compliance filing "how it will credit demand resources that reduce load in response to a non-synchronized event,"[50] post a notification on its website advising the public when an additional sub-zone needs to be created or an existing sub-zone needs to be redefined within 10 days after redefining or including an additional subzone,[51] and revise the Delivery Years for which the proposed four-year transition period for the application of its Reserve Penalty Factors applies.[52]

2. PJM Response

PJM proposes a new Section 2.5(c) and (d) to describe the methods used to monitor reserves and codify the notification process to be followed to alert market participants when the PJM system is approaching a Primary Reserve shortage, and Section 1.7.19A(b) has been revised to provide further detail regarding when and how PJM intends to redefine Reserve Zones and Reserve Sub-zones in its Synchronized Reserve Market. Similar revisions were made in Section 1.7.19A.01 with respect to redefining Reserve Zones and Reserve Sub-Zones in the Non-Synchronized Reserve Market.

With respect to the directive that PJM explain how credits are provided to demand resources that reduce load in response to a Non-Synchronized Reserve Event

[49] *Id.* at P 100.

[50] *Id.* at P 101.

[51] *Id.* at P 102.

[52] *Id.* at P 8, n 5.

initiated by PJM,[53] PJM hereby advises that since submitting the June 2010 Filing, it has determined that demand response resources won't be permitted to participate as Non-Synchronized Reserve resources since they are always synchronized to the grid prior to being curtailed for a reserve deployment, as previously discussed above. Therefore, such resources will not be credited for response to a Non-Synchronized Reserve Event. However, as explained above, PJM can commit Synchronized Reserve beyond the minimum required amount (and therefore less Non-Synchronized Reserve) if that represents the least-cost solution for meeting the entire Primary Reserve requirement. Therefore, since demand response resources are very low-cost options for providing Synchronized Reserve, if committing additional demand response resources as Synchronized Reserve beyond the Synchronized Reserve requirement avoids committing more expensive resources as Non-Synchronized Reserve in order to fulfill the total Primary Reserve requirement, PJM will do so.

PJM revised Sections 1.3.17B, 1.7.19A.01, 1.7.19A(a), 1.11.4A(b), 1.11.4B and 3.2.3A.001 of Attachment K-Appendix of the Tariff, as well as Schedule 5 of the Tariff, in compliance with the directive to incorporate in its Tariff provisions pertaining to Non-Synchronized Reserves, including provisions addressing: (i) resource eligibility; (ii) offer information; and (iii) transactions.[54] Included in these revisions are clarifications to Sections 1.3.17B, 1.7.19A.01, 1.11.4B and 3.2.3A.001 of Attachment K-Appendix of the Tariff to delete references to demand response resources and load reductions because since PJM submitted its June 2010 Compliance Filing, it has determined that demand response resources cannot provide Non-Synchronized Reserve. PJM came to this

[53] *Id.* at P 101.

[54] *Id.* at P 100.

conclusion because demand response is always synchronized to the grid prior to being curtailed for a reserve deployment. Because it is always synchronized to the grid, by definition it can't be deemed to be Non-Synchronized Reserves which "is provided by equipment that is not electronically synchronized to the Transmission System."[55]

Characterizing demand response as Non-Synchronized Reserve in some cases would not accurately describe the product being provided and would result in classifying demand response as a providing a lower quality product than what it can actually can provide. In PJM's market structure, there are requirements for Primary Reserve and Synchronized Reserve. The Synchronized Reserve requirement must be met with synchronized reserves only – this includes demand response. The remaining reserves needed to meet the Primary Reserve requirement can be either Synchronized Reserves or Non-Synchronized Reserves, whichever is more economic. This market opportunity also includes demand response.

As for incorporating language into the Tariff to address non-performance penalties, PJM is of the view that no language needs to be incorporated into currently approved provisions of Section 3.2.3A.001(h) of Attachment K-Appendix of the Tariff to incorporate a provision for the assessment of a penalty for a non-performing resource because the current language of that section states that "the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred." Therefore, no penalty will be assessed to non-performing resources. Rather, a resource that doesn't respond to a Non-Synchronized Reserve

[55] *See* Definition of Non-Synchronized Reserve, Tariff, Attachment K-Appendix, Section 1.3.17B.

Event will merely forfeit its right to receive payment for any Non-Synchronized Reserves that it didn't actually provide.[56]

E. Removal of $1,000 Offer Cap for Capacity Demand Resources.

1. Commission Directive

In the April Order, the Commission discussed the fact that PJM's proposal only included an offer cap for capacity demand resources. The Commission noted: "the key distinction between capacity demand resources and capacity generation resources is the must-offer requirement in the day-ahead market. PJM offers no explanation as to why given this distinction, the $1,000 bid cap should apply to capacity demand resources."[57] Among other things, the Commission opined that because PJM proposed to allow capacity demand resources "to set real-time price up to $2,700 per MWh in the real-time market and given the prior finding by the Commission regarding the lack of market power for demand resources,[58] allowing these resources to submit offers above $1,000 per MWh in the day-ahead market is helpful to promote convergence between the day-ahead and real-time markets and to signal these resource's desire to reduce energy purchases at prices between $1,000 per MWh and $2,700 per MWh."[59]

---

[56] PJM expects to submit a filing in the near future to incorporate into Section 3.2.3A of Attachment K-Appendix of the Tariff an exemption to the assessment of Synchronized and Non-Synchronized Reserve charges for LSEs that contract for their reserve requirements in a Reserve Zone or Reserve Sub-zone through a Reserve Sharing Group arrangement subject to the requirements in BAL-002. PJM's proposal would adjust the reserve obligations for such LSEs to ensure that they don't have to pay for reserves twice – to PJM and per the terms of the Reserve Sharing Group arrangement. Discussions regarding PJM's proposal are currently underway in the PJM stakeholder process. *See* http://www.pjm.com/~/media/committees-groups/committees/mic/20120711/20120711-item-05-mid-atlantic-dominion-reserve-charges.ashx.

[57] April Order at P 130.

[58] *PJM Interconnection, L.L.C.*, 129 FERC ¶ 61,081, at PP 31 (2009) (RPM Enhancements Order).

[59] April Order at P 131.

Therefore, the Commission directed PJM to "revise its proposed tariff to remove the $1,000 offer cap for capacity demand resources."[60]

2. PJM Response

PJM submits the following revisions to Section 1.10.1A(d) to remove the offer cap for capacity Demand Resources:

> The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region. The foregoing offers:
> . . .
>
> viii) Shall not exceed an energy offer price of $1,000/megawatt-hour for all generation resources, and for all Demand Resources that have not cleared a Base Residual Auction or an Incremental Auction. Demand Resources that are committed as Capacity Resources may submit an energy offer price of no greater than $1,000/megawatt-hour plus the sum of the applicable Reserve Penalty Factors.

F. Must-offer requirement for Synchronized Reserves.

1. Commission Directive

In response to the June 2010 Filing, the IMM and other intervenors contended, among other things, that the lack of a must-offer requirement for the Synchronized

[60] *Id.* at P 131.

Reserve Market, and the ability of resources to apply offer parameters in the Synchronized Reserve Market that are separate from their energy offer parameters, allows for the exercise of market power in the Synchronized Reserve Market. In the PJM Answer, PJM explained why the allegation was false. PJM also stated that it "is not opposed to explicitly deeming all supply resources on-line and providing energy to be available to provide Tier 1 or Tier 2 Synchronized Reserve consistent with PJM's proposed treatment of all off-line resources available to respond within 10 minutes to be available to provide Non-synchronized Reserve."[61] The Commission took PJM up on its offer and therefore directed PJM to revise its Tariff to incorporate "provisions requiring that all on-line non-emergency generation resources providing energy are to be considered available to provide Tier 1 or Tier 2 synchronized reserves."[62] The Commission also directed PJM to "submit provisions requiring all other non-emergency generation capacity resources to submit offers for either Tier 2 synchronized reserves or non-synchronized reserves, as applicable to the capacity resource's eligibility in these markets, following the issuance of warnings that indicate upcoming shortage conditions."[63] The Commission stated that: "These requirements are consistent with the existing obligation for capacity resources to offer energy from all of their capacity to the PJM day-ahead energy market."[64]

2. PJM Response

[61] PJM Answer at 25-26.

[62] April Order at P 205.

[63] *Id.* at P 205.

[64] *Id.* at P 205.

To address the identified concerns, PJM is revising Sections 1.7.19A(a) and 1.7.19A.01(a) of Attachment K-Appendix of the Tariff.

G. Annual Analysis and Reporting Requirement.

1. Commission Directive

In the April Order, the Commission agreed with PJM that incorporating a "circuit breaker" provision proposed by the Pennsylvania Public Utility Commission was not necessary given that Section 9.2(b) of the Tariff gives PJM "discretion to consult with owners of the transmission grid, the ability to respond to emergency circumstances."[65] Nevertheless, the Commission directed PJM to submit an annual report to the PJM stakeholders, starting in April 2013, "that analyzes market participants' response to prices exceeding $1,000/MWh on an annual basis and to review this analysis to determine whether any changes to the synchronized and primary reserve penalty factors are warranted for subsequent delivery years."[66] The Commission further required that PJM include in this compliance filing certain revisions to its Tariff to reflect this reporting requirement.[67]

2. PJM Response

The revisions that PJM originally proposed for Section 3.2.3A(d) and 3.2.3A.001(c) of Attachment K-Appendix of the Tariff already specifically required that, after June 1, 2014, PJM would analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis, provide its analysis to PJM stakeholders, and review its analysis to determine whether changes to the Reserve Penalty Factors

[65] April Order at P 232.

[66] *Id.* at P 232.

[67] *Id.* at P 232.

were warranted for subsequent Delivery Years. Therefore, to comply with this directive PJM is making only the following revision to the referenced sections:

> By no later than April 30 of each year, ~~After June 1, 2014,~~ the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders.

H. Additional Corrections and Clarifications.

While not directed to do so in the April Order, PJM also respectfully requests that the Commission accept several non-substantive clerical revisions to correct spelling and grammatical errors, formatting, and make consistent the provisions of Attachment K-Appendix of the Tariff and Schedule 1 of the Operating Agreement, substantive clarifications and corrections, as well as other ministerial revisions to the sections of the Tariff that are being submitted in response to the directives set forth in the April Order.

The non-substantive, clerical revisions include, among others, changing "Office of Interconnection" to "Office of the Interconnection and changing "Price Responsive Demand load" to "Price Responsive Demand" as necessary.

PJM proposes to correct Section 1.10.1A(m) of Attachment K-Appendix of the Tariff to accurately describe the manner in which Market Sellers participate in the Day-ahead Scheduling Reserves Market. Market Sellers who clear offers in the Day-ahead Energy Market are required to also offer megawatts into the Day-ahead Scheduling Reserves Market as well. However, Market Sellers do not submit offers of megawatts of Day-ahead Scheduling Reserves. Rather, PJM's Day-ahead Energy Market clearing engine calculates the number of megawatts of Day-ahead Scheduling Reserves that each resource is capable of providing in each hour, and those megawatts are

automatically offered for Day-ahead Scheduling Reserves. The referenced Market Sellers do have the ability to submit an offer price for their megawatts that clear the Day-ahead Scheduling Reserves Market. If they don't submit an offer price for their megawatts, the engine will reflect the offer price for the megawatts of $0/MWh. Therefore, PJM proposes to clarify the must-offer requirement provisions of Section 1.10.1A(m) as follows:

> (m) Market Sellers providing~~that wish to make~~ Day-ahead Scheduling Reserves Resources ~~available to sell Day-ahead Scheduling Reserves~~ shall submit ~~offers, each of which must equal or exceed 0.1 megawatts,~~ in the Day-ahead Scheduling Reserves Market ~~specifying~~: 1) a~~the~~ price ~~of the~~ offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). . . .

PJM is also making several other corrections and clarifications to the provisions of the Tariff concerning the calculation of unit-specific opportunity costs for generation resources providing Non-synchronized Reserves.

First, PJM proposes to revise Sections 1.11.4B(b) and 3.2.3A.001(d) of Attachment K-Appendix of the Tariff to clarify that the unit-specific opportunity cost payment referenced therein is only applicable to generation resources that are not providing energy to PJM solely because they are providing Non-synchronized Reserves. In other words, generation resources that are not providing energy to PJM only because they are providing Non-Synchronized Reserves are eligible to receive a payment of unit-specific opportunity costs. On the other hand, generation resources that are off-line because they did not clear in the Day-ahead Energy Market or Real-time Energy Market for a particular day, but are still able to provide Non-Synchronized

Reserves for that day, will not receive a payment of unit-specific opportunity costs. Therefore, PJM proposes to insert the following clarifying language:

> **1.11.4B Non-Synchronized Reserve.**
>
> (b) . . . Estimated unit-specific opportunity costs for generation resources not providing energy because they are providing Non-Synchronized Reserve shall be equal to the product of . . .
>
> **3.2.3A.001 Non-Synchronized Reserve.**
>
> (d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are ~~solely for the purpose of~~ providing Non-Synchronized Reserves shall be equal to the product of . . .

Second, PJM submits corrections to the Sections 1.11.4B(b) and 3.2.3A.001(d) and (e) of Attachment K-Appendix of the Tariff describing how such unit-specific opportunity costs are calculated. The original language of the referenced provisions was patterned after the similar provisions for Synchronized Reserves, but should have been modified slightly to take into consideration the fact that the lost opportunity cost calculation should be different for the two types of products since Synchronized Reserves are provided by on-line resources while Non-Synchronized Reserves are provided by off-line resources. In that regard, the calculation of lost opportunity costs for Non-Synchronized Reserves must represent the lost compensation for not running the resources based on economics when PJM requests that they remain off-line to provide Non-Synchronized Reserves. This equates to the lost opportunity cost being the difference between the LMP revenues for the resource had it been running economically and the resource's offer cost had it been running at this same point.

Further, the parenthetical language "at the megawatt level of the Non-Synchronized Reserve set point for the resource" is being deleted as it was a carry-over from the Synchronized Reserve language where a Tier 2 unit is reduced to provide Synchronized Reserves. In the case of Non-Synchronized Reserves, the units are off-line to provide these reserves and therefore the offer cost is based on where the unit would have been running economically in the energy markets. Therefore, to correct the description of the calculation PJM proposes the following revisions:

1.11.4B Non-Synchronized Reserve.

(b) . . . Estimated unit-specific opportunity costs . . . shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Non-Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. . . .

3.2.3A.001 Non-Synchronized Reserve.

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost . . . shall be equal to the product of (A) the deviation of the ~~set point of the~~ generation resource's output necessary to follow the Office of the Interconnection's signals and instructions ~~that is expected to be required in order to provide Non-Synchronized Reserve~~ from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the absolute value of the difference between~~ the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. . . .

> (e) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource . . . shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the absolute value of the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the generation resource)~~ in the PJM Interchange Energy Market. . . .

PJM also incorporated the standard PJMSettlement counterparty language into Section 1.11.4B(a) to make clear that PJMSettlement is not a contracting party to bilateral transactions between Market Participants or with respect to a self-supply of generation resources by a Market Buyer to satisfy its Non-Synchronized Reserve Obligation.

Also in Section 3.2.3A.001(c), PJM proposes a further correction to correctly reflect how the 5-minute clearing price for Non-Synchronized Reserve will be calculated. As with several other corrections to the Non-Synchronized Reserve provisions originally proposed in the April 2010 Filing, the original language of subsection (c) was patterned after the similar provision for Synchronized Reserves, but should have been modified slightly to take into consideration the differences between the two types of products. The revision proposed is:

> (c) . . .Each 5-minute clearing price shall be calculated as the marginal cost of ~~serving the next increment of demand for Non-Synchronized~~ Reserve ~~procuring~~ sufficient non-synchronized reserves and/or synchronized reserves in each Reserve Zone . . .

Further, PJM proposes to delete the word "expected" from the references to "expected Locational Marginal Price" in Section 3.2.3A(e) and 3.2.3A.001(d) because the referenced calculation is/should be based on actual LMP not forecast LMP.

Finally, in this filing PJM proposes to correct the language in Section 1.11.4A(b) of Attachment K-Appendix of the Tariff to delete the words "the absolute value of" therein. PJM made the same correction to Section 3.2.3A(e) and (f) of Attachment K-Appendix of the Tariff in a filing submitted in Docket No. ER12-636 on December 19, 2011. As PJM explained, the language in Section 3.2.3A(e) and (f) was incorrect to the extent it indicated that the calculation of the appropriate amount of the Synchronized Reserve Market Clearing Price and the credit due to a Generating Market Buyer providing Tier 2 Synch Reserves, calculated real-time opportunity costs by multiplying the reduction in Tier 2 cleared MW by the *absolute value* of the difference between LMP at the generation bus and the offer price for energy from the generation resource as Section 3.2.3A dictates. PJM calculates the real-time opportunity costs by multiplying the reduction in Tier 2 cleared MW by the *positive difference* between LMP and the offer price. The Commission accepted PJM's filing correcting this language in an order issued on February 16, 2012. For the same reasons explained in the filing in Docket No. ER12-636, PJM proposes to correct the description of the appropriate calculation in Section 1.11.4A(b) so that it reads, in relevant part: "Estimated unit specific opportunity costs for generation resources shall be equal to . . . times (B) ~~the absolute value of~~ the difference between the Locational Marginal Price . . ."

III. Stakeholder Review

PJM discussed its proposed Tariff and Operating Agreement revisions that are contained in this July Compliance Filing, and sought stakeholder input regarding the

same, in a Markets Implementation Committee conference call held on June 25, 2012, and at meetings of the Markets Implementation Committee held on May 9, 2012, June 13, 2012 and July 11, 2012.

IV. Effective Date

The effective date of the enclosed revisions is October 1, 2012, which is the first date on which PJM is able to implement the proposed revisions being submitted with this compliance filing. PJM notes that in the Commission accepted PJM's June 2010 Filing, subject to conditions, to become effective as of April 19, 2012.[68] However, the Commission further acknowledged that the software necessary to fully implement the shortage pricing mechanism wouldn't be available for up to six months, and therefore required PJM to notify the Commission within 14 days of the date PJM will implement the new shortage pricing mechanism.[69] Since PJM can't implement its new shortage pricing mechanism until October 1, 2012, making its shortage pricing mechanism effective as of April 19, 2012 would displace the currently effective scarcity pricing procedures PJM would have to utilize if shortage conditions occur prior to October 1, 2012. Therefore, PJM respectfully requests that the enclosed revisions as well as the original revisions set forth in PJM's June 2010 Filing, be considered effective as of October 1, 2012.

V. Description of Submittal

PJM provides with this transmittal letter, in electronic tariff filing format as required by Order No. 714, copies of the relevant Sections of the Operating Agreement and Tariff, in both marked and clean forms.

VI. Correspondence

The following individuals are designated for inclusion on the official service list in this proceeding and for receipt of any communications regarding this filing:

Jacqulynn B. Hugee
Assistant General Counsel
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, Pennsylvania 19403
(610) 666-8208
hugeej@pjm.com

Frederick S. Bresler III
Vice President, Market Operations
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, Pennsylvania 19403
(610) 666-8942
bresler@pjm.com

Craig Glazer
Vice President, Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W, Suite 600
Washington, D.C. 20005
(202) 423-4743
glazec@pjm.com

VII. Service

PJM has served a copy of this filing on all PJM Members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission's regulations,[70] PJM will post a copy of this filing to the FERC Filings section of its Web site, located at http://www.pjm.com/documents/ferc-manuals/ferc-filings.aspx, with a specific link to the newly-filed document, and will send an e-mail on the same date this filing is made to all PJM Members and all state utility regulatory commissions in the PJM Region[71] alerting them of the filing and its availability on PJM's Web site. PJM also serves the parties listed on the Commission's official service list for this docket. Notwithstanding the foregoing, if the document is not

[70] *See* 18C.F.R §§ 35.2(e) and 385.2010(f)(3).

[71] PJM already maintains updates and regularly uses e-mail lists for all PJM members and affected state commissions.

immediately available by using the referenced link, it will be available within 24 hours of the filing. A copy of this filing will also be available on the Commission's eLibrary Web site located at http://www.ferc.gov/docs-filing/elibrary.asp in accordance with the Commission's regulations and Order No. 714.

Respectfully submitted,

Jacqulynn B. Hugee
Assistant General Counsel
PJM Interconnection, L.L.C.
955 Jefferson Avenue
Norristown, Pennsylvania 19403
(610) 666-8208
hugeej@pjm.com

Attachment A

Section(s) of the
PJM Open Access Transmission Tariff
and PJM Operating Agreement

(Marked / Redline Version)

Section(s) of the
PJM Open Access Transmission Tariff

(Marked / Redline Version)

TABLE OF CONTENTS

I. COMMON SERVICE PROVISIONS

1 Definitions
OATT Definitions – A – B
OATT Definitions – C – D
OATT Definitions – E – F
OATT Definitions – G – H
OATT Definitions – I – J – K
OATT Definitions – L – M – N
OATT Definitions – O – P – Q
OATT Definitions – R – S
OATT Definitions - T – U – V
OATT Definitions – W – X – Y - Z
2 Initial Allocation and Renewal Procedures
3 Ancillary Services
3B PJM Administrative Service
3C Mid-Atlantic Area Council Charge
3D Transitional Market Expansion Charge
3E Transmission Enhancement Charges
3F Transmission Losses
4 Open Access Same-Time Information System (OASIS)
5 Local Furnishing Bonds
6 Reciprocity
6A Counterparty
7 Billing and Payment
8 Accounting for a Transmission Owner's Use of the Tariff
9 Regulatory Filings
10 Force Majeure and Indemnification
11 Creditworthiness
12 Dispute Resolution Procedures

II. POINT-TO-POINT TRANSMISSION SERVICE

Preamble
13 Nature of Firm Point-To-Point Transmission Service
14 Nature of Non-Firm Point-To-Point Transmission Service
15 Service Availability
16 Transmission Customer Responsibilities
17 Procedures for Arranging Firm Point-To-Point Transmission Service
18 Procedures for Arranging Non-Firm Point-To-Point Transmission Service
19 Initial Study Procedures For Long-Term Firm Point-To-Point Transmission Service Requests
20 [Reserved]
21 [Reserved]

22 Changes in Service Specifications
23 Sale or Assignment of Transmission Service
24 Metering and Power Factor Correction at Receipt and Delivery Points(s)
25 Compensation for Transmission Service
26 Stranded Cost Recovery
27 Compensation for New Facilities and Redispatch Costs
27A Distribution of Revenues from Non-Firm Point-to-Point Transmission Service

III. NETWORK INTEGRATION TRANSMISSION SERVICE
Preamble
28 Nature of Network Integration Transmission Service
29 Initiating Service
30 Network Resources
31 Designation of Network Load
32 Initial Study Procedures For Network Integration Transmission Service Requests
33 Load Shedding and Curtailments
34 Rates and Charges
35 Operating Arrangements

IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM
Preamble
Subpart A –INTERCONNECTION PROCEDURES
36 Interconnection Requests
37 Additional Procedures
38 Service on Merchant Transmission Facilities
39 Local Furnishing Bonds
40-109 [Reserved]
Subpart B – [Reserved]
Subpart C – [Reserved]
Subpart D – [Reserved]
Subpart E – [Reserved]
Subpart F – [Reserved]
Subpart G – SMALL GENERATION INTERCONNECTION PROCEDURE
Preamble
110 Permanent Capacity Resource Additions Of 20 MW Or Less
111 Permanent Energy Resource Additions Of 20 MW Or Less
112 Temporary Energy Resource Additions Of 20 MW Or Less But Greater Than 2 MW
112A Screens Process for Permanent or Temporary Energy Resources of 2 MW or less
112B Certified Inverter-Based Small Generating Facilities No Larger than 10 kW

V. GENERATION DEACTIVATION

Preamble
113 Notices
114 Deactivation Avoidable Cost Credit
115 Deactivation Avoidable Cost Rate
116 Filing and Updating of Deactivation Avoidable Cost Rate
117 Excess Project Investment Required
118 Refund of Project Investment Reimbursement
118A Recovery of Project Investment
119 Cost of Service Recovery Rate
120 Cost Allocation
121 Performance Standards
122 Black Start Units
123-199 [Reserved]

VI. ADMINISTRATION AND STUDY OF NEW SERVICE REQUESTS; RIGHTS ASSOCIATED WITH CUSTOMER-FUNDED UPGRADES
Preamble
200 Applicability
201 Queue Position
Subpart A – SYSTEM IMPACT STUDIES AND FACILITIES STUDIES FOR NEW SERVICE REQUESTS
202 Coordination with Affected Systems
203 System Impact Study Agreement
204 Tender of System Impact Study Agreement
205 System Impact Study Procedures
206 Facilities Study Agreement
207 Facilities Study Procedures
208 Expedited Procedures for Part II Requests
209 Optional Interconnection Studies
210 Responsibilities of the Transmission Provider and Transmission Owners
Subpart B– AGREEMENTS AND COST REPONSIBILITY FOR CUSTOMER- FUNDED UPGRADES
211 Interim Interconnection Service Agreement
212 Interconnection Service Agreement
213 Upgrade Construction Service Agreement
214 Filing/Reporting of Agreement
215 Transmission Service Agreements
216 Interconnection Requests Designated as Market Solutions
217 Cost Responsibility for Necessary Facilities and Upgrades
218 New Service Requests Involving Affected Systems
219 Inter-queue Allocation of Costs of Transmission Upgrades
220 Advance Construction of Certain Network Upgrades
221 Transmission Owner Construction Obligation for Necessary Facilities And Upgrades
222 Confidentiality

223 Confidential Information
224 – 229 [Reserved]
Subpart C – RIGHTS RELATED TO CUSTOMER-FUNDED UPGRADES
230 Capacity Interconnection Rights
231 Incremental Auction Revenue Rights
232 Transmission Injection Rights and Transmission Withdrawal Rights
233 Incremental Available Transfer Capability Revenue Rights
234 Incremental Capacity Transfer Rights
235 Incremental Deliverability Rights
236 Interconnection Rights for Certain Transmission Interconnections
237 IDR Transfer Agreements

SCHEDULE 1
Scheduling, System Control and Dispatch Service
SCHEDULE 1A
Transmission Owner Scheduling, System Control and Dispatch Service
SCHEDULE 2
Reactive Supply and Voltage Control from Generation Sources Service
SCHEDULE 3
Regulation and Frequency Response Service
SCHEDULE 4
Energy Imbalance Service
SCHEDULE 5
Operating Reserve – Synchronized Reserve Service
SCHEDULE 6
Operating Reserve - Supplemental Reserve Service
SCHEDULE 6A
Black Start Service
SCHEDULE 7
Long-Term Firm and Short-Term Firm Point-To-Point Transmission Service
SCHEDULE 8
Non-Firm Point-To-Point Transmission Service
SCHEDULE 9
PJM Interconnection L.L.C. Administrative Services
SCHEDULE 9-1
Control Area Administration Service
SCHEDULE 9-2
Financial Transmission Rights Administration Service
SCHEDULE 9-3
Market Support Service
SCHEDULE 9-4
Regulation and Frequency Response Administration Service
SCHEDULE 9-5
Capacity Resource and Obligation Management Service
SCHEDULE 9-6

Management Service Cost
SCHEDULE 9-FERC
FERC Annual Charge Recovery
SCHEDULE 9-OPSI
OPSI Funding
SCHEDULE 9-FINCON
Finance Committee Retained Outside Consultant
SCHEDULE 9-MMU
MMU Funding
SCHEDULE 9 – PJM SETTLEMENT
SCHEDULE 10 - [Reserved]
SCHEDULE 10-NERC
North American Electric Reliability Corporation Charge
SCHEDULE 10-RFC
Reliability First Corporation Charge
SCHEDULE 11
Transitional Market Expansion Charge
SCHEDULE 12
Transmission Enhancement Charges
SCHEDULE 12 APPENDIX
SCHEDULE 12-A
SCHEDULE 13
Expansion Cost Recovery Change (ECRC)
SCHEDULE 14
Transmission Service on the Neptune Line
SCHEDULE 14 - Exhibit A
SCHEDULE 15
Non-Retail Behind The Meter Generation Maximum Generation Emergency Obligations
SCHEDULE 16
Transmission Service on the Linden VFT Facility
SCHEDULE 16 Exhibit A
SCHEDULE 16 – A
Transmission Service for Imports on the Linden VFT Facility
ATTACHMENT A
Form of Service Agreement For Firm Point-To-Point Transmission Service
ATTACHMENT A-1
Form of Service Agreement For The Resale, Reassignment or Transfer of Point-to-Point Transmission Service
ATTACHMENT B
Form of Service Agreement For Non-Firm Point-To-Point Transmission Service
ATTACHMENT C
Methodology To Assess Available Transfer Capability
ATTACHMENT C-1
Conversion of Service in the Dominion and Duquesne Zones
ATTACHMENT C-2

Conversion of Service in the Duke Energy Ohio, Inc. and Duke Energy Kentucky, Inc, ("DEOK") Zone

ATTACHMENT D

Methodology for Completing a System Impact Study

ATTACHMENT E

Index of Point-To-Point Transmission Service Customers

ATTACHMENT F

Service Agreement For Network Integration Transmission Service

ATTACHMENT F-1

Form of Umbrella Service Agreement for Network Integration Transmission Service Under State Required Retail Access Programs

ATTACHMENT G

Network Operating Agreement

ATTACHMENT H-1

Annual Transmission Rates -- Atlantic City Electric Company for Network Integration Transmission Service

ATTACHMENT H-1A

Atlantic City Electric Company Formula Rate Appendix A

ATTACHMENT H-1B

Atlantic City Electric Company Formula Rate Implementation Protocols

ATTACHMENT H-2

Annual Transmission Rates -- Baltimore Gas and Electric Company for Network Integration Transmission Service

ATTACHMENT H-2A

Baltimore Gas and Electric Company Formula Rate

ATTACHMENT H-2B

Baltimore Gas and Electric Company Formula Rate Implementation Protocols

ATTACHMENT H-3

Annual Transmission Rates -- Delmarva Power & Light Company for Network Integration Transmission Service

ATTACHMENT H-3A

Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points

ATTACHMENT H-3B

Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points

ATTACHMENT H-3C

Delmarva Power & Light Company Under-Frequency Load Shedding Charge

ATTACHMENT H-3D

Delmarva Power & Light Company Formula Rate – Appendix A

ATTACHMENT H-3E

Delmarva Power & Light Company Formula Rate Implementation Protocols

ATTACHMENT H-3F

Old Dominion Electric Cooperative Formula Rate – Appendix A

ATTACHMENT H-3G

Old Dominion Electric Cooperative Formula Rate Implementation Protocols

ATTACHMENT H-4

Annual Transmission Rates -- Jersey Central Power & Light Company for Network Integration Transmission Service

ATTACHMENT H-5

Annual Transmission Rates -- Metropolitan Edison Company for Network Integration Transmission Service

ATTACHMENT H-5A

Other Supporting Facilities -- Metropolitan Edison Company

ATTACHMENT H-6

Annual Transmission Rates -- Pennsylvania Electric Company for Network Integration Transmission Service

ATTACHMENT H-6A

Other Supporting Facilities Charges -- Pennsylvania Electric Company

ATTACHMENT H-7

Annual Transmission Rates -- PECO Energy Company for Network Integration Transmission Service

ATTACHMENT H-8

Annual Transmission Rates – PPL Group for Network Integration Transmission Service

ATTACHMENT H-8A

Other Supporting Facilities Charges -- PPL Electric Utilities Corporation

ATTACHMENT 8C

UGI Utilities, Inc. Formula Rate – Appendix A

ATTACHMENT 8D

UGI Utilities, Inc. Formula Rate Implementation Protocols

ATTACHMENT 8E

UGI Utilities, Inc. Formula Rate – Appendix A

ATTACHMENT H-8G

Annual Transmission Rates – PPL Electric Utilities Corp.

ATTACHMENT H-8H

Formula Rate Implementation Protocols – PPL Electric Utilities Corp.

ATTACHMENT H-9

Annual Transmission Rates -- Potomac Electric Power Company for Network Integration Transmission Service

ATTACHMENT H-9A

Potomac Electric Power Company Formula Rate – Appendix A

ATTACHMENT H-9B

Potomac Electric Power Company Formula Rate Implementation Protocols

ATTACHMENT H-10

Annual Transmission Rates -- Public Service Electric and Gas Company for Network Integration Transmission Service

ATTACHMENT H-10A

Formula Rate -- Public Service Electric and Gas Company

ATTACHMENT H-10B

Formula Rate Implementation Protocols – Public Service Electric and Gas Company

ATTACHMENT H-11
Annual Transmission Rates -- Allegheny Power for Network Integration Transmission Service
ATTACHMENT 11A
Other Supporting Facilities Charges - Allegheny Power
ATTACHMENT H-12
Annual Transmission Rates -- Rockland Electric Company for Network Integration Transmission Service
ATTACHMENT H-13
Annual Transmission Rates – Commonwealth Edison Company for Network Integration Transmission Service
ATTACHMENT H-13A
Commonwealth Edison Company Formula Rate – Appendix A
ATTACHMENT H-13B
Commonwealth Edison Company Formula Rate Implementation Protocols
ATTACHMENT H-14
Annual Transmission Rates – AEP East Operating Companies for Network Integration Transmission Service
ATTACHMENT H-14A
AEP East Operating Companies Formula Rate Implementation Protocols
ATTACHMENT H-14B Part 1
ATTACHMENT H-14B Part 2
ATTACHMENT H-15
Annual Transmission Rates -- The Dayton Power and Light Company for Network Integration Transmission Service
ATTACHMENT H-16
Annual Transmission Rates -- Virginia Electric and Power Company for Network Integration Transmission Service
ATTACHMENT H-16A
Formula Rate - Virginia Electric and Power Company
ATTACHMENT H-16B
Formula Rate Implementation Protocols - Virginia Electric and Power Company
ATTACHMENT H-16C
Virginia Retail Administrative Fee Credit for Virginia Retail Load Serving Entities in the Dominion Zone
ATTACHMENT H-16D – [Reserved]
ATTACHMENT H-16E – [Reserved]
ATTACHMENT H-16AA
Virginia Electric and Power Company
ATTACHMENT H-17
Annual Transmission Rates -- Duquesne Light Company for Network Integration Transmission Service
ATTACHMENT H-17A
Duquesne Light Company Formula Rate – Appendix A
ATTACHMENT H-17B
Duquesne Light Company Formula Rate Implementation Protocols

ATTACHMENT H-18
Annual Transmission Rates – Trans-Allegheny Interstate Line Company
ATTACHMENT H-18A
Trans-Allegheny Interstate Line Company Formula Rate – Appendix A
ATTACHMENT H-18B
Trans-Allegheny Interstate Line Company Formula Rate Implementation Protocols
ATTACHMENT H-19
Annual Transmission Rates – Potomac-Appalachian Transmission Highline, L.L.C.
ATTACHMENT H-19A
Potomac-Appalachian Transmission Highline, L.L.C. Summary
ATTACHMENT H-19B
Potomac-Appalachian Transmission Highline, L.L.C. Formula Rate Implementation Protocols
ATTACHMENT H-20
Annual Transmission Rates – AEP Transmission Companies (AEPTCo) in the AEP Zone
ATTACHMENT H-20A
AEP Transmission Companies (AEPTCo) in the AEP Zone - Formula Rate Implementation Protocols
ATTACHMENT H-20B
AEP Transmission Companies (AEPTCo) in the AEP Zone – Blank Formula Rate Template
ATTACHMENT H-21
Annual Transmission Rates – American Transmission Systems, Inc. for Network Integration Transmission Service
ATTACHMENT H-21A - ATSI
ATTACHMENT H-21A Appendix A - ATSI
ATTACHMENT H-21A Appendix B - ATSI
ATTACHMENT H-21A Appendix C - ATSI
ATTACHMENT H-21A Appendix C - ATSI [Reserved]
ATTACHMENT H-21A Appendix D – ATSI
ATTACHMENT H-21A Appendix E - ATSI
ATTACHMENT H-21A Appendix F – ATSI [Reserved]
ATTACHMENT H-21A Appendix G - ATSI
ATTACHMENT H-21A Appendix G – ATSI (Credit Adj)
ATTACHMENT H-21B ATSI Protocol
ATTACHMENT H-22
Annual Transmission Rates – DEOK for Network Integration Transmission Service and Point-to-Point Transmission Service
ATTACHMENT H-22A
Duke Energy Ohio and Duke Energy Kentucky (DEOK) Formula Rate Template
ATTACHMENT H-22B
DEOK Formula Rate Implementation Protocols
ATTACHMENT H-A
Annual Transmission Rates -- Non-Zone Network Load for Network Integration Transmission Service

ATTACHMENT I
Index of Network Integration Transmission Service Customers
ATTACHMENT J
PJM Transmission Zones
ATTACHMENT K
Transmission Congestion Charges and Credits
Preface
ATTACHMENT K -- APPENDIX
Preface
1. MARKET OPERATIONS
1.1 Introduction
1.2 Cost-Based Offers
1.2A Transmission Losses
1.3 Definitions
1.4 Market Buyers
1.5 Market Sellers
1.5A Economic Load Response Participant
1.6 Office of the Interconnection
1.6A PJM Settlement
1.7 General
1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
1.9 Prescheduling
1.10 Scheduling
1.11 Dispatch
1.12 Dynamic Scheduling
2. CALCULATION OF LOCATIONAL MARGINAL PRICES
2.1 Introduction
2.2 General
2.3 Determination of Syst~~r~~em Conditions Using the State Estimator
2.4 Determination of Energy Offers Used in Calculating
2.5 Calcu<u>l</u>ation of ~~r~~Real-time Pri~~x~~ces
2.6 Calculation of Day-ahead Prices~~ing~~
2.6A Interface Prices
2.7 Performance Evaluation
3. ACCOUNTING AND BILLING
3.1 Introduction
3.2 Market Buyers
3.3 Market Sellers
3.3A Economic Load Response Participants
3.4 Transmission Customers
3.5 Other Control Areas
3.6 Metering Reconciliation
3.7 Inadvertent Interchange
4. [Reserved For Future Use]
5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES
5.1 Transmission Congestion Charge Calculation

5.2 Transmission Congestion Credit Calculation
5.3 Unscheduled Transmission Service (Loop Flow)
5.4 Transmission Loss Charge Calculation
5.5 Distribution of Total Transmission Loss Charges

6. "MUST-RUN" FOR RELIABILITY GENERATION
6.1 Introduction
6.2 Identification of Facility Outages
6.3 Dispatch for Local Reliability
6.4 Offer Price Caps
6.5 [Reserved]
6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules

6A. ~~SCARCITY PRICING~~[Reserved]
6A.1 ~~Scarcity Conditions~~[Reserved]
6A.2 ~~Scarcity Pricing Regions~~[Reserved]
6A.3 ~~Scarcity Pricing~~[Reserved]

7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS
7.1 Auctions of Financial Transmission Rights
7.1A Long-Term Financial Transmission Rights Auctions
7.2 Financial Transmission Rights Characteristics
7.3 Auction Procedures
7.4 Allocation of Auction Revenues
7.5 Simultaneous Feasibility
7.6 New Stage 1 Resources
7.7 Alternate Stage 1 Resources
7.8 Elective Upgrade Auction Revenue Rights
7.9 Residual Auction Revenue Rights
7.10 Financial Settlement
7.11 PJMSett~~t~~lement as Counterparty

8. INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM
8.1 Introduction
8.2 Identification of Transmission Constraints
8.3 Redispatch Procedures
8.4 Locational Marginal Price
8.5 Generator Compensation
8.6 Settlements
8.7 Effective Date
9. ~~-~~[Reserved]
10. ~~-~~[Reserved]

PJM EMERGENCY LOAD RESPONSE PROGRAM

ATTACHMENT L
List of Transmission Owners

ATTACHMENT M
PJM Market Monitoring Plan

ATTACHMENT M – APPENDIX

PJM Market Monitor Plan Attachment M Appendix
I Confidentiality of Data and Information
II Development of Inputs for Prospective Mitigation
III Black Start Service
IV Deactivation Rates
V Opportunity Cost Calculation
VI FTR Forfeiture Rule
VII Forced Outage Rule
VIII Data Collection and Verification

ATTACHMENT M-1 (FirstEnergy)
Energy Procedure Manual for Determining Supplier Total Hourly Energy Obligation

ATTACHMENT M-2 (First Energy)
Energy Procedure Manual for Determining Supplier Peak Load Share
Procedures for Load Determination

ATTACHMENT M-2 (ComEd)
Determination of Capacity Peak Load Contributions and Network Service Peak Load Contributions

ATTACHMENT M-2 (PSE&G)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers

ATTACHMENT M-2 (Atlantic City Electric Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers

ATTACHMENT M-2 (Delmarva Power & Light Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers

ATTACHMENT M-2 (Delmarva Power & Light Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers

ATTACHMENT N
Form of Generation Interconnection Feasibility Study Agreement

ATTACHMENT N-1
Form of System Impact Study Agreement

ATTACHMENT N-2
Form of Facilities Study Agreement

ATTACHMENT N-3
Form of Optional Interconnection Study Agreement

ATTACHMENT O
Form of Interconnection Service Agreement
1.0 Parties
2.0 Authority
3.0 Customer Facility Specifications
4.0 Effective Date
5.0 Security
6.0 Project Specific Milestones

7.0 Provision of Interconnection Service
8.0 Assumption of Tariff Obligations
9.0 Facilities Study
10.0 Construction of Transmission Owner Interconnection Facilities
11.0 Interconnection Specifications
12.0 Power Factor Requirement
12.0A RTU
13.0 Charges
14.0 Third Party Benefits
15.0 Waiver
16.0 Amendment
17.0 Construction With Other Parts Of The Tariff
18.0 Notices
19.0 Incorporation Of Other Documents
20.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
21.0 Addendum of Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
22.0 Addendum of Interconnection Requirements for a Wind Generation Facility
23.0

Specifications for Interconnection Service Agreement

1.0
2.0 Rights
3.0 Construction Responsibility and Ownership of Interconnection Facilities
4.0
4.1 Attachment Facilities Charge
4.2 Network Upgrades Charge
4.3 Local Upgrades Charge
4.4 Other Charges
4.5 Cost of Merchant Network Upgrades
4.6 Cost breakdown
4.7 Security Amount Breakdown

ATTACHMENT O APPENDIX 1: Definitions

ATTACHMENT O APPENDIX 2: Standard Terms and Conditions for Interconnections

1 Commencement, Term of and Conditions Precedent to Interconnection Service

1.1 Commencement Date
1.2 Conditions Precedent
1.3 Term
1.4 Initial Operation
1.4A Limited Operation
1.5 Survival

2 Interconnection Service

2.1 Scope of Service
2.2 Non-Standard Terms
2.3 No Transmission Services
2.4 Use of Distribution Facilities

2.5 Election by Behind The Meter Generation
3 Modification Of Facilities
3.1 General
3.2 Interconnection Request
3.3 Standards
3.4 Modification Costs
4 Operations
4.1 General
4.2 Operation of Merchant Network Upgrades
4.3 Interconnection Customer Obligations
4.4 [Reserved.]
4.5 Permits and Rights-of-Way
4.6 No Ancillary Services
4.7 Reactive Power
4.8 Under- and Over-Frequency Conditions
4.9 Protection and System Quality
4.10 Access Rights
4.11 Switching and Tagging Rules
4.12 Communications and Data Protocol
4.13 Nuclear Generating Facilities
5 Maintenance
5.1 General
5.2 Maintenance of Merchant Network Upgrades
5.3 Outage Authority and Coordination
5.4 Inspections and Testing
5.5 Right to Observe Testing
5.6 Secondary Systems
5.7 Access Rights
5.8 Observation of Deficiencies
6 Emergency Operations
6.1 Obligations
6.2 Notice
6.3 Immediate Action
6.4 Record-Keeping Obligations
7 Safety
7.1 General
7.2 Environmental Releases
8 Metering
8.1 General
8.2 Standards
8.3 Testing of Metering Equipment
8.4 Metering Data
8.5 Communications
9 Force Majeure
9.1 Notice
9.2 Duration of Force Majeure

9.3 Obligation to Make Payments
10 Charges
10.1 Specified Charges
10.2 FERC Filings
11 Security, Billing And Payments
11.1 Recurring Charges Pursuant to Section 10
11.2 Costs for Transmission Owner Interconnection Facilities and/or Merchant Network Upgrades
11.3 No Waiver
11.4 Interest
12 Assignment
12.1 Assignment with Prior Consent
12.2 Assignment Without Prior Consent
12.3 Successors and Assigns
13 Insurance
13.1 Required Coverages for Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
13.1A Required Coverages for Generation Resources Of 20 Megawatts Or Less
13.2 Additional Insureds
13.3 Other Required Terms
13.3A No Limitation of Liability
13.4 Self-Insurance
13.5 Notices; Certificates of Insurance
13.6 Subcontractor Insurance
13.7 Reporting Incidents
14 Indemnity
14.1 Indemnity
14.2 Indemnity Procedures
14.3 Indemnified Person
14.4 Amount Owing
14.5 Limitation on Damages
14.6 Limitation of Liability in Event of Breach
14.7 Limited Liability in Emergency Conditions
15 Breach, Cure And Default
15.1 Breach
15.2 Continued Operation
15.3 Notice of Breach
15.4 Cure and Default
15.5 Right to Compel Performance
15.6 Remedies Cumulative
16 Termination
16.1 Termination
16.2 Disposition of Facilities Upon Termination
16.3 FERC Approval
16.4 Survival of Rights

17 Confidentiality
17.1 Term
17.2 Scope
17.3 Release of Confidential Information
17.4 Rights
17.5 No Warranties
17.6 Standard of Care
17.7 Order of Disclosure
17.8 Termination of Interconnection Service Agreement
17.9 Remedies
17.10 Disclosure to FERC or its Staff
17.11
17.12
17.13 Return or Destruction of Confidential Information
18 Subcontractors
18.1 Use of Subcontractors
18.2 Responsibility of Principal
18.3 Indemnification by Subcontractors
18.4 Subcontractors Not Beneficiaries
19 Information Access And Audit Rights
19.1 Information Access
19.2 Reporting of Non-Force Majeure Events
19.3 Audit Rights
20 Disputes
20.1 Submission
20.2 Rights Under The Federal Power Act
20.3 Equitable Remedies
21 Notices
21.1 General
21.2 Emergency Notices
21.3 Operational Contacts
22 Miscellaneous
22.1 Regulatory Filing
22.2 Waiver
22.3 Amendments and Rights Under the Federal Power Act
22.4 Binding Effect
22.5 Regulatory Requirements
23 Representations And Warranties
23.1 General
24 Tax Liability
24.1 Safe Harbor Provisions
24.2. Tax Indemnity
24.3 Taxes Other Than Income Taxes
24.4 Income Tax Gross-Up
24.5 Tax Status
ATTACHMENT O - SCHEDULE A

Customer Facility Location/Site Plan
ATTACHMENT O - SCHEDULE B
Single-Line Diagram
ATTACHMENT O - SCHEDULE C
List of Metering Equipment
ATTACHMENT O - SCHEDULE D
Applicable Technical Requirements and Standards
ATTACHMENT O - SCHEDULE E
Schedule of Charges
ATTACHMENT O - SCHEDULE F
Schedule of Non-Standard Terms & Conditions
ATTACHMENT O - SCHEDULE G
Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
ATTACHMENT O - SCHEDULE H
Interconnection Requirements for a Wind Generation Facility
ATTACHMENT O-1
Form of Interim Interconnection Service Agreement
ATTACHMENT P
Form of Interconnection Construction Service Agreement
1.0 Parties
2.0 Authority
3.0 Customer Facility
4.0 Effective Date and Term
4.1 Effective Date
4.2 Term
4.3 Survival
5.0 Construction Responsibility
6.0 [Reserved.]
7.0 Scope of Work
8.0 Schedule of Work
9.0 [Reserved.]
10.0 Notices
11.0 Waiver
12.0 Amendment
13.0 Incorporation Of Other Documents
14.0 Addendum of Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
15.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
16.0 Addendum of Interconnection Requirements for a Wind Generation Facility
17.0
ATTACHMENT P - APPENDIX 1 – DEFINITIONS
ATTACHMENT P - APPENDIX 2 – STANDARD CONSTRUCTION TERMS AND CONDITIONS
Preamble
1 Facilitation by Transmission Provider

2 Construction Obligations
2.1 Interconnection Customer Obligations
2.2 Transmission Owner Interconnection Facilities and Merchant Network Upgrades
2.2A Scope of Applicable Technical Requirements and Standards
2.3 Construction By Interconnection Customer
2.4 Tax Liability
2.5 Safety
2.6 Construction-Related Access Rights
2.7 Coordination Among Constructing Parties
3 Schedule of Work
3.1 Construction by Interconnection Customer
3.2 Construction by Interconnected Transmission Owner
3.2.1 Standard Option
3.2.2 Negotiated Contract Option
3.2.3 Option to Build
3.3 Revisions to Schedule of Work
3.4 Suspension
3.4.1 Costs
3.4.2 Duration of Suspension
3.5 Right to Complete Transmission Owner Interconnection Facilities
3.6 Suspension of Work Upon Default
3.7 Construction Reports
3.8 Inspection and Testing of Completed Facilities
3.9 Energization of Completed Facilities
3.10 Interconnected Transmission Owner's Acceptance of Facilities Constructed by Interconnection Customer
4 Transmission Outages
4.1 Outages; Coordination
5 Land Rights; Transfer of Title
5.1 Grant of Easements and Other Land Rights
5.2 Construction of Facilities on Interconnection Customer Property
5.3 Third Parties
5.4 Documentation
5.5 Transfer of Title to Certain Facilities Constructed By Interconnection Customer
5.6 Liens
6 Warranties
6.1 Interconnection Customer Warranty
6.2 Manufacturer Warranties
7 [Reserved.]
8 [Reserved.]
9 Security, Billing And Payments
9.1 Adjustments to Security
9.2 Invoice

9.3 Final Invoice
9.4 Disputes
9.5 Interest
9.6 No Waiver
10 Assignment
10.1 Assignment with Prior Consent
10.2 Assignment Without Prior Consent
10.3 Successors and Assigns
11 Insurance
11.1 Required Coverages For Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
11.1A Required Coverages For Generation Resources of 20 Megawatts Or Less
11.2 Additional Insureds
11.3 Other Required Terms
11.3A No Limitation of Liability
11.4 Self-Insurance
11.5 Notices; Certificates of Insurance
11.6 Subcontractor Insurance
11.7 Reporting Incidents
12 Indemnity
12.1 Indemnity
12.2 Indemnity Procedures
12.3 Indemnified Person
12.4 Amount Owing
12.5 Limitation on Damages
12.6 Limitation of Liability in Event of Breach
12.7 Limited Liability in Emergency Conditions
13 Breach, Cure And Default
13.1 Breach
13.2 Notice of Breach
13.3 Cure and Default
13.3.1 Cure of Breach
13.4 Right to Compel Performance
13.5 Remedies Cumulative
14 Termination
14.1 Termination
14.2 [Reserved.]
14.3 Cancellation By Interconnection Customer
14.4 Survival of Rights
15 Force Majeure
15.1 Notice
15.2 Duration of Force Majeure
15.3 Obligation to Make Payments
16 Subcontractors
16.1 Use of Subcontractors

16.2 Responsibility of Principal
16.3 Indemnification by Subcontractors
16.4 Subcontractors Not Beneficiaries

17 Confidentiality

17.1 Term
17.2 Scope
17.3 Release of Confidential Information
17.4 Rights
17.5 No Warranties
17.6 Standard of Care
17.7 Order of Disclosure
17.8 Termination of Construction Service Agreement
17.9 Remedies
17.10 Disclosure to FERC or its Staff
17.11
17.12
17.13 Return or Destruction of Confidential Information

18 Information Access And Audit Rights

18.1 Information Access
18.2 Reporting of Non-Force Majeure Events
18.3 Audit Rights

19 Disputes

19.1 Submission
19.2 Rights Under The Federal Power Act
19.3 Equitable Remedies

20 Notices

20.1 General
20.2 Operational Contacts

21 Miscellaneous

21.1 Regulatory Filing
21.2 Waiver
21.3 Amendments and Rights under the Federal Power Act
21.4 Binding Effect
21.5 Regulatory Requirements

22 Representations and Warranties

22.1 General

ATTACHMENT P - SCHEDULE A

Site Plan

ATTACHMENT P - SCHEDULE B

Single-Line Diagram of Interconnection Facilities

ATTACHMENT P - SCHEDULE C

Transmission Owner Interconnection Facilities to be Built by Interconnected Transmission Owner

ATTACHMENT P - SCHEDULE D

Transmission Owner Interconnection Facilities to be Built by Interconnection Customer Pursuant to Option to Build

ATTACHMENT P - SCHEDULE E
Merchant Network Upgrades to be Built by Interconnected Transmission Owner
ATTACHMENT P - SCHEDULE F
Merchant Network Upgrades to be Built by Interconnection Customer Pursuant to Option to Build
ATTACHMENT P - SCHEDULE G
Customer Interconnection Facilities
ATTACHMENT P - SCHEDULE H
Negotiated Contract Option Terms
ATTACHMENT P - SCHEDULE I
Scope of Work
ATTACHMENT P - SCHEDULE J
Schedule of Work
ATTACHMENT P - SCHEDULE K
Applicable Technical Requirements and Standards
ATTACHMENT P - SCHEDULE L
Interconnection Customer's Agreement to Confirm with IRS Safe Harbor Provisions For Non-Taxable Status
ATTACHMENT P - SCHEDULE M
Schedule of Non-Standard Terms and Conditions
ATTACHMENT P - SCHEDULE N
Interconnection Requirements for a Wind Generation Facility
ATTACHMENT Q
PJM Credit Policy
ATTACHMENT R
Lost Revenues Of PJM Transmission Owners And Distribution of Revenues Remitted By MISO, SECA Rates to Collect PJM Transmission Owner Lost Revenues Under Attachment X, And Revenues From PJM Existing Transactions
ATTACHMENT S
Form of Transmission Interconnection Feasibility Study Agreement
ATTACHMENT T
Identification of Merchant Transmission Facilities
ATTACHMENT U
Independent Transmission Companies
ATTACHMENT V
Form of ITC Agreement
ATTACHMENT W
COMMONWEALTH EDISON COMPANY
ATTACHMENT X
Seams Elimination Cost Assignment Charges
NOTICE OF ADOPTION OF NERC TRANSMISSION LOADING RELIEF PROCEDURES
NOTICE OF ADOPTION OF LOCAL TRANSMISSION LOADING REIEF PROCEDURES
SCHEDULE OF PARTIES ADOPTING LOCAL TRANSMISSION LOADING RELIEF PROCEDURES

ATTACHMENT Y

Forms of Screens Process Interconnection Request (For Generation Facilities of 2 MW or less)

ATTACHMENT Z

Certification Codes and Standards

ATTACHMENT AA

Certification of Small Generator Equipment Packages

ATTACHMENT BB

Form of Certified Inverter-Based Generating Facility No Larger Than 10 kW Interconnection Service Agreement

ATTACHMENT CC

Form of Certificate of Completion
(Small Generating Inverter Facility No Larger Than 10 kW)

ATTACHMENT DD

Reliability Pricing Model

ATTACHMENT EE

Form of Upgrade Request

ATTACHMENT FF

Form of Initial Study Agreement

ATTACHMENT GG

Form of Upgrade Construction Service Agreement

Article 1 – Definitions And Other Documents
- 1.0 Defined Terms
- 1.1 Incorporation of Other Documents

Article 2 – Responsibility for Direct Assignment Facilities or Customer-Funded Upgrades
- 2.0 New Service Customer Financial Responsibilities
- 2.1 Obligation to Provide Security
- 2.2 Failure to Provide Security
- 2.3 Costs
- 2.4 Transmission Owner Responsibilities

Article 3 – Rights To Transmission Service
- 3.0 No Transmission Service

Article 4 – Early Termination
- 4.0 Termination by New Service Customer

Article 5 – Rights
- 5.0 Rights
- 5.1 Amount of Rights Granted
- 5.2 Availability of Rights Granted
- 5.3 Credits

Article 6 – Miscellaneous
- 6.0 Notices
- 6.1 Waiver
- 6.2 Amendment
- 6.3 No Partnership
- 6.4 Counterparts

ATTACHMENT GG - APPENDIX I –
SCOPE AND SCHEDULE OF WORK FOR DIRECT ASSIGNMENT FACILITIES OR CUSTOMER-FUNDED UPGRADES TO BE BUILT BY TRANSMISSION OWNER

ATTACHMENT GG - APPENDIX II - DEFINITIONS

1 Definitions

1.1 Affiliate
1.2 Applicable Laws and Regulations
1.3 Applicable Regional Reliability Council
1.4 Applicable Standards
1.5 Breach
1.6 Breaching Party
1.7 Cancellation Costs
1.8 Commission
1.9 Confidential Information
1.10 Constructing Entity
1.11 Control Area
1.12 Costs
1.13 Default
1.14 Delivering Party
1.15 Emergency Condition
1.16 Environmental Laws
1.17 Facilities Study
1.18 Federal Power Act
1.19 FERC
1.20 Firm Point-To-Point
1.21 Force Majeure
1.22 Good Utility Practice
1.23 Governmental Authority
1.24 Hazardous Substances
1.25 Incidental Expenses
1.26 Local Upgrades
1.27 Long-Term Firm Point-To-Point Transmission Service
1.28 MAAC
1.29 MAAC Control Zone
1.30 NERC
1.31 Network Upgrades
1.32 Office of the Interconnection
1.33 Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement
1.34 Part I
1.35 Part II
1.36 Part III
1.37 Part IV
1.38 Part VI
1.39 PJM Interchange Energy Market

1.40 PJM Manuals
1.41 PJM Region
1.42 PJM West Region
1.43 Point(s) of Delivery
1.44 Point(s) of Receipt
1.45 Project Financing
1.46 Project Finance Entity
1.47 Reasonable Efforts
1.48 Receiving Party
1.49 Regional Transmission Expansion Plan
1.50 Schedule and Scope of Work
1.51 Security
1.52 Service Agreement
1.53 State
1.54 Transmission System
1.55 VACAR

ATTACHMENT GG - APPENDIX III – GENERAL TERMS AND CONDITIONS

1.0 Effective Date and Term
1.1 Effective Date
1.2 Term
1.3 Survival
2.0 Facilitation by Transmission Provider
3.0 Construction Obligations
3.1 Direct Assignment Facilities or Customer-Funded Upgrades
3.2 Scope of Applicable Technical Requirements and Standards
4.0 Tax Liability
4.1 New Service Customer Payments Taxable
4.2 Income Tax Gross-Up
4.3 Private Letter Ruling
4.4 Refund
4.5 Contests
4.6 Taxes Other Than Income Taxes
4.7 Tax Status
5.0 Safety
5.1 General
5.2 Environmental Releases
6.0 Schedule Of Work
6.1 Standard Option
6.2 Option to Build
6.3 Revisions to Schedule and Scope of Work
6.4 Suspension
7.0 Suspension of Work Upon Default
7.1 Notification and Correction of Defects
8.0 Transmission Outages
8.1 Outages; Coordination
9.0 Security, Billing and Payments

9.1 Adjustments to Security
9.2 Invoice
9.3 Final Invoice
9.4 Disputes
9.5 Interest
9.6 No Waiver
10.0 Assignment
10.1 Assignment with Prior Consent
10.2 Assignment Without Prior Consent
10.3 Successors and Assigns
11.0 Insurance
11.1 Required Coverages
11.2 Additional Insureds
11.3 Other Required Terms
11.4 No Limitation of Liability
11.5 Self-Insurance
11.6 Notices: Certificates of Insurance
11.7 Subcontractor Insurance
11.8 Reporting Incidents
12.0 Indemnity
12.1 Indemnity
12.2 Indemnity Procedures
12.3 Indemnified Person
12.4 Amount Owing
12.5 Limitation on Damages
12.6 Limitation of Liability in Event of Breach
12.7 Limited Liability in Emergency Conditions
13.0 Breach, Cure And Default
13.1 Breach
13.2 Notice of Breach
13.3 Cure and Default
13.4 Right to Compel Performance
13.5 Remedies Cumulative
14.0 Termination
14.1 Termination
14.2 Cancellation By New Service Customer
14.3 Survival of Rights
14.4 Filing at FERC
15.0 Force Majeure
15.1 Notice
15.2 Duration of Force Majeure
15.3 Obligation to Make Payments
16.0 Confidentiality
16.1 Term
16.2 Scope
16.3 Release of Confidential Information

16.4 Rights
16.5 No Warranties
16.6 Standard of Care
16.7 Order of Disclosure
16.8 Termination of Upgrade Construction Service Agreement
16.9 Remedies
16.10 Disclosure to FERC or its Staff
16.11
16.12
16.13 Return or Destruction of Confidential Information
17.0 Information Access And Audit Rights
17.1 Information Access
17.2 Reporting of Non-Force Majeure Events
17.3 Audit Rights
17.4 Waiver
17.5 Amendments and Rights under the Federal Power Act
17.6 Regulatory Requirements
18.0 Representation and Warranties
18.1 General
19.0 Inspection and Testing of Completed Facilities
19.1 Coordination
19.2 Inspection and Testing
19.3 Review of Inspection and Testing by Transmission Owner
19.4 Notification and Correction of Defects
19.5 Notification of Results
20.0 Energization of Completed Facilities
21.0 Transmission Owner's Acceptance of Facilities Constructed by New Service Customer
22.0 Transfer of Title to Certain Facilities Constructed By New Service Customer
23.0 Liens

ATTACHMENT HH – RATES, TERMS, AND CONDITIONS OF SERVICE FOR PJMSETTLEMENT, INC.

ATTACHMENT II – MTEP PROJECT COST RECOVERY FOR ATSI ZONE

ATTACHMENT JJ – MTEP PROJECT COST RECOVERY FOR DEOK ZONE

Definitions – R - S

1.36C Reasonable Efforts:

With respect to any action required to be made, attempted, or taken by an Interconnection Party or by a Construction Party under Part IV or Part VI of the Tariff, an Interconnection Service Agreement, or a Construction Service Agreement, such efforts as are timely and consistent with Good Utility Practice and with efforts that such party would undertake for the protection of its own interests.

1.37 Receiving Party:

The entity receiving the capacity and energy transmitted by the Transmission Provider to Point(s) of Delivery.

1.37A.01 Regional Entity

Shall have the same meaning specified in the Operating Agreement.

1.37A Regional Transmission Expansion Plan:

The plan prepared by the Office of the Interconnection pursuant to Schedule 6 of the Operating Agreement for the enhancement and expansion of the Transmission System in order to meet the demands for firm transmission service in the PJM Region.

1.38 Regional Transmission Group (RTG):

A voluntary organization of transmission owners, transmission users and other entities approved by the Commission to efficiently coordinate transmission planning (and expansion), operation and use on a regional (and interregional) basis.

1.38.01 Regulation Zone:

Any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

1.38.01A Relevant Electric Retail Regulatory Authority:

An entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

1.38A Reliability Assurance Agreement:

The Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, Rate Schedule No. 44, dated as of May 28, 2009, and as amended from time to time thereafter.

1.38B [RESERVED]

1.38C Required Transmission Enhancements:

Enhancements and expansions of the Transmission System that (1) a Regional Transmission Expansion Plan developed pursuant to Schedule 6 of the Operating Agreement or (2) the Coordinated System Plan periodically developed pursuant to the Joint Operating Agreement Between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. designates one or more of the Transmission Owner(s) or the transmission owners within the Midwest Independent System Operator to construct and own or finance.

1.38C.01 Reserve Sub-zone:

Any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.38D Reserve Zone:

Any of those geographic areas consisting of a combination of one or more Control Zone(s), as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.39 Reserved Capacity:

The maximum amount of capacity and energy that the Transmission Provider agrees to transmit for the Transmission Customer over the Transmission Provider's Transmission System between the Point(s) of Receipt and the Point(s) of Delivery under Part II of the Tariff. Reserved Capacity shall be expressed in terms of whole megawatts on a sixty (60) minute interval (commencing on the clock hour) basis.

1.39A Schedule of Work:

Shall mean that schedule attached to the Interconnection Construction Service Agreement setting forth the timing of work to be performed by the Constructing Entity pursuant to the Interconnection Construction Service Agreement, based upon the Facilities Study and subject to modification, as required, in accordance with Transmission Provider's scope change process for interconnection projects set forth in the PJM Manuals.

1.39B Scope of Work:

Shall mean that scope of the work attached as a schedule to the Interconnection Construction Service Agreement and to be performed by the Constructing Entity(ies) pursuant to the Interconnection Construction Service Agreement, provided that such Scope of Work may be modified, as required, in accordance with Transmission Provider's scope change process for interconnection projects set forth in the PJM Manuals.

1.39C Secondary Systems:

Control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers.

1.39D Security:

The security provided by the New Service Customer pursuant to Section 212.4 or Section 213.4 of the Tariff to secure the New Service Customer's responsibility for Costs under the Interconnection Service Agreement or Upgrade Construction Service Agreement and Section 217 of the Tariff.

1.40 Service Agreement:

The initial agreement and any amendments or supplements thereto entered into by the Transmission Customer and the Transmission Provider for service under the Tariff.

1.41 Service Commencement Date:

The date the Transmission Provider begins to provide service pursuant to the terms of an executed Service Agreement, or the date the Transmission Provider begins to provide service in accordance with Section 15.3 or Section 29.1 under the Tariff.

1.42 Short-Term Firm Point-To-Point Transmission Service:

Firm Point-To-Point Transmission Service under Part II of the Tariff with a term of less than one year.

1.42a Site:

All of the real property, including but not limited to any leased real property and easements, on which the Customer Facility is situated and/or on which the Customer Interconnection Facilities are to be located.

1.42.01 Small Inverter Facility:

An Energy Resource that is a certified small inverter-based facility no larger than 10 kW.

1.42.02 Small Inverter ISA:

An agreement among Transmission Provider, Interconnection Customer, and Interconnected Transmission Owner regarding interconnection of a Small Inverter Facility under section 112B of Part IV of the Tariff.

1.42A [RESERVED]

1.42B [RESERVED]

1.42C [RESERVED]

1.42D State:

The term "state" shall mean a state of the United States or the District of Columbia.

1.42D.01 Switching and Tagging Rules:

The switching and tagging procedures of Interconnected Transmission Owners and Interconnection Customer as they may be amended from time to time.

1.42E [RESERVED]

1.42F System Condition:

A specified condition on the Transmission Provider's system or on a neighboring system, such as a constrained transmission element or flowgate, that may trigger Curtailment of Long-Term Firm Point-to-Point Transmission Service using the curtailment priority pursuant to Section 13.6. Such conditions must be identified in the Transmission Customer's Service Agreement.

1.43 System Impact Study:

An assessment by the Transmission Provider of (i) the adequacy of the Transmission System to accommodate a Completed Application, an Interconnection Request or an Upgrade Request, (ii) whether any additional costs may be incurred in order to provide such transmission service or to accommodate an Interconnection Request, and (iii) with respect to an Interconnection Request, an estimated date that an Interconnection Customer's Customer Facility can be interconnected with the Transmission System and an estimate of the Interconnection Customer's cost responsibility for the interconnection; and (iv) with respect to an Upgrade Request, the estimated cost of the requested system upgrades or expansion, or of the cost of the system upgrades or expansion, necessary to provide the requested incremental rights.

1.43.01 System Protection Facilities:

The equipment required to protect (i) the Transmission System, other delivery systems and/or other generating systems connected to the Transmission System from faults or other electrical disturbance occurring at or on the Customer Facility, and (ii) the Customer Facility from faults or

other electrical system disturbance occurring on the Transmission System or on other delivery systems and/or other generating systems to which the Transmission System is directly or indirectly connected. System Protection Facilities shall include such protective and regulating devices as are identified in the Applicable Technical Requirements and Standards or that are required by Applicable Laws and Regulations or other Applicable Standards, or as are otherwise necessary to protect personnel and equipment and to minimize deleterious effects to the Transmission System arising from the Customer Facility.

SCHEDULE 5
Operating Reserve - Synchronized Reserve Service

Synchronized Reserve Service is needed to serve load immediately in the event of a system contingency. Synchronized Reserve Service may be provided by generating units that are on-line and loaded at less than maximum output and by non-generation resources capable of providing this service or eligible Demand Resources as specified in Section 1.7.19A of Attachment K-Appendix. The Transmission Provider must offer this service when the transmission service is used to serve load within its Control Area. Each Transmission Owner and Network Customer must purchase this service from the Transmission Provider. The amount of and charges for Synchronized Reserve Service, as defined in accordance with NERC operating policies, will be accounted and paid for as set forth in Section 3.2.3A of the Appendix to Attachment K. The Transmission Provider shall administer the purchases by customers of Synchronized Reserve Service. PJMSettlement shall be the Counterparty to the purchases by customers of Synchronized Reserve Service in the PJM Interchange Energy Market; provided however, that PJMSettlement shall not be the contracting party to bilateral transactions between market participants or with respect to a self-schedule or self-supply of generation resources by a customer to satisfy its Synchronized Reserve obligation.

1.3 Definitions.

1.3.1 Acceleration Request.

"Acceleration Request" shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

1.3.1A Auction Revenue Rights.

"Auction Revenue Rights" or "ARRs" shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

1.3.1B Auction Revenue Rights Credits.

"Auction Revenue Rights Credits" shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

1.3.1B.01 Batch Load Demand Resource.

"Batch Load Demand Resource" shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

1.3.1B.02 Congestion Price.

"Congestion Price" shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.1B.03 Curtailment Service Provider.

"Curtailment Service Provider" or "CSP" shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

1.3.1B.04 Day-ahead Congestion Price.

"Day-ahead Congestion Price" shall mean the Congestion Price resulting from the Day-ahead Energy Market.

1.3.1C Day-ahead Energy Market.

"Day-ahead Energy Market" shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1C.01 Day-ahead Loss Price.

"Day-ahead Loss Price" shall mean the Loss Price resulting from the Day-ahead Energy Market.

1.3.1D Day-ahead Prices.

"Day-ahead Prices" shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

1.3.1D.01 Day-ahead Scheduling Reserves.

"Day-ahead Scheduling Reserves" shall mean thirty-minute reserves as defined by the Reliability*First* Corporation and SERC.

1.3.1D.02 Day-ahead Scheduling Reserves Requirement.

"Day-ahead Scheduling Reserves Requirement" shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

1.3.1D.03 Day-ahead Scheduling Reserves Resources.

"Day-ahead Scheduling Reserves Resources" shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

1.3.1D.04 Day-ahead Scheduling Reserves Market.

"Day-ahead Scheduling Reserves Market" shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1D.05 Day-ahead System Energy Price.

"Day-ahead System Energy Price" shall mean the System Energy Price resulting from the Day-ahead Energy Market.

1.3.1E Decrement Bid.

"Decrement Bid" shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

1.3.1E.01 Demand Resource.

"Demand Resource" shall mean a resource with the capability to provide a reduction in demand.

1.3.1F Dispatch Rate.

"Dispatch Rate" shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

1.3.1G Energy Storage Resource.

"Energy Storage Resource" shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancilliary Services markets as a Market Seller.

1.3.2 Equivalent Load.

"Equivalent Load" shall mean the sum of a Market Participant's net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

1.3.2A Economic Load Response Participant.

"Economic Load Response Participant" shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

1.3.2A.01 Economic Minimum.

"Economic Minimum" shall mean the lowest incremental MW output level a unit can achieve while following economic dispatch.

1.3.2B Energy Market Opportunity Cost.

"Energy Market Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a

higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.3 External Market Buyer.

"External Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

1.3.4 External Resource.

"External Resource" shall mean a generation resource located outside the metered boundaries of the PJM Region.

1.3.5 Financial Transmission Right.

"Financial Transmission Right" or "FTR" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

1.3.5A Financial Transmission Right Obligation.

"Financial Transmission Right Obligation" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

1.3.5B Financial Transmission Right Option.

"Financial Transmission Right Option" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

1.3.6 Generating Market Buyer.

"Generating Market Buyer" shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer's load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

1.3.7 Generator Forced Outage.

"Generator Forced Outage" shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

1.3.8 Generator Maintenance Outage.

"Generator Maintenance Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

1.3.9 Generator Planned Outage.

"Generator Planned Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

1.3.9A Increment Bid.

"Increment Bid" shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Bid results in scheduled generation at the specified location in the Day-ahead Energy Market.

1.3.9B Interface Pricing Point.

"Interface Pricing Point" shall have the meaning specified in section 2.6A.

1.3.10 Internal Market Buyer.

"Internal Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

1.3.11 Inadvertent Interchange.

"Inadvertent Interchange" shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

1.3.11.01 Load Management.

"Load Management" shall mean either a Demand Resource ("DR") or an Interruptible Load for Reliability ("ILR") resource, both as defined in the Reliability Assurance Agreement.

1.3.11A Load Reduction Event.

"Load Reduction Event" shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

1.3.11A.01 Location.

"Location" as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

1.3.11B Loss Price.

"Loss Price" shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.12 Market Operations Center.

"Market Operations Center" shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.12A Maximum Emergency.

"Maximum Emergency" shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

1.3.13 Maximum Generation Emergency.

"Maximum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

1.3.14 Minimum Generation Emergency.

"Minimum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

1.3.14A NERC Interchange Distribution Calculator.

"NERC Interchange Distribution Calculator" shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

1.3.14B Net Benefits Test.

"Net Benefits Test" shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

1.3.15 Network Resource.

"Network Resource" shall have the meaning specified in the PJM Tariff.

1.3.16 Network Service User.

"Network Service User" shall mean an entity using Network Transmission Service.

1.3.17 Network Transmission Service.

"Network Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

1.3.17A Non-Regulatory Opportunity Cost.

"Non-Regulatory Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.17B Non-Synchronized Reserve.

"Non-Synchronized Reserve" shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy ~~or Demand Resources whose demand can be reduced~~ within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

1.3.17C Non-Synchronized Reserve Event.

"Non-Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources ~~and/or Demand Resources~~ able~~,~~ and assigned ~~or self-scheduled,~~ to provide Non-Synchronized Reserve within ten minutes~~,~~ to increase the energy output ~~or reduce load~~ by the amount of assigned ~~or self-scheduled~~ Non-Synchronized Reserve capability.

1.3.17D Non-Variable Loads.

"Non-Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.18 Normal Maximum Generation.

"Normal Maximum Generation" shall mean the highest output level of a generating resource under normal operating conditions.

1.3.19 Normal Minimum Generation.

"Normal Minimum Generation" shall mean the lowest output level of a generating resource under normal operating conditions.

1.3.20 Offer Data.

"Offer Data" shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

1.3.21 Office of the Interconnection Control Center.

"Office of the Interconnection Control Center" shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.21A On-Site Generators.

"On-Site Generators" shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

1.3.22 Operating Day.

"Operating Day" shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

1.3.23 Operating Margin.

"Operating Margin" shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

1.3.24 Operating Margin Customer.

"Operating Margin Customer" shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

1.3.25 PJM Interchange.

"PJM Interchange" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.26 PJM Interchange Export.

"PJM Interchange Export" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

1.3.27 PJM Interchange Import.

"PJM Interchange Import" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of

Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.28 PJM Open Access Same-time Information System.

"PJM Open Access Same-time Information System" shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

1.3.28A Planning Period Quarter.

"Planning Period Quarter" shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or, March, April and May.

1.3.28B Planning Period Balance.

"Planning Period Balance" shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

1.3.29 Point-to-Point Transmission Service.

"Point-to-Point Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

1.3.29A PRD Curve.

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29B PRD Provider.

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29C PRD Reservation Price.

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29D PRD Substation.

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29E Price Responsive Demand.

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29F Primary Reserve.

"Primary Reserve" shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

1.3.30 Ramping Capability.

"Ramping Capability" shall mean the sustained rate of change of generator output, in megawatts per minute.

1.3.30.01 Real-time Congestion Price.

"Real-time Congestion Price" shall mean the Congestion Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30.02 Real-time Loss Price.

"Real-time Loss Price" shall mean the Loss Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30A Real-time Prices.

"Real-time Prices" shall mean the Locational Marginal Prices resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30B Real-time Energy Market.

"Real-time Energy Market" shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

1.3.30B.01 Real-time System Energy Price.

"Real-time System Energy Price" shall mean the System Energy Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.31 Regulation.

"Regulation" shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its

output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

1.3.31.001 Reserve Penalty Factor.

"Reserve Penalty Factor" shall mean the cost, in $/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

1.3.31.01 Residual Auction Revenue Rights.

"Residual Auction Revenue Rights" shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability or a change in any other relevant factor that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2 (h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

1.3.31.02 Special Member.

"Special Member" shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response Program.

1.3.31A [Reserved.]

1.3.31B [Reserved.]

1.3.32 Spot Market Backup.

"Spot Market Backup" shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

1.3.33 Spot Market Energy.

"Spot Market Energy" shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

1.3.33A State Estimator.

"State Estimator" shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

1.3.33B Station Power.

"Station Power" shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

1.3.33B.001 Sub-meter.

"Sub-meter" shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

1.3.33B.01 Synchronized Reserve.

"Synchronized Reserve" shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

1.3.33B.02 Synchronized Reserve Event.

"Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled~~,~~ to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

1.3.33B.03 System Energy Price.

"System Energy Price" shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.33C Target Allocation.

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

1.3.34 Transmission Congestion Charge.

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

1.3.35 Transmission Congestion Credit.

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

1.3.36 Transmission Customer.

"Transmission Customer" shall mean an entity using Point-to-Point Transmission Service.

1.3.37 Transmission Forced Outage.

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

1.3.37A Transmission Loading Relief.

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

1.3.37B Transmission Loading Relief Customer.

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

1.3.37C Transmission Loss Charge.

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

1.3.38 Transmission Planned Outage.

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

1.3.38A Variable Loads.

"Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.39 Zonal Base Load.

"Zonal Base Load" shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

1.7 General.

1.7.1 Market Sellers.

Only Market Sellers shall be eligible to submit offers to the Office of the Interconnection for the sale of electric energy or related services in the PJM Interchange Energy Market. Market Sellers shall comply with the prices, terms, and operating characteristics of all Offer Data submitted to and accepted by the PJM Interchange Energy Market.

1.7.2 Market Buyers.

Only Market Buyers shall be eligible to purchase energy or related services in the PJM Interchange Energy Market. Market Buyers shall comply with all requirements for making purchases from the PJM Interchange Energy Market.

1.7.2A Economic Load Response Participants.

Only Economic Load Response Participants shall be eligible to participate in the Real-time Energy Market and the Day-ahead Energy Market by submitting offers to the Office of the Interconnection to reduce demand.

1.7.3 Agents.

A Market Participant may participate in the PJM Interchange Energy Market through an agent, provided that the Market Participant informs the Office of the Interconnection in advance in writing of the appointment of such agent. A Market Participant participating in the PJM Interchange Energy Market through an agent shall be bound by all of the acts or representations of such agent with respect to transactions in the PJM Interchange Energy Market, and shall ensure that any such agent complies with the requirements of this Agreement.

1.7.4 General Obligations of the Market Participants.

(a) In performing its obligations to the Office of the Interconnection hereunder, each Market Participant shall at all times (i) follow Good Utility Practice, (ii) comply with all applicable laws and regulations, (iii) comply with the applicable principles, guidelines, standards and requirements of FERC, NERC and each Applicable Regional Entity, (iv) comply with the procedures established for operation of the PJM Interchange Energy Market and PJM Region and (v) cooperate with the Office of the Interconnection as necessary for the operation of the PJM Region in a safe, reliable manner consistent with Good Utility Practice.

(b) Market Participants shall undertake all operations in or affecting the PJM Interchange Energy Market and the PJM Region including but not limited to compliance with all Emergency procedures, in accordance with the power and authority of the Office of the Interconnection with respect to the operation of the PJM Interchange Energy Market and the PJM Region as established in this Agreement, and as specified in the Schedules to this Agreement and the PJM Manuals. Failure to comply with the foregoing operational

requirements shall subject a Market Participant to such reasonable charges or other remedies or sanctions for non-compliance as may be established by the PJM Board, including legal or regulatory proceedings as authorized by the PJM Board to enforce the obligations of this Agreement.

(c) The Office of the Interconnection may establish such committees with a representative of each Market Participant, and the Market Participants agree to provide appropriately qualified personnel for such committees, as may be necessary for the Office of the Interconnection and PJMSettlement to perform its obligations hereunder.

(d) All Market Participants shall provide to the Office of the Interconnection the scheduling and other information specified in the Schedules to this Agreement, and such other information as the Office of the Interconnection may reasonably require for the reliable and efficient operation of the PJM Region and PJM Interchange Energy Market, and for compliance with applicable regulatory requirements for posting market and related information. Such information shall be provided as much in advance as possible, but in no event later than the deadlines established by the Schedules to this Agreement, or by the Office of the Interconnection in conformance with such Schedules. Such information shall include, but not be limited to, maintenance and other anticipated outages of generation or transmission facilities, scheduling and related information on bilateral transactions and self-scheduled resources, and implementation of active load management, interruption of load, Price Responsive Demand, and other load reduction measures. The Office of the Interconnection shall abide by appropriate requirements for the non-disclosure and protection of any confidential or proprietary information given to the Office of the Interconnection by a Market Participant. Each Market Participant shall maintain or cause to be maintained compatible information and communications systems, as specified by the Office of the Interconnection, required to transmit scheduling, dispatch, or other time-sensitive information to the Office of the Interconnection in a timely manner.

(e) Subject to the requirements for Economic Load Response Participants in section 1.5A above, each Market Participant shall install and operate, or shall otherwise arrange for, metering and related equipment capable of recording and transmitting all voice and data communications reasonably necessary for the Office of the Interconnection and PJMSettlement to perform the services specified in this Agreement. A Market Participant that elects to be separately billed for its PJM Interchange shall, to the extent necessary, be individually metered in accordance with Section 14 of this Agreement, or shall agree upon an allocation of PJM Interchange between it and the Market Participant through whose meters the unmetered Market Participant's PJM Interchange is delivered. The Office of the Interconnection shall be notified of the allocation by the foregoing Market Participants.

(f) Each Market Participant shall operate, or shall cause to be operated, any generating resources owned or controlled by such Market Participant that are within the PJM Region or otherwise supplying energy to or through the PJM Region in a manner that is consistent with the standards, requirements or directions of the Office of the Interconnection and that will permit the Office of the Interconnection to perform its obligations under this Agreement; provided, however, no Market Participant shall be required to take any action that is inconsistent with Good Utility Practice or applicable law.

(g) Each Market Participant shall follow the directions of the Office of the Interconnection to take actions to prevent, manage, alleviate or end an Emergency in a manner consistent with this Agreement and the procedures of the PJM Region as specified in the PJM Manuals.

(h) Each Market Participant shall obtain and maintain all permits, licenses or approvals required for the Market Participant to participate in the PJM Interchange Energy Market in the manner contemplated by this Agreement.

(i) Consistent with Section 36.1.1 of the PJM Tariff, to the extent its generating facility is dispatchable, a Market Participant shall submit an Economic Minimum in the Real-time Energy Market that is no greater than the higher of its physical operating minimum or its Capacity Interconnection Rights, as that term is defined in the PJM Tariff, associated with such generating facility under its Interconnection Service Agreement under Attachment O of the PJM Tariff or a wholesale market participation agreement.

1.7.5 Market Operations Center.

Each Market Participant shall maintain a Market Operations Center, or shall make appropriate arrangements for the performance of such services on its behalf. A Market Operations Center shall meet the performance, equipment, communications, staffing and training standards and requirements specified in this Agreement for the scheduling and completion of transactions in the PJM Interchange Energy Market and the maintenance of the reliable operation of the PJM Region, and shall be sufficient to enable (i) a Market Seller or an Economic Load Response Participant to perform all terms and conditions of its offers to the PJM Interchange Energy Market, and (ii) a Market Buyer or an Economic Load Response Participant to conform to the requirements for purchasing from the PJM Interchange Energy Market.

1.7.6 Scheduling and Dispatching.

(a) The Office of the Interconnection shall schedule and dispatch in real-time generation resources and/or Demand Resources economically on the basis of least-cost, security-constrained dispatch and the prices and operating characteristics offered by Market Sellers, continuing until sufficient generation resources and/or Demand Resources are dispatched to serve the PJM Interchange Energy Market energy purchase requirements under normal system conditions of the Market Buyers (taking into account any reductions to such requirements in accordance with PRD Curves properly submitted by PRD Providers), as well as the requirements of the PJM Region for ancillary services provided by generation resources and/or Demand Resources, in accordance with this Agreement. Such scheduling and dispatch shall recognize transmission constraints on coordinated flowgates external to the Transmission System in accordance with Appendix A to the Joint Operating Agreement between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. (PJM Rate Schedule FERC No. 38) and on other such flowgates that are coordinated in accordance with

agreements between the LLC and other entities. Scheduling and dispatch shall be conducted in accordance with this Agreement.

(b) The Office of the Interconnection shall undertake to identify any conflict or incompatibility between the scheduling or other deadlines or specifications applicable to the PJM Interchange Energy Market, and any relevant procedures of another Control Area, or any tariff (including the PJM Tariff). Upon determining that any such conflict or incompatibility exists, the Office of the Interconnection shall propose tariff or procedural changes, and undertake such other efforts as may be appropriate, to resolve any such conflict or incompatibility.

(c) To protect its generation or distribution facilities, or local Transmission Facilities not under the monitoring responsibility and dispatch control of the Office of the Interconnection, an entity may request that the Office of the Interconnection schedule and dispatch generation or reductions in demand to meet a limit on Transmission Facilities different from that which the Office of the Interconnection has determined to be required for reliable operation of the Transmission System. To the extent consistent with its other obligations under this Agreement, the Office of the Interconnection shall schedule and dispatch generation and reductions in demand in accordance with such request. An entity that makes a request pursuant to this section 1.7.6(c) shall be responsible for all generation and other costs resulting from its request that would not have been incurred by operating the Transmission System and scheduling and dispatching generation in the manner that the Office of the Interconnection otherwise has determined to be required for reliable operation of the Transmission System.

1.7.7 Pricing.

The price paid for energy bought and sold in the PJM Interchange Energy Market and for demand reductions will reflect the hourly Locational Marginal Price at each load and generation bus, determined by the Office of the Interconnection in accordance with this Agreement. Transmission Congestion Charges and Transmission Loss Charges, which shall be determined by differences in Congestion Prices and Loss Prices in an hour, shall be calculated by the Office of the Interconnection, and collected by PJMSettlement, and the revenues therefrom shall be disbursed by PJMSettlement in accordance with this Schedule.

1.7.8 Generating Market Buyer Resources.

A Generating Market Buyer may elect to self-schedule its generation resources up to that Generating Market Buyer's Equivalent Load, in accordance with and subject to the procedures specified in this Schedule, and the accounting and billing requirements specified in Section 3 to this Schedule. PJMSettlement shall not be a contracting party with respect to such self-scheduled or self-supplied transactions.

1.7.9 Delivery to an External Market Buyer.

A purchase of Spot Market Energy by an External Market Buyer shall be delivered to a bus or busses at the electrical boundaries of the PJM Region specified by the Office of the Interconnection, or to load in such area that is not served by Network Transmission Service,

using Point-to-Point Transmission Service paid for by the External Market Buyer. Further delivery of such energy shall be the responsibility of the External Market Buyer.

1.7.10 Other Transactions.

(a) Bilateral Transactions.

(i) In addition to transactions in the PJM Interchange Energy Market, Market Participants may enter into bilateral contracts for the purchase or sale of electric energy to or from each other or any other entity, subject to the obligations of Market Participants to make Generation Capacity Resources available for dispatch by the Office of the Interconnection. Such bilateral contracts shall be for the physical transfer of energy to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eSchedules and Enhanced Energy Scheduler tools.

(ii) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of energy to a Market Participant inside the PJM Region, title to the energy that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and the further transmission of the energy or further sale of the energy into the PJM Interchange Energy Market shall be transacted by the buyer under the bilateral contract. With respect to all bilateral contracts for the physical transfer of energy to an entity outside the PJM Region, title to the energy shall pass to the buyer at the border of the PJM Region and shall be delivered to the border using transmission service. In no event shall the purchase and sale of energy between Market Participants under a bilateral contract constitute a transaction in the PJM Interchange Energy Market or be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(iii) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of energy reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the megawatt hours of such reported transactions to amounts reflecting the expected load and other physical delivery obligations of the buyer under the bilateral contract.

(iv) All payments and related charges for the energy associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection or PJMSettlement. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(v) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any Spot Market Backup used to meet the bilateral contract seller's obligation to deliver energy under the bilateral contract and

for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eSchedules or Enhanced Energy Scheduler reporting by the Market Participant and (ii) terminate all of the Market Participant's eSchedules and Enhanced Energy Schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the eSchedules and Enhanced Energy Schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection. PJMSettlement shall assign its claims against a seller with respect to a seller's nonpayment for Spot Market Backup to a buyer to the extent that the buyer has made an indemnification payment to PJMSettlement with respect to the seller's nonpayment.

(vi) Bilateral contracts that do not contemplate the physical transfer of energy to or from a Market Participant are not subject to this Schedule, shall not be reported to and coordinated with the Office of the Interconnection, and shall not in any way constitute a transaction in the PJM Interchange Energy Market.

(b) Market Participants shall have Spot Market Backup with respect to all bilateral transactions that contemplate the physical transfer of energy to or from a Market Participant, that are not dynamically scheduled pursuant to Section 1.12 and that are curtailed or interrupted for any reason (except for curtailments or interruptions through active load management for load located within the PJM Region).

(c) To the extent the Office of the Interconnection dispatches a Generating Market Buyer's generation resources, such Generating Market Buyer may elect to net the output of such resources against its hourly Equivalent Load. Such a Generating Market Buyer shall be deemed a buyer from the PJM Interchange Energy Market to the extent of its PJM Interchange Imports, and shall be deemed a seller to the PJM Interchange Energy Market to the extent of its PJM Interchange Exports.

(d) A Market Seller may self-supply Station Power for its generation facility in accordance with the following provisions:

(i) A Market Seller may self-supply Station Power for its generation facility during any month (1) when the net output of such facility is positive, or (2) when the net output of such facility is negative and the Market Seller during the same month has available at other of its generation facilities positive net output in an amount at least sufficient to offset fully such negative net output. For purposes of this subsection (d), "net output" of a generation facility during any month means the facility's gross energy output, less the Station Power requirements of such facility, during that month. The determination of a generation facility's or a Market Seller's monthly net output under this subsection (d) will apply only to determine whether the Market Seller self-supplied

Station Power during the month and will not affect the price of energy sold or consumed by the Market Seller at any bus during any hour during the month. For each hour when a Market Seller has positive net output and delivers energy into the Transmission System, it will be paid the LMP at its bus for that hour for all of the energy delivered. Conversely, for each hour when a Market Seller has negative net output and has received Station Power from the Transmission System, it will pay the LMP at its bus for that hour for all of the energy consumed.

(ii) Transmission Provider will determine the extent to which each affected Market Seller during the month self-supplied its Station Power requirements or obtained Station Power from third-party providers (including affiliates) and will incorporate that determination in its accounting and billing for the month. In the event that a Market Seller self-supplies Station Power during any month in the manner described in subsection (1) of subsection (d)(i) above, Market Seller will not use, and will not incur any charges for, transmission service. In the event, and to the extent, that a Market Seller self-supplies Station Power during any month in the manner described in subsection (2) of subsection (d)(i) above (hereafter referred to as "remote self-supply of Station Power"), Market Seller shall use and pay for transmission service for the transmission of energy in an amount equal to the facility's negative net output from Market Seller's generation facility(ies) having positive net output. Unless the Market Seller makes other arrangements with Transmission Provider in advance, such transmission service shall be provided under Part II of the PJM Tariff and shall be charged the hourly rate under Schedule 8 of the PJM Tariff for Non-Firm Point-to-Point Transmission Service with an election to pay congestion charges, provided, however, that no reservation shall be necessary for such transmission service and the terms and charges under Schedules 1, 1A, 2 through 6, 9 and 10 of the PJM Tariff shall not apply to such service. The amount of energy that a Market Seller transmits in conjunction with remote self-supply of Station Power will not be affected by any other sales, purchases, or transmission of capacity or energy by or for such Market Seller under any other provisions of the PJM Tariff.

(iii) A Market Seller may self-supply Station Power from its generation facilities located outside of the PJM Region during any month only if such generation facilities in fact run during such month and Market Seller separately has reserved transmission service and scheduled delivery of the energy from such resource in advance into the PJM Region.

1.7.11 Emergencies.

(a) The Office of the Interconnection, with the assistance of the Members' dispatchers as it may request, shall be responsible for monitoring the operation of the PJM Region, for declaring the existence of an Emergency, and for directing the operations of Market Participants as necessary to manage, alleviate or end an Emergency. The standards, policies and procedures of the Office of the Interconnection for declaring the existence of an Emergency, including but not limited to a Minimum Generation Emergency, and for managing, alleviating or ending an Emergency, shall apply to all Members on a non-discriminatory basis. Actions by the Office of the Interconnection and the Market Participants shall be carried out in accordance with

this Agreement, the NERC Operating Policies, Applicable Regional Entity reliability principles and standards, Good Utility Practice, and the PJM Manuals. A declaration that an Emergency exists or is likely to exist by the Office of the Interconnection shall be binding on all Market Participants until the Office of the Interconnection announces that the actual or threatened Emergency no longer exists. Consistent with existing contracts, all Market Participants shall comply with all directions from the Office of the Interconnection for the purpose of managing, alleviating or ending an Emergency. The Market Participants shall authorize the Office of the Interconnection and PJMSettlement to purchase or sell energy on their behalf to meet an Emergency, and otherwise to implement agreements with other Control Areas interconnected with the PJM Region for the mutual provision of service to meet an Emergency, in accordance with this Agreement.

(b) To the extent load must be shed to alleviate an Emergency in a Control Zone, the Office of the Interconnection shall, to the maximum extent practicable, direct the shedding of load within such Control Zone. The Office of the Interconnection may shed load in one Control Zone to alleviate an Emergency in another Control Zone under its control only as necessary after having first shed load to the maximum extent practicable in the Control Zone experiencing the Emergency and only to the extent that PJM supports other control areas (not under its control) in those situations where load shedding would be necessary, such as to prevent isolation of facilities within the Eastern Interconnection, to prevent voltage collapse, or to restore system frequency following a system collapse; provided, however, that the Office of the Interconnection may not order a manual load dump in a Control Zone solely to address capacity deficiencies in another Control Zone. This subsection shall be implemented consistent with the North American Electric Reliability Council and applicable reliability council standards.

1.7.12 Fees and Charges.

Each Market Participant, except for Special Members, shall pay all fees and charges of the Office of the Interconnection for operation of the PJM Interchange Energy Market as determined by and allocated to the Market Participant by the Office of the Interconnection in accordance with Schedule 3.

1.7.13 Relationship to the PJM Region.

The PJM Interchange Energy Market operates within and subject to the requirements for the operation of the PJM Region.

1.7.14 PJM Manuals.

The Office of the Interconnection shall be responsible for maintaining, updating, and promulgating the PJM Manuals as they relate to the operation of the PJM Interchange Energy Market. The PJM Manuals, as they relate to the operation of the PJM Interchange Energy Market, shall conform and comply with this Agreement, NERC operating policies, and Applicable Regional Entity reliability principles, guidelines and standards, and shall be designed to facilitate administration of an efficient energy market within industry reliability standards and the physical capabilities of the PJM Region.

1.7.15 Corrective Action.

Consistent with Good Utility Practice, the Office of the Interconnection shall be authorized to direct or coordinate corrective action, whether or not specified in the PJM Manuals, as necessary to alleviate unusual conditions that threaten the integrity or reliability of the PJM Region, or the regional power system.

1.7.16 Recording.

Subject to the requirements of applicable State or federal law, all voice communications with the Office of the Interconnection Control Center may be recorded by the Office of the Interconnection and any Market Participant communicating with the Office of the Interconnection Control Center, and each Market Participant hereby consents to such recording.

1.7.17 Operating Reserves.

(a) The following procedures shall apply to any generation unit subject to the dispatch of the Office of the Interconnection for which construction commenced before July 9, 1996, or any Demand Resource subject to the dispatch of the Office of the Interconnection.

(b) The Office of the Interconnection shall schedule to the Operating Reserve and load-following objectives of the Control Zones of the PJM Region and the PJM Interchange Energy Market in scheduling generation resources and/or Demand Resources pursuant to this Schedule. A table of Operating Reserve objectives for each Control Zone is calculated and published annually in the PJM Manuals. Reserve levels are probabilistically determined based on the season's historical load forecasting error and forced outage rates.

(c) Nuclear generation resources shall not be eligible for Operating Reserve payments unless: 1) the Office of the Interconnection directs such resources to reduce output, in which case, such units shall be compensated in accordance with section 3.2.3(f) of this Schedule; or 2) the resource submits a request for a risk premium to the Market Monitoring Unit under the procedures specified in Section II.B of Attachment M - Appendix. A nuclear generation resource (i) must submit a risk premium consistent with its agreement under such process, or, (ii) if it has not agreed with the Market Monitoring Unit on an appropriate risk premium, may submit its own determination of an appropriate risk premium to the Office of the Interconnection, subject to acceptance by the Office of the Interconnection, with or without prior approval from the Commission.

(d) PJMSettlement shall be the Counterparty to the purchases and sales of Operating Reserve in the PJM Interchange Energy Market.

1.7.18 Regulation.

(a) Regulation to meet the Regulation objective of each Regulation Zone shall be supplied from generation resources and/or demand resources located within the metered

electrical boundaries of such Regulation Zone. Generating Market Buyers, and Market Sellers offering Regulation, shall comply with applicable standards and requirements for Regulation capability and dispatch specified in the PJM Manuals.

(b) The Office of the Interconnection shall obtain and maintain for each Regulation Zone an amount of Regulation equal to the Regulation objective for such Regulation Zone as specified in the PJM Manuals.

(c) The Regulation range of a generation unit or demand resource shall be at least twice the amount of Regulation assigned as described in the PJM Manuals.

(d) A resource capable of automatic energy dispatch that is also providing Regulation shall have its energy dispatch range reduced by at least twice the amount of the Regulation provided with consideration of the Regulation limits of that resource, as specified in the PJM Manuals.

(e) Qualified Regulation must satisfy the measurement and verification tests described in the PJM Manuals.

1.7.19 Ramping.

A generator dispatched by the Office of the Interconnection pursuant to a control signal appropriate to increase or decrease the generator's megawatt output level shall be able to change output at the ramping rate specified in the Offer Data submitted to the Office of the Interconnection for that generator.

1.7.19A Synchronized Reserve.

(a) Synchronized Reserve shall be supplied from non-emergency generation resources and/or Demand Resources located within the metered boundaries of the PJM Region. All on-line non-emergency generation resources providing energy are deemed to be available to provide Tier 1 Synchronized Reserve and Tier 2 Synchronized Reserve to the Office of the Interconnection, as applicable to the capacity resource's capability to provide these services. During periods for which the Office of the Interconnection has issued a Primary Reserve Warning, Voltage Reduction Warning or Manual Load Dump Warning as described in Section 2.5(d) below, all other non-emergency generation capacity resources available to provide energy shall have submitted offers for Tier 2 Synchronized Reserves. Generating Market Buyers, and Market Sellers offering Synchronized Reserve shall comply with applicable standards and requirements for Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Primary and Synchronized Reserve equal to the respective Primary and Synchronized Reserve objectives for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a

specific geographic area of the PJM Region as needed for system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Synchronized Reserve capability of a generation resource and Demand Resource shall be the increase in energy output or load reduction achievable by the generation resource and Demand Resource within a continuous 10-minute period.

(d) A generation unit capable of automatic energy dispatch that also is providing Synchronized Reserve shall have its energy dispatch range reduced by the amount of the Synchronized Reserve provided. The amount of Synchronized Reserve provided by a generation unit shall serve to redefine the Normal Maximum Generation energy limit of that generation unit in that the amount of Synchronized Reserve provided shall be subtracted from its Normal Maximum Generation energy limit.

1.7.19A.01 Non-Synchronized Reserve.

(a) Non-Synchronized Reserve shall be supplied from generation resources ~~and/or Demand Resources~~ located within the metered boundaries of the PJM Region. Resources, the entire output of which has been designated as emergency energy, and resources that aren't available to provide energy, are not eligible to provide Non-Synchronized Reserve. All other non-emergency generation capacity resources available to provide energy shall also be available to provide Non-Synchronized Reserve, as applicable to the capacity resource's capability to provide these services. Generating Market Buyers and Market Sellers offering Non-Synchronized Reserve shall comply with applicable standards and requirements for Non-Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Non-Synchronized Reserve such that the sum of the Synchronized Reserve and Non-Synchronized Reserve meets the Primary Reserve objective for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Non-Synchronized Reserve capability of a generation resource ~~and Demand Resource~~ shall be the increase in energy output ~~or load reduction~~ achievable by the generation resource ~~and Demand Resource~~ within a continuous 10-minute period provided that the resource is not synchronized to the system at the initiation of the response.

(d) The Non-Synchronized Reserve capability of a generation resource shall generally be determined based on the startup and notification time, economic minimum and ramp rate of

such resource submitted in the Real-time Energy Market for the Operating Day. If the Generating Market Buyer or Market Seller offering the Non-Synchronized Reserve can demonstrate to the Office of the Interconnection that the Non-Synchronized Reserve capability of a generation resource exceeds its calculated value based on market offer data, the Generating Market Buyer or Market Seller and the Office of the Interconnection may agree on a different capability to be used.

(e) All Non-Synchronized Reserve offers shall be for $0.00/MWh.

1.7.19B Bilateral Transactions Regarding Regulation, Synchronized Reserve and Day-ahead Scheduling Reserves.

(a) In addition to transactions in the Regulation market, Synchronized Reserve market, Non- Synchronized Reserve market and Day-ahead Scheduling Reserves Market, Market Participants may enter into bilateral contracts for the purchase or sale of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from each other or any other entity. Such bilateral contracts shall be for the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eMarket tools.

(b) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to a Market Participant in the PJM Region, title to the product that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and any further transactions associated with such products or further sale of such Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves in the markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, respectively, shall be transacted by the buyer under the bilateral contract. In no event shall the purchase and sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves between Market Participants under a bilateral contract constitute a transaction in PJM's markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, or otherwise be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(c) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the amounts of such reported transactions to amounts reflecting the expected requirements for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves of the buyer pursuant to such bilateral contracts.

(d) All payments and related charges for the Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(e) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any purchases by the seller under the bilateral contract in the markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves used to meet the bilateral contract seller's obligation to deliver Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eMarket reporting by the Market Participant and (ii) terminate all of the Market Participant's reporting of eMarkets schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the reported eMarkets schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection.

(f) Market Participants shall purchase Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves from PJM's markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason, with respect to all bilateral transactions that contemplate the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant.

1.7.20 Communication and Operating Requirements.

(a) Market Participants. Each Market Participant shall have, or shall arrange to have, its transactions in the PJM Interchange Energy Market subject to control by a Market Operations Center, with staffing and communications systems capable of real-time communication with the Office of the Interconnection during normal and Emergency conditions and of control of the Market Participant's relevant load or facilities sufficient to meet the requirements of the Market Participant's transactions with the PJM Interchange Energy Market, including but not limited to the following requirements as applicable.

(b) Market Sellers selling from generation resources and/or Demand Resources within the PJM Region shall: report to the Office of the Interconnection sources of energy and Demand Resources available for operation; supply to the Office of the Interconnection all

applicable Offer Data; report to the Office of the Interconnection generation resources and Demand Resources that are self-scheduled; with respect to generation resources, report to the Office of the Interconnection bilateral sales transactions to buyers not within the PJM Region; confirm to the Office of the Interconnection bilateral sales to Market Buyers within the PJM Region; respond to the Office of the Interconnection's directives to start, shutdown or change output levels of generation units, or change scheduled voltages or reactive output levels of generation units, or reduce load from Demand Resources; continuously maintain all Offer Data concurrent with on-line operating information; and ensure that, where so equipped, generating equipment and Demand Resources are operated with control equipment functioning as specified in the PJM Manuals.

(c) Market Sellers selling from generation resources outside the PJM Region shall: provide to the Office of the Interconnection all applicable Offer Data, including offers specifying amounts of energy available, hours of availability and prices of energy and other services; respond to Office of the Interconnection directives to schedule delivery or change delivery schedules; and communicate delivery schedules to the Market Seller's Control Area.

(d) Market Participants that are Load Serving Entities or purchasing on behalf of Load Serving Entities shall: respond to Office of the Interconnection directives for load management steps; report to the Office of the Interconnection Generation Capacity Resources to satisfy capacity obligations that are available for pool operation; report to the Office of the Interconnection all bilateral purchase transactions; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(e) Market Participants that are not Load Serving Entities or purchasing on behalf of Load Serving Entities shall: provide to the Office of the Interconnection requests to purchase specified amounts of energy for each hour of the Operating Day during which it intends to purchase from the PJM Interchange Energy Market, along with Dispatch Rate levels above which it does not desire to purchase; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(f) Economic Load Response Participants are responsible for maintaining demand reduction information, including the amount and price at which demand may be reduced. The Economic Load Response Participant shall provide this information to the Office of the Interconnection by posting it on the Load Response Program Registration link of the PJM website as required by the PJM Manuals. The Economic Load Response Participant shall notify the Office of the Interconnection of a demand reduction concurrent with, or prior to, the beginning of such demand reduction in accordance with the PJM Manuals. In the event that an Economic Load Response Participant chooses to measure load reductions using a Customer Baseline Load, the Economic Load Response Participant shall inform the Office of the Interconnection of a change in its operations or the operations of the end-use customer that would affect a relevant Customer Baseline Load as required by the PJM Manuals.

(g) PRD Providers shall be responsible for *automation and supervisory control equipment that satisfy the criteria set forth in the RAA to ensure* automated reductions to their

Price Responsive Demand in response to price in accordance with their PRD Curves submitted to the Office of the Interconnection.

1.10 Scheduling.

1.10.1 General.

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-To Congestion transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

1.10.1A Day-ahead Energy Market Scheduling.

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load-Serving Entities for the Price Responsive Demand ~~load~~ at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load-Serving Entities for the Price Responsive Demand ~~load~~ at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any bilateral transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection whether the transaction is to be included in the Day-ahead Energy Market. Any Market Participant that elects to include a bilateral transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which it will be wholly or partially curtailed rather than pay Transmission Congestion Charges. The foregoing price specification shall apply to the price difference between the specified bilateral transaction source and sink points in the day-ahead scheduling process only. Any Market Participant that elects not to include its bilateral transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur

Transmission Congestion Charges in the Real-time Energy Market in order to complete any such scheduled bilateral transaction. Scheduling of bilateral transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

i) Internal Market Buyers shall submit schedules for all bilateral purchases for delivery within the PJM Region, whether from generation resources inside or outside the PJM Region;

ii) Market Sellers shall submit schedules for bilateral sales to entities outside the PJM Region from generation within the PJM Region that is not dynamically scheduled to such entities pursuant to Section 1.12; and

iii) In addition to the foregoing schedules for bilateral transactions, Market Participants shall submit confirmations of each scheduled bilateral transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region.

The foregoing offers:

i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;

ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;

iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;

iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;

v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;

vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;

vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; and

viii) Shall not exceed an energy offer price of $1,000/megawatt-hour for all generation resources, and for all Demand Resources that have not cleared a Base Residual Auction or an Incremental Auction. Demand Resources that are committed as Capacity Resources may submit an energy offer price of no greater than $1,000/megawatt-hour plus the sum of the applicable Reserve Penalty Factors.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed $100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in $/MW) of the fuel cost increase due to the heat rate increase resulting from operating thea unit at lower megawatt output incurred from the provision of Regulation;

ii. The cost increase (in $/MW) in variable operating and maintenance costs resulting from operating the unit at lower megawatt output incurred from the provision of Regulation; and

iii. An adder of up to $12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for

any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Increment Bids and/or Decrement Bids that apply to the Day-ahead Energy Market only. Such bids must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of 3000 bid/offer segments in the Day-ahead Energy Market, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Bid or Decrement Bid.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts: (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in the Base Residual

Auction or one of the Incremental Auctions, or owning or controlling the output of an ILR resource which was certified as specified in Attachment DD of the PJM Tariff, may submit demand reduction bids for the available load reduction capability of the Demand Resource or ILR resource. The submission of demand reduction bids for resource increments that have not cleared in the Base Residual Auction or in one of the Incremental Auctions, or for ILR resources that were not certified, or were not committed in an FRR Capacity Plan, shall be optional, but any such bids must contain the information specified in the PJM Economic Load Response Program to be included in such bids. A Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in a Base Residual Auction or an Incremental Auction may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program, provided however, that in the event of an Emergency, PJM shall require Demand Resources and ILR resources to reduce load notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing~~that wish to make~~ Day-ahead Scheduling Reserves Resources ~~available to sell Day-ahead Scheduling Reserves~~ shall submit ~~offers, each of which must equal or exceed 0.1 megawatts,~~ in the Day-ahead Scheduling Reserves Market ~~specifying~~: 1) a~~the~~ price ~~of the~~ offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit ~~offers~~ Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

1.10.2 Pool-scheduled Resources.

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

1.10.3 Self-scheduled Resources.

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

1.10.4 Capacity Resources.

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the

Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

1.10.5 External Resources.

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a

resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

1.10.6 External Market Buyers.

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

1.10.6A Transmission Loading Relief Customers.

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

1.10.7 Bilateral Transactions.

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

1.10.8 Office of the Interconnection Responsibilities.

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission

constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively.

(c) Following posting of the information specified in Section 1.10.8(b), the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market.

After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of

the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

1.10.9 Hourly Scheduling.

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, a generation rebidding period shall exist from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market~~s~~ shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

1.11 Dispatch.

The following procedures and principles shall govern the dispatch of the resources available to the Office of the Interconnection.

1.11.1 Resource Output.

The Office of the Interconnection shall have the authority to direct any Market Seller to adjust the output of any pool-scheduled resource increment within the operating characteristics specified in the Market Seller's offer. The Office of the Interconnection may cancel its selection of, or otherwise release, pool-scheduled resources, subject to an obligation to pay any applicable start-up, no-load or cancellation fees. The Office of the Interconnection shall adjust the output of pool-scheduled resource increments as necessary: (a) to maintain reliability, and subject to that constraint, to minimize the cost of supplying the energy, reserves, and other services required by the Market Buyers and the operation of the PJM Region; (b) to balance load and generation, maintain scheduled tie flows, and provide frequency support within the PJM Region; and (c) to minimize unscheduled interchange not frequency related between the PJM Region and other Control Areas.

1.11.2 Operating Basis.

In carrying out the foregoing objectives, the Office of the Interconnection shall conduct the operation of the PJM Region in accordance with the PJM Manuals, and shall: (i) utilize available generating reserves and obtain required replacements; and (ii) monitor the availability of adequate reserves.

1.11.3 Pool-dispatched Resources.

(a) The Office of the Interconnection shall implement the dispatch of energy from pool-scheduled resources with limited energy by direct request. In implementing mandatory or economic use of limited energy resources, the Office of the Interconnection shall use its best efforts to select the most economic hours of operation for limited energy resources, in order to make optimal use of such resources consistent with the dynamic load-following requirements of the PJM Region and the availability of other resources to the Office of the Interconnection.

(b) The Office of the Interconnection shall implement the dispatch of energy from other pool-dispatched resource increments, including generation increments from Capacity Resources the remaining increments of which are self-scheduled, by sending appropriate signals and instructions to the entity controlling such resources, in accordance with the PJM Manuals. Each Market Seller shall ensure that the entity controlling a pool-dispatched resource offered or made available by that Market Seller complies with the energy dispatch signals and instructions transmitted by the Office of the Interconnection.

1.11.3A ——Maximum Generation Emergency.

If the Office of the Interconnection declares a Maximum Generation Emergency, all deliveries to load that is served by Point-to-Point Transmission Service outside the PJM Region from Generation Capacity Resources committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative may be interrupted in order to serve load in the PJM Region.

1.11.4 Regulation.

(a) A Market Buyer may satisfy its Regulation Obligation from its own generation resources and/or Demand Resources capable of performing Regulation service, by contractual arrangements with other Market Participants able to provide Regulation service, or by purchases from the PJM Interchange Energy Market at the rates set forth in Section 3.2.2. PJMSettlement shall be the Counterparty to the purchases and sales of Regulation service in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Regulation Obligation.

(b) The Office of the Interconnection shall obtain Regulation service from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet Regulation Zone requirements not otherwise satisfied by the Market Buyers. Generation resources or Demand Resources offering to sell Regulation shall be selected to provide Regulation on the basis of each generation resource's and Demand Resource's regulation offer and the estimated opportunity cost of a resource providing regulation and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Regulation, and other ancillary services. Estimated opportunity costs for generation resources shall be determined by the Office of the Interconnection on the basis of the expected value of the energy sales that would be foregone or uneconomic energy that would be produced by the resource in order to provide Regulation, in accordance with procedures specified in the PJM Manuals. Estimated opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch resources for Regulation by sending Regulation signals and instructions to generation resources and/or Demand Resources from which Regulation service has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Regulation dispatch signals and instructions transmitted by the Office of the Interconnection and, in the event of conflict, Regulation dispatch signals and instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4A Synchronized Reserve.

(a) A Market Buyer may satisfy its Synchronized Reserve Obligation from its own generation resources and/or Demand Resources capable of providing Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Synchronized Reserve,

or by purchases from the PJM Synchronized Reserve Market at the rates set forth in Section 3.2.3A. PJMSettlement shall be the Counterparty to the purchases and sales of Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Synchronized Reserve from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet the Synchronized Reserve requirements of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources offering to sell Synchronized Reserve shall be selected to provide Synchronized Reserve on the basis of each generation resource's and/or Demand Resource's Synchronized Reserve offer and the estimated unit specific opportunity cost of the resource providing Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the generation resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the absolute value of~~ the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch generation resources and/or Demand Resources for Synchronized Reserve by sending Synchronized Reserve instructions to generation resources and/or Demand Resources from which Synchronized Reserve has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4B Non-Synchronized Reserve.

(a) A Market Buyer may satisfy its Non-Synchronized Reserve Obligation from its own generation resources ~~and/or Demand Resources~~ capable of providing Non-Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Non-Synchronized Reserve, or by purchases from the PJM Non-Synchronized Reserve Market at the rates set forth in Section 3.2.3A.001. PJMSettlement shall be the Counterparty to the purchases and sales of Non-Synchronized Reserve in the PJM Interchange Energy Market; provided that

PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-supply of generation resources by a Market Buyer to satisfy its Non-Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Non-Synchronized Reserve from the least-cost alternatives available from either pool-scheduled ~~or self-scheduled~~ generation resources~~ and/or Demand Resources~~, as needed to ensure the Primary Reserve requirement of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources eligible~~offering~~ to sell Non-Synchronized Reserve shall be selected to provide Non-Synchronized Reserve on the basis of each generation resource's ~~and/or Demand Resource's~~ estimated unit-specific opportunity cost of the resource providing Non-Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit-specific opportunity costs for generation resources not providing energy because they are providing Non-Synchronized Reserve shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer~~ price~~ for energy from the generation resource ~~(at the megawatt level of the Non-Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. ~~Opportunity costs for Demand Resources will be zero.~~

(c) The Office of the Interconnection shall dispatch generation resources ~~and/or Demand Resources~~ for Non-Synchronized Reserve by sending Non-Synchronized Reserve instructions to generation resources ~~and/or Demand Resources~~ from which Non-Synchronized Reserve is available, in accordance with the PJM Manuals. Market Sellers shall comply with Non-Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection, and in the event of a conflict, Non-Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.5 PJM Open Access Same-time Information System.

The Office of the Interconnection shall update the information posted on the PJM Open Access Same-time Information System to reflect its dispatch of generation resources.

2.1 Introduction.

The Office of the Interconnection shall calculate the price of energy at the load busses and generation busses in the PJM Region and at the Interface Pricing Points –between adjacent Control Areas and the PJM Region on the basis of Locational Marginal Prices. Locational Marginal Prices determined in accordance with this Section shall be calculated on a day-ahead basis for each hour of the Day-ahead Energy Market, and every five minutes during the Operating Day for the Real-time Energy Market.

2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load bus~~s~~es in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at bus~~s~~es in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants and Emergency Load Response Participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-~~A~~ahead or Real-~~T~~time Energy Markets or from Emergency Load Response Participants in the Real-time Energy Market. ~~Offers of economic load response from Demand Resources in the Real-time Energy Market will not be eligible to set Locational Marginal Prices, unless metered directly by the Office of the Interconnection.~~ Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region~~, so long as sufficient data is available to accurately model the resources~~.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage ("false positives") by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

2.3 Determination of System Conditions Using the State Estimator.

Power system operations, including, but not limited to, the determination of the least costly means of serving load and meeting reserve requirements, depend upon the availability of a complete and consistent representation of generator outputs, loads, and power flows on the network. In calculating Locational Marginal Prices, the Office of the Interconnection shall obtain a complete and consistent description of conditions on the electric network in the PJM Region by using the most recent power flow solution produced by the State Estimator program and utilized in the PJM dispatch algorithm, which State Estimator program is also used by the Office of the Interconnection for other functions within power system operations. The State Estimator is a standard industry tool that produces a power flow model based on available real-time metering information, information regarding the current status of lines, generators, transformers, and other equipment, bus load distribution factors, and a representation of the electric network, to provide a complete description of system conditions, including conditions at busses for which real-time information is unavailable. The Office of the Interconnection shall obtain a State Estimator solution every five minutes, which shall provide the megawatt output of generators and the loads at busses in the PJM Region, transmission line losses, and actual flows or loadings on constrained transmission facilities. External transactions between PJM and other Control Areas shall be included in the Locational Marginal Price calculation on the basis of the real time transaction schedules implemented by the Office of the Interconnection's dispatcher.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the Reserve Penalty Factors for both the Synchronized Reserves and Primary~~Non-synchronized~~ Reserves requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the Reserve Penalty Factors associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor for the deficient reserve requirement~~product~~ as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated ~~accordingly~~ as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the

Interconnection may include, but are not limited to, the Maximum Emergency Generation Alert, Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

~~If the Office of the Interconnection has initiated in a Reserve Zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, Locational Marginal Prices for that Reserve Zone will be calculated including the Reserve Penalty Factors of all reserve products in that Reserve Zone.~~

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the Primary Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM

Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e~~d~~) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) tie lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (g) of this section; the amounts, if any, described in subsection (e) of this section; and (iii) the Internal Market Buyer's pro rata share of any performance credits paid to regulating resources calculated in accordance with subsection (f) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office such that the calculated credit for each increment of Regulation provided by each resource shall be the Regulation market-clearing price.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation zone that shall be calculated in accordance with subsection (f) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.3.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(f) The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (f) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capacity Regulation market-clearing price.

(g) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(h) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region for which the capability cost-based offer plus the performance cost-based

offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate

in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such area pursuant to Section 1.12.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy as determined by the Real-time Energy Market and the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b) and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess

of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UB shall not be negative.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the

level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG}, or (ii) {(URTLMP – UB) x DAG} where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit, determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled and operating as requested by the Office of the Interconnection, the output of which is reduced or

suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and
>
> where URTLMP - UB shall not be negative.

In the event the Office of the Interconnection experiences a technical problem or malfunction with its wind forecasting tool that results in an erroneous forecast for a wind resource during a period of time for which the wind resource is eligible for lost opportunity cost, the Office of the Interconnection and the Market Seller will attempt to reach a mutually agreeable forecast value for settlement purposes. If the Office of the Interconnection and the Market Seller do not come to mutual agreement on an acceptable forecast value, the Office of the Interconnection shall utilize the forecast value that it determines is appropriate.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d) such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not

including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such region pursuant to Section 1.12.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at interfaces and hubs shall be associated with the Eastern or Western Region if all the busses that define all interfaces or all hubs are located in the region. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by busses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of an Operating Reserve shortage in real-time or where PJM initiates the request for load reductions in real-time in order to avoid an Operating Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized

Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared ("Maximum Generation Emergency Alert"); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market

revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to $1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed $1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited

desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$Ramp_Request_t = (UDStarget_{t-1} - AOutput_{t-1}) / (UDSLAtime_{t-1})$$

$$RL_Desired_t = AOutput_{t-1} + \left(Ramp_Request_t * Case_Eff_time_{t-1} \right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.

- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.

- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.

- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh and Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly

integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the

underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

3.2.3A Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). An Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts if any, described in subsections (g), (h) and (i) of this section.

(b) A Generating Market Buyer supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are

operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a ~~s~~Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the ~~s~~Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the Synchronized Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Synchronized Reserve Penalty Factor and the Primary Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Synchronized Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 201~~1~~2/201~~2~~3 Delivery Year;

ii. $400/MWh for the 201~~2~~3/201~~3~~4 Delivery Year;

iii. $550/MWh for the 201~~3~~4/201~~4~~5 Delivery Year; and

iv. $850/MWh as of the 201~~4~~5/201~~5~~6 Delivery Year.

By no later than April 30 of each year~~After June 1, 2014~~, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each

Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled by the owner to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Synchronized Reserve in response to an actual Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Tier 2 Synchronized Reserve during which the event occurred, and the owner of the resource shall incur an additional Synchronized Reserve Obligation in the amount of the shortfall for a period of three consecutive days with the same peak classification (on-peak or off-peak) as the day of the Synchronized Reserve Event at least three business days following the Synchronized Reserve Event. The overall Synchronized Reserve requirement for each Reserve Zone and Reserve Sub-zone of the PJM Region on which the Synchronized Reserve Obligations, except for the additional obligations set forth in this section, are based shall be reduced by the amount of this shortfall for the applicable three-day period.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its

offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Non-Synchronized Reserve equal to its *pro rata* share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). An Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with paragraph (cd) of this section, plus the amounts if any, described in paragraphs (fg), (h), and (i) of this section.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. Opportunity costs for Demand Resources to provide Non-Synchronized Reserves are zero.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Non-Synchronized Reserveprocuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve requirement. When the Primary Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the Primary Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve will be determined as the Primary Reserve Penalty Factor. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Primary Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Primary Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 201~~1~~2/201~~2~~3 Delivery Year;

ii. $400/MWh for the 201~~2~~3/201~~3~~4 Delivery Year;

iii. $550/MWh for the 201~~3~~4/201~~4~~5 Delivery Year; and

iv. $850/MWh as of the 201~~4~~5/201~~5~~6 Delivery Year.

By no later than April 30 of each year~~After June 1, 2014~~, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are~~solely for the purpose of~~ providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of ~~the set point of~~ the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions ~~that is expected to be required in order to provide Non-Synchronized Reserve~~ from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) ~~the difference between~~ the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. ~~The opportunity costs for a Demand Resource shall be zero.~~

(e) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non- Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the generation resource)~~ in the PJM Interchange Energy Market. ~~The opportunity costs for a Demand Resource shall be zero.~~

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource ~~or a Demand Resource, except for Batch Load Demand Resources covered by Section 3.2.3A(1),~~ is the difference between the generation resource's output ~~or the Demand Resource's consumption~~ at the start of the event and its output ~~or consumption~~ 10 minutes after the start of

the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output ~~or Demand Resource consumption~~ at the start of the event is defined as the lowest telemetered generator resource output ~~or greatest Demand Resource consumption~~ between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output ~~or a Demand Resource's consumption~~ 10 minutes after the start of the event is defined as the greatest generator resource output ~~or lowest Demand Resource consumption~~ achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. ~~The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.~~

(h) In the event a generation resource ~~or Demand Resource~~ that ~~either~~ has been assigned by the Office of the Interconnection ~~or self-scheduled by the owner~~ to provide Non-Synchronized Reserve fails to provide the assigned ~~or self-scheduled~~ amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

~~(i) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Non-Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Non-Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Non-Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute, provided that the magnitude of the response shall be zero if, when the Non-Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.~~

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to

bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load,

the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The cost of credits allocated to Day-ahead Scheduling Reserves Resources pursuant to this section shall be charged to Load-Serving Entities in the PJM Region based on load ratio share (net of operating Behind The Meter Generation, but not to be less than zero), provided that a Load-Serving Entity may satisfy its Day-ahead Scheduling Reserves obligation, which is equal to the Day-ahead Scheduling Reserves Requirement multiplied by the Load-Serving Entity's load ratio share for the PJM Region, through one or any combination of the following: 1) the Day-ahead Scheduling Reserves Market; 2) and bilateral arrangements. The Day-ahead Scheduling Reserve charges allocated pursuant to this section shall reflect any portion of a Load-Serving Entity's Day-ahead Scheduling Reserves obligation that is met by bilateral arrangement(s).

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to {(LMPDMW - AG) x (URTLMP - UB)}

where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended determined according to the real time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UB shall not be negative.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG, or (ii) {(URTLMP – UB) x DAG where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG - LMPDMW) x (UB - URTLMP)}where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a

mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on

whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve.

At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

3.3 Market Sellers.

Except as provided in the following sentence, the accounting and billing principles and procedures applicable to Generating Market Buyers functioning as Market Sellers shall be as set forth in Section 3.2. This Section sets forth the accounting and billing principles and procedures applicable to all other Market Sellers, and to Generating Market Buyers functioning as Market Sellers with respect to any matters not specified in Section 3.2.

3.3.1 Spot Market Energy Charges.

(a) Market Sellers shall be paid for all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead System Energy Prices.

(b) At the end of each hour during an Operating Day, the Office of the Interconnection shall determine the total net amount of energy delivered in the hour to the PJM Region by each of the Market Seller's resources, in accordance with the PJM Manuals and the calculation described in Section 3.2.1(f).

(c) The Office of the Interconnection shall calculate Day-ahead and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(d) A Market Seller shall be paid for real-time sales of Spot Market Energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its payments determined by the product of (i) the hourly net amount of energy delivered to the PJM Region in excess of the amount scheduled to be delivered in that hour in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time System Energy Price. To the extent that the energy actually injected in any hour is less than the energy scheduled to be injected in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time System Energy Price at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum~~,~~ of the revenues at Day-ahead System Energy Prices determined in accordance with the Day-ahead Energy Market as specified in Section 3.3.1(a) plus the revenues at Real-time System Energy Prices determined as specified herein, net of any debits specified herein for each Market Seller.

3.3.2 Regulation.

Each Market Seller that is also an Internal Market Buyer as to load in a Regulation Zone shall have an hourly Regulation objective and shall be credited or charged in connection therewith as specified in Section 3.2.2. All other Market Sellers supplying Regulation in such Regulation Zone at the direction of the Office of the Interconnection shall be credited for each increment of such Regulation at the price specified in Section 3.2.2(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.3 Operating Reserves.

A Market Seller shall be credited for its pool-scheduled resources based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource, in accordance with the procedures set forth in Section 3.2.3.

3.3.4 Emergency Energy.

The net costs or net revenues associated with purchases or sales of energy in connection with Emergencies in the PJM Region, or in another Control Area, shall be allocated to Market Participants in accordance with the procedures set forth in Section 3.2.6.

3.3.5 Synchronized Reserve.

Each Market Seller that is also an Internal Market Buyer shall have an hourly Synchronized Reserve objective and shall be credited or charged in connection therewith as specified in Section 3.2.3A(a). All other Market Sellers supplying Synchronized Reserve at the direction of the Office of the Interconnection shall be credited for each increment of such Synchronized Reserve at the price specified in Section 3.2.3A(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.5A Non-Synchronized Reserve.

Each Market Seller that is also an Internal Market Buyer shall have an hourly Non-Synchronized Reserve objective and shall be credited or charged in connection therewith as specified in Section 3.2.3A.001(a). All other Market Sellers supplying Non-Synchronized Reserve at the direction of the Office of the Interconnection shall be credited for each increment of such Synchronized Reserve at the price specified in Section 3.2.3A.001(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.6 Billing.

PJMSettlement shall prepare a billing statement each billing cycle for each Market Seller in accordance with the charges and credits specified in Sections 3.3.1 through 3.3.5 of this Schedule, and showing the net amount to be paid or received by the Market Seller. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Seller's internal accounting.

PJM EMERGENCY LOAD RESPONSE PROGRAM

Emergency Load Response Program

The Emergency Load Response Program is designed to provide a method by which end-use customers may be compensated by PJM for reducing load during an emergency event. As used in the Emergency Load Response Program, the term "end-use customer" refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program:

- Full Program Option

  Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during an emergency event, and (ii) a capacity payment for load reductions during an emergency event measured as set forth in the Reporting and Compliance provisions below.

- Energy Only Option

  Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

Participant Qualifications

Two primary types of distributed resources are candidates to participate in either of the two options provided by the Emergency Load Response Program:

On-Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program. Members or Special Members may participate in the Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for

program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member may act as a third party for non-members, in which case the third party will be referred to as the Curtailment Service Provider (CSP). All payments are made to the PJM Member. Participants must become signatories to the PJM Operating Agreement, as described in the ***PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C***. However, for special members the $5,000 annual membership fee, the $1,500 application fee, and liability for Member defaults are waived, along with the following other modifications:

Special Members are limited to be PJM market sellers;
Voting privileges and sector designation are waived;
Thirty day notice for waiting period is waived;
Requirement for 24/7 control center coverage is waived;
No PJM-supported user group capability is permitted.

To participate in either of the two options provided by the Emergency Load Response Program, the distributed resource must:

Be capable of reducing at least 100 kW of load
Be capable of receiving PJM notification to participate during emergency conditions.

Metering Requirements

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Participant must meter reductions in demand by using either of the following two methods:

a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or

b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

a) Metering equipment used for retail electric service;

b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM, in accordance with the requirements herein and in the PJM Manuals; or

c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

Registration

1. Participants must complete the PJM Emergency Load Response Program Registration Form ("Emergency Registration Form") that is posted on the PJM website (www.pjm.com)for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company and Load Serving Entity ten business day review period, as described herein, Participants should submit completed PJM Emergency Load Response Program Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31st preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed PJM Emergency Load Response Program Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or Load Serving Entity or the Office of the Interconnection because of incorrect data on the PJM Emergency Load Response Program Registration Form, such registration may be resubmitted by the participant before May 31st preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company or Load Serving Entity has verified the registration on or before May 31st preceding the relevant Delivery Year. Incomplete PJM Emergency Load Response Program Registration Forms will be rejected by the Office of the Interconnection; participants may not resubmit registrations that were rejected for being incomplete unless participants are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate Load Serving Entity and electric distribution company of an Emergency Load Response

Participant's registration and request verification as to whether the load that may be reduced is under other contractual obligations or subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response Program pursuant to the process described below. The electric distribution company and Load Serving Entity have ten business days to respond. Other such contractual obligations may not preclude participation in the program, but may require special consideration by PJM such that appropriate settlements are made within the confines of such existing contracts. An electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response Program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after the Interruptible Load for Reliability registration deadline established by the Office of the Interconnection for the next applicable Delivery Year, then the existing Emergency Load Response Participant's registration for Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before the Interruptible Load for Reliability registration deadline established by the Office of the Interconnection for the applicable Delivery Year, then the existing Emergency Load Response participant's registration for Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) participation shall be deemed to be terminated for the applicable Delivery Year.

ii. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load

Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31st preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31st preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31st preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.

b. In the absence of a response from the electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response Program requirements.

c. For those registrations terminated pursuant to this section, all Emergency Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The Participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate Load Serving Entity and electric distribution company of an Emergency Load Response Participant's registration and request verification as to whether the load that may be reduced is under other contractual obligations and is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company and Load Serving Entity have ten business days to respond. Other such contractual obligations may not preclude participation in the program, but may require special consideration by PJM such that appropriate settlements are made within the confines of such existing contracts. If the electric distribution company or Load Serving Entity verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Emergency Load Response Program, then the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company or Load Serving Entity denies the Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) registration before the Interruptible Load for Reliability registration deadline as established by the Office of the Interconnection for the applicable Delivery Year because the electric distribution company or Load Serving Entity asserts that the Relevant Electric Retail Regulatory Authority has not granted permission or conditional permission for the end-use customer's participation or the electric distribution company or Load Serving Entity asserts that the end-use customer has not satisfied conditional permission requirements, then the existing Emergency Load Response Participant's registration for Interruptible Load for Reliability participation shall be deemed to be terminated for the applicable Delivery Year. If it is able to do so in compliance with all Emergency Load Response Program requirements, including the registration requirements, the participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response Program provisions.

ii. If the electric distribution company or Load Serving Entity denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31st preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31st preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.

b. In the absence of a response from the electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response Program requirements, including the registration section, the Emergency Load Response Participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJMSettlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM informs the requesting participant of acceptance into the program and notifies the appropriate Load Serving Entity and electric distribution company of the requesting participant's acceptance into the program, or notifies the requesting participant and appropriate Load Serving Entity and electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation

in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

Emergency Load Response Registrations in Effect as of August 28, 2009

All existing Emergency Load Response Participants' registrations submitted to PJM prior to August 28, 2009 (the effective date of *Wholesale Competition in Regions with Organized Electric Markets*, Order 719-A, 128 FERC ¶ 61,059 (2009) ("Order 719-A")) for Load Management participation in the 2009/2010 Delivery Year will remain effective for that Delivery Year.

Emergency Operations

PJM will initiate the request for a Load Management event coincident with the declaration of Maximum Emergency Generation and prior to the implementation of Load Management Steps 1 and 2. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) It is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location and/or quantity of load reduction needed.

The ~~Minimum D~~dispatch ~~P~~price ~~and all offers~~ of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff~~, so long as sufficient data is available to accurately model the resources~~. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Participants in the Emergency Load Response Program must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the ***PJM Manual for Emergency Operations.***

Verification

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the event. If the data are not received within 60 days, no payment for participation is provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the EDC and LSE upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

Market Settlements

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is two hours. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJMSettlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured reduction (either measured output of backup generation or the difference between the measured load the hour before the reduction and each hour during the reduction) adjusted for losses times the applicable LMP. If, however, the sum of the hourly energy payments to a participant dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price, minimum down time and shut down costs) then the participant will be made whole up to the offer value for its actual, achieved reductions.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the real time market compared to the day-ahead market. Consistent with this pricing methodology, all charges under this program are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real time.

Program charges and credits will appear on the PJM Members monthly bill, as described in the ***PJM Manual for Operating Agreement Accounting and the PJM Manual for Billing.***

Reporting and Compliance

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during an emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load ("Load") and then multiplied by the loss factor ("LF") or (b) the current Delivery Year peak load contribution ("PLC") minus the metered load multiplied by the loss factor ("LF"). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

   Minimum of {(comparison load – Load) * LF, PLC – (Load * LF)}

   Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

   - Comparable Day
   - Same Day
   - Customer Baseline
   - Regression Analysis
   - Generation

   Each of these methodologies is described in greater detail in Manual M-19, ***PJM Manual for Load Forecasting and Analysis***, at Attachment A: Load Drop Estimate Guidelines.

ii) For Firm Service Level end-use customers the current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

PLC – (Load * LF)

The capacity compliance of Load Management resources that are registered as Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.3 of PJM Emergency Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

Non-hourly metered Customer Pilot

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period.

Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

Emergency Load Response Participant Aggregation.

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response Program that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response Participant aggregations shall be subject to the following requirements:

i. All End-Use Customers in an aggregation shall be specifically identified;

ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation;

iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;

iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and

v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.

vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

Section(s) of the
PJM Operating Agreement

(Marked / Redline Version)

OPERATING AGREEMENT
TABLE OF CONTENTS

1. DEFINITIONS
   - OA Definitions - A - B
   - OA Definitions - C - D
   - OA Definitions - E - F
   - OA Definitions – G - H
   - OA Definitions – I – L
   - OA Definitions – M – N
   - OA Definitions – O – P
   - OA Definitions – Q – R
   - OA Definitions – S – T
   - OA Definitions – U – Z
2. FORMATION, NAME; PLACE OF BUSINESS
   - 2.1 Formation of LLC; Certificate of Formation
   - 2.2 Name of LLC
   - 2.3 Place of Business
   - 2.4 Registered Office and Registered Agent
3. PURPOSES AND POWERS OF LLC
   - 3.1 Purposes
   - 3.2 Powers
4. EFFECTIVE DATE AND TERMINATION
   - 4.1 Effective Date and Termination
   - 4.2 Governing Law
5. WORKING CAPITAL AND CAPITAL CONTRIBUTIONS
   - 5.1 Funding of Working Capital and Capital Contributions
   - 5.2 Contributions to Association
6. TAX STATUS AND DISTRIBUTIONS
   - 6.1 Tax Status
   - 6.2 Return of Capital Contributions
   - 6.3 Liquidating Distribution
7. PJM BOARD
   - 7.1 Composition
   - 7.2 Qualifications
   - 7.3 Term of Office
   - 7.4 Quorum
   - 7.5 Operating and Capital Budgets
   - 7.6 By-laws
   - 7.7 Duties and Responsibilities of the PJM Board
8. MEMBERS COMMITTEE
   - 8.1 Sectors
   - 8.2 Representatives
   - 8.3 Meetings

8.4 Manner of Acting
8.5 Chair and Vice Chair of the Members Committee
8.6 Senior, Standing, and Other Committees
8.7 User Groups
8.8 Powers of the Members Committee
9. OFFICERS
9.1 Election and Term
9.2 President
9.3 Secretary
9.4 Treasurer
9.5 Renewal of Officers; Vacancies
9.6 Compensation
10. OFFICE OF THE INTERCONNECTION
10.1 Establishment
10.2 Processes and Organization
10.3 Confidential Information
10.4 Duties and Responsibilities
11. MEMBERS
11.1 Management Rights
11.2 Other Activities
11.3 Member Responsibilities
11.4 Regional Transmission Expansion Planning Protocol
11.5 Member Right to Petition
11.6 Membership Requirements
11.7 Associate Membership Requirements
12. TRANSFERS OF MEMBERSHIP INTEREST
13. INTERCHANGE
13.1 Interchange Arrangements with Non-Members
13.2 Energy Market
14. METERING
14.1 Installation, Maintenance and Reading of Meters
14.2 Metering Procedures
14.3 Integrated Megawatt-Hours
14.4 Meter Locations
14.5 Metering of Behind The Meter Generation
14A TRANSMISSION LOSSES
14A.1 Description of Transmission Losses
14A.2 Inclusion of State Estimator Transmission Losses
14A.3 Other Losses
15. ENFORCEMENT OF OBLIGATIONS
15.1 Failure to Meet Obligations
15.2 Enforcement of Obligations
15.3 Obligations to a Member in Default
15.4 Obligations of a Member in Default
15.5 No Implied Waiver
15.6 Limitation on Claims

16. LIABILITY AND INDEMNITY
16.1 Members
16.2 LLC Indemnified Parties
16.3 Workers Compensation Claims
16.4 Limitation of Liability
16.5 Resolution of Disputes
16.6 Gross Negligence or Willful Misconduct
16.7 Insurance
17. MEMBER REPRESENTATIONS, WARRANTIES AND COVENANTS
17.1 Representations and Warranties
17.2 Municipal Electric Systems
17.3 Survival
18. MISCELLANEOUS PROVISIONS
18.1 [Reserved.]
18.2 Fiscal and Taxable Year
18.3 Reports
18.4 Bank Accounts; Checks, Notes and Drafts
18.5 Books and Records
18.6 Amendment
18.7 Interpretation
18.8 Severability
18.9 *Force Majeure*
18.10 Further Assurances
18.11 Seal
18.12 Counterparts
18.13 Costs of Meetings
18.14 Notice
18.15 Headings
18.16 No Third-Party Beneficiaries
18.17 Confidentiality
18.18 Termination and Withdrawal
18.18.1 Termination
18.18.2 Withdrawal
18.18.3 Winding Up
RESOLUTION REGARDING ELECTION OF DIRECTORS
SCHEDULE 1 – PJM INTERCHANGE ENERGY MARKET
1. MARKET OPERATIONS
1.1 Introduction
1.2 Cost-~~b~~Based Offers
1.2A Transmission Losses
1.3 Definitions
1.4 Market Buyers
1.5 Market Sellers
1.5A Economic Load Response Participant
1.6 Office of the Interconnection
1.6A PJMSettlement

1.7 General
1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
1.9 Prescheduling
1.10 Scheduling
1.11 Dispatch
1.12 Dynamic Scheduling
2. CALCULATION OF LOCATIONAL MARGINAL PRICES
2.1 Introduction
2.2 General
2.3 Determination of System Conditions Using the State Estimator
2.4 Determination of Energy Offers Used in Calculating Real-time Prices
2.5 Calculation of Real-time Prices
2.6 Calculation of Day-ahead Prices
2.6A Interface Prices
2.7 Performance Evaluation
3. ACCOUNTING AND BILLING
3.1 Introduction
3.2 Market Buyers
3.3 Market Sellers
3.3A Economic Load Response Participants
3.4 Transmission Customers
3.5 Other Control Areas
3.6 Metering Reconciliation
3.7 Inadvertent Interchange
4. [Reserved For Future Use]
5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES
5.1 Transmission Congestion Charge Calculation
5.2 Transmission Congestion Credit Calculation
5.3 Unscheduled Transmission Service (Loop Flow)
5.4 Transmission Loss Charge Calculation
5.5 Distribution of Total Transmission Loss Charges
6. "MUST-RUN" FOR RELIABILITY GENERATION
6.1 Introduction
6.2 Identification of Facility Outages
6.3 Dispatch for Local Reliability
6.4 Offer Price Caps
6.5 [Reserved]
6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules
6A ~~SCARCITY PRICING~~ [Reserved]
6A.1 ~~Scarcity Conditions~~[Reserved]
6A.2 ~~Scarcity Pricing Regions~~[Reserved]
6A.3 ~~Scarcity Pricing~~[Reserved]
7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS
7.1 Auctions of Financial Transmission Rights
7.1A Long-Term Financial Transmission Rights Auctions

7.2 Financial Transmission Rights Characteristics
7.3 Auction Procedures
7.4 Allocation of Auction Revenues
7.5 Simultaneous Feasibility
7.6 New Stage 1 Resources
7.7 Alternate Stage 1 Resources
7.8 Elective Upgrade Auction Revenue Rights
7.9 Residual Auction Revenue Rights
7.10 Financial Settlement
7.11 PJMSettlement as Counterparty
8. INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM
8.1 Introduction
8.2 Identification of Transmission Constraints
8.3 Redispatch Procedures
8.4 Locational Marginal Price
8.5 Generator Compensation
8.6 Settlements
8.7 Effective Date
9. [Reserved]
10. [Reserved]~~PJM-FE INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT~~
PJM EMERGENCY LOAD RESPONSE PROGRAM
SCHEDULE 2 – COMPONENTS OF COST
SCHEDULE 2 –EXHIBIT A, EXPLANATION OF THE TREATMENT OF THE COSTS OF EMISSION ALLOWANCES
SCHEDULE 3 –ALLOCATION OF THE COST AND EXPENSES OF THE OFFICE OF THE INTERCONNECTION
SCHEDULE 4 –STANDARD FORM OF AGREEMENT TO BECOME A MEMBER OF THE LLC
SCHEDULE 5 –PJM DISPUTE RESOLUTION PROCEDURES
1. DEFINITIONS
1.1 Alternate Dispute Resolution Committee
1.2 MAAC Dispute Resolution Committee
1.3 Related PJM Agreements
2. PURPOSES AND OBJECTIVES
2.1 Common and Uniform Procedures
2.2 Interpretation
3. NEGOTIATION AND MEDIATION
3.1 When Required
3.2 Procedures
3.3 Costs
4. ARBITRATION
4.1 When Required
4.2 Binding Decision

4.3 Initiation
4.4 Selection of Arbitrator(s)
4.5 Procedures
4.6 Summary Disposition and Interim Measures
4.7 Discovery of Facts
4.8 Evidentiary Hearing
4.9 Confidentiality
4.10 Timetable
4.11 Advisory Interpretations
4.12 Decisions
4.13 Costs
4.14 Enforcement
5. ALTERNATE DISPUTE RESOLUTION COMMITTEE
5.1 Membership
5.2 Voting Requirements
5.3 Officers
5.4 Meetings
5.5 Responsibilities
SCHEDULE 6 – REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
1. REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
1.1 Purpose and Objectives
1.2 Conformity with NERC and Other Applicable Criteria
1.3 Establishment of Committees
1.4 Contents of the Regional Transmission Expansion Plan
1.5 Procedure for Development of the Regional Transmission Expansion Plan
1.6 Approval of the Final Regional Transmission Expansion Plan
1.7 Obligation to Build
1.8 Interregional Expansions
1.9 Relationship to the PJM Open Access Transmission Tariff
SCHEDULE 7 – UNDERFREQUENCY RELAY OBLIGATIONS AND CHARGES
1. UNDERFREQUENCY RELAY OBLIGATION
1.1 Application
1.2 Obligations
2. UNDERFREQUENCY RELAY CHARGES
3. DISTRIBUTION OF UNDERFREQUENCY RELAY CHARGES
3.1 Share of Charges
3.2 Allocation by the Office of the Interconnection
SCHEDULE 8 – DELEGATION OF PJM CONTROL AREA RELIABILITY RESPONSIBILITIES
1. DELEGATION
2. NEW PARTIES
3. IMPLEMENTATION OF RELIABILITY ASSURANCE AGREEMENT
SCHEDULE 9B – PJM SOUTH REGION EMERGENCY PROCEDURE CHARGES
1. EMERGENCY PROCEDURE CHARGE
2. DISTRIBUTION OF EMERGENCY PROCEDURE CHARGES

2.1 Complying Parties
2.2 All Parties
SCHEDULE 10 – FORM OF NON-DISCLOSURE AGREEMENT
1. DEFINITIONS
1.1 Affected Member
1.2 Authorized Commission
1.3 Authorized Person
1.4 Confidential Information
1.5 FERC
1.6 Information Request.
1.7 Operating Agreement
1.8 PJM Market Monitor
1.9 PJM Tariff
1.10 Third Party Request.
2. Protection of Confidentiality
2.1 Duty to Not Disclose
2.2 Discussion of Confidential Information with Other Authorized Persons
2.3 Defense Against Third Party Requests
2.4 Care and Use of Confidential Information
2.5 Ownership and Privilege
3. Remedies
3.1 Material Breach
3.2 Judicial Recourse
3.3 Waiver of Monetary Damages
4. Jurisdiction
5. Notices
6. Severability and Survival
7. Representations
8. Third Party Beneficiaries
9. Counterparts
10. Amendment
SCHEDULE 10A – FORM OF CERTIFICATION
1. Definitions
2. Requisite Authority
3. Protection of Confidential Information
4. Defense Against Requests for Disclosure
5. Use and Destruction of Confidential Information
6. Notice of Disclosure of Confidential Information
7. Release of Claims
8. Ownership and Privilege
Exhibit A - Certification List of Authorized Persons
SCHEDULE 11 – ALLOCATION OF COSTS ASSOCIATED WITH NERC PENALTY ASSESSMENTS
1.1 Purpose and Objectives
1.2 Definitions
1.3 Allocation of Costs When PJM is the Registered Entity

1.4 Allocation of Costs When a PJM Member is the Registered Entity
1.5
SCHEDULE 12 – PJM MEMBER LIST
RESOLUTION TO AMEND THE PROCEDURES REQUIRING THE RETENTION OF AN INDEPENDENT CONSULTANT TO PROPOSE A LIST OF CANDIDATES FOR THE BOARD OF MANAGERS ELECTION FOR 2001

1.38.001 Regional Entity.

"Regional Entity" shall mean an organization that NERC has delegated the authority to propose and enforce reliability standards pursuant to the Federal Power Act.

1.38.01 Regional RTEP Project.

"Regional RTEP Project" shall mean a transmission expansion or enhancement rated at 230 kV or above which is required for compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.38.01A Relevant Electric Retail Regulatory Authority:

An entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

1.38A Regulation Zone.

"Regulation Zone" shall mean any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

1.39 Related Parties.

"Related Parties" shall mean, solely for purposes of the governance provisions of this Agreement: (i) any generation and transmission cooperative and one of its distribution cooperative members; and (ii) any joint municipal agency and one of its members. For purposes of this Agreement, representatives of state or federal government agencies shall not be deemed Related Parties with respect to each other, and a public body's regulatory authority, if any, over a Member shall not be deemed to make it a Related Party with respect to that Member.

1.40 Reliability Assurance Agreement.

"Reliability Assurance Agreement" shall mean that certain Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region, on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC. No .42, establishing obligations, standards and procedures for maintaining the reliable operation of the PJM Region.

1.40.01 Reserve Sub-zone.

"Reserve Sub-zone" shall mean any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.40A Reserve Zone.

"Reserve Zone" shall mean any of those geographic areas consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.40B [Reserved].

1.40C SERC.

"SERC" or "Southeastern Electric Reliability Council" shall mean the reliability council under section 202 of the Federal Power Act established pursuant to the SERC Agreement dated January 14, 1970, or any successor thereto.

1.41 Sector Votes.

"Sector Votes" shall mean the affirmative and negative votes of each sector of a Senior Standing Committee, as specified in Section 8.4.

1.41A Senior Standing Committees.

"Senior Standing Committees" shall mean the Members Committee, and the Markets, and Reliability Committee, as established in Sections 8.1 and 8.6.

1.41A.01 [Reserved].

1.41A.02 [Reserved].

1.41A.03 [Reserved].

1.41B Standing Committees.

"Standing Committees" shall mean the Members Committee, the committees established and maintained under Section 8.6, and such other committees as the Members Committee may establish and maintain from time to time.

1.42 State.

"State" shall mean the District of Columbia and any State or Commonwealth of the United States.

1.42.01 State Certification.

"State Certification" shall mean the Certification of an Authorized Commission, pursuant to Section 18 of this Agreement, the form of which is appended to this Agreement as Schedule 10A, wherein the Authorized Commission identifies all Authorized Persons employed or retained by such Authorized Commission, a copy of which shall be filed with FERC.

1.42A State Consumer Advocate.

"State Consumer Advocate" shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established,

inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

1.42A.01 Subregional RTEP Project.

"Subregional RTEP Project" shall mean a transmission expansion or enhancement rated below 230 kV which is requiredfor compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.42A.02 Supplemental Project.

"Supplemental Project" shall mean a Regional RTEP Project(s) or Subregional RTEP Project(s), which is not required for compliance with the following PJM criteria: System reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.42B [Reserved].

1.43 System.

"System" shall mean the interconnected electric supply system of a Member and its interconnected subsidiaries exclusive of facilities which it may own or control outside of the PJM Region. Each Member may include in its system the electric supply systems of any party or parties other than Members which are within the PJM Region, provided its interconnection agreements with such other party or parties do not conflict with such inclusion.

1.43A Third Party Request.

"Third Party Request" shall mean any request or demand by any entity upon an Authorized Person or an Authorized Commission for release or disclosure of confidential information provided to the Authorized Person or Authorized Commission by the Office of the Interconnection or PJM Market Monitor. A Third Party Request shall include, but shall not be limited to, any subpoena, discovery request, or other request for confidential information made by any: (i) federal, state, or local governmental subdivision, department, official, agency or court, or (ii) arbitration panel, business, company, entity or individual.

1.44 Transmission Facilities.

"Transmission Facilities" shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the transmission system of the PJM Region and integrated into the planning and operation of such to serve all of the power and transmission customers within such region.

1.45 Transmission Owner.

"Transmission Owner" shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities and is a signatory to the PJM Transmission Owners Agreement. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

1.46 [Reserved.]

1.3 Definitions.

1.3.1 Acceleration Request.

"Acceleration Request" shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

1.3.1A Auction Revenue Rights.

"Auction Revenue Rights" or "ARRs" shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

1.3.1B Auction Revenue Rights Credits.

"Auction Revenue Rights Credits" shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

1.3.1B.01 Batch Load Demand Resource.

"Batch Load Demand Resource" shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

1.3.1B.02 Congestion Price.

"Congestion Price" shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.1B.03 Curtailment Service Provider.

"Curtailment Service Provider" or "CSP" shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

1.3.1B.04 Day-ahead Congestion Price.

"Day-ahead Congestion Price" shall mean the Congestion Price resulting from the Day-ahead Energy Market.

1.3.1C Day-ahead Energy Market.

"Day-ahead Energy Market" shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1C.01 Day-ahead Loss Price.

"Day-ahead Loss Price" shall mean the Loss Price resulting from the Day-ahead Energy Market.

1.3.1D Day-ahead Prices.

"Day-ahead Prices" shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

1.3.1D.01 Day-ahead Scheduling Reserves.

"Day-ahead Scheduling Reserves" shall mean thirty-minute reserves as defined by the Reliability*First* Corporation and SERC.

1.3.1D.02 Day-ahead Scheduling Reserves Requirement.

"Day-ahead Scheduling Reserves Requirement" shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

1.3.1D.03 Day-ahead Scheduling Reserves Resources.

"Day-ahead Scheduling Reserves Resources" shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

1.3.1D.04 Day-ahead Scheduling Reserves Market.

"Day-ahead Scheduling Reserves Market" shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1D.05 Day-ahead System Energy Price.

"Day-ahead System Energy Price" shall mean the System Energy Price resulting from the Day-ahead Energy Market.

1.3.1E Decrement Bid.

"Decrement Bid" shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

1.3.1E.01 Demand Resource.

"Demand Resource" shall mean a resource with the capability to provide a reduction in demand.

1.3.1F Dispatch Rate.

"Dispatch Rate" shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

1.3.1G Energy Storage Resource.

"Energy Storage Resource" shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancilliary Services markets as a Market Seller.

1.3.2 Equivalent Load.

"Equivalent Load" shall mean the sum of a Market Participant's net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

1.3.2A Economic Load Response Participant.

"Economic Load Response Participant" shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

1.3.2A.01 Economic Minimum.

"Economic Minimum" shall mean the lowest incremental MW output level a unit can achieve while following economic dispatch.

1.3.2B Energy Market Opportunity Cost.

"Energy Market Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a

higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.3 External Market Buyer.

"External Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

1.3.4 External Resource.

"External Resource" shall mean a generation resource located outside the metered boundaries of the PJM Region.

1.3.5 Financial Transmission Right.

"Financial Transmission Right" or "FTR" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

1.3.5A Financial Transmission Right Obligation.

"Financial Transmission Right Obligation" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

1.3.5B Financial Transmission Right Option.

"Financial Transmission Right Option" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

1.3.6 Generating Market Buyer.

"Generating Market Buyer" shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer's load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

1.3.7 Generator Forced Outage.

"Generator Forced Outage" shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

1.3.8 Generator Maintenance Outage.

"Generator Maintenance Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

1.3.9 Generator Planned Outage.

"Generator Planned Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

1.3.9A Increment Bid.

"Increment Bid" shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Bid results in scheduled generation at the specified location in the Day-ahead Energy Market.

1.3.9B Interface Pricing Point.

"Interface Pricing Point" shall have the meaning specified in section 2.6A.

1.3.10 Internal Market Buyer.

"Internal Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

1.3.11 Inadvertent Interchange.

"Inadvertent Interchange" shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

1.3.11.01 Load Management.

"Load Management" shall mean either a Demand Resource ("DR") or an Interruptible Load for Reliability ("ILR") resource, both as defined in the Reliability Assurance Agreement.

1.3.11A Load Reduction Event.

"Load Reduction Event" shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

1.3.11A.01 Location.

"Location" as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

1.3.11B Loss Price.

"Loss Price" shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.12 Market Operations Center.

"Market Operations Center" shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.12A Maximum Emergency.

"Maximum Emergency" shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

1.3.13 Maximum Generation Emergency.

"Maximum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

1.3.14 Minimum Generation Emergency.

"Minimum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

1.3.14A NERC Interchange Distribution Calculator.

"NERC Interchange Distribution Calculator" shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

1.3.14B Net Benefits Test.

"Net Benefits Test" shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

1.3.15 Network Resource.

"Network Resource" shall have the meaning specified in the PJM Tariff.

1.3.16 Network Service User.

"Network Service User" shall mean an entity using Network Transmission Service.

1.3.17 Network Transmission Service.

"Network Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

1.3.17A Non-Regulatory Opportunity Cost.

"Non-Regulatory Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.17B Non-Synchronized Reserve.

"Non-Synchronized Reserve" shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy ~~or Demand Resources whose demand can be reduced~~ within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

1.3.17C Non-Synchronized Reserve Event.

"Non-Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources ~~and/or Demand Resources~~ able and~~,~~ assigned ~~or self-scheduled,~~ to provide Non-Synchronized Reserve within ten minutes~~,~~ to increase the energy output ~~or reduce load~~ by the amount of assigned ~~or self-scheduled~~ Non-Synchronized Reserve capability.

1.3.17D Non-Variable Loads.

"Non-Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.18 Normal Maximum Generation.

"Normal Maximum Generation" shall mean the highest output level of a generating resource under normal operating conditions.

1.3.19 Normal Minimum Generation.

"Normal Minimum Generation" shall mean the lowest output level of a generating resource under normal operating conditions.

1.3.20 Offer Data.

"Offer Data" shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

1.3.21 Office of the Interconnection Control Center.

"Office of the Interconnection Control Center" shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.21A On-Site Generators.

"On-Site Generators" shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

1.3.22 Operating Day.

"Operating Day" shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

1.3.23 Operating Margin.

"Operating Margin" shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

1.3.24 Operating Margin Customer.

"Operating Margin Customer" shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

1.3.25 PJM Interchange.

"PJM Interchange" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.26 PJM Interchange Export.

"PJM Interchange Export" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

1.3.27 PJM Interchange Import.

"PJM Interchange Import" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of

Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.28 PJM Open Access Same-time Information System.

"PJM Open Access Same-time Information System" shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

1.3.28A Planning Period Quarter.

"Planning Period Quarter" shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

1.3.28B Planning Period Balance.

"Planning Period Balance" shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

1.3.29 Point-to-Point Transmission Service.

"Point-to-Point Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

1.3.29A PRD Curve.

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29B PRD Provider.

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29C PRD Reservation Price.

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29D PRD Substation.

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29E Price Responsive Demand.

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29F Primary Reserve.

"Primary Reserve" shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

1.3.30 Ramping Capability.

"Ramping Capability" shall mean the sustained rate of change of generator output, in megawatts per minute.

1.3.30.01 Real-time Congestion Price.

"Real-time Congestion Price" shall mean the Congestion Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30.02 Real-time Loss Price.

"Real-time Loss Price" shall mean the Loss Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30A Real-time Prices.

"Real-time Prices" shall mean the Locational Marginal Prices resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30B Real-time Energy Market.

"Real-time Energy Market" shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

1.3.30B.01 Real-time System Energy Price.

"Real-time System Energy Price" shall mean the System Energy Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.31 Regulation.

"Regulation" shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its

output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

1.3.31.001 Reserve Penalty Factor.

"Reserve Penalty Factor" shall mean the cost, in $/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

1.3.31.01 Residual Auction Revenue Rights.

"Residual Auction Revenue Rights" shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability or a change in any other relevant factor that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2(h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

1.3.31.02 Special Member.

"Special Member" shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response Program.

1.3.31A [Reserved]

1.3.31B [Reserved]

1.3.32 Spot Market Backup.

"Spot Market Backup" shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

1.3.33 Spot Market Energy.

"Spot Market Energy" shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

1.3.33A State Estimator.

"State Estimator" shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

1.3.33B Station Power.

"Station Power" shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

1.3.33B.001 Sub-meter.

"Sub-meter" shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

1.3.33B.01 Synchronized Reserve.

"Synchronized Reserve" shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

1.3.33B.02 Synchronized Reserve Event.

"Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

1.3.33B.03 System Energy Price.

"System Energy Price" shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.33C Target Allocation.

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

1.3.34 Transmission Congestion Charge.

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

1.3.35 Transmission Congestion Credit.

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

1.3.36 Transmission Customer.

"Transmission Customer" shall mean an entity using Point-to-Point Transmission Service.

1.3.37 Transmission Forced Outage.

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

1.3.37A Transmission Loading Relief.

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

1.3.37B Transmission Loading Relief Customer.

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

1.3.37C Transmission Loss Charge.

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

1.3.38 Transmission Planned Outage.

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

1.3.38A Variable Loads.

"Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.39 Zonal Base Load.

"Zonal Base Load" shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

1.7 General.

1.7.1 Market Sellers.

Only Market Sellers shall be eligible to submit offers to the Office of the Interconnection for the sale of electric energy or related services in the PJM Interchange Energy Market. Market Sellers shall comply with the prices, terms, and operating characteristics of all Offer Data submitted to and accepted by the PJM Interchange Energy Market.

1.7.2 Market Buyers.

Only Market Buyers shall be eligible to purchase energy or related services in the PJM Interchange Energy Market. Market Buyers shall comply with all requirements for making purchases from the PJM Interchange Energy Market.

1.7.2A Economic Load Response Participants.

Only Economic Load Response Participants shall be eligible to participate in the Real-time Energy Market and the Day-ahead Energy Market by submitting offers to the Office of the Interconnection to reduce demand.

1.7.3 Agents.

A Market Participant may participate in the PJM Interchange Energy Market through an agent, provided that the Market Participant informs the Office of the Interconnection in advance in writing of the appointment of such agent. A Market Participant participating in the PJM Interchange Energy Market through an agent shall be bound by all of the acts or representations of such agent with respect to transactions in the PJM Interchange Energy Market, and shall ensure that any such agent complies with the requirements of this Agreement.

1.7.4 General Obligations of the Market Participants.

(a) In performing its obligations to the Office of the Interconnection hereunder, each Market Participant shall at all times (i) follow Good Utility Practice, (ii) comply with all applicable laws and regulations, (iii) comply with the applicable principles, guidelines, standards and requirements of FERC, NERC and each Applicable Regional Entity, (iv) comply with the procedures established for operation of the PJM Interchange Energy Market and PJM Region and (v) cooperate with the Office of the Interconnection as necessary for the operation of the PJM Region in a safe, reliable manner consistent with Good Utility Practice.

(b) Market Participants shall undertake all operations in or affecting the PJM Interchange Energy Market and the PJM Region including but not limited to compliance with all Emergency procedures, in accordance with the power and authority of the Office of the Interconnection with respect to the operation of the PJM Interchange Energy Market and the PJM Region as established in this Agreement, and as specified in the Schedules to this Agreement and the PJM Manuals. Failure to comply with the foregoing operational requirements shall subject a Market

Participant to such reasonable charges or other remedies or sanctions for non-compliance as may be established by the PJM Board, including legal or regulatory proceedings as authorized by the PJM Board to enforce the obligations of this Agreement.

(c) The Office of the Interconnection may establish such committees with a representative of each Market Participant, and the Market Participants agree to provide appropriately qualified personnel for such committees, as may be necessary for the Office of the Interconnection and PJMSettlement to perform its obligations hereunder.

(d) All Market Participants shall provide to the Office of the Interconnection the scheduling and other information specified in the Schedules to this Agreement, and such other information as the Office of the Interconnection may reasonably require for the reliable and efficient operation of the PJM Region and PJM Interchange Energy Market, and for compliance with applicable regulatory requirements for posting market and related information. Such information shall be provided as much in advance as possible, but in no event later than the deadlines established by the Schedules to this Agreement, or by the Office of the Interconnection in conformance with such Schedules. Such information shall include, but not be limited to, maintenance and other anticipated outages of generation or transmission facilities, scheduling and related information on bilateral transactions and self-scheduled resources, and implementation of active load management, interruption of load, Price Responsive Demand, and other load reduction measures. The Office of the Interconnection shall abide by appropriate requirements for the non-disclosure and protection of any confidential or proprietary information given to the Office of the Interconnection by a Market Participant. Each Market Participant shall maintain or cause to be maintained compatible information and communications systems, as specified by the Office of the Interconnection, required to transmit scheduling, dispatch, or other time-sensitive information to the Office of the Interconnection in a timely manner.

(e) Subject to the requirements for Economic Load Response ~~p~~Participants in section 1.5A above, each Market Participant shall install and operate, or shall otherwise arrange for, metering and related equipment capable of recording and transmitting all voice and data communications reasonably necessary for the Office of the Interconnection and PJMSettlement to perform the services specified in this Agreement. A Market Participant that elects to be separately billed for its PJM Interchange shall, to the extent necessary, be individually metered in accordance with Section 14 of this Agreement, or shall agree upon an allocation of PJM Interchange between it and the Market Participant through whose meters the unmetered Market Participant's PJM Interchange is delivered. The Office of the Interconnection shall be notified of the allocation by the foregoing Market Participants.

(f) Each Market Participant shall operate, or shall cause to be operated, any generating resources owned or controlled by such Market Participant that are within the PJM Region or otherwise supplying energy to or through the PJM Region in a manner that is consistent with the standards, requirements or directions of the Office of the Interconnection and that will permit the Office of the Interconnection to perform its obligations under this Agreement; provided, however, no Market Participant shall be required to take any action that is inconsistent with Good Utility Practice or applicable law.

(g) Each Market Participant shall follow the directions of the Office of the Interconnection to take actions to prevent, manage, alleviate or end an Emergency in a manner consistent with this Agreement and the procedures of the PJM Region as specified in the PJM Manuals.

(h) Each Market Participant shall obtain and maintain all permits, licenses or approvals required for the Market Participant to participate in the PJM Interchange Energy Market in the manner contemplated by this Agreement.

(i) Consistent with Section 36.1.1 of the PJM Tariff, to the extent its generating facility is dispatchable, a Market Participant shall submit an Economic Minimum in the Real-time Energy Market that is no greater than the higher of its physical operating minimum or its Capacity Interconnection Rights, as that term is defined in the PJM Tariff, associated with such generating facility under its Interconnection Service Agreement under Attachment O of the PJM Tariff or a wholesale market participation agreement.

1.7.5 Market Operations Center.

Each Market Participant shall maintain a Market Operations Center, or shall make appropriate arrangements for the performance of such services on its behalf. A Market Operations Center shall meet the performance, equipment, communications, staffing and training standards and requirements specified in this Agreement for the scheduling and completion of transactions in the PJM Interchange Energy Market and the maintenance of the reliable operation of the PJM Region, and shall be sufficient to enable (i) a Market Seller or an Economic Load Response Participant to perform all terms and conditions of its offers to the PJM Interchange Energy Market, and (ii) a Market Buyer or an Economic Load Response Participant to conform to the requirements for purchasing from the PJM Interchange Energy Market.

1.7.6 Scheduling and Dispatching.

(a) The Office of the Interconnection shall schedule and dispatch in real-time generation resources and/or Demand Resources economically on the basis of least-cost, security-constrained dispatch and the prices and operating characteristics offered by Market Sellers, continuing until sufficient generation resources and/or Demand Resources are dispatched to serve the PJM Interchange Energy Market energy purchase requirements under normal system conditions of the Market Buyers (taking into account any reductions to such requirements in accordance with PRD Curves properly submitted by PRD Providers), as well as the requirements of the PJM Region for ancillary services provided by generation resources and/or Demand Resources, in accordance with this Agreement. Such scheduling and dispatch shall recognize transmission constraints on coordinated flowgates external to the Transmission System in accordance with Appendix A to the Joint Operating Agreement between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. (PJM Rate Schedule FERC No. 38) and on other such flowgates that are coordinated in accordance with agreements between the LLC and other entities. Scheduling and dispatch shall be conducted in accordance with this Agreement.

(b) The Office of the Interconnection shall undertake to identify any conflict or incompatibility between the scheduling or other deadlines or specifications applicable to the PJM

Interchange Energy Market, and any relevant procedures of another Control Area, or any tariff (including the PJM Tariff). Upon determining that any such conflict or incompatibility exists, the Office of the Interconnection shall propose tariff or procedural changes, and undertake such other efforts as may be appropriate, to resolve any such conflict or incompatibility.

(c) To protect its generation or distribution facilities, or local Transmission Facilities not under the monitoring responsibility and dispatch control of the Office of the Interconnection, an entity may request that the Office of the Interconnection schedule and dispatch generation or reductions in demand to meet a limit on Transmission Facilities different from that which the Office of the Interconnection has determined to be required for reliable operation of the Transmission System. To the extent consistent with its other obligations under this Agreement, the Office of the Interconnection shall schedule and dispatch generation and reductions in demand in accordance with such request. An entity that makes a request pursuant to this section 1.7.6(c) shall be responsible for all generation and other costs resulting from its request that would not have been incurred by operating the Transmission System and scheduling and dispatching generation in the manner that the Office of the Interconnection otherwise has determined to be required for reliable operation of the Transmission System.

1.7.7 Pricing.

The price paid for energy bought and sold in the PJM Interchange Energy Market and for demand reductions will reflect the hourly Locational Marginal Price at each load and generation bus, determined by the Office of the Interconnection in accordance with this Agreement. Transmission Congestion Charges and Transmission Loss Charges, which shall be determined by differences in Congestion Prices and Loss Prices in an hour, shall be calculated by the Office of the Interconnection, and collected by PJMSettlement, and the revenues therefrom shall be disbursed by PJMSettlement in accordance with this Schedule.

1.7.8 Generating Market Buyer Resources.

A Generating Market Buyer may elect to self-schedule its generation resources up to that Generating Market Buyer's Equivalent Load, in accordance with and subject to the procedures specified in this Schedule, and the accounting and billing requirements specified in Section 3 to this Schedule. PJMSettlement shall not be a contracting party with respect to such self-scheduled or self-supplied transactions.

1.7.9 Delivery to an External Market Buyer.

A purchase of Spot Market Energy by an External Market Buyer shall be delivered to a bus or buses at the electrical boundaries of the PJM Region specified by the Office of the Interconnection, or to load in such area that is not served by Network Transmission Service, using Point-to-Point Transmission Service paid for by the External Market Buyer. Further delivery of such energy shall be the responsibility of the External Market Buyer.

1.7.10 Other Transactions.

(a) Bilateral Transactions.

(i) In addition to transactions in the PJM Interchange Energy Market, Market Participants may enter into bilateral contracts for the purchase or sale of electric energy to or from each other or any other entity, subject to the obligations of Market Participants to make Generation Capacity Resources available for dispatch by the Office of the Interconnection. Such bilateral contracts shall be for the physical transfer of energy to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eSchedules and Enhanced Energy Scheduler tools.

(ii) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of energy to a Market Participant inside the PJM Region, title to the energy that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and the further transmission of the energy or further sale of the energy into the PJM Interchange Energy Market shall be transacted by the buyer under the bilateral contract. With respect to all bilateral contracts for the physical transfer of energy to an entity outside the PJM Region, title to the energy shall pass to the buyer at the border of the PJM Region and shall be delivered to the border using transmission service. In no event shall the purchase and sale of energy between Market Participants under a bilateral contract constitute a transaction in the PJM Interchange Energy Market or be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(iii) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of energy reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the megawatt hours of such reported transactions to amounts reflecting the expected load and other physical delivery obligations of the buyer under the bilateral contract.

(iv) All payments and related charges for the energy associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection or PJMSettlement. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(v) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any Spot Market Backup

used to meet the bilateral contract seller's obligation to deliver energy under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eSchedules or Enhanced Energy Scheduler reporting by the Market Participant and (ii) terminate all of the Market Participant's eSchedules and Enhanced Energy Schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the eSchedules and Enhanced Energy Schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection. PJMSettlement shall assign its claims against a seller with respect to a seller's nonpayment for Spot Market Backup to a buyer to the extent that the buyer has made an indemnification payment to PJMSettlement with respect to the seller's nonpayment.

(vi) Bilateral contracts that do not contemplate the physical transfer of energy to or from a Market Participant are not subject to this Schedule, shall not be reported to and coordinated with the Office of the Interconnection, and shall not in any way constitute a transaction in the PJM Interchange Energy Market.

(b) Market Participants shall have Spot Market Backup with respect to all bilateral transactions that contemplate the physical transfer of energy to or from a Market Participant, that are not dynamically scheduled pursuant to Section 1.12 and that are curtailed or interrupted for any reason (except for curtailments or interruptions through active load management for load located within the PJM Region).

(c) To the extent the Office of the Interconnection dispatches a Generating Market Buyer's generation resources, such Generating Market Buyer may elect to net the output of such resources against its hourly Equivalent Load. Such a Generating Market Buyer shall be deemed a buyer from the PJM Interchange Energy Market to the extent of its PJM Interchange Imports, and shall be deemed a seller to the PJM Interchange Energy Market to the extent of its PJM Interchange Exports.

(d) A Market Seller may self-supply Station Power for its generation facility in accordance with the following provisions:

(i) A Market Seller may self-supply Station Power for its generation facility during any month (1) when the net output of such facility is positive, or (2) when the net output of such facility is negative and the Market Seller

during the same month has available at other of its generation facilities positive net output in an amount at least sufficient to offset fully such negative net output. For purposes of this subsection (d), "net output" of a generation facility during any month means the facility's gross energy output, less the Station Power requirements of such facility, during that month. The determination of a generation facility's or a Market Seller's monthly net output under this subsection (d) will apply only to determine whether the Market Seller self-supplied Station Power during the month and will not affect the price of energy sold or consumed by the Market Seller at any bus during any hour during the month. For each hour when a Market Seller has positive net output and delivers energy into the Transmission System, it will be paid the LMP at its bus for that hour for all of the energy delivered. Conversely, for each hour when a Market Seller has negative net output and has received Station Power from the Transmission System, it will pay the LMP at its bus for that hour for all of the energy consumed.

(ii) Transmission Provider will determine the extent to which each affected Market Seller during the month self-supplied its Station Power requirements or obtained Station Power from third-party providers (including affiliates) and will incorporate that determination in its accounting and billing for the month. In the event that a Market Seller self-supplies Station Power during any month in the manner described in subsection (1) of subsection (d)(i) above, Market Seller will not use, and will not incur any charges for, transmission service. In the event, and to the extent, that a Market Seller self-supplies Station Power during any month in the manner described in subsection (2) of subsection (d)(i) above (hereafter referred to as "remote self-supply of Station Power"), Market Seller shall use and pay for transmission service for the transmission of energy in an amount equal to the facility's negative net output from Market Seller's generation facility(ies) having positive net output. Unless the Market Seller makes other arrangements with Transmission Provider in advance, such transmission service shall be provided under Part II of the PJM Tariff and shall be charged the hourly rate under Schedule 8 of the PJM Tariff for Non-Firm Point-to-Point Transmission Service with an election to pay congestion charges, provided, however, that no reservation shall be necessary for such transmission service and the terms and charges under Schedules 1, 1A, 2 through 6, 9 and 10 of the PJM Tariff shall not apply to such service. The amount of energy that a Market Seller transmits in conjunction with remote self-supply of Station Power will not be affected by any other sales, purchases, or transmission of capacity or energy by or for such Market Seller under any other provisions of the PJM Tariff.

(iii) A Market Seller may self-supply Station Power from its generation facilities located outside of the PJM Region during any month only if such

generation facilities in fact run during such month and Market Seller separately has reserved transmission service and scheduled delivery of the energy from such resource in advance into the PJM Region.

1.7.11 Emergencies.

(a) The Office of the Interconnection, with the assistance of the Members' dispatchers as it may request, shall be responsible for monitoring the operation of the PJM Region, for declaring the existence of an Emergency, and for directing the operations of Market Participants as necessary to manage, alleviate or end an Emergency. The standards, policies and procedures of the Office of the Interconnection for declaring the existence of an Emergency, including but not limited to a Minimum Generation Emergency, and for managing, alleviating or ending an Emergency, shall apply to all Members on a non-discriminatory basis. Actions by the Office of the Interconnection and the Market Participants shall be carried out in accordance with this Agreement, the NERC Operating Policies, Applicable Regional Entity reliability principles and standards, Good Utility Practice, and the PJM Manuals. A declaration that an Emergency exists or is likely to exist by the Office of the Interconnection shall be binding on all Market Participants until the Office of the Interconnection announces that the actual or threatened Emergency no longer exists. Consistent with existing contracts, all Market Participants shall comply with all directions from the Office of the Interconnection for the purpose of managing, alleviating or ending an Emergency. The Market Participants shall authorize the Office of the Interconnection and PJMSettlement to purchase or sell energy on their behalf to meet an Emergency, and otherwise to implement agreements with other Control Areas interconnected with the PJM Region for the mutual provision of service to meet an Emergency, in accordance with this Agreement.

(b) To the extent load must be shed to alleviate an Emergency in a Control Zone, the Office of the Interconnection shall, to the maximum extent practicable, direct the shedding of load within such Control Zone. The Office of the Interconnection may shed load in one Control Zone to alleviate an Emergency in another Control Zone under its control only as necessary after having first shed load to the maximum extent practicable in the Control Zone experiencing the Emergency and only to the extent that PJM supports other control areas (not under its control) in those situations where load shedding would be necessary, such as to prevent isolation of facilities within the Eastern Interconnection, to prevent voltage collapse, or to restore system frequency following a system collapse; provided, however, that the Office of the Interconnection may not order a manual load dump in a Control Zone solely to address capacity deficiencies in another Control Zone. This ~~sub~~section shall be implemented consistent with the North American Electric Reliability Council and applicable reliability council standards.

1.7.12 Fees and Charges.

Each Market Participant, except for Special Members, shall pay all fees and charges of the Office of the Interconnection for operation of the PJM Interchange Energy Market as determined by and allocated to the Market Participant by the Office of the Interconnection in accordance with Schedule 3.

1.7.13 Relationship to the PJM Region.

The PJM Interchange Energy Market operates within and subject to the requirements for the operation of the PJM Region.

1.7.14 PJM Manuals.

The Office of the Interconnection shall be responsible for maintaining, updating, and promulgating the PJM Manuals as they relate to the operation of the PJM Interchange Energy Market. The PJM Manuals, as they relate to the operation of the PJM Interchange Energy Market, shall conform and comply with this Agreement, NERC operating policies, and Applicable Regional Entity reliability principles, guidelines and standards, and shall be designed to facilitate administration of an efficient energy market within industry reliability standards and the physical capabilities of the PJM Region.

1.7.15 Corrective Action.

Consistent with Good Utility Practice, the Office of the Interconnection shall be authorized to direct or coordinate corrective action, whether or not specified in the PJM Manuals, as necessary to alleviate unusual conditions that threaten the integrity or reliability of the PJM Region, or the regional power system.

1.7.16 Recording.

Subject to the requirements of applicable State or federal law, all voice communications with the Office of the Interconnection Control Center may be recorded by the Office of the Interconnection and any Market Participant communicating with the Office of the Interconnection Control Center, and each Market Participant hereby consents to such recording.

1.7.17 Operating Reserves.

(a) The following procedures shall apply to any generation unit subject to the dispatch of the Office of the Interconnection for which construction commenced before July 9, 1996, or any Demand Resource subject to the dispatch of the Office of the Interconnection.

(b) The Office of the Interconnection shall schedule to the Operating Reserve and load-following objectives of the Control Zones of the PJM Region and the PJM Interchange Energy Market in scheduling generation resources and/or Demand Resources pursuant to this Schedule. A table of Operating Reserve objectives for each Control Zone is calculated and published annually in the PJM Manuals. Reserve levels are probabilistically determined based on the season's historical load forecasting error and forced outage rates.

(c) Nuclear generation resources shall not be eligible for Operating Reserve payments unless: 1) the Office of the Interconnection directs such resources to reduce output, in which case, such units shall be compensated in accordance with section 3.2.3(f) of this Schedule; or 2) the resource submits a request for a risk premium to the Market Monitoring Unit under the

procedures specified in Section II.B of Attachment M - Appendix. A nuclear generation resource (i) must submit a risk premium consistent with its agreement under such process, or, (ii) if it has not agreed with the Market Monitoring Unit on an appropriate risk premium, may submit its own determination of an appropriate risk premium to the Office of the Interconnection, subject to acceptance by the Office of the Interconnection, with or without prior approval from the Commission.

(d) PJMSettlement shall be the Counterparty to the purchases and sales of Operating Reserve in the PJM Interchange Energy Market.

1.7.18 Regulation.

(a) Regulation to meet the Regulation objective of each Regulation Zone shall be supplied from generation resources and/or demand resources located within the metered electrical boundaries of such Regulation Zone. Generating Market Buyers, and Market Sellers offering Regulation, shall comply with applicable standards and requirements for Regulation capability and dispatch specified in the PJM Manuals.

(b) The Office of the Interconnection shall obtain and maintain for each Regulation Zone an amount of Regulation equal to the Regulation objective for such Regulation Zone as specified in the PJM Manuals.

(c) The Regulation range of a generation unit or demand resource shall be at least twice the amount of Regulation assigned as described in the PJM Manuals.

(d) A resource capable of automatic energy dispatch that is also providing Regulation shall have its energy dispatch range reduced by at least twice the amount of the Regulation provided with consideration of the Regulation limits of that resource, as specified in the PJM Manuals.

(e) Qualified Regulation must satisfy the measurement and verification tests described in the PJM Manuals.

1.7.19 Ramping.

A generator dispatched by the Office of the Interconnection pursuant to a control signal appropriate to increase or decrease the generator's megawatt output level shall be able to change output at the ramping rate specified in the Offer Data submitted to the Office of the Interconnection for that generator.

1.7.19A Synchronized Reserve.

(a) Synchronized Reserve shall be supplied from non-emergency generation resources and/or Demand Resources located within the metered boundaries of the PJM Region. All on-line non-emergency generation resources providing energy are deemed to be available to provide Tier 1 Synchronized Reserve and Tier 2 Synchronized Reserve to the Office of the Interconnection, as applicable to the capacity resource's capability to provide these services. During periods for

which the Office of the Interconnection has issued a Primary Reserve Warning, Voltage Reduction Warning or Manual Load Dump Warning as described in Section 2.5(d) below, all other non-emergency generation capacity resources available to provide energy shall have submitted offers for Tier 2 Synchronized Reserves. Generating Market Buyers, and Market Sellers offering Synchronized Reserve shall comply with applicable standards and requirements for Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Primary and Synchronized Reserve equal to the respective Primary and Synchronized Reserve objectives for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Synchronized Reserve capability of a generation resource and Demand Resource shall be the increase in energy output or load reduction achievable by the generation resource and Demand Resource within a continuous 10-minute period.

(d) A generation unit capable of automatic energy dispatch that also is providing Synchronized Reserve shall have its energy dispatch range reduced by the amount of the Synchronized Reserve provided. The amount of Synchronized Reserve provided by a generation unit shall serve to redefine the Normal Maximum Generation energy limit of that generation unit in that the amount of Synchronized Reserve provided shall be subtracted from its Normal Maximum Generation energy limit.

1.7.19A.01 Non-Synchronized Reserve.

(a) Non-Synchronized Reserve shall be supplied from generation resources ~~and/or Demand Resources~~ located within the metered boundaries of the PJM Region. Resources, the entire output of which has been designated as emergency energy, and resources that aren't available to provide energy, are not eligible to provide Non-Synchronized Reserve. All other non-emergency generation capacity resources available to provide energy shall also be available to provide Non-Synchronized Reserve, as applicable to the capacity resource's capability to provide these services. Generating Market Buyers and Market Sellers offering Non-Synchronized Reserve shall comply with applicable standards and requirements for Non-Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Non-Synchronized Reserve such that the sum of the Synchronized Reserve and Non-Synchronized Reserve meets the Primary Reserve objective for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for

system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Non-Synchronized Reserve capability of a generation resource ~~and Demand Resource~~ shall be the increase in energy output ~~or load reduction~~ achievable by the generation resource ~~and Demand Resource~~ within a continuous 10-minute period provided that the resource is not synchronized to the system at the initiation of the response.

(d) The Non-Synchronized Reserve capability of a generation resource shall generally be determined based on the startup and notification time, economic minimum and ramp rate of such resource submitted in the Real-time Energy Market for the Operating Day. If the Generating Market Buyer or Market Seller offering the Non-Synchronized Reserve can demonstrate to the Office of the Interconnection that the Non-Synchronized Reserve capability of a generation resource exceeds its calculated value based on market offer data, the Generating Market Buyer or Market Seller and the Office of the Interconnection may agree on a different capability to be used.

(e) All Non-Synchronized Reserve offers shall be for $0.00/MWh.

1.7.19B Bilateral Transactions Regarding Regulation, Synchronized Reserve and Day-ahead Scheduling Reserves.

(a) In addition to transactions in the Regulation market, Synchronized Reserve market, Non-Synchronized Reserve market and Day-ahead Scheduling Reserves Market, Market Participants may enter into bilateral contracts for the purchase or sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from each other or any other entity. Such bilateral contracts shall be for the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eMarket tools.

(b) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to a Market Participant in the PJM Region, title to the product that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and any further transactions associated with such products or further sale of such Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves in the markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, respectively, shall be transacted by the buyer under the bilateral contract. In no event shall the purchase and sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves between Market Participants under a bilateral contract constitute a transaction in PJM's markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, or otherwise be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(c) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the amounts of such reported transactions to amounts reflecting the expected requirements for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves of the buyer pursuant to such bilateral contracts.

(d) All payments and related charges for the Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection. The LLC, PJM-Settlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(e) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any purchases by the seller under the bilateral contract in the markets for Regulations, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves used to meet the bilateral contract seller's obligation to deliver Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eMarket reporting by the Market Participant and (ii) terminate all of the Market Participant's reporting of eMarkets schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the reported eMarkets schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection.

(f) Market Participants shall purchase Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves from PJM's markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason, with respect to all bilateral transactions that contemplate the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant.

1.7.20 Communication and Operating Requirements.

(a) Market Participants. Each Market Participant shall have, or shall arrange to have, its transactions in the PJM Interchange Energy Market subject to control by a Market Operations

Center, with staffing and communications systems capable of real-time communication with the Office of the Interconnection during normal and Emergency conditions and of control of the Market Participant's relevant load or facilities sufficient to meet the requirements of the Market Participant's transactions with the PJM Interchange Energy Market, including but not limited to the following requirements as applicable.

(b) Market Sellers selling from generation resources and/or Demand Resources within the PJM Region shall: report to the Office of the Interconnection sources of energy and Demand Resources available for operation; supply to the Office of the Interconnection all applicable Offer Data; report to the Office of the Interconnection generation resources and Demand Resources that are self-scheduled; with respect to generation resources, report to the Office of the Interconnection bilateral sales transactions to buyers not within the PJM Region; confirm to the Office of the Interconnection bilateral sales to Market Buyers within the PJM Region; respond to the Office of the Interconnection's directives to start, shutdown or change output levels of generation units, or change scheduled voltages or reactive output levels of generation units, or reduce load from Demand Resources; continuously maintain all Offer Data concurrent with on-line operating information; and ensure that, where so equipped, generating equipment and Demand Resources are operated with control equipment functioning as specified in the PJM Manuals.

(c) Market Sellers selling from generation resources outside the PJM Region shall: provide to the Office of the Interconnection all applicable Offer Data, including offers specifying amounts of energy available, hours of availability and prices of energy and other services; respond to Office of the Interconnection directives to schedule delivery or change delivery schedules; and communicate delivery schedules to the Market Seller's Control Area.

(d) Market Participants that are Load Serving Entities or purchasing on behalf of Load Serving Entities shall: respond to Office of the Interconnection directives for load management steps; report to the Office of the Interconnection Generation Capacity Resources to satisfy capacity obligations that are available for pool operation; report to the Office of the Interconnection all bilateral purchase transactions; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(e) Market Participants that are not Load Serving Entities or purchasing on behalf of Load Serving Entities shall: provide to the Office of the Interconnection requests to purchase specified amounts of energy for each hour of the Operating Day during which it intends to purchase from the PJM Interchange Energy Market, along with Dispatch Rate levels above which it does not desire to purchase; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(f) Economic Load Response Participants are responsible for maintaining demand reduction information, including the amount and price at which demand may be reduced. The Economic Load Response Participant shall provide this information to the Office of the Interconnection by posting it on the Load Response Program Registration link of the PJM website as required by the PJM Manuals. The Economic Load Response Participant shall notify the Office of the Interconnection of a demand reduction concurrent with, or prior to, the beginning of such

demand reduction in accordance with the PJM Manuals. In the event that an Economic Load Response Participant chooses to measure load reductions using a Customer Baseline Load, the Economic Load Response Participant shall inform the Office of the Interconnection of a change in its operations or the operations of the end-use customer that would affect a relevant Customer Baseline Load as required by the PJM Manuals.

(g) PRD Providers shall be responsible for *automation and supervisory control equipment that satisfy the criteria set forth in the RAA to ensure* automated reductions to their Price Responsive Demand in response to price in accordance with their PRD Curves submitted to the Office of the Interconnection.

1.10 Scheduling.

1.10.1 General.

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-To Congestion transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

1.10.1A Day-ahead Energy Market Scheduling.

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any bilateral transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection whether the transaction is to be included in the Day-ahead Energy Market. Any Market Participant that elects to include a bilateral transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which it will be wholly or partially curtailed rather than pay Transmission Congestion Charges. The foregoing price specification shall apply to the price difference between the specified bilateral transaction source and sink points in the day-ahead scheduling process only. Any Market Participant that elects not to include its bilateral transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur Transmission Congestion Charges in the Real-time Energy Market in order to complete any such

scheduled bilateral transaction. Scheduling of bilateral transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

i) Internal Market Buyers shall submit schedules for all bilateral purchases for delivery within the PJM Region, whether from generation resources inside or outside the PJM Region;

ii) Market Sellers shall submit schedules for bilateral sales to entities outside the PJM Region from generation within the PJM Region that is not dynamically scheduled to such entities pursuant to Section 1.12; and

iii) In addition to the foregoing schedules for bilateral transactions, Market Participants shall submit confirmations of each scheduled bilateral transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region. The foregoing offers:

i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction~~,~~ amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;

ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;

iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;

iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;

v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;

vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the

terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;

vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; and

viii) Shall not exceed an energy offer price of $1,000/megawatt-hour for all generation resources, and for all Demand Resources that have not cleared a Base Residual Auction or an Incremental Auction. Demand Resources that are committed as Capacity Resources may submit an energy offer price of no greater than $1,000/megawatt-hour plus the sum of the applicable Reserve Penalty Factors.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed $100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in $/MW) of the fuel cost increase due to the heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation;

ii. The cost increase (in $/MW) in variable operating and maintenance costs resulting from operating the unit at lower megawatt output incurred from the provision of Regulation; and

iii. An adder of up to $12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding

forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Increment Bids and/or Decrement Bids that apply to the Day-ahead Energy Market only. Such bids must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of 3000 bid/offer segments in the Day-ahead Energy Market, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Bid or Decrement Bid.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts: (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in the Base Residual Auction or one of the Incremental Auctions, or owning or controlling the output of an ILR resource which was certified as specified in Attachment DD of the PJM Tariff, may submit demand reduction bids for the available load reduction capability of the Demand Resource or ILR resource. The submission of demand reduction bids for resource increments that have not cleared in the Base Residual Auction or in one of the Incremental Auctions, or for ILR resources that were not certified, or were not committed in an FRR Capacity Plan, shall be optional, but any such bids must contain the information specified in the PJM Economic Load Response Program to be included in such bids. A Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in a Base Residual Auction or an Incremental Auction may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program, provided however, that in the event of an Emergency, PJM shall require Demand Resources and ILR resources to reduce load notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing~~that wish to make~~ Day-ahead Scheduling Reserves Resources ~~available to sell Day-ahead Scheduling Reserves~~ shall submit ~~offers, each of which must equal or exceed 0.1 megawatts,~~ in the Day-ahead Scheduling Reserves Market ~~specifying~~: 1) a~~the~~ price ~~of the~~ offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit ~~offers~~ Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

1.10.2 Pool-scheduled Resources.

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

1.10.3 Self-scheduled Resources.

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

1.10.4 Capacity Resources.

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

1.10.5 External Resources.

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace

such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

1.10.6 External Market Buyers.

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

1.10.6A Transmission Loading Relief Customers.

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly

integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

1.10.7 Bilateral Transactions.

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

1.10.8 Office of the Interconnection Responsibilities.

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing

determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively.

(c) Following posting of the information specified in Section 1.10.8(b), the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market. After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the

Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

1.10.9 Hourly Scheduling.

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, a generation rebidding period shall exist from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market~~s~~ shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such

resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

1.11 Dispatch.

The following procedures and principles shall govern the dispatch of the resources available to the Office of the Interconnection.

1.11.1 Resource Output.

The Office of the Interconnection shall have the authority to direct any Market Seller to adjust the output of any pool-scheduled resource increment within the operating characteristics specified in the Market Seller's offer. The Office of the Interconnection may cancel its selection of, or otherwise release, pool-scheduled resources, subject to an obligation to pay any applicable start-up, no-load or cancellation fees. The Office of the Interconnection shall adjust the output of pool-scheduled resource increments as necessary: (a) to maintain reliability, and subject to that constraint, to minimize the cost of supplying the energy, reserves, and other services required by the Market Buyers and the operation of the PJM Region; (b) to balance load and generation, maintain scheduled tie flows, and provide frequency support within the PJM Region; and (c) to minimize unscheduled interchange not frequency related between the PJM Region and other Control Areas.

1.11.2 Operating Basis.

In carrying out the foregoing objectives, the Office of the Interconnection shall conduct the operation of the PJM Region in accordance with the PJM Manuals, and shall: (i) utilize available generating reserves and obtain required replacements; and (ii) monitor the availability of adequate reserves.

1.11.3 Pool-dispatched Resources.

(a) The Office of the Interconnection shall implement the dispatch of energy from pool-scheduled resources with limited energy by direct request. In implementing mandatory or economic use of limited energy resources, the Office of the Interconnection shall use its best efforts to select the most economic hours of operation for limited energy resources, in order to make optimal use of such resources consistent with the dynamic load-following requirements of the PJM Region and the availability of other resources to the Office of the Interconnection.

(b) The Office of the Interconnection shall implement the dispatch of energy from other pool-dispatched resource increments, including generation increments from Capacity Resources the remaining increments of which are self-scheduled, by sending appropriate signals and instructions to the entity controlling such resources, in accordance with the PJM Manuals. Each Market Seller shall ensure that the entity controlling a pool-dispatched resource offered or made available by that Market Seller complies with the energy dispatch signals and instructions transmitted by the Office of the Interconnection.

1.11.3A Maximum Generation Emergency.

If the Office of the Interconnection declares a Maximum Generation Emergency, all deliveries to load that is served by Point-to-Point Transmission Service outside the PJM Region from Generation Capacity Resources committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative may be interrupted in order to serve load in the PJM Region.

1.11.4 Regulation.

(a) A Market Buyer may satisfy its Regulation Obligation from its own generation resources and/or Demand Resources capable of performing Regulation service, by contractual arrangements with other Market Participants able to provide Regulation service, or by purchases from the PJM Interchange Energy Market at the rates set forth in Section 3.2.2. PJMSettlement shall be the Counterparty to the purchases and sales of Regulation service in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Regulation Obligation.

(b) The Office of the Interconnection shall obtain Regulation service from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet Regulation Zone requirements not otherwise satisfied by the Market Buyers. Generation resources or Demand Resources offering to sell Regulation shall be selected to provide Regulation on the basis of each generation resource's and Demand Resource's regulation offer and the estimated opportunity cost of a resource providing regulation and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Regulation, and other ancillary services. Estimated opportunity costs for generation resources shall be determined by the Office of the Interconnection on the basis of the expected value of the energy sales that would be foregone or uneconomic energy that would be produced by the resource in order to provide Regulation, in accordance with procedures specified in the PJM Manuals. Estimated opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch resources for Regulation by sending Regulation signals and instructions to generation resources and/or Demand Resources from which Regulation service has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Regulation dispatch signals and instructions transmitted by the Office of the Interconnection and, in the event of conflict, Regulation dispatch signals and instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4A Synchronized Reserve.

(a) A Market Buyer may satisfy its Synchronized Reserve Obligation from its own generation resources and/or Demand Resources capable of providing Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Synchronized Reserve,

or by purchases from the PJM Synchronized Reserve Market at the rates set forth in Section 3.2.3A. PJMSettlement shall be the Counterparty to the purchases and sales of Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Synchronized Reserve from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet the Synchronized Reserve requirements of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources offering to sell Synchronized Reserve shall be selected to provide Synchronized Reserve on the basis of each generation resource's and/or Demand Resource's Synchronized Reserve offer and the estimated unit specific opportunity cost of the resource providing Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the generation resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the absolute value of~~ the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch generation resources and/or Demand Resources for Synchronized Reserve by sending Synchronized Reserve instructions to generation resources and/or Demand Resources from which Synchronized Reserve has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4B Non-Synchronized Reserve.

(a) A Market Buyer may satisfy its Non-Synchronized Reserve Obligation from its own generation resources ~~and/or Demand Resources~~ capable of providing Non-Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Non-Synchronized Reserve, or by purchases from the PJM Non-Synchronized Reserve Market at the rates set forth in Section 3.2.3A.001. PJMSettlement shall be the Counterparty to the purchases and sales of Non-Synchronized Reserve in the PJM Interchange Energy Market; provided that

PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-supply of generation resources by a Market Buyer to satisfy its Non-Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Non-Synchronized Reserve from the least-cost alternatives available from either pool-scheduled ~~or self-scheduled~~ generation resources ~~and/or Demand Resources~~ as needed to ensure the Primary Reserve requirement of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources eligible~~offering~~ to sell Non-Synchronized Reserve shall be selected to provide Non-Synchronized Reserve on the basis of each generation resource's ~~and/or Demand Resource's~~ estimated unit specific opportunity cost of the resource providing Non-Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources not providing energy because they are providing Non-Synchronized Reserve shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Non-Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. ~~Opportunity costs for Demand Resources will be zero.~~

(c) The Office of the Interconnection shall dispatch generation resources ~~and/or Demand Resources~~ for Non-Synchronized Reserve by sending Non-Synchronized Reserve instructions to generation resources ~~and/or Demand Resources~~ from which Non-Synchronized Reserve is available, in accordance with the PJM Manuals. Market Sellers shall comply with Non-Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Non-Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.5 PJM Open Access Same-time Information System.

The Office of the Interconnection shall update the information posted on the PJM Open Access Same-time Information System to reflect its dispatch of generation resources.

2.1 Introduction.

The Office of the Interconnection shall calculate the price of energy at the load bus~~s~~es and generation bus~~s~~es in the PJM Region and at the Interface Pricing Points between adjacent Control Areas and the PJM Region on the basis of Locational Marginal Prices. Locational Marginal Prices determined in accordance with this Section shall be calculated on a day-ahead basis for each hour of the Day-ahead Energy Market, and every five minutes during the Operating Day for the Real-time Energy Market.

2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buss~~s~~es in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants and Emergency Load Response Participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-~~A~~ahead or Real-~~T~~time Energy Markets or from Emergency Load Response Participants in the Real-time Energy Market. ~~Offers of economic load response from Demand Resources in the Real-time Energy Market will not be eligible to set Locational Marginal Prices, unless metered directly by the Office of the Interconnection.~~ Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region~~, so long as sufficient data is available to accurately model the resources~~.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage ("false positives") by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the Reserve Penalty Factors for both the Synchronized Reserves and Primary~~Non-synchronized~~ Reserves requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the Reserve Penalty Factors associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor for the deficient reserve requirement~~product~~ as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated ~~accordingly~~as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the Interconnection may include, but are not limited to, the Maximum Emergency Generation Alert,

Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

~~If the Office of the Interconnection has initiated in a Reserve Zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, Locational Marginal Prices for that Reserve Zone will be calculated including the Reserve Penalty Factors of all reserve products in that Reserve Zone.~~

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the Primary Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized

Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(ed) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) tie lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (g) of this section; the amounts, if any, described in subsection (e) of this section; and (iii) the Internal Market Buyer's pro rata share of any performance credits paid to regulating resources calculated in accordance with subsection (f) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office such that the calculated credit for each increment of Regulation provided by each resource shall be the Regulation market-clearing price.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation zone that shall be calculated in accordance with subsection (f) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.3.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(f) The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (f) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capacity Regulation market-clearing price.

(g) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(h) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs

is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an

Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such area pursuant to Section 1.12.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy as determined by the Real-time Energy Market and the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b) and less any amounts

credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UB shall not be negative.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG}, or (ii) {(URTLMP – UB) x DAG} where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit, determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the

Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled and operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and
>
> where URTLMP - UB shall not be negative.

In the event the Office of the Interconnection experiences a technical problem or malfunction with its wind forecasting tool that results in an erroneous forecast for a wind resource during a period of time for which the wind resource is eligible for lost opportunity cost, the Office of the Interconnection and the Market Seller will attempt to reach a mutually agreeable forecast value for settlement purposes. If the Office of the Interconnection and the Market Seller do not come to mutual agreement on an acceptable forecast value, the Office of the Interconnection shall utilize the forecast value that it determines is appropriate.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of

this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such region pursuant to Section 1.12.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at interfaces and hubs shall be associated with the Eastern or Western Region if all the buss~~s~~es that define all interfaces or all hubs are located in the region. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buss~~s~~es that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of an Operating Reserve shortage in real-time or where PJM initiates

the request for load reductions in real-time in order to avoid an Operating Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared ("Maximum Generation Emergency Alert"); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by

Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to $1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed $1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of

the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$Ramp_Request_t = \frac{(UDStarget_{t-1} - AOutput_{t-1})}{(UDSLAtime_{t-1})}$$

$$RL_Desired_t = AOutput_{t-1} + \left(Ramp_Request_t * Case_Eff_time_{t-1} \right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its %

off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.

- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.

- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.

- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh and Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not

follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

3.2.3A Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone, for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). An Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts if any, described in subsections (g), (h) and (i) of this section.

(b) A Generating Market Buyer supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price; with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated

amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the ~~s~~Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the Synchronized Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Synchronized Reserve Penalty Factor and the Primary Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Synchronized Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 201~~1~~2/201~~2~~3 Delivery Year;

ii. $400/MWh for the 201~~2~~3/201~~3~~4 Delivery Year;

iii. $550/MWh for the 201~~3~~4/201~~4~~5 Delivery Year; and

iv. $850/MWh as of the 201~~4~~5/201~~5~~6 Delivery Year.

By no later than April 30 of each year~~After June 1, 2014~~, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled by the owner to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Synchronized Reserve in response to an actual Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Tier 2 Synchronized Reserve during which the event occurred, and the owner of the resource shall incur an additional Synchronized Reserve Obligation in the amount of the shortfall for a period of three consecutive days with the same peak classification (on-peak or off-peak) as the day of the Synchronized Reserve Event at least three business days following the Synchronized Reserve Event. The overall Synchronized Reserve requirement for each Reserve Zone and Reserve Sub-zone of the PJM Region on which the Synchronized Reserve Obligations, except for the additional obligations set forth in this section, are based shall be reduced by the amount of this shortfall for the applicable three-day period.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be

reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). An Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with paragraph (c~~d~~) of this section, plus the amounts, if any, described in paragraph~~s~~ (f~~g~~)~~, (h), and (i)~~ of this section.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. ~~Opportunity costs for Demand Resources to provide Non-Synchronized Reserves are zero.~~

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of ~~serving the next increment of demand for Non-Synchronized Reserve~~procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs

associated with meeting the Primary Reserve requirement. When the Primary Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the Primary Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve will be determined as the Primary Reserve Penalty Factor. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Primary Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Primary Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 201~~1~~2/201~~2~~3 Delivery Year;

ii. $400/MWh for the 201~~2~~3/201~~3~~4 Delivery Year;

iii. $550/MWh for the 201~~3~~4/201~~4~~5 Delivery Year; and

iv. $850/MWh as of the 201~~4~~5/201~~5~~6 Delivery Year.

By no later than April 30 of each year~~After June 1, 2014~~, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are~~solely for the purpose of~~ providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of ~~the set point of~~ the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions~~ that is expected to be required in order to provide Non-Synchronized Reserve~~ from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) ~~the difference between~~ the ~~expected~~ Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the resource)~~ in the PJM Interchange Energy Market. ~~The opportunity costs for a Demand Resource shall be zero.~~

(e) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) ~~the difference between~~ the Locational Marginal Price at the generation bus for the generation resource, minus (C) ~~and~~ the applicable offer ~~price~~ for energy from the generation resource ~~(at the megawatt level of the Synchronized Reserve set point for the generation resource)~~ in the PJM Interchange Energy Market. ~~The opportunity costs for a Demand Resource shall be zero.~~

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource ~~or a Demand Resource, except for Batch Load Demand Resources covered by Section 3.2.3A(1),~~ is the difference between the generation resource's output ~~or the Demand Resource's consumption~~ at the start of the event and its output ~~or consumption~~ 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output ~~or Demand Resource consumption~~ at the start of the event is defined as the lowest telemetered generator resource output ~~or greatest Demand Resource consumption~~ between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output ~~or a Demand Resource's consumption~~ 10 minutes after the start of the event is defined as the greatest generator resource output ~~or lowest Demand Resource consumption~~ achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. ~~The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.~~

(h) In the event a generation resource ~~or Demand Resource~~ that either has been assigned by the Office of the Interconnection ~~or self-scheduled by the owner~~ to provide Non-Synchronized Reserve fails to provide the assigned ~~or self-scheduled~~ amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

~~(i) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Non-Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Non-Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Non-Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Non-Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.~~

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling

Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch

instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The cost of credits allocated to Day-ahead Scheduling Reserves Resources pursuant to this section shall be charged to Load-Serving Entities in the PJM Region based on load ratio share (net of operating Behind The Meter Generation, but not to be less than zero), provided that a Load-Serving Entity may satisfy its Day-ahead Scheduling Reserves obligation, which is equal to the Day-ahead Scheduling Reserves Requirement multiplied by the Load-Serving Entity's load ratio share for the PJM Region, through one or any combination of the following: 1) the Day-ahead Scheduling Reserves Market; 2) and bilateral arrangements. The Day-ahead Scheduling Reserve charges allocated pursuant to this section shall reflect any portion of a Load-Serving Entity's Day-ahead Scheduling Reserves obligation that is met by bilateral arrangement(s).

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to {(LMPDMW - AG) x (URTLMP - UB)}

where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended determined according to the real time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UB shall not be negative.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in

Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG, or (ii) {(URTLMP – UB) x DAG where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG - LMPDMW) x (UB - URTLMP)}where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generati~~o~~ng unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generati~~o~~ng unit's bus, (C) the generati~~o~~ng unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generati~~o~~ng resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generati~~o~~ng unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations

of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its

net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

Emergency Operations

PJM will initiate the request for a Load Management event coincident with the declaration of Maximum Emergency Generation and prior to the implementation of Load Management Steps 1 and 2. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) It is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location and/or quantity of load reduction needed.

The ~~Minimum D~~dispatch ~~P~~price ~~and all offers~~ of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required~~,~~ to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff~~, so long as sufficient data are available to accurately model the resources~~. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Participants in the Emergency Load Response Program must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the ***PJM Manual for Emergency Operations***.

Attachment B

Section(s) of the
PJM Open Access Transmission Tariff
and PJM Operating Agreement

(Clean Version)

Section(s) of the
PJM Open Access Transmission Tariff

(Clean Version)

TABLE OF CONTENTS

I. COMMON SERVICE PROVISIONS

1 Definitions
OATT Definitions – A – B
OATT Definitions – C – D
OATT Definitions – E – F
OATT Definitions – G – H
OATT Definitions – I – J – K
OATT Definitions – L – M – N
OATT Definitions – O – P – Q
OATT Definitions – R – S
OATT Definitions - T – U – V
OATT Definitions – W – X – Y - Z
2 Initial Allocation and Renewal Procedures
3 Ancillary Services
3B PJM Administrative Service
3C Mid-Atlantic Area Council Charge
3D Transitional Market Expansion Charge
3E Transmission Enhancement Charges
3F Transmission Losses
4 Open Access Same-Time Information System (OASIS)
5 Local Furnishing Bonds
6 Reciprocity
6A Counterparty
7 Billing and Payment
8 Accounting for a Transmission Owner's Use of the Tariff
9 Regulatory Filings
10 Force Majeure and Indemnification
11 Creditworthiness
12 Dispute Resolution Procedures

II. POINT-TO-POINT TRANSMISSION SERVICE

Preamble
13 Nature of Firm Point-To-Point Transmission Service
14 Nature of Non-Firm Point-To-Point Transmission Service
15 Service Availability
16 Transmission Customer Responsibilities
17 Procedures for Arranging Firm Point-To-Point Transmission Service
18 Procedures for Arranging Non-Firm Point-To-Point Transmission Service
19 Initial Study Procedures For Long-Term Firm Point-To-Point Transmission Service Requests
20 [Reserved]
21 [Reserved]

22 Changes in Service Specifications
23 Sale or Assignment of Transmission Service
24 Metering and Power Factor Correction at Receipt and Delivery Points(s)
25 Compensation for Transmission Service
26 Stranded Cost Recovery
27 Compensation for New Facilities and Redispatch Costs
27A Distribution of Revenues from Non-Firm Point-to-Point Transmission Service

III. NETWORK INTEGRATION TRANSMISSION SERVICE
Preamble
28 Nature of Network Integration Transmission Service
29 Initiating Service
30 Network Resources
31 Designation of Network Load
32 Initial Study Procedures For Network Integration Transmission Service Requests
33 Load Shedding and Curtailments
34 Rates and Charges
35 Operating Arrangements

IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM
Preamble
Subpart A –INTERCONNECTION PROCEDURES
36 Interconnection Requests
37 Additional Procedures
38 Service on Merchant Transmission Facilities
39 Local Furnishing Bonds
40-109 [Reserved]
Subpart B – [Reserved]
Subpart C – [Reserved]
Subpart D – [Reserved]
Subpart E – [Reserved]
Subpart F – [Reserved]
Subpart G – SMALL GENERATION INTERCONNECTION PROCEDURE
Preamble
110 Permanent Capacity Resource Additions Of 20 MW Or Less
111 Permanent Energy Resource Additions Of 20 MW Or Less
112 Temporary Energy Resource Additions Of 20 MW Or Less But Greater Than 2 MW
112A Screens Process for Permanent or Temporary Energy Resources of 2 MW or less
112B Certified Inverter-Based Small Generating Facilities No Larger than 10 kW

V. GENERATION DEACTIVATION

Preamble
113 Notices
114 Deactivation Avoidable Cost Credit
115 Deactivation Avoidable Cost Rate
116 Filing and Updating of Deactivation Avoidable Cost Rate
117 Excess Project Investment Required
118 Refund of Project Investment Reimbursement
118A Recovery of Project Investment
119 Cost of Service Recovery Rate
120 Cost Allocation
121 Performance Standards
122 Black Start Units
123-199 [Reserved]

VI. ADMINISTRATION AND STUDY OF NEW SERVICE REQUESTS; RIGHTS ASSOCIATED WITH CUSTOMER-FUNDED UPGRADES
Preamble
200 Applicability
201 Queue Position
Subpart A – SYSTEM IMPACT STUDIES AND FACILITIES STUDIES FOR NEW SERVICE REQUESTS
202 Coordination with Affected Systems
203 System Impact Study Agreement
204 Tender of System Impact Study Agreement
205 System Impact Study Procedures
206 Facilities Study Agreement
207 Facilities Study Procedures
208 Expedited Procedures for Part II Requests
209 Optional Interconnection Studies
210 Responsibilities of the Transmission Provider and Transmission Owners
Subpart B– AGREEMENTS AND COST REPONSIBILITY FOR CUSTOMER- FUNDED UPGRADES
211 Interim Interconnection Service Agreement
212 Interconnection Service Agreement
213 Upgrade Construction Service Agreement
214 Filing/Reporting of Agreement
215 Transmission Service Agreements
216 Interconnection Requests Designated as Market Solutions
217 Cost Responsibility for Necessary Facilities and Upgrades
218 New Service Requests Involving Affected Systems
219 Inter-queue Allocation of Costs of Transmission Upgrades
220 Advance Construction of Certain Network Upgrades
221 Transmission Owner Construction Obligation for Necessary Facilities And Upgrades
222 Confidentiality

223 Confidential Information
224 – 229 [Reserved]
Subpart C – RIGHTS RELATED TO CUSTOMER-FUNDED UPGRADES
230 Capacity Interconnection Rights
231 Incremental Auction Revenue Rights
232 Transmission Injection Rights and Transmission Withdrawal Rights
233 Incremental Available Transfer Capability Revenue Rights
234 Incremental Capacity Transfer Rights
235 Incremental Deliverability Rights
236 Interconnection Rights for Certain Transmission Interconnections
237 IDR Transfer Agreements

SCHEDULE 1
Scheduling, System Control and Dispatch Service
SCHEDULE 1A
Transmission Owner Scheduling, System Control and Dispatch Service
SCHEDULE 2
Reactive Supply and Voltage Control from Generation Sources Service
SCHEDULE 3
Regulation and Frequency Response Service
SCHEDULE 4
Energy Imbalance Service
SCHEDULE 5
Operating Reserve – Synchronized Reserve Service
SCHEDULE 6
Operating Reserve - Supplemental Reserve Service
SCHEDULE 6A
Black Start Service
SCHEDULE 7
Long-Term Firm and Short-Term Firm Point-To-Point Transmission Service
SCHEDULE 8
Non-Firm Point-To-Point Transmission Service
SCHEDULE 9
PJM Interconnection L.L.C. Administrative Services
SCHEDULE 9-1
Control Area Administration Service
SCHEDULE 9-2
Financial Transmission Rights Administration Service
SCHEDULE 9-3
Market Support Service
SCHEDULE 9-4
Regulation and Frequency Response Administration Service
SCHEDULE 9-5
Capacity Resource and Obligation Management Service
SCHEDULE 9-6

Management Service Cost
SCHEDULE 9-FERC
FERC Annual Charge Recovery
SCHEDULE 9-OPSI
OPSI Funding
SCHEDULE 9-FINCON
Finance Committee Retained Outside Consultant
SCHEDULE 9-MMU
MMU Funding
SCHEDULE 9 – PJM SETTLEMENT
SCHEDULE 10 - [Reserved]
SCHEDULE 10-NERC
North American Electric Reliability Corporation Charge
SCHEDULE 10-RFC
Reliability First Corporation Charge
SCHEDULE 11
Transitional Market Expansion Charge
SCHEDULE 12
Transmission Enhancement Charges
SCHEDULE 12 APPENDIX
SCHEDULE 12-A
SCHEDULE 13
Expansion Cost Recovery Change (ECRC)
SCHEDULE 14
Transmission Service on the Neptune Line
SCHEDULE 14 - Exhibit A
SCHEDULE 15
Non-Retail Behind The Meter Generation Maximum Generation Emergency Obligations
SCHEDULE 16
Transmission Service on the Linden VFT Facility
SCHEDULE 16 Exhibit A
SCHEDULE 16 – A
Transmission Service for Imports on the Linden VFT Facility
ATTACHMENT A
Form of Service Agreement For Firm Point-To-Point Transmission Service
ATTACHMENT A-1
Form of Service Agreement For The Resale, Reassignment or Transfer of Point-to-Point Transmission Service
ATTACHMENT B
Form of Service Agreement For Non-Firm Point-To-Point Transmission Service
ATTACHMENT C
Methodology To Assess Available Transfer Capability
ATTACHMENT C-1
Conversion of Service in the Dominion and Duquesne Zones
ATTACHMENT C-2

Conversion of Service in the Duke Energy Ohio, Inc. and Duke Energy Kentucky, Inc, ("DEOK") Zone

ATTACHMENT D

Methodology for Completing a System Impact Study

ATTACHMENT E

Index of Point-To-Point Transmission Service Customers

ATTACHMENT F

Service Agreement For Network Integration Transmission Service

ATTACHMENT F-1

Form of Umbrella Service Agreement for Network Integration Transmission Service Under State Required Retail Access Programs

ATTACHMENT G

Network Operating Agreement

ATTACHMENT H-1

Annual Transmission Rates -- Atlantic City Electric Company for Network Integration Transmission Service

ATTACHMENT H-1A

Atlantic City Electric Company Formula Rate Appendix A

ATTACHMENT H-1B

Atlantic City Electric Company Formula Rate Implementation Protocols

ATTACHMENT H-2

Annual Transmission Rates -- Baltimore Gas and Electric Company for Network Integration Transmission Service

ATTACHMENT H-2A

Baltimore Gas and Electric Company Formula Rate

ATTACHMENT H-2B

Baltimore Gas and Electric Company Formula Rate Implementation Protocols

ATTACHMENT H-3

Annual Transmission Rates -- Delmarva Power & Light Company for Network Integration Transmission Service

ATTACHMENT H-3A

Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points

ATTACHMENT H-3B

Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points

ATTACHMENT H-3C

Delmarva Power & Light Company Under-Frequency Load Shedding Charge

ATTACHMENT H-3D

Delmarva Power & Light Company Formula Rate – Appendix A

ATTACHMENT H-3E

Delmarva Power & Light Company Formula Rate Implementation Protocols

ATTACHMENT H-3F

Old Dominion Electric Cooperative Formula Rate – Appendix A

ATTACHMENT H-3G

Old Dominion Electric Cooperative Formula Rate Implementation Protocols

ATTACHMENT H-4

Annual Transmission Rates -- Jersey Central Power & Light Company for Network Integration Transmission Service

ATTACHMENT H-5

Annual Transmission Rates -- Metropolitan Edison Company for Network Integration Transmission Service

ATTACHMENT H-5A

Other Supporting Facilities -- Metropolitan Edison Company

ATTACHMENT H-6

Annual Transmission Rates -- Pennsylvania Electric Company for Network Integration Transmission Service

ATTACHMENT H-6A

Other Supporting Facilities Charges -- Pennsylvania Electric Company

ATTACHMENT H-7

Annual Transmission Rates -- PECO Energy Company for Network Integration Transmission Service

ATTACHMENT H-8

Annual Transmission Rates – PPL Group for Network Integration Transmission Service

ATTACHMENT H-8A

Other Supporting Facilities Charges -- PPL Electric Utilities Corporation

ATTACHMENT 8C

UGI Utilities, Inc. Formula Rate – Appendix A

ATTACHMENT 8D

UGI Utilities, Inc. Formula Rate Implementation Protocols

ATTACHMENT 8E

UGI Utilities, Inc. Formula Rate – Appendix A

ATTACHMENT H-8G

Annual Transmission Rates – PPL Electric Utilities Corp.

ATTACHMENT H-8H

Formula Rate Implementation Protocols – PPL Electric Utilities Corp.

ATTACHMENT H-9

Annual Transmission Rates -- Potomac Electric Power Company for Network Integration Transmission Service

ATTACHMENT H-9A

Potomac Electric Power Company Formula Rate – Appendix A

ATTACHMENT H-9B

Potomac Electric Power Company Formula Rate Implementation Protocols

ATTACHMENT H-10

Annual Transmission Rates -- Public Service Electric and Gas Company for Network Integration Transmission Service

ATTACHMENT H-10A

Formula Rate -- Public Service Electric and Gas Company

ATTACHMENT H-10B

Formula Rate Implementation Protocols – Public Service Electric and Gas Company

ATTACHMENT H-11
Annual Transmission Rates -- Allegheny Power for Network Integration Transmission Service
ATTACHMENT 11A
Other Supporting Facilities Charges - Allegheny Power
ATTACHMENT H-12
Annual Transmission Rates -- Rockland Electric Company for Network Integration Transmission Service
ATTACHMENT H-13
Annual Transmission Rates – Commonwealth Edison Company for Network Integration Transmission Service
ATTACHMENT H-13A
Commonwealth Edison Company Formula Rate – Appendix A
ATTACHMENT H-13B
Commonwealth Edison Company Formula Rate Implementation Protocols
ATTACHMENT H-14
Annual Transmission Rates – AEP East Operating Companies for Network Integration Transmission Service
ATTACHMENT H-14A
AEP East Operating Companies Formula Rate Implementation Protocols
ATTACHMENT H-14B Part 1
ATTACHMENT H-14B Part 2
ATTACHMENT H-15
Annual Transmission Rates -- The Dayton Power and Light Company for Network Integration Transmission Service
ATTACHMENT H-16
Annual Transmission Rates -- Virginia Electric and Power Company for Network Integration Transmission Service
ATTACHMENT H-16A
Formula Rate - Virginia Electric and Power Company
ATTACHMENT H-16B
Formula Rate Implementation Protocols - Virginia Electric and Power Company
ATTACHMENT H-16C
Virginia Retail Administrative Fee Credit for Virginia Retail Load Serving Entities in the Dominion Zone
ATTACHMENT H-16D – [Reserved]
ATTACHMENT H-16E – [Reserved]
ATTACHMENT H-16AA
Virginia Electric and Power Company
ATTACHMENT H-17
Annual Transmission Rates -- Duquesne Light Company for Network Integration Transmission Service
ATTACHMENT H-17A
Duquesne Light Company Formula Rate – Appendix A
ATTACHMENT H-17B
Duquesne Light Company Formula Rate Implementation Protocols

ATTACHMENT H-18
Annual Transmission Rates – Trans-Allegheny Interstate Line Company
ATTACHMENT H-18A
Trans-Allegheny Interstate Line Company Formula Rate – Appendix A
ATTACHMENT H-18B
Trans-Allegheny Interstate Line Company Formula Rate Implementation Protocols
ATTACHMENT H-19
Annual Transmission Rates – Potomac-Appalachian Transmission Highline, L.L.C.
ATTACHMENT H-19A
Potomac-Appalachian Transmission Highline, L.L.C. Summary
ATTACHMENT H-19B
Potomac-Appalachian Transmission Highline, L.L.C. Formula Rate Implementation Protocols
ATTACHMENT H-20
Annual Transmission Rates – AEP Transmission Companies (AEPTCo) in the AEP Zone
ATTACHMENT H-20A
AEP Transmission Companies (AEPTCo) in the AEP Zone - Formula Rate Implementation Protocols
ATTACHMENT H-20B
AEP Transmission Companies (AEPTCo) in the AEP Zone – Blank Formula Rate Template
ATTACHMENT H-21
Annual Transmission Rates – American Transmission Systems, Inc. for Network Integration Transmission Service
ATTACHMENT H-21A - ATSI
ATTACHMENT H-21A Appendix A - ATSI
ATTACHMENT H-21A Appendix B - ATSI
ATTACHMENT H-21A Appendix C - ATSI
ATTACHMENT H-21A Appendix C - ATSI [Reserved]
ATTACHMENT H-21A Appendix D – ATSI
ATTACHMENT H-21A Appendix E - ATSI
ATTACHMENT H-21A Appendix F – ATSI [Reserved]
ATTACHMENT H-21A Appendix G - ATSI
ATTACHMENT H-21A Appendix G – ATSI (Credit Adj)
ATTACHMENT H-21B ATSI Protocol
ATTACHMENT H-22
Annual Transmission Rates – DEOK for Network Integration Transmission Service and Point-to-Point Transmission Service
ATTACHMENT H-22A
Duke Energy Ohio and Duke Energy Kentucky (DEOK) Formula Rate Template
ATTACHMENT H-22B
DEOK Formula Rate Implementation Protocols
ATTACHMENT H-A
Annual Transmission Rates -- Non-Zone Network Load for Network Integration Transmission Service

ATTACHMENT I

Index of Network Integration Transmission Service Customers

ATTACHMENT J

PJM Transmission Zones

ATTACHMENT K

Transmission Congestion Charges and Credits

Preface

ATTACHMENT K -- APPENDIX

Preface

1. MARKET OPERATIONS

1.1 Introduction
1.2 Cost-Based Offers
1.2A Transmission Losses
1.3 Definitions
1.4 Market Buyers
1.5 Market Sellers
1.5A Economic Load Response Participant
1.6 Office of the Interconnection
1.6A PJM Settlement
1.7 General
1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
1.9 Prescheduling
1.10 Scheduling
1.11 Dispatch
1.12 Dynamic Scheduling

2. CALCULATION OF LOCATIONAL MARGINAL PRICES

2.1 Introduction
2.2 General
2.3 Determination of System Conditions Using the State Estimator
2.4 Determination of Energy Offers Used in Calculating
2.5 Calculation of Real-time Prices
2.6 Calculation of Day-ahead Prices
2.6A Interface Prices
2.7 Performance Evaluation

3. ACCOUNTING AND BILLING

3.1 Introduction
3.2 Market Buyers
3.3 Market Sellers
3.3A Economic Load Response Participants
3.4 Transmission Customers
3.5 Other Control Areas
3.6 Metering Reconciliation
3.7 Inadvertent Interchange

4. [Reserved For Future Use]

5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES

5.1 Transmission Congestion Charge Calculation

5.2 Transmission Congestion Credit Calculation
5.3 Unscheduled Transmission Service (Loop Flow)
5.4 Transmission Loss Charge Calculation
5.5 Distribution of Total Transmission Loss Charges

6. "MUST-RUN" FOR RELIABILITY GENERATION

6.1 Introduction
6.2 Identification of Facility Outages
6.3 Dispatch for Local Reliability
6.4 Offer Price Caps
6.5 [Reserved]
6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules

6A. [Reserved]

6A.1 [Reserved]
6A.2 [Reserved]
6A.3 [Reserved]

7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS

7.1 Auctions of Financial Transmission Rights
7.1A Long-Term Financial Transmission Rights Auctions
7.2 Financial Transmission Rights Characteristics
7.3 Auction Procedures
7.4 Allocation of Auction Revenues
7.5 Simultaneous Feasibility
7.6 New Stage 1 Resources
7.7 Alternate Stage 1 Resources
7.8 Elective Upgrade Auction Revenue Rights
7.9 Residual Auction Revenue Rights
7.10 Financial Settlement
7.11 PJMSettlement as Counterparty

8. INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM

8.1 Introduction
8.2 Identification of Transmission Constraints
8.3 Redispatch Procedures
8.4 Locational Marginal Price
8.5 Generator Compensation
8.6 Settlements
8.7 Effective Date
9. [Reserved]
10. [Reserved]

PJM EMERGENCY LOAD RESPONSE PROGRAM

ATTACHMENT L

List of Transmission Owners

ATTACHMENT M

PJM Market Monitoring Plan

ATTACHMENT M – APPENDIX

PJM Market Monitor Plan Attachment M Appendix
I Confidentiality of Data and Information
II Development of Inputs for Prospective Mitigation
III Black Start Service
IV Deactivation Rates
V Opportunity Cost Calculation
VI FTR Forfeiture Rule
VII Forced Outage Rule
VIII Data Collection and Verification
ATTACHMENT M-1 (FirstEnergy)
Energy Procedure Manual for Determining Supplier Total Hourly Energy Obligation
ATTACHMENT M-2 (First Energy)
Energy Procedure Manual for Determining Supplier Peak Load Share
Procedures for Load Determination
ATTACHMENT M-2 (ComEd)
Determination of Capacity Peak Load Contributions and Network Service Peak Load Contributions
ATTACHMENT M-2 (PSE&G)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers
ATTACHMENT M-2 (Atlantic City Electric Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers
ATTACHMENT M-2 (Delmarva Power & Light Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers
ATTACHMENT M-2 (Delmarva Power & Light Company)
Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers
ATTACHMENT N
Form of Generation Interconnection Feasibility Study Agreement
ATTACHMENT N-1
Form of System Impact Study Agreement
ATTACHMENT N-2
Form of Facilities Study Agreement
ATTACHMENT N-3
Form of Optional Interconnection Study Agreement
ATTACHMENT O
Form of Interconnection Service Agreement
1.0 Parties
2.0 Authority
3.0 Customer Facility Specifications
4.0 Effective Date
5.0 Security
6.0 Project Specific Milestones

7.0 Provision of Interconnection Service
8.0 Assumption of Tariff Obligations
9.0 Facilities Study
10.0 Construction of Transmission Owner Interconnection Facilities
11.0 Interconnection Specifications
12.0 Power Factor Requirement
12.0A RTU
13.0 Charges
14.0 Third Party Benefits
15.0 Waiver
16.0 Amendment
17.0 Construction With Other Parts Of The Tariff
18.0 Notices
19.0 Incorporation Of Other Documents
20.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
21.0 Addendum of Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
22.0 Addendum of Interconnection Requirements for a Wind Generation Facility
23.0

Specifications for Interconnection Service Agreement

1.0
2.0 Rights
3.0 Construction Responsibility and Ownership of Interconnection Facilities
4.0
4.1 Attachment Facilities Charge
4.2 Network Upgrades Charge
4.3 Local Upgrades Charge
4.4 Other Charges
4.5 Cost of Merchant Network Upgrades
4.6 Cost breakdown
4.7 Security Amount Breakdown

ATTACHMENT O APPENDIX 1: Definitions

ATTACHMENT O APPENDIX 2: Standard Terms and Conditions for Interconnections

1 Commencement, Term of and Conditions Precedent to Interconnection Service

1.1 Commencement Date
1.2 Conditions Precedent
1.3 Term
1.4 Initial Operation
1.4A Limited Operation
1.5 Survival

2 Interconnection Service

2.1 Scope of Service
2.2 Non-Standard Terms
2.3 No Transmission Services
2.4 Use of Distribution Facilities

2.5 Election by Behind The Meter Generation
3 Modification Of Facilities
3.1 General
3.2 Interconnection Request
3.3 Standards
3.4 Modification Costs
4 Operations
4.1 General
4.2 Operation of Merchant Network Upgrades
4.3 Interconnection Customer Obligations
4.4 [Reserved.]
4.5 Permits and Rights-of-Way
4.6 No Ancillary Services
4.7 Reactive Power
4.8 Under- and Over-Frequency Conditions
4.9 Protection and System Quality
4.10 Access Rights
4.11 Switching and Tagging Rules
4.12 Communications and Data Protocol
4.13 Nuclear Generating Facilities
5 Maintenance
5.1 General
5.2 Maintenance of Merchant Network Upgrades
5.3 Outage Authority and Coordination
5.4 Inspections and Testing
5.5 Right to Observe Testing
5.6 Secondary Systems
5.7 Access Rights
5.8 Observation of Deficiencies
6 Emergency Operations
6.1 Obligations
6.2 Notice
6.3 Immediate Action
6.4 Record-Keeping Obligations
7 Safety
7.1 General
7.2 Environmental Releases
8 Metering
8.1 General
8.2 Standards
8.3 Testing of Metering Equipment
8.4 Metering Data
8.5 Communications
9 Force Majeure
9.1 Notice
9.2 Duration of Force Majeure

9.3 Obligation to Make Payments
10 Charges
10.1 Specified Charges
10.2 FERC Filings
11 Security, Billing And Payments
11.1 Recurring Charges Pursuant to Section 10
11.2 Costs for Transmission Owner Interconnection Facilities and/or Merchant Network Upgrades
11.3 No Waiver
11.4 Interest
12 Assignment
12.1 Assignment with Prior Consent
12.2 Assignment Without Prior Consent
12.3 Successors and Assigns
13 Insurance
13.1 Required Coverages for Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
13.1A Required Coverages for Generation Resources Of 20 Megawatts Or Less
13.2 Additional Insureds
13.3 Other Required Terms
13.3A No Limitation of Liability
13.4 Self-Insurance
13.5 Notices; Certificates of Insurance
13.6 Subcontractor Insurance
13.7 Reporting Incidents
14 Indemnity
14.1 Indemnity
14.2 Indemnity Procedures
14.3 Indemnified Person
14.4 Amount Owing
14.5 Limitation on Damages
14.6 Limitation of Liability in Event of Breach
14.7 Limited Liability in Emergency Conditions
15 Breach, Cure And Default
15.1 Breach
15.2 Continued Operation
15.3 Notice of Breach
15.4 Cure and Default
15.5 Right to Compel Performance
15.6 Remedies Cumulative
16 Termination
16.1 Termination
16.2 Disposition of Facilities Upon Termination
16.3 FERC Approval
16.4 Survival of Rights

17 Confidentiality
17.1 Term
17.2 Scope
17.3 Release of Confidential Information
17.4 Rights
17.5 No Warranties
17.6 Standard of Care
17.7 Order of Disclosure
17.8 Termination of Interconnection Service Agreement
17.9 Remedies
17.10 Disclosure to FERC or its Staff
17.11
17.12
17.13 Return or Destruction of Confidential Information
18 Subcontractors
18.1 Use of Subcontractors
18.2 Responsibility of Principal
18.3 Indemnification by Subcontractors
18.4 Subcontractors Not Beneficiaries
19 Information Access And Audit Rights
19.1 Information Access
19.2 Reporting of Non-Force Majeure Events
19.3 Audit Rights
20 Disputes
20.1 Submission
20.2 Rights Under The Federal Power Act
20.3 Equitable Remedies
21 Notices
21.1 General
21.2 Emergency Notices
21.3 Operational Contacts
22 Miscellaneous
22.1 Regulatory Filing
22.2 Waiver
22.3 Amendments and Rights Under the Federal Power Act
22.4 Binding Effect
22.5 Regulatory Requirements
23 Representations And Warranties
23.1 General
24 Tax Liability
24.1 Safe Harbor Provisions
24.2. Tax Indemnity
24.3 Taxes Other Than Income Taxes
24.4 Income Tax Gross-Up
24.5 Tax Status
ATTACHMENT O - SCHEDULE A

Customer Facility Location/Site Plan
ATTACHMENT O - SCHEDULE B
Single-Line Diagram
ATTACHMENT O - SCHEDULE C
List of Metering Equipment
ATTACHMENT O - SCHEDULE D
Applicable Technical Requirements and Standards
ATTACHMENT O - SCHEDULE E
Schedule of Charges
ATTACHMENT O - SCHEDULE F
Schedule of Non-Standard Terms & Conditions
ATTACHMENT O - SCHEDULE G
Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
ATTACHMENT O - SCHEDULE H
Interconnection Requirements for a Wind Generation Facility
ATTACHMENT O-1
Form of Interim Interconnection Service Agreement
ATTACHMENT P
Form of Interconnection Construction Service Agreement
1.0 Parties
2.0 Authority
3.0 Customer Facility
4.0 Effective Date and Term
4.1 Effective Date
4.2 Term
4.3 Survival
5.0 Construction Responsibility
6.0 [Reserved.]
7.0 Scope of Work
8.0 Schedule of Work
9.0 [Reserved.]
10.0 Notices
11.0 Waiver
12.0 Amendment
13.0 Incorporation Of Other Documents
14.0 Addendum of Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
15.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
16.0 Addendum of Interconnection Requirements for a Wind Generation Facility
17.0
ATTACHMENT P - APPENDIX 1 – DEFINITIONS
ATTACHMENT P - APPENDIX 2 – STANDARD CONSTRUCTION TERMS AND CONDITIONS
Preamble
1 Facilitation by Transmission Provider

2 Construction Obligations
2.1 Interconnection Customer Obligations
2.2 Transmission Owner Interconnection Facilities and Merchant Network Upgrades
2.2A Scope of Applicable Technical Requirements and Standards
2.3 Construction By Interconnection Customer
2.4 Tax Liability
2.5 Safety
2.6 Construction-Related Access Rights
2.7 Coordination Among Constructing Parties
3 Schedule of Work
3.1 Construction by Interconnection Customer
3.2 Construction by Interconnected Transmission Owner
3.2.1 Standard Option
3.2.2 Negotiated Contract Option
3.2.3 Option to Build
3.3 Revisions to Schedule of Work
3.4 Suspension
3.4.1 Costs
3.4.2 Duration of Suspension
3.5 Right to Complete Transmission Owner Interconnection Facilities
3.6 Suspension of Work Upon Default
3.7 Construction Reports
3.8 Inspection and Testing of Completed Facilities
3.9 Energization of Completed Facilities
3.10 Interconnected Transmission Owner's Acceptance of Facilities Constructed by Interconnection Customer
4 Transmission Outages
4.1 Outages; Coordination
5 Land Rights; Transfer of Title
5.1 Grant of Easements and Other Land Rights
5.2 Construction of Facilities on Interconnection Customer Property
5.3 Third Parties
5.4 Documentation
5.5 Transfer of Title to Certain Facilities Constructed By Interconnection Customer
5.6 Liens
6 Warranties
6.1 Interconnection Customer Warranty
6.2 Manufacturer Warranties
7 [Reserved.]
8 [Reserved.]
9 Security, Billing And Payments
9.1 Adjustments to Security
9.2 Invoice

9.3 Final Invoice
9.4 Disputes
9.5 Interest
9.6 No Waiver
10 Assignment
10.1 Assignment with Prior Consent
10.2 Assignment Without Prior Consent
10.3 Successors and Assigns
11 Insurance
11.1 Required Coverages For Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
11.1A Required Coverages For Generation Resources of 20 Megawatts Or Less
11.2 Additional Insureds
11.3 Other Required Terms
11.3A No Limitation of Liability
11.4 Self-Insurance
11.5 Notices; Certificates of Insurance
11.6 Subcontractor Insurance
11.7 Reporting Incidents
12 Indemnity
12.1 Indemnity
12.2 Indemnity Procedures
12.3 Indemnified Person
12.4 Amount Owing
12.5 Limitation on Damages
12.6 Limitation of Liability in Event of Breach
12.7 Limited Liability in Emergency Conditions
13 Breach, Cure And Default
13.1 Breach
13.2 Notice of Breach
13.3 Cure and Default
13.3.1 Cure of Breach
13.4 Right to Compel Performance
13.5 Remedies Cumulative
14 Termination
14.1 Termination
14.2 [Reserved.]
14.3 Cancellation By Interconnection Customer
14.4 Survival of Rights
15 Force Majeure
15.1 Notice
15.2 Duration of Force Majeure
15.3 Obligation to Make Payments
16 Subcontractors
16.1 Use of Subcontractors

16.2 Responsibility of Principal
16.3 Indemnification by Subcontractors
16.4 Subcontractors Not Beneficiaries

17 Confidentiality

17.1 Term
17.2 Scope
17.3 Release of Confidential Information
17.4 Rights
17.5 No Warranties
17.6 Standard of Care
17.7 Order of Disclosure
17.8 Termination of Construction Service Agreement
17.9 Remedies
17.10 Disclosure to FERC or its Staff
17.11
17.12
17.13 Return or Destruction of Confidential Information

18 Information Access And Audit Rights

18.1 Information Access
18.2 Reporting of Non-Force Majeure Events
18.3 Audit Rights

19 Disputes

19.1 Submission
19.2 Rights Under The Federal Power Act
19.3 Equitable Remedies

20 Notices

20.1 General
20.2 Operational Contacts

21 Miscellaneous

21.1 Regulatory Filing
21.2 Waiver
21.3 Amendments and Rights under the Federal Power Act
21.4 Binding Effect
21.5 Regulatory Requirements

22 Representations and Warranties

22.1 General

ATTACHMENT P - SCHEDULE A

Site Plan

ATTACHMENT P - SCHEDULE B

Single-Line Diagram of Interconnection Facilities

ATTACHMENT P - SCHEDULE C

Transmission Owner Interconnection Facilities to be Built by Interconnected Transmission Owner

ATTACHMENT P - SCHEDULE D

Transmission Owner Interconnection Facilities to be Built by Interconnection Customer Pursuant to Option to Build

ATTACHMENT P - SCHEDULE E
Merchant Network Upgrades to be Built by Interconnected Transmission Owner
ATTACHMENT P - SCHEDULE F
Merchant Network Upgrades to be Built by Interconnection Customer Pursuant to Option to Build
ATTACHMENT P - SCHEDULE G
Customer Interconnection Facilities
ATTACHMENT P - SCHEDULE H
Negotiated Contract Option Terms
ATTACHMENT P - SCHEDULE I
Scope of Work
ATTACHMENT P - SCHEDULE J
Schedule of Work
ATTACHMENT P - SCHEDULE K
Applicable Technical Requirements and Standards
ATTACHMENT P - SCHEDULE L
Interconnection Customer's Agreement to Confirm with IRS Safe Harbor Provisions For Non-Taxable Status
ATTACHMENT P - SCHEDULE M
Schedule of Non-Standard Terms and Conditions
ATTACHMENT P - SCHEDULE N
Interconnection Requirements for a Wind Generation Facility
ATTACHMENT Q
PJM Credit Policy
ATTACHMENT R
Lost Revenues Of PJM Transmission Owners And Distribution of Revenues Remitted By MISO, SECA Rates to Collect PJM Transmission Owner Lost Revenues Under Attachment X, And Revenues From PJM Existing Transactions
ATTACHMENT S
Form of Transmission Interconnection Feasibility Study Agreement
ATTACHMENT T
Identification of Merchant Transmission Facilities
ATTACHMENT U
Independent Transmission Companies
ATTACHMENT V
Form of ITC Agreement
ATTACHMENT W
COMMONWEALTH EDISON COMPANY
ATTACHMENT X
Seams Elimination Cost Assignment Charges
NOTICE OF ADOPTION OF NERC TRANSMISSION LOADING RELIEF PROCEDURES
NOTICE OF ADOPTION OF LOCAL TRANSMISSION LOADING REIEF PROCEDURES
SCHEDULE OF PARTIES ADOPTING LOCAL TRANSMISSION LOADING RELIEF PROCEDURES

ATTACHMENT Y

Forms of Screens Process Interconnection Request (For Generation Facilities of 2 MW or less)

ATTACHMENT Z

Certification Codes and Standards

ATTACHMENT AA

Certification of Small Generator Equipment Packages

ATTACHMENT BB

Form of Certified Inverter-Based Generating Facility No Larger Than 10 kW Interconnection Service Agreement

ATTACHMENT CC

Form of Certificate of Completion
(Small Generating Inverter Facility No Larger Than 10 kW)

ATTACHMENT DD

Reliability Pricing Model

ATTACHMENT EE

Form of Upgrade Request

ATTACHMENT FF

Form of Initial Study Agreement

ATTACHMENT GG

Form of Upgrade Construction Service Agreement

Article 1 – Definitions And Other Documents
- 1.0 Defined Terms
- 1.1 Incorporation of Other Documents

Article 2 – Responsibility for Direct Assignment Facilities or Customer-Funded Upgrades
- 2.0 New Service Customer Financial Responsibilities
- 2.1 Obligation to Provide Security
- 2.2 Failure to Provide Security
- 2.3 Costs
- 2.4 Transmission Owner Responsibilities

Article 3 – Rights To Transmission Service
- 3.0 No Transmission Service

Article 4 – Early Termination
- 4.0 Termination by New Service Customer

Article 5 – Rights
- 5.0 Rights
- 5.1 Amount of Rights Granted
- 5.2 Availability of Rights Granted
- 5.3 Credits

Article 6 – Miscellaneous
- 6.0 Notices
- 6.1 Waiver
- 6.2 Amendment
- 6.3 No Partnership
- 6.4 Counterparts

ATTACHMENT GG - APPENDIX I –
SCOPE AND SCHEDULE OF WORK FOR DIRECT ASSIGNMENT FACILITIES OR CUSTOMER-FUNDED UPGRADES TO BE BUILT BY TRANSMISSION OWNER

ATTACHMENT GG - APPENDIX II - DEFINITIONS

1 Definitions

- 1.1 Affiliate
- 1.2 Applicable Laws and Regulations
- 1.3 Applicable Regional Reliability Council
- 1.4 Applicable Standards
- 1.5 Breach
- 1.6 Breaching Party
- 1.7 Cancellation Costs
- 1.8 Commission
- 1.9 Confidential Information
- 1.10 Constructing Entity
- 1.11 Control Area
- 1.12 Costs
- 1.13 Default
- 1.14 Delivering Party
- 1.15 Emergency Condition
- 1.16 Environmental Laws
- 1.17 Facilities Study
- 1.18 Federal Power Act
- 1.19 FERC
- 1.20 Firm Point-To-Point
- 1.21 Force Majeure
- 1.22 Good Utility Practice
- 1.23 Governmental Authority
- 1.24 Hazardous Substances
- 1.25 Incidental Expenses
- 1.26 Local Upgrades
- 1.27 Long-Term Firm Point-To-Point Transmission Service
- 1.28 MAAC
- 1.29 MAAC Control Zone
- 1.30 NERC
- 1.31 Network Upgrades
- 1.32 Office of the Interconnection
- 1.33 Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement
- 1.34 Part I
- 1.35 Part II
- 1.36 Part III
- 1.37 Part IV
- 1.38 Part VI
- 1.39 PJM Interchange Energy Market

1.40 PJM Manuals
1.41 PJM Region
1.42 PJM West Region
1.43 Point(s) of Delivery
1.44 Point(s) of Receipt
1.45 Project Financing
1.46 Project Finance Entity
1.47 Reasonable Efforts
1.48 Receiving Party
1.49 Regional Transmission Expansion Plan
1.50 Schedule and Scope of Work
1.51 Security
1.52 Service Agreement
1.53 State
1.54 Transmission System
1.55 VACAR

ATTACHMENT GG - APPENDIX III – GENERAL TERMS AND CONDITIONS

1.0 Effective Date and Term
1.1 Effective Date
1.2 Term
1.3 Survival
2.0 Facilitation by Transmission Provider
3.0 Construction Obligations
3.1 Direct Assignment Facilities or Customer-Funded Upgrades
3.2 Scope of Applicable Technical Requirements and Standards
4.0 Tax Liability
4.1 New Service Customer Payments Taxable
4.2 Income Tax Gross-Up
4.3 Private Letter Ruling
4.4 Refund
4.5 Contests
4.6 Taxes Other Than Income Taxes
4.7 Tax Status
5.0 Safety
5.1 General
5.2 Environmental Releases
6.0 Schedule Of Work
6.1 Standard Option
6.2 Option to Build
6.3 Revisions to Schedule and Scope of Work
6.4 Suspension
7.0 Suspension of Work Upon Default
7.1 Notification and Correction of Defects
8.0 Transmission Outages
8.1 Outages; Coordination
9.0 Security, Billing and Payments

9.1 Adjustments to Security
9.2 Invoice
9.3 Final Invoice
9.4 Disputes
9.5 Interest
9.6 No Waiver
10.0 Assignment
10.1 Assignment with Prior Consent
10.2 Assignment Without Prior Consent
10.3 Successors and Assigns
11.0 Insurance
11.1 Required Coverages
11.2 Additional Insureds
11.3 Other Required Terms
11.4 No Limitation of Liability
11.5 Self-Insurance
11.6 Notices: Certificates of Insurance
11.7 Subcontractor Insurance
11.8 Reporting Incidents
12.0 Indemnity
12.1 Indemnity
12.2 Indemnity Procedures
12.3 Indemnified Person
12.4 Amount Owing
12.5 Limitation on Damages
12.6 Limitation of Liability in Event of Breach
12.7 Limited Liability in Emergency Conditions
13.0 Breach, Cure And Default
13.1 Breach
13.2 Notice of Breach
13.3 Cure and Default
13.4 Right to Compel Performance
13.5 Remedies Cumulative
14.0 Termination
14.1 Termination
14.2 Cancellation By New Service Customer
14.3 Survival of Rights
14.4 Filing at FERC
15.0 Force Majeure
15.1 Notice
15.2 Duration of Force Majeure
15.3 Obligation to Make Payments
16.0 Confidentiality
16.1 Term
16.2 Scope
16.3 Release of Confidential Information

16.4 Rights
16.5 No Warranties
16.6 Standard of Care
16.7 Order of Disclosure
16.8 Termination of Upgrade Construction Service Agreement
16.9 Remedies
16.10 Disclosure to FERC or its Staff
16.11
16.12
16.13 Return or Destruction of Confidential Information
17.0 Information Access And Audit Rights
17.1 Information Access
17.2 Reporting of Non-Force Majeure Events
17.3 Audit Rights
17.4 Waiver
17.5 Amendments and Rights under the Federal Power Act
17.6 Regulatory Requirements
18.0 Representation and Warranties
18.1 General
19.0 Inspection and Testing of Completed Facilities
19.1 Coordination
19.2 Inspection and Testing
19.3 Review of Inspection and Testing by Transmission Owner
19.4 Notification and Correction of Defects
19.5 Notification of Results
20.0 Energization of Completed Facilities
21.0 Transmission Owner's Acceptance of Facilities Constructed by New Service Customer
22.0 Transfer of Title to Certain Facilities Constructed By New Service Customer
23.0 Liens

ATTACHMENT HH – RATES, TERMS, AND CONDITIONS OF SERVICE FOR PJMSETTLEMENT, INC.

ATTACHMENT II – MTEP PROJECT COST RECOVERY FOR ATSI ZONE

ATTACHMENT JJ – MTEP PROJECT COST RECOVERY FOR DEOK ZONE

Definitions – R - S

1.36C Reasonable Efforts:

With respect to any action required to be made, attempted, or taken by an Interconnection Party or by a Construction Party under Part IV or Part VI of the Tariff, an Interconnection Service Agreement, or a Construction Service Agreement, such efforts as are timely and consistent with Good Utility Practice and with efforts that such party would undertake for the protection of its own interests.

1.37 Receiving Party:

The entity receiving the capacity and energy transmitted by the Transmission Provider to Point(s) of Delivery.

1.37A.01 Regional Entity

Shall have the same meaning specified in the Operating Agreement.

1.37A Regional Transmission Expansion Plan:

The plan prepared by the Office of the Interconnection pursuant to Schedule 6 of the Operating Agreement for the enhancement and expansion of the Transmission System in order to meet the demands for firm transmission service in the PJM Region.

1.38 Regional Transmission Group (RTG):

A voluntary organization of transmission owners, transmission users and other entities approved by the Commission to efficiently coordinate transmission planning (and expansion), operation and use on a regional (and interregional) basis.

1.38.01 Regulation Zone:

Any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

1.38.01A Relevant Electric Retail Regulatory Authority:

An entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

1.38A Reliability Assurance Agreement:

The Reliability Assurance Agreement Among Load Serving Entities in the PJM Region, Rate Schedule No. 44, dated as of May 28, 2009, and as amended from time to time thereafter.

1.38B [RESERVED]

1.38C Required Transmission Enhancements:

Enhancements and expansions of the Transmission System that (1) a Regional Transmission Expansion Plan developed pursuant to Schedule 6 of the Operating Agreement or (2) the Coordinated System Plan periodically developed pursuant to the Joint Operating Agreement Between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. designates one or more of the Transmission Owner(s) or the transmission owners within the Midwest Independent System Operator to construct and own or finance.

1.38C.01 Reserve Sub-zone:

Any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.38D Reserve Zone:

Any of those geographic areas consisting of a combination of one or more Control Zone(s), as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.39 Reserved Capacity:

The maximum amount of capacity and energy that the Transmission Provider agrees to transmit for the Transmission Customer over the Transmission Provider's Transmission System between the Point(s) of Receipt and the Point(s) of Delivery under Part II of the Tariff. Reserved Capacity shall be expressed in terms of whole megawatts on a sixty (60) minute interval (commencing on the clock hour) basis.

1.39A Schedule of Work:

Shall mean that schedule attached to the Interconnection Construction Service Agreement setting forth the timing of work to be performed by the Constructing Entity pursuant to the Interconnection Construction Service Agreement, based upon the Facilities Study and subject to modification, as required, in accordance with Transmission Provider's scope change process for interconnection projects set forth in the PJM Manuals.

1.39B Scope of Work:

Shall mean that scope of the work attached as a schedule to the Interconnection Construction Service Agreement and to be performed by the Constructing Entity(ies) pursuant to the Interconnection Construction Service Agreement, provided that such Scope of Work may be modified, as required, in accordance with Transmission Provider's scope change process for interconnection projects set forth in the PJM Manuals.

1.39C Secondary Systems:

Control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers.

1.39D Security:

The security provided by the New Service Customer pursuant to Section 212.4 or Section 213.4 of the Tariff to secure the New Service Customer's responsibility for Costs under the Interconnection Service Agreement or Upgrade Construction Service Agreement and Section 217 of the Tariff.

1.40 Service Agreement:

The initial agreement and any amendments or supplements thereto entered into by the Transmission Customer and the Transmission Provider for service under the Tariff.

1.41 Service Commencement Date:

The date the Transmission Provider begins to provide service pursuant to the terms of an executed Service Agreement, or the date the Transmission Provider begins to provide service in accordance with Section 15.3 or Section 29.1 under the Tariff.

1.42 Short-Term Firm Point-To-Point Transmission Service:

Firm Point-To-Point Transmission Service under Part II of the Tariff with a term of less than one year.

1.42a Site:

All of the real property, including but not limited to any leased real property and easements, on which the Customer Facility is situated and/or on which the Customer Interconnection Facilities are to be located.

1.42.01 Small Inverter Facility:

An Energy Resource that is a certified small inverter-based facility no larger than 10 kW.

1.42.02 Small Inverter ISA:

An agreement among Transmission Provider, Interconnection Customer, and Interconnected Transmission Owner regarding interconnection of a Small Inverter Facility under section 112B of Part IV of the Tariff.

1.42A [RESERVED]

1.42B [RESERVED]

1.42C [RESERVED]

1.42D State:

The term "state" shall mean a state of the United States or the District of Columbia.

1.42D.01 Switching and Tagging Rules:

The switching and tagging procedures of Interconnected Transmission Owners and Interconnection Customer as they may be amended from time to time.

1.42E [RESERVED]

1.42F System Condition:

A specified condition on the Transmission Provider's system or on a neighboring system, such as a constrained transmission element or flowgate, that may trigger Curtailment of Long-Term Firm Point-to-Point Transmission Service using the curtailment priority pursuant to Section 13.6. Such conditions must be identified in the Transmission Customer's Service Agreement.

1.43 System Impact Study:

An assessment by the Transmission Provider of (i) the adequacy of the Transmission System to accommodate a Completed Application, an Interconnection Request or an Upgrade Request, (ii) whether any additional costs may be incurred in order to provide such transmission service or to accommodate an Interconnection Request, and (iii) with respect to an Interconnection Request, an estimated date that an Interconnection Customer's Customer Facility can be interconnected with the Transmission System and an estimate of the Interconnection Customer's cost responsibility for the interconnection; and (iv) with respect to an Upgrade Request, the estimated cost of the requested system upgrades or expansion, or of the cost of the system upgrades or expansion, necessary to provide the requested incremental rights.

1.43.01 System Protection Facilities:

The equipment required to protect (i) the Transmission System, other delivery systems and/or other generating systems connected to the Transmission System from faults or other electrical disturbance occurring at or on the Customer Facility, and (ii) the Customer Facility from faults or

other electrical system disturbance occurring on the Transmission System or on other delivery systems and/or other generating systems to which the Transmission System is directly or indirectly connected. System Protection Facilities shall include such protective and regulating devices as are identified in the Applicable Technical Requirements and Standards or that are required by Applicable Laws and Regulations or other Applicable Standards, or as are otherwise necessary to protect personnel and equipment and to minimize deleterious effects to the Transmission System arising from the Customer Facility.

SCHEDULE 5
Operating Reserve - Synchronized Reserve Service

Synchronized Reserve Service is needed to serve load immediately in the event of a system contingency. Synchronized Reserve Service may be provided by generating units that are on-line and loaded at less than maximum output and by non-generation resources capable of providing this service or eligible Demand Resources as specified in Section 1.7.19A of Attachment K-Appendix. The Transmission Provider must offer this service when the transmission service is used to serve load within its Control Area. Each Transmission Owner and Network Customer must purchase this service from the Transmission Provider. The amount of and charges for Synchronized Reserve Service, as defined in accordance with NERC operating policies, will be accounted and paid for as set forth in Section 3.2.3A of the Appendix to Attachment K. The Transmission Provider shall administer the purchases by customers of Synchronized Reserve Service. PJMSettlement shall be the Counterparty to the purchases by customers of Synchronized Reserve Service in the PJM Interchange Energy Market; provided however, that PJMSettlement shall not be the contracting party to bilateral transactions between market participants or with respect to a self-schedule or self-supply of generation resources by a customer to satisfy its Synchronized Reserve obligation.

1.3 Definitions.

1.3.1 Acceleration Request.

"Acceleration Request" shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

1.3.1A Auction Revenue Rights.

"Auction Revenue Rights" or "ARRs" shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

1.3.1B Auction Revenue Rights Credits.

"Auction Revenue Rights Credits" shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

1.3.1B.01 Batch Load Demand Resource.

"Batch Load Demand Resource" shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

1.3.1B.02 Congestion Price.

"Congestion Price" shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.1B.03 Curtailment Service Provider.

"Curtailment Service Provider" or "CSP" shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

1.3.1B.04 Day-ahead Congestion Price.

"Day-ahead Congestion Price" shall mean the Congestion Price resulting from the Day-ahead Energy Market.

1.3.1C Day-ahead Energy Market.

"Day-ahead Energy Market" shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1C.01 Day-ahead Loss Price.

"Day-ahead Loss Price" shall mean the Loss Price resulting from the Day-ahead Energy Market.

1.3.1D Day-ahead Prices.

"Day-ahead Prices" shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

1.3.1D.01 Day-ahead Scheduling Reserves.

"Day-ahead Scheduling Reserves" shall mean thirty-minute reserves as defined by the Reliability*First* Corporation and SERC.

1.3.1D.02 Day-ahead Scheduling Reserves Requirement.

"Day-ahead Scheduling Reserves Requirement" shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

1.3.1D.03 Day-ahead Scheduling Reserves Resources.

"Day-ahead Scheduling Reserves Resources" shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

1.3.1D.04 Day-ahead Scheduling Reserves Market.

"Day-ahead Scheduling Reserves Market" shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1D.05 Day-ahead System Energy Price.

"Day-ahead System Energy Price" shall mean the System Energy Price resulting from the Day-ahead Energy Market.

1.3.1E Decrement Bid.

"Decrement Bid" shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

1.3.1E.01 Demand Resource.

"Demand Resource" shall mean a resource with the capability to provide a reduction in demand.

1.3.1F Dispatch Rate.

"Dispatch Rate" shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

1.3.1G Energy Storage Resource.

"Energy Storage Resource" shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancilliary Services markets as a Market Seller.

1.3.2 Equivalent Load.

"Equivalent Load" shall mean the sum of a Market Participant's net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

1.3.2A Economic Load Response Participant.

"Economic Load Response Participant" shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

1.3.2A.01 Economic Minimum.

"Economic Minimum" shall mean the lowest incremental MW output level a unit can achieve while following economic dispatch.

1.3.2B Energy Market Opportunity Cost.

"Energy Market Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a

higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.3 External Market Buyer.

"External Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

1.3.4 External Resource.

"External Resource" shall mean a generation resource located outside the metered boundaries of the PJM Region.

1.3.5 Financial Transmission Right.

"Financial Transmission Right" or "FTR" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

1.3.5A Financial Transmission Right Obligation.

"Financial Transmission Right Obligation" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

1.3.5B Financial Transmission Right Option.

"Financial Transmission Right Option" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

1.3.6 Generating Market Buyer.

"Generating Market Buyer" shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer's load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

1.3.7 Generator Forced Outage.

"Generator Forced Outage" shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

1.3.8 Generator Maintenance Outage.

"Generator Maintenance Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

1.3.9 Generator Planned Outage.

"Generator Planned Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

1.3.9A Increment Bid.

"Increment Bid" shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Bid results in scheduled generation at the specified location in the Day-ahead Energy Market.

1.3.9B Interface Pricing Point.

"Interface Pricing Point" shall have the meaning specified in section 2.6A.

1.3.10 Internal Market Buyer.

"Internal Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

1.3.11 Inadvertent Interchange.

"Inadvertent Interchange" shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

1.3.11.01 Load Management.

"Load Management" shall mean either a Demand Resource ("DR") or an Interruptible Load for Reliability ("ILR") resource, both as defined in the Reliability Assurance Agreement.

1.3.11A Load Reduction Event.

"Load Reduction Event" shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

1.3.11A.01 Location.

"Location" as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

1.3.11B Loss Price.

"Loss Price" shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.12 Market Operations Center.

"Market Operations Center" shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.12A Maximum Emergency.

"Maximum Emergency" shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

1.3.13 Maximum Generation Emergency.

"Maximum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

1.3.14 Minimum Generation Emergency.

"Minimum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

1.3.14A NERC Interchange Distribution Calculator.

"NERC Interchange Distribution Calculator" shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

1.3.14B Net Benefits Test.

"Net Benefits Test" shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

1.3.15 Network Resource.

"Network Resource" shall have the meaning specified in the PJM Tariff.

1.3.16 Network Service User.

"Network Service User" shall mean an entity using Network Transmission Service.

1.3.17 Network Transmission Service.

"Network Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

1.3.17A Non-Regulatory Opportunity Cost.

"Non-Regulatory Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.17B Non-Synchronized Reserve.

"Non-Synchronized Reserve" shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

1.3.17C Non-Synchronized Reserve Event.

"Non-Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

1.3.17D Non-Variable Loads.

"Non-Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.18 Normal Maximum Generation.

"Normal Maximum Generation" shall mean the highest output level of a generating resource under normal operating conditions.

1.3.19 Normal Minimum Generation.

"Normal Minimum Generation" shall mean the lowest output level of a generating resource under normal operating conditions.

1.3.20 Offer Data.

"Offer Data" shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

1.3.21 Office of the Interconnection Control Center.

"Office of the Interconnection Control Center" shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.21A On-Site Generators.

"On-Site Generators" shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

1.3.22 Operating Day.

"Operating Day" shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

1.3.23 Operating Margin.

"Operating Margin" shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

1.3.24 Operating Margin Customer.

"Operating Margin Customer" shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

1.3.25 PJM Interchange.

"PJM Interchange" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.26 PJM Interchange Export.

"PJM Interchange Export" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

1.3.27 PJM Interchange Import.

"PJM Interchange Import" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of

Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.28 PJM Open Access Same-time Information System.

"PJM Open Access Same-time Information System" shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

1.3.28A Planning Period Quarter.

"Planning Period Quarter" shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or, March, April and May.

1.3.28B Planning Period Balance.

"Planning Period Balance" shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

1.3.29 Point-to-Point Transmission Service.

"Point-to-Point Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

1.3.29A PRD Curve.

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29B PRD Provider.

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29C PRD Reservation Price.

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29D PRD Substation.

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29E Price Responsive Demand.

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29F Primary Reserve.

"Primary Reserve" shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

1.3.30 Ramping Capability.

"Ramping Capability" shall mean the sustained rate of change of generator output, in megawatts per minute.

1.3.30.01 Real-time Congestion Price.

"Real-time Congestion Price" shall mean the Congestion Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30.02 Real-time Loss Price.

"Real-time Loss Price" shall mean the Loss Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30A Real-time Prices.

"Real-time Prices" shall mean the Locational Marginal Prices resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30B Real-time Energy Market.

"Real-time Energy Market" shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

1.3.30B.01 Real-time System Energy Price.

"Real-time System Energy Price" shall mean the System Energy Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.31 Regulation.

"Regulation" shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its

output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

1.3.31.001 Reserve Penalty Factor.

"Reserve Penalty Factor" shall mean the cost, in $/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

1.3.31.01 Residual Auction Revenue Rights.

"Residual Auction Revenue Rights" shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability or a change in any other relevant factor that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2 (h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

1.3.31.02 Special Member.

"Special Member" shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response Program.

1.3.31A [Reserved.]

1.3.31B [Reserved.]

1.3.32 Spot Market Backup.

"Spot Market Backup" shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

1.3.33 Spot Market Energy.

"Spot Market Energy" shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

1.3.33A State Estimator.

"State Estimator" shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

1.3.33B Station Power.

"Station Power" shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

1.3.33B.001 Sub-meter.

"Sub-meter" shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

1.3.33B.01 Synchronized Reserve.

"Synchronized Reserve" shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

1.3.33B.02 Synchronized Reserve Event.

"Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

1.3.33B.03 System Energy Price.

"System Energy Price" shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.33C Target Allocation.

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

1.3.34 Transmission Congestion Charge.

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

1.3.35 Transmission Congestion Credit.

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

1.3.36 Transmission Customer.

"Transmission Customer" shall mean an entity using Point-to-Point Transmission Service.

1.3.37 Transmission Forced Outage.

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

1.3.37A Transmission Loading Relief.

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

1.3.37B Transmission Loading Relief Customer.

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

1.3.37C Transmission Loss Charge.

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

1.3.38 Transmission Planned Outage.

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

1.3.38A Variable Loads.

"Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.39 Zonal Base Load.

"Zonal Base Load" shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

1.7 General.

1.7.1 Market Sellers.

Only Market Sellers shall be eligible to submit offers to the Office of the Interconnection for the sale of electric energy or related services in the PJM Interchange Energy Market. Market Sellers shall comply with the prices, terms, and operating characteristics of all Offer Data submitted to and accepted by the PJM Interchange Energy Market.

1.7.2 Market Buyers.

Only Market Buyers shall be eligible to purchase energy or related services in the PJM Interchange Energy Market. Market Buyers shall comply with all requirements for making purchases from the PJM Interchange Energy Market.

1.7.2A Economic Load Response Participants.

Only Economic Load Response Participants shall be eligible to participate in the Real-time Energy Market and the Day-ahead Energy Market by submitting offers to the Office of the Interconnection to reduce demand.

1.7.3 Agents.

A Market Participant may participate in the PJM Interchange Energy Market through an agent, provided that the Market Participant informs the Office of the Interconnection in advance in writing of the appointment of such agent. A Market Participant participating in the PJM Interchange Energy Market through an agent shall be bound by all of the acts or representations of such agent with respect to transactions in the PJM Interchange Energy Market, and shall ensure that any such agent complies with the requirements of this Agreement.

1.7.4 General Obligations of the Market Participants.

(a) In performing its obligations to the Office of the Interconnection hereunder, each Market Participant shall at all times (i) follow Good Utility Practice, (ii) comply with all applicable laws and regulations, (iii) comply with the applicable principles, guidelines, standards and requirements of FERC, NERC and each Applicable Regional Entity, (iv) comply with the procedures established for operation of the PJM Interchange Energy Market and PJM Region and (v) cooperate with the Office of the Interconnection as necessary for the operation of the PJM Region in a safe, reliable manner consistent with Good Utility Practice.

(b) Market Participants shall undertake all operations in or affecting the PJM Interchange Energy Market and the PJM Region including but not limited to compliance with all Emergency procedures, in accordance with the power and authority of the Office of the Interconnection with respect to the operation of the PJM Interchange Energy Market and the PJM Region as established in this Agreement, and as specified in the Schedules to this Agreement and the PJM Manuals. Failure to comply with the foregoing operational

requirements shall subject a Market Participant to such reasonable charges or other remedies or sanctions for non-compliance as may be established by the PJM Board, including legal or regulatory proceedings as authorized by the PJM Board to enforce the obligations of this Agreement.

(c) The Office of the Interconnection may establish such committees with a representative of each Market Participant, and the Market Participants agree to provide appropriately qualified personnel for such committees, as may be necessary for the Office of the Interconnection and PJMSettlement to perform its obligations hereunder.

(d) All Market Participants shall provide to the Office of the Interconnection the scheduling and other information specified in the Schedules to this Agreement, and such other information as the Office of the Interconnection may reasonably require for the reliable and efficient operation of the PJM Region and PJM Interchange Energy Market, and for compliance with applicable regulatory requirements for posting market and related information. Such information shall be provided as much in advance as possible, but in no event later than the deadlines established by the Schedules to this Agreement, or by the Office of the Interconnection in conformance with such Schedules. Such information shall include, but not be limited to, maintenance and other anticipated outages of generation or transmission facilities, scheduling and related information on bilateral transactions and self-scheduled resources, and implementation of active load management, interruption of load, Price Responsive Demand, and other load reduction measures. The Office of the Interconnection shall abide by appropriate requirements for the non-disclosure and protection of any confidential or proprietary information given to the Office of the Interconnection by a Market Participant. Each Market Participant shall maintain or cause to be maintained compatible information and communications systems, as specified by the Office of the Interconnection, required to transmit scheduling, dispatch, or other time-sensitive information to the Office of the Interconnection in a timely manner.

(e) Subject to the requirements for Economic Load Response Participants in section 1.5A above, each Market Participant shall install and operate, or shall otherwise arrange for, metering and related equipment capable of recording and transmitting all voice and data communications reasonably necessary for the Office of the Interconnection and PJMSettlement to perform the services specified in this Agreement. A Market Participant that elects to be separately billed for its PJM Interchange shall, to the extent necessary, be individually metered in accordance with Section 14 of this Agreement, or shall agree upon an allocation of PJM Interchange between it and the Market Participant through whose meters the unmetered Market Participant's PJM Interchange is delivered. The Office of the Interconnection shall be notified of the allocation by the foregoing Market Participants.

(f) Each Market Participant shall operate, or shall cause to be operated, any generating resources owned or controlled by such Market Participant that are within the PJM Region or otherwise supplying energy to or through the PJM Region in a manner that is consistent with the standards, requirements or directions of the Office of the Interconnection and that will permit the Office of the Interconnection to perform its obligations under this Agreement; provided, however, no Market Participant shall be required to take any action that is inconsistent with Good Utility Practice or applicable law.

(g) Each Market Participant shall follow the directions of the Office of the Interconnection to take actions to prevent, manage, alleviate or end an Emergency in a manner consistent with this Agreement and the procedures of the PJM Region as specified in the PJM Manuals.

(h) Each Market Participant shall obtain and maintain all permits, licenses or approvals required for the Market Participant to participate in the PJM Interchange Energy Market in the manner contemplated by this Agreement.

(i) Consistent with Section 36.1.1 of the PJM Tariff, to the extent its generating facility is dispatchable, a Market Participant shall submit an Economic Minimum in the Real-time Energy Market that is no greater than the higher of its physical operating minimum or its Capacity Interconnection Rights, as that term is defined in the PJM Tariff, associated with such generating facility under its Interconnection Service Agreement under Attachment O of the PJM Tariff or a wholesale market participation agreement.

1.7.5 Market Operations Center.

Each Market Participant shall maintain a Market Operations Center, or shall make appropriate arrangements for the performance of such services on its behalf. A Market Operations Center shall meet the performance, equipment, communications, staffing and training standards and requirements specified in this Agreement for the scheduling and completion of transactions in the PJM Interchange Energy Market and the maintenance of the reliable operation of the PJM Region, and shall be sufficient to enable (i) a Market Seller or an Economic Load Response Participant to perform all terms and conditions of its offers to the PJM Interchange Energy Market, and (ii) a Market Buyer or an Economic Load Response Participant to conform to the requirements for purchasing from the PJM Interchange Energy Market.

1.7.6 Scheduling and Dispatching.

(a) The Office of the Interconnection shall schedule and dispatch in real-time generation resources and/or Demand Resources economically on the basis of least-cost, security-constrained dispatch and the prices and operating characteristics offered by Market Sellers, continuing until sufficient generation resources and/or Demand Resources are dispatched to serve the PJM Interchange Energy Market energy purchase requirements under normal system conditions of the Market Buyers (taking into account any reductions to such requirements in accordance with PRD Curves properly submitted by PRD Providers), as well as the requirements of the PJM Region for ancillary services provided by generation resources and/or Demand Resources, in accordance with this Agreement. Such scheduling and dispatch shall recognize transmission constraints on coordinated flowgates external to the Transmission System in accordance with Appendix A to the Joint Operating Agreement between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. (PJM Rate Schedule FERC No. 38) and on other such flowgates that are coordinated in accordance with agreements between the LLC and other entities. Scheduling and dispatch shall be conducted in accordance with this Agreement.

(b) The Office of the Interconnection shall undertake to identify any conflict or incompatibility between the scheduling or other deadlines or specifications applicable to the PJM Interchange Energy Market, and any relevant procedures of another Control Area, or any tariff (including the PJM Tariff). Upon determining that any such conflict or incompatibility exists, the Office of the Interconnection shall propose tariff or procedural changes, and undertake such other efforts as may be appropriate, to resolve any such conflict or incompatibility.

(c) To protect its generation or distribution facilities, or local Transmission Facilities not under the monitoring responsibility and dispatch control of the Office of the Interconnection, an entity may request that the Office of the Interconnection schedule and dispatch generation or reductions in demand to meet a limit on Transmission Facilities different from that which the Office of the Interconnection has determined to be required for reliable operation of the Transmission System. To the extent consistent with its other obligations under this Agreement, the Office of the Interconnection shall schedule and dispatch generation and reductions in demand in accordance with such request. An entity that makes a request pursuant to this section 1.7.6(c) shall be responsible for all generation and other costs resulting from its request that would not have been incurred by operating the Transmission System and scheduling and dispatching generation in the manner that the Office of the Interconnection otherwise has determined to be required for reliable operation of the Transmission System.

1.7.7 Pricing.

The price paid for energy bought and sold in the PJM Interchange Energy Market and for demand reductions will reflect the hourly Locational Marginal Price at each load and generation bus, determined by the Office of the Interconnection in accordance with this Agreement. Transmission Congestion Charges and Transmission Loss Charges, which shall be determined by differences in Congestion Prices and Loss Prices in an hour, shall be calculated by the Office of the Interconnection, and collected by PJMSettlement, and the revenues therefrom shall be disbursed by PJMSettlement in accordance with this Schedule.

1.7.8 Generating Market Buyer Resources.

A Generating Market Buyer may elect to self-schedule its generation resources up to that Generating Market Buyer's Equivalent Load, in accordance with and subject to the procedures specified in this Schedule, and the accounting and billing requirements specified in Section 3 to this Schedule. PJMSettlement shall not be a contracting party with respect to such self-scheduled or self-supplied transactions.

1.7.9 Delivery to an External Market Buyer.

A purchase of Spot Market Energy by an External Market Buyer shall be delivered to a bus or buses at the electrical boundaries of the PJM Region specified by the Office of the Interconnection, or to load in such area that is not served by Network Transmission Service, using Point-to-Point Transmission Service paid for by the External Market Buyer. Further delivery of such energy shall be the responsibility of the External Market Buyer.

1.7.10 Other Transactions.

(a) Bilateral Transactions.

(i) In addition to transactions in the PJM Interchange Energy Market, Market Participants may enter into bilateral contracts for the purchase or sale of electric energy to or from each other or any other entity, subject to the obligations of Market Participants to make Generation Capacity Resources available for dispatch by the Office of the Interconnection. Such bilateral contracts shall be for the physical transfer of energy to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eSchedules and Enhanced Energy Scheduler tools.

(ii) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of energy to a Market Participant inside the PJM Region, title to the energy that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and the further transmission of the energy or further sale of the energy into the PJM Interchange Energy Market shall be transacted by the buyer under the bilateral contract. With respect to all bilateral contracts for the physical transfer of energy to an entity outside the PJM Region, title to the energy shall pass to the buyer at the border of the PJM Region and shall be delivered to the border using transmission service. In no event shall the purchase and sale of energy between Market Participants under a bilateral contract constitute a transaction in the PJM Interchange Energy Market or be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(iii) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of energy reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the megawatt hours of such reported transactions to amounts reflecting the expected load and other physical delivery obligations of the buyer under the bilateral contract.

(iv) All payments and related charges for the energy associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection or PJMSettlement. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(v) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any Spot Market Backup used to meet the bilateral contract seller's obligation to deliver energy under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in

obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eSchedules or Enhanced Energy Scheduler reporting by the Market Participant and (ii) terminate all of the Market Participant's eSchedules and Enhanced Energy Schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the eSchedules and Enhanced Energy Schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection. PJMSettlement shall assign its claims against a seller with respect to a seller's nonpayment for Spot Market Backup to a buyer to the extent that the buyer has made an indemnification payment to PJMSettlement with respect to the seller's nonpayment.

(vi) Bilateral contracts that do not contemplate the physical transfer of energy to or from a Market Participant are not subject to this Schedule, shall not be reported to and coordinated with the Office of the Interconnection, and shall not in any way constitute a transaction in the PJM Interchange Energy Market.

(b) Market Participants shall have Spot Market Backup with respect to all bilateral transactions that contemplate the physical transfer of energy to or from a Market Participant, that are not dynamically scheduled pursuant to Section 1.12 and that are curtailed or interrupted for any reason (except for curtailments or interruptions through active load management for load located within the PJM Region).

(c) To the extent the Office of the Interconnection dispatches a Generating Market Buyer's generation resources, such Generating Market Buyer may elect to net the output of such resources against its hourly Equivalent Load. Such a Generating Market Buyer shall be deemed a buyer from the PJM Interchange Energy Market to the extent of its PJM Interchange Imports, and shall be deemed a seller to the PJM Interchange Energy Market to the extent of its PJM Interchange Exports.

(d) A Market Seller may self-supply Station Power for its generation facility in accordance with the following provisions:

(i) A Market Seller may self-supply Station Power for its generation facility during any month (1) when the net output of such facility is positive, or (2) when the net output of such facility is negative and the Market Seller during the same month has available at other of its generation facilities positive net output in an amount at least sufficient to offset fully such negative net output. For purposes of this subsection (d), "net output" of a generation facility during any month means the facility's gross energy output, less the Station Power requirements of such facility, during that month. The determination of a generation facility's or a Market Seller's monthly net output under this subsection (d) will apply only to determine whether the Market Seller self-supplied Station Power during the month and will not affect the price of energy sold or consumed by the Market Seller at any bus during any hour during the month. For each hour when a

Market Seller has positive net output and delivers energy into the Transmission System, it will be paid the LMP at its bus for that hour for all of the energy delivered. Conversely, for each hour when a Market Seller has negative net output and has received Station Power from the Transmission System, it will pay the LMP at its bus for that hour for all of the energy consumed.

(ii) Transmission Provider will determine the extent to which each affected Market Seller during the month self-supplied its Station Power requirements or obtained Station Power from third-party providers (including affiliates) and will incorporate that determination in its accounting and billing for the month. In the event that a Market Seller self-supplies Station Power during any month in the manner described in subsection (1) of subsection (d)(i) above, Market Seller will not use, and will not incur any charges for, transmission service. In the event, and to the extent, that a Market Seller self-supplies Station Power during any month in the manner described in subsection (2) of subsection (d)(i) above (hereafter referred to as "remote self-supply of Station Power"), Market Seller shall use and pay for transmission service for the transmission of energy in an amount equal to the facility's negative net output from Market Seller's generation facility(ies) having positive net output. Unless the Market Seller makes other arrangements with Transmission Provider in advance, such transmission service shall be provided under Part II of the PJM Tariff and shall be charged the hourly rate under Schedule 8 of the PJM Tariff for Non-Firm Point-to-Point Transmission Service with an election to pay congestion charges, provided, however, that no reservation shall be necessary for such transmission service and the terms and charges under Schedules 1, 1A, 2 through 6, 9 and 10 of the PJM Tariff shall not apply to such service. The amount of energy that a Market Seller transmits in conjunction with remote self-supply of Station Power will not be affected by any other sales, purchases, or transmission of capacity or energy by or for such Market Seller under any other provisions of the PJM Tariff.

(iii) A Market Seller may self-supply Station Power from its generation facilities located outside of the PJM Region during any month only if such generation facilities in fact run during such month and Market Seller separately has reserved transmission service and scheduled delivery of the energy from such resource in advance into the PJM Region.

1.7.11 Emergencies.

(a) The Office of the Interconnection, with the assistance of the Members' dispatchers as it may request, shall be responsible for monitoring the operation of the PJM Region, for declaring the existence of an Emergency, and for directing the operations of Market Participants as necessary to manage, alleviate or end an Emergency. The standards, policies and procedures of the Office of the Interconnection for declaring the existence of an Emergency, including but not limited to a Minimum Generation Emergency, and for managing, alleviating or ending an Emergency, shall apply to all Members on a non-discriminatory basis. Actions by the Office of the Interconnection and the Market Participants shall be carried out in accordance with this Agreement, the NERC Operating Policies, Applicable Regional Entity reliability principles and standards, Good Utility Practice, and the PJM Manuals. A declaration that an Emergency

exists or is likely to exist by the Office of the Interconnection shall be binding on all Market Participants until the Office of the Interconnection announces that the actual or threatened Emergency no longer exists. Consistent with existing contracts, all Market Participants shall comply with all directions from the Office of the Interconnection for the purpose of managing, alleviating or ending an Emergency. The Market Participants shall authorize the Office of the Interconnection and PJMSettlement to purchase or sell energy on their behalf to meet an Emergency, and otherwise to implement agreements with other Control Areas interconnected with the PJM Region for the mutual provision of service to meet an Emergency, in accordance with this Agreement.

(b) To the extent load must be shed to alleviate an Emergency in a Control Zone, the Office of the Interconnection shall, to the maximum extent practicable, direct the shedding of load within such Control Zone. The Office of the Interconnection may shed load in one Control Zone to alleviate an Emergency in another Control Zone under its control only as necessary after having first shed load to the maximum extent practicable in the Control Zone experiencing the Emergency and only to the extent that PJM supports other control areas (not under its control) in those situations where load shedding would be necessary, such as to prevent isolation of facilities within the Eastern Interconnection, to prevent voltage collapse, or to restore system frequency following a system collapse; provided, however, that the Office of the Interconnection may not order a manual load dump in a Control Zone solely to address capacity deficiencies in another Control Zone. This subsection shall be implemented consistent with the North American Electric Reliability Council and applicable reliability council standards.

1.7.12 Fees and Charges.

Each Market Participant, except for Special Members, shall pay all fees and charges of the Office of the Interconnection for operation of the PJM Interchange Energy Market as determined by and allocated to the Market Participant by the Office of the Interconnection in accordance with Schedule 3.

1.7.13 Relationship to the PJM Region.

The PJM Interchange Energy Market operates within and subject to the requirements for the operation of the PJM Region.

1.7.14 PJM Manuals.

The Office of the Interconnection shall be responsible for maintaining, updating, and promulgating the PJM Manuals as they relate to the operation of the PJM Interchange Energy Market. The PJM Manuals, as they relate to the operation of the PJM Interchange Energy Market, shall conform and comply with this Agreement, NERC operating policies, and Applicable Regional Entity reliability principles, guidelines and standards, and shall be designed to facilitate administration of an efficient energy market within industry reliability standards and the physical capabilities of the PJM Region.

1.7.15 Corrective Action.

Consistent with Good Utility Practice, the Office of the Interconnection shall be authorized to direct or coordinate corrective action, whether or not specified in the PJM Manuals, as necessary to alleviate unusual conditions that threaten the integrity or reliability of the PJM Region, or the regional power system.

1.7.16 Recording.

Subject to the requirements of applicable State or federal law, all voice communications with the Office of the Interconnection Control Center may be recorded by the Office of the Interconnection and any Market Participant communicating with the Office of the Interconnection Control Center, and each Market Participant hereby consents to such recording.

1.7.17 Operating Reserves.

(a) The following procedures shall apply to any generation unit subject to the dispatch of the Office of the Interconnection for which construction commenced before July 9, 1996, or any Demand Resource subject to the dispatch of the Office of the Interconnection.

(b) The Office of the Interconnection shall schedule to the Operating Reserve and load-following objectives of the Control Zones of the PJM Region and the PJM Interchange Energy Market in scheduling generation resources and/or Demand Resources pursuant to this Schedule. A table of Operating Reserve objectives for each Control Zone is calculated and published annually in the PJM Manuals. Reserve levels are probabilistically determined based on the season's historical load forecasting error and forced outage rates.

(c) Nuclear generation resources shall not be eligible for Operating Reserve payments unless: 1) the Office of the Interconnection directs such resources to reduce output, in which case, such units shall be compensated in accordance with section 3.2.3(f) of this Schedule; or 2) the resource submits a request for a risk premium to the Market Monitoring Unit under the procedures specified in Section II.B of Attachment M - Appendix. A nuclear generation resource (i) must submit a risk premium consistent with its agreement under such process, or, (ii) if it has not agreed with the Market Monitoring Unit on an appropriate risk premium, may submit its own determination of an appropriate risk premium to the Office of the Interconnection, subject to acceptance by the Office of the Interconnection, with or without prior approval from the Commission.

(d) PJMSettlement shall be the Counterparty to the purchases and sales of Operating Reserve in the PJM Interchange Energy Market.

1.7.18 Regulation.

(a) Regulation to meet the Regulation objective of each Regulation Zone shall be supplied from generation resources and/or demand resources located within the metered electrical boundaries of such Regulation Zone. Generating Market Buyers, and Market Sellers

offering Regulation, shall comply with applicable standards and requirements for Regulation capability and dispatch specified in the PJM Manuals.

(b) The Office of the Interconnection shall obtain and maintain for each Regulation Zone an amount of Regulation equal to the Regulation objective for such Regulation Zone as specified in the PJM Manuals.

(c) The Regulation range of a generation unit or demand resource shall be at least twice the amount of Regulation assigned as described in the PJM Manuals.

(d) A resource capable of automatic energy dispatch that is also providing Regulation shall have its energy dispatch range reduced by at least twice the amount of the Regulation provided with consideration of the Regulation limits of that resource, as specified in the PJM Manuals.

(e) Qualified Regulation must satisfy the measurement and verification tests described in the PJM Manuals.

1.7.19 Ramping.

A generator dispatched by the Office of the Interconnection pursuant to a control signal appropriate to increase or decrease the generator's megawatt output level shall be able to change output at the ramping rate specified in the Offer Data submitted to the Office of the Interconnection for that generator.

1.7.19A Synchronized Reserve.

(a) Synchronized Reserve shall be supplied from non-emergency generation resources and/or Demand Resources located within the metered boundaries of the PJM Region. All on-line non-emergency generation resources providing energy are deemed to be available to provide Tier 1 Synchronized Reserve and Tier 2 Synchronized Reserve to the Office of the Interconnection, as applicable to the capacity resource's capability to provide these services. During periods for which the Office of the Interconnection has issued a Primary Reserve Warning, Voltage Reduction Warning or Manual Load Dump Warning as described in Section 2.5(d) below, all other non-emergency generation capacity resources available to provide energy shall have submitted offers for Tier 2 Synchronized Reserves. Generating Market Buyers, and Market Sellers offering Synchronized Reserve shall comply with applicable standards and requirements for Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Primary and Synchronized Reserve equal to the respective Primary and Synchronized Reserve objectives for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for system reliability. Such needs may

arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Synchronized Reserve capability of a generation resource and Demand Resource shall be the increase in energy output or load reduction achievable by the generation resource and Demand Resource within a continuous 10-minute period.

(d) A generation unit capable of automatic energy dispatch that also is providing Synchronized Reserve shall have its energy dispatch range reduced by the amount of the Synchronized Reserve provided. The amount of Synchronized Reserve provided by a generation unit shall serve to redefine the Normal Maximum Generation energy limit of that generation unit in that the amount of Synchronized Reserve provided shall be subtracted from its Normal Maximum Generation energy limit.

1.7.19A.01 Non-Synchronized Reserve.

(a) Non-Synchronized Reserve shall be supplied from generation resources located within the metered boundaries of the PJM Region. Resources, the entire output of which has been designated as emergency energy, and resources that aren't available to provide energy, are not eligible to provide Non-Synchronized Reserve. All other non-emergency generation capacity resources available to provide energy shall also be available to provide Non-Synchronized Reserve, as applicable to the capacity resource's capability to provide these services. Generating Market Buyers and Market Sellers offering Non-Synchronized Reserve shall comply with applicable standards and requirements for Non-Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Non-Synchronized Reserve such that the sum of the Synchronized Reserve and Non-Synchronized Reserve meets the Primary Reserve objective for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Non-Synchronized Reserve capability of a generation resource shall be the increase in energy output achievable by the generation resource within a continuous 10-minute period provided that the resource is not synchronized to the system at the initiation of the response.

(d) The Non-Synchronized Reserve capability of a generation resource shall generally be determined based on the startup and notification time, economic minimum and ramp rate of such resource submitted in the Real-time Energy Market for the Operating Day. If the Generating Market Buyer or Market Seller offering the Non-Synchronized Reserve can demonstrate to the Office of the Interconnection that the Non-Synchronized Reserve capability of a generation

resource exceeds its calculated value based on market offer data, the Generating Market Buyer or Market Seller and the Office of the Interconnection may agree on a different capability to be used.

(e) All Non-Synchronized Reserve offers shall be for $0.00/MWh.

1.7.19B Bilateral Transactions Regarding Regulation, Synchronized Reserve and Day-ahead Scheduling Reserves.

(a) In addition to transactions in the Regulation market, Synchronized Reserve market, Non- Synchronized Reserve market and Day-ahead Scheduling Reserves Market, Market Participants may enter into bilateral contracts for the purchase or sale of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from each other or any other entity. Such bilateral contracts shall be for the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eMarket tools.

(b) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to a Market Participant in the PJM Region, title to the product that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and any further transactions associated with such products or further sale of such Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves in the markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, respectively, shall be transacted by the buyer under the bilateral contract. In no event shall the purchase and sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves between Market Participants under a bilateral contract constitute a transaction in PJM's markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, or otherwise be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(c) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the amounts of such reported transactions to amounts reflecting the expected requirements for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves of the buyer pursuant to such bilateral contracts.

(d) All payments and related charges for the Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party

under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(e) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any purchases by the seller under the bilateral contract in the markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves used to meet the bilateral contract seller's obligation to deliver Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eMarket reporting by the Market Participant and (ii) terminate all of the Market Participant's reporting of eMarkets schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the reported eMarkets schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection.

(f) Market Participants shall purchase Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves from PJM's markets for Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves, in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason, with respect to all bilateral transactions that contemplate the physical transfer of Regulation, Synchronized Reserve, Non- Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant.

1.7.20 Communication and Operating Requirements.

(a) Market Participants. Each Market Participant shall have, or shall arrange to have, its transactions in the PJM Interchange Energy Market subject to control by a Market Operations Center, with staffing and communications systems capable of real-time communication with the Office of the Interconnection during normal and Emergency conditions and of control of the Market Participant's relevant load or facilities sufficient to meet the requirements of the Market Participant's transactions with the PJM Interchange Energy Market, including but not limited to the following requirements as applicable.

(b) Market Sellers selling from generation resources and/or Demand Resources within the PJM Region shall: report to the Office of the Interconnection sources of energy and Demand Resources available for operation; supply to the Office of the Interconnection all applicable Offer Data; report to the Office of the Interconnection generation resources and Demand Resources that are self-scheduled; with respect to generation resources, report to the Office of the Interconnection bilateral sales transactions to buyers not within the PJM Region; confirm to the Office of the Interconnection bilateral sales to Market Buyers within the PJM Region; respond to the Office of the Interconnection's directives to start, shutdown or change

output levels of generation units, or change scheduled voltages or reactive output levels of generation units, or reduce load from Demand Resources; continuously maintain all Offer Data concurrent with on-line operating information; and ensure that, where so equipped, generating equipment and Demand Resources are operated with control equipment functioning as specified in the PJM Manuals.

(c) Market Sellers selling from generation resources outside the PJM Region shall: provide to the Office of the Interconnection all applicable Offer Data, including offers specifying amounts of energy available, hours of availability and prices of energy and other services; respond to Office of the Interconnection directives to schedule delivery or change delivery schedules; and communicate delivery schedules to the Market Seller's Control Area.

(d) Market Participants that are Load Serving Entities or purchasing on behalf of Load Serving Entities shall: respond to Office of the Interconnection directives for load management steps; report to the Office of the Interconnection Generation Capacity Resources to satisfy capacity obligations that are available for pool operation; report to the Office of the Interconnection all bilateral purchase transactions; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(e) Market Participants that are not Load Serving Entities or purchasing on behalf of Load Serving Entities shall: provide to the Office of the Interconnection requests to purchase specified amounts of energy for each hour of the Operating Day during which it intends to purchase from the PJM Interchange Energy Market, along with Dispatch Rate levels above which it does not desire to purchase; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(f) Economic Load Response Participants are responsible for maintaining demand reduction information, including the amount and price at which demand may be reduced. The Economic Load Response Participant shall provide this information to the Office of the Interconnection by posting it on the Load Response Program Registration link of the PJM website as required by the PJM Manuals. The Economic Load Response Participant shall notify the Office of the Interconnection of a demand reduction concurrent with, or prior to, the beginning of such demand reduction in accordance with the PJM Manuals. In the event that an Economic Load Response Participant chooses to measure load reductions using a Customer Baseline Load, the Economic Load Response Participant shall inform the Office of the Interconnection of a change in its operations or the operations of the end-use customer that would affect a relevant Customer Baseline Load as required by the PJM Manuals.

(g) PRD Providers shall be responsible for *automation and supervisory control equipment that satisfy the criteria set forth in the RAA to ensure* automated reductions to their Price Responsive Demand in response to price in accordance with their PRD Curves submitted to the Office of the Interconnection.

1.10 Scheduling.

1.10.1 General.

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-To Congestion transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

1.10.1A Day-ahead Energy Market Scheduling.

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load-Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load-Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any bilateral transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection whether the transaction is to be included in the Day-ahead Energy Market. Any Market Participant that elects to include a bilateral transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which it will be wholly or partially curtailed rather than pay Transmission Congestion Charges. The foregoing price specification shall apply to the price difference between the specified bilateral transaction source and sink points in the day-ahead scheduling process only. Any Market Participant that elects not to include its bilateral transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur

Transmission Congestion Charges in the Real-time Energy Market in order to complete any such scheduled bilateral transaction. Scheduling of bilateral transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

i) Internal Market Buyers shall submit schedules for all bilateral purchases for delivery within the PJM Region, whether from generation resources inside or outside the PJM Region;

ii) Market Sellers shall submit schedules for bilateral sales to entities outside the PJM Region from generation within the PJM Region that is not dynamically scheduled to such entities pursuant to Section 1.12; and

iii) In addition to the foregoing schedules for bilateral transactions, Market Participants shall submit confirmations of each scheduled bilateral transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region.

The foregoing offers:

i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;

ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;

iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;

iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;

v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;

vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;

vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; and

viii) Shall not exceed an energy offer price of $1,000/megawatt-hour for all generation resources, and for all Demand Resources that have not cleared a Base Residual Auction or an Incremental Auction. Demand Resources that are committed as Capacity Resources may submit an energy offer price of no greater than $1,000/megawatt-hour plus the sum of the applicable Reserve Penalty Factors.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed $100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in $/MW) of the fuel cost increase due to the heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation;

ii. The cost increase (in $/MW) in variable operating and maintenance costs resulting from operating the unit at lower megawatt output incurred from the provision of Regulation; and

iii. An adder of up to $12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for

any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Increment Bids and/or Decrement Bids that apply to the Day-ahead Energy Market only. Such bids must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of 3000 bid/offer segments in the Day-ahead Energy Market, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Bid or Decrement Bid.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts: (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in the Base Residual

Auction or one of the Incremental Auctions, or owning or controlling the output of an ILR resource which was certified as specified in Attachment DD of the PJM Tariff, may submit demand reduction bids for the available load reduction capability of the Demand Resource or ILR resource. The submission of demand reduction bids for resource increments that have not cleared in the Base Residual Auction or in one of the Incremental Auctions, or for ILR resources that were not certified, or were not committed in an FRR Capacity Plan, shall be optional, but any such bids must contain the information specified in the PJM Economic Load Response Program to be included in such bids. A Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in a Base Residual Auction or an Incremental Auction may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program, provided however, that in the event of an Emergency, PJM shall require Demand Resources and ILR resources to reduce load notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

1.10.2 Pool-scheduled Resources.

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

1.10.3 Self-scheduled Resources.

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

1.10.4 Capacity Resources.

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

1.10.5 External Resources.

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

1.10.6 External Market Buyers.

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

1.10.6A Transmission Loading Relief Customers.

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

1.10.7 Bilateral Transactions.

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

1.10.8 Office of the Interconnection Responsibilities.

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine

the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively.

(c) Following posting of the information specified in Section 1.10.8(b), the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market.

After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the

Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

1.10.9 Hourly Scheduling.

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, a generation rebidding period shall exist from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

1.11 Dispatch.

The following procedures and principles shall govern the dispatch of the resources available to the Office of the Interconnection.

1.11.1 Resource Output.

The Office of the Interconnection shall have the authority to direct any Market Seller to adjust the output of any pool-scheduled resource increment within the operating characteristics specified in the Market Seller's offer. The Office of the Interconnection may cancel its selection of, or otherwise release, pool-scheduled resources, subject to an obligation to pay any applicable start-up, no-load or cancellation fees. The Office of the Interconnection shall adjust the output of pool-scheduled resource increments as necessary: (a) to maintain reliability, and subject to that constraint, to minimize the cost of supplying the energy, reserves, and other services required by the Market Buyers and the operation of the PJM Region; (b) to balance load and generation, maintain scheduled tie flows, and provide frequency support within the PJM Region; and (c) to minimize unscheduled interchange not frequency related between the PJM Region and other Control Areas.

1.11.2 Operating Basis.

In carrying out the foregoing objectives, the Office of the Interconnection shall conduct the operation of the PJM Region in accordance with the PJM Manuals, and shall: (i) utilize available generating reserves and obtain required replacements; and (ii) monitor the availability of adequate reserves.

1.11.3 Pool-dispatched Resources.

(a) The Office of the Interconnection shall implement the dispatch of energy from pool-scheduled resources with limited energy by direct request. In implementing mandatory or economic use of limited energy resources, the Office of the Interconnection shall use its best efforts to select the most economic hours of operation for limited energy resources, in order to make optimal use of such resources consistent with the dynamic load-following requirements of the PJM Region and the availability of other resources to the Office of the Interconnection.

(b) The Office of the Interconnection shall implement the dispatch of energy from other pool-dispatched resource increments, including generation increments from Capacity Resources the remaining increments of which are self-scheduled, by sending appropriate signals and instructions to the entity controlling such resources, in accordance with the PJM Manuals. Each Market Seller shall ensure that the entity controlling a pool-dispatched resource offered or made available by that Market Seller complies with the energy dispatch signals and instructions transmitted by the Office of the Interconnection.

1.11.3A Maximum Generation Emergency.

If the Office of the Interconnection declares a Maximum Generation Emergency, all deliveries to load that is served by Point-to-Point Transmission Service outside the PJM Region from Generation Capacity Resources committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative may be interrupted in order to serve load in the PJM Region.

1.11.4 Regulation.

(a) A Market Buyer may satisfy its Regulation Obligation from its own generation resources and/or Demand Resources capable of performing Regulation service, by contractual arrangements with other Market Participants able to provide Regulation service, or by purchases from the PJM Interchange Energy Market at the rates set forth in Section 3.2.2. PJMSettlement shall be the Counterparty to the purchases and sales of Regulation service in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Regulation Obligation.

(b) The Office of the Interconnection shall obtain Regulation service from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet Regulation Zone requirements not otherwise satisfied by the Market Buyers. Generation resources or Demand Resources offering to sell Regulation shall be selected to provide Regulation on the basis of each generation resource's and Demand Resource's regulation offer and the estimated opportunity cost of a resource providing regulation and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Regulation, and other ancillary services. Estimated opportunity costs for generation resources shall be determined by the Office of the Interconnection on the basis of the expected value of the energy sales that would be foregone or uneconomic energy that would be produced by the resource in order to provide Regulation, in accordance with procedures specified in the PJM Manuals. Estimated opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch resources for Regulation by sending Regulation signals and instructions to generation resources and/or Demand Resources from which Regulation service has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Regulation dispatch signals and instructions transmitted by the Office of the Interconnection and, in the event of conflict, Regulation dispatch signals and instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4A Synchronized Reserve.

(a) A Market Buyer may satisfy its Synchronized Reserve Obligation from its own generation resources and/or Demand Resources capable of providing Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Synchronized Reserve,

or by purchases from the PJM Synchronized Reserve Market at the rates set forth in Section 3.2.3A. PJMSettlement shall be the Counterparty to the purchases and sales of Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Synchronized Reserve from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet the Synchronized Reserve requirements of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources offering to sell Synchronized Reserve shall be selected to provide Synchronized Reserve on the basis of each generation resource's and/or Demand Resource's Synchronized Reserve offer and the estimated unit specific opportunity cost of the resource providing Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the generation resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch generation resources and/or Demand Resources for Synchronized Reserve by sending Synchronized Reserve instructions to generation resources and/or Demand Resources from which Synchronized Reserve has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4B Non-Synchronized Reserve.

(a) A Market Buyer may satisfy its Non-Synchronized Reserve Obligation from its own generation resources capable of providing Non-Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Non-Synchronized Reserve, or by purchases from the PJM Non-Synchronized Reserve Market at the rates set forth in Section 3.2.3A.001. PJMSettlement shall be the Counterparty to the purchases and sales of Non-Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement

shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-supply of generation resources by a Market Buyer to satisfy its Non-Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Non-Synchronized Reserve from the least-cost alternatives available from either pool-scheduled generation resources, as needed to ensure the Primary Reserve requirement of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources eligible to sell Non-Synchronized Reserve shall be selected to provide Non-Synchronized Reserve on the basis of each generation resource's estimated unit-specific opportunity cost of the resource providing Non-Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit-specific opportunity costs for generation resources not providing energy because they are providing Non-Synchronized Reserve shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(c) The Office of the Interconnection shall dispatch generation resources for Non-Synchronized Reserve by sending Non-Synchronized Reserve instructions to generation resources from which Non-Synchronized Reserve is available, in accordance with the PJM Manuals. Market Sellers shall comply with Non-Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection, and in the event of a conflict, Non-Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.5 PJM Open Access Same-time Information System.

The Office of the Interconnection shall update the information posted on the PJM Open Access Same-time Information System to reflect its dispatch of generation resources.

2.1 Introduction.

The Office of the Interconnection shall calculate the price of energy at the load buses and generation buses in the PJM Region and at the Interface Pricing Points between adjacent Control Areas and the PJM Region on the basis of Locational Marginal Prices. Locational Marginal Prices determined in accordance with this Section shall be calculated on a day-ahead basis for each hour of the Day-ahead Energy Market, and every five minutes during the Operating Day for the Real-time Energy Market.

2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants and Emergency Load Response Participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response Participants in the Real-time Energy Market. Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5

below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage ("false positives") by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

2.3 Determination of System Conditions Using the State Estimator.

Power system operations, including, but not limited to, the determination of the least costly means of serving load and meeting reserve requirements, depend upon the availability of a complete and consistent representation of generator outputs, loads, and power flows on the network. In calculating Locational Marginal Prices, the Office of the Interconnection shall obtain a complete and consistent description of conditions on the electric network in the PJM Region by using the most recent power flow solution produced by the State Estimator program and utilized in the PJM dispatch algorithm, which State Estimator program is also used by the Office of the Interconnection for other functions within power system operations. The State Estimator is a standard industry tool that produces a power flow model based on available real-time metering information, information regarding the current status of lines, generators, transformers, and other equipment, bus load distribution factors, and a representation of the electric network, to provide a complete description of system conditions, including conditions at buses for which real-time information is unavailable. The Office of the Interconnection shall obtain a State Estimator solution every five minutes, which shall provide the megawatt output of generators and the loads at buses in the PJM Region, transmission line losses, and actual flows or loadings on constrained transmission facilities. External transactions between PJM and other Control Areas shall be included in the Locational Marginal Price calculation on the basis of the real time transaction schedules implemented by the Office of the Interconnection's dispatcher.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the Reserve Penalty Factors for both the Synchronized Reserves and Primary Reserves requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the Reserve Penalty Factors associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the

Interconnection may include, but are not limited to, the Maximum Emergency Generation Alert, Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the Primary Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market

Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) tie lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (g) of this section; the amounts, if any, described in subsection (e) of this section; and (iii) the Internal Market Buyer's pro rata share of any performance credits paid to regulating resources calculated in accordance with subsection (f) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office such that the calculated credit for each increment of Regulation provided by each resource shall be the Regulation market-clearing price.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation zone that shall be calculated in accordance with subsection (f) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.3.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(f) The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (f) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capacity Regulation market-clearing price.

(g) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(h) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region for which the capability cost-based offer plus the performance cost-based

offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate

in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such area pursuant to Section 1.12.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy as determined by the Real-time Energy Market and the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b) and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess

of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UB shall not be negative.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the

level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG}, or (ii) {(URTLMP – UB) x DAG} where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit, determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled and operating as requested by the Office of the Interconnection, the output of which is reduced or

suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and
>
> where URTLMP - UB shall not be negative.

In the event the Office of the Interconnection experiences a technical problem or malfunction with its wind forecasting tool that results in an erroneous forecast for a wind resource during a period of time for which the wind resource is eligible for lost opportunity cost, the Office of the Interconnection and the Market Seller will attempt to reach a mutually agreeable forecast value for settlement purposes. If the Office of the Interconnection and the Market Seller do not come to mutual agreement on an acceptable forecast value, the Office of the Interconnection shall utilize the forecast value that it determines is appropriate.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d) such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not

including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such region pursuant to Section 1.12.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at interfaces and hubs shall be associated with the Eastern or Western Region if all the buses that define all interfaces or all hubs are located in the region. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of an Operating Reserve shortage in real-time or where PJM initiates the request for load reductions in real-time in order to avoid an Operating Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized

Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared ("Maximum Generation Emergency Alert"); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market

revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to $1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed $1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited

desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = (\text{UDStarget}_{t-1} - \text{AOutput}_{t-1}) \Big/ (\text{UDSLAtime}_{t-1})$$

$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.

- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.

- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.

- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh and Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly

integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the

underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

3.2.3A Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). An Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts if any, described in subsections (g), (h) and (i) of this section.

(b) A Generating Market Buyer supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are

operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the Synchronized Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Synchronized Reserve Penalty Factor and the Primary Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Synchronized Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 2012/2013 Delivery Year;

ii. $400/MWh for the 2013/2014 Delivery Year;

iii. $550/MWh for the 2014/2015 Delivery Year; and

iv. $850/MWh as of the 2015/2016 Delivery Year.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each

Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled by the owner to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Synchronized Reserve in response to an actual Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Tier 2 Synchronized Reserve during which the event occurred, and the owner of the resource shall incur an additional Synchronized Reserve Obligation in the amount of the shortfall for a period of three consecutive days with the same peak classification (on-peak or off-peak) as the day of the Synchronized Reserve Event at least three business days following the Synchronized Reserve Event. The overall Synchronized Reserve requirement for each Reserve Zone and Reserve Sub-zone of the PJM Region on which the Synchronized Reserve Obligations, except for the additional obligations set forth in this section, are based shall be reduced by the amount of this shortfall for the applicable three-day period.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its

offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Non-Synchronized Reserve equal to its *pro rata* share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). An Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with paragraph (c) of this section, plus the amounts if any, described in paragraph (f) of this section.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve requirement. When the Primary Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the Primary Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve will be determined as the Primary Reserve Penalty Factor. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Primary Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Primary Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 2012/2013 Delivery Year;

ii. $400/MWh for the 2013/2014 Delivery Year;

iii. $550/MWh for the 2014/2015 Delivery Year; and

iv. $850/MWh as of the 2015/2016 Delivery Year.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non- Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The cost of credits allocated to Day-ahead Scheduling Reserves Resources pursuant to this section shall be charged to Load-Serving Entities in the PJM Region based on load ratio share (net of operating Behind The Meter Generation, but not to be less than zero), provided that a Load-Serving Entity may satisfy its Day-ahead Scheduling Reserves obligation, which is equal to the Day-ahead Scheduling Reserves Requirement multiplied by the Load-Serving Entity's load ratio share for the PJM Region, through one or any combination of the following: 1) the Day-ahead Scheduling Reserves Market; 2) and bilateral arrangements. The Day-ahead Scheduling Reserve charges allocated pursuant to this section shall reflect any portion of a Load-Serving Entity's Day-ahead Scheduling Reserves obligation that is met by bilateral arrangement(s).

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to {(LMPDMW - AG) x (URTLMP - UB)}

where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended determined according to the real time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UB shall not be negative.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG, or (ii) {(URTLMP – UB) x DAG where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG - LMPDMW) x (UB - URTLMP)}where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding

to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the

generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may

withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

3.3 Market Sellers.

Except as provided in the following sentence, the accounting and billing principles and procedures applicable to Generating Market Buyers functioning as Market Sellers shall be as set forth in Section 3.2. This Section sets forth the accounting and billing principles and procedures applicable to all other Market Sellers, and to Generating Market Buyers functioning as Market Sellers with respect to any matters not specified in Section 3.2.

3.3.1 Spot Market Energy Charges.

(a) Market Sellers shall be paid for all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead System Energy Prices.

(b) At the end of each hour during an Operating Day, the Office of the Interconnection shall determine the total net amount of energy delivered in the hour to the PJM Region by each of the Market Seller's resources, in accordance with the PJM Manuals and the calculation described in Section 3.2.1(f).

(c) The Office of the Interconnection shall calculate Day-ahead and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(d) A Market Seller shall be paid for real-time sales of Spot Market Energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its payments determined by the product of (i) the hourly net amount of energy delivered to the PJM Region in excess of the amount scheduled to be delivered in that hour in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time System Energy Price. To the extent that the energy actually injected in any hour is less than the energy scheduled to be injected in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time System Energy Price at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum of the revenues at Day-ahead System Energy Prices determined in accordance with the Day-ahead Energy Market as specified in Section 3.3.1(a) plus the revenues at Real-time System Energy Prices determined as specified herein, net of any debits specified herein for each Market Seller.

3.3.2 Regulation.

Each Market Seller that is also an Internal Market Buyer as to load in a Regulation Zone shall have an hourly Regulation objective and shall be credited or charged in connection therewith as specified in Section 3.2.2. All other Market Sellers supplying Regulation in such Regulation Zone at the direction of the Office of the Interconnection shall be credited for each increment of such Regulation at the price specified in Section 3.2.2(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.3 Operating Reserves.

A Market Seller shall be credited for its pool-scheduled resources based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource, in accordance with the procedures set forth in Section 3.2.3.

3.3.4 Emergency Energy.

The net costs or net revenues associated with purchases or sales of energy in connection with Emergencies in the PJM Region, or in another Control Area, shall be allocated to Market Participants in accordance with the procedures set forth in Section 3.2.6.

3.3.5 Synchronized Reserve.

Each Market Seller that is also an Internal Market Buyer shall have an hourly Synchronized Reserve objective and shall be credited or charged in connection therewith as specified in Section 3.2.3A(a). All other Market Sellers supplying Synchronized Reserve at the direction of the Office of the Interconnection shall be credited for each increment of such Synchronized Reserve at the price specified in Section 3.2.3A(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.5A Non-Synchronized Reserve.

Each Market Seller that is also an Internal Market Buyer shall have an hourly Non-Synchronized Reserve objective and shall be credited or charged in connection therewith as specified in Section 3.2.3A.001(a). All other Market Sellers supplying Non-Synchronized Reserve at the direction of the Office of the Interconnection shall be credited for each increment of such Synchronized Reserve at the price specified in Section 3.2.3A.001(b), as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

3.3.6 Billing.

PJMSettlement shall prepare a billing statement each billing cycle for each Market Seller in accordance with the charges and credits specified in Sections 3.3.1 through 3.3.5 of this Schedule, and showing the net amount to be paid or received by the Market Seller. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Seller's internal accounting.

PJM EMERGENCY LOAD RESPONSE PROGRAM

Emergency Load Response Program

The Emergency Load Response Program is designed to provide a method by which end-use customers may be compensated by PJM for reducing load during an emergency event. As used in the Emergency Load Response Program, the term "end-use customer" refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program:

- Full Program Option

  Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during an emergency event, and (ii) a capacity payment for load reductions during an emergency event measured as set forth in the Reporting and Compliance provisions below.

- Energy Only Option

  Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

Participant Qualifications

Two primary types of distributed resources are candidates to participate in either of the two options provided by the Emergency Load Response Program:

On-Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program. Members or Special Members may participate in the Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for

program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member may act as a third party for non-members, in which case the third party will be referred to as the Curtailment Service Provider (CSP). All payments are made to the PJM Member. Participants must become signatories to the PJM Operating Agreement, as described in the ***PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C***. However, for special members the $5,000 annual membership fee, the $1,500 application fee, and liability for Member defaults are waived, along with the following other modifications:

Special Members are limited to be PJM market sellers;
Voting privileges and sector designation are waived;
Thirty day notice for waiting period is waived;
Requirement for 24/7 control center coverage is waived;
No PJM-supported user group capability is permitted.

To participate in either of the two options provided by the Emergency Load Response Program, the distributed resource must:

Be capable of reducing at least 100 kW of load
Be capable of receiving PJM notification to participate during emergency conditions.

Metering Requirements

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Participant must meter reductions in demand by using either of the following two methods:

a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or

b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

a) Metering equipment used for retail electric service;

b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM, in accordance with the requirements herein and in the PJM Manuals; or

c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

Registration

1. Participants must complete the PJM Emergency Load Response Program Registration Form ("Emergency Registration Form") that is posted on the PJM website (www.pjm.com)for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company and Load Serving Entity ten business day review period, as described herein, Participants should submit completed PJM Emergency Load Response Program Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31st preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed PJM Emergency Load Response Program Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or Load Serving Entity or the Office of the Interconnection because of incorrect data on the PJM Emergency Load Response Program Registration Form, such registration may be resubmitted by the participant before May 31st preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company or Load Serving Entity has verified the registration on or before May 31st preceding the relevant Delivery Year. Incomplete PJM Emergency Load Response Program Registration Forms will be rejected by the Office of the Interconnection; participants may not resubmit registrations that were rejected for being incomplete unless participants are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate Load Serving Entity and electric distribution company of an Emergency Load Response

Participant's registration and request verification as to whether the load that may be reduced is under other contractual obligations or subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response Program pursuant to the process described below. The electric distribution company and Load Serving Entity have ten business days to respond. Other such contractual obligations may not preclude participation in the program, but may require special consideration by PJM such that appropriate settlements are made within the confines of such existing contracts. An electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response Program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after the Interruptible Load for Reliability registration deadline established by the Office of the Interconnection for the next applicable Delivery Year, then the existing Emergency Load Response Participant's registration for Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before the Interruptible Load for Reliability registration deadline established by the Office of the Interconnection for the applicable Delivery Year, then the existing Emergency Load Response participant's registration for Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) participation shall be deemed to be terminated for the applicable Delivery Year.

ii. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load

Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31st preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company or Load Serving Entity to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31st preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31st preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.

b. In the absence of a response from the electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response Program requirements.

c. For those registrations terminated pursuant to this section, all Emergency Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The Participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate Load Serving Entity and electric distribution company of an Emergency Load Response Participant's registration and request verification as to whether the load that may be reduced is under other contractual obligations and is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company and Load Serving Entity have ten business days to respond. Other such contractual obligations may not preclude participation in the program, but may require special consideration by PJM such that appropriate settlements are made within the confines of such existing contracts. If the electric distribution company or Load Serving Entity verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Emergency Load Response Program, then the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company or Load Serving Entity denies the Interruptible Load for Reliability (as defined in the Reliability Assurance Agreement) registration before the Interruptible Load for Reliability registration deadline as established by the Office of the Interconnection for the applicable Delivery Year because the electric distribution company or Load Serving Entity asserts that the Relevant Electric Retail Regulatory Authority has not granted permission or conditional permission for the end-use customer's participation or the electric distribution company or Load Serving Entity asserts that the end-use customer has not satisfied conditional permission requirements, then the existing Emergency Load Response Participant's registration for Interruptible Load for Reliability participation shall be deemed to be terminated for the applicable Delivery Year. If it is able to do so in compliance with all Emergency Load Response Program requirements, including the registration requirements, the participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response Program provisions.

ii. If the electric distribution company or Load Serving Entity denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31st preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31st preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.

b. In the absence of a response from the electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response Program requirements, including the registration section, the Emergency Load Response Participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJMSettlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM informs the requesting participant of acceptance into the program and notifies the appropriate Load Serving Entity and electric distribution company of the requesting participant's acceptance into the program, or notifies the requesting participant and appropriate Load Serving Entity and electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation

in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

Emergency Load Response Registrations in Effect as of August 28, 2009

All existing Emergency Load Response Participants' registrations submitted to PJM prior to August 28, 2009 (the effective date of *Wholesale Competition in Regions with Organized Electric Markets*, Order 719-A, 128 FERC ¶ 61,059 (2009) ("Order 719-A")) for Load Management participation in the 2009/2010 Delivery Year will remain effective for that Delivery Year.

Emergency Operations

PJM will initiate the request for a Load Management event coincident with the declaration of Maximum Emergency Generation and prior to the implementation of Load Management Steps 1 and 2. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) It is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location and/or quantity of load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Participants in the Emergency Load Response Program must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the ***PJM Manual for Emergency Operations.***

Verification

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the event. If the data are not received within 60 days, no payment for participation is provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the EDC and LSE upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

Market Settlements

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is two hours. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJMSettlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured reduction (either measured output of backup generation or the difference between the measured load the hour before the reduction and each hour during the reduction) adjusted for losses times the applicable LMP. If, however, the sum of the hourly energy payments to a participant dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price, minimum down time and shut down costs) then the participant will be made whole up to the offer value for its actual, achieved reductions.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the real time market compared to the day-ahead market. Consistent with this pricing methodology, all charges under this program are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real time.

Program charges and credits will appear on the PJM Members monthly bill, as described in the ***PJM Manual for Operating Agreement Accounting and the PJM Manual for Billing.***

Reporting and Compliance

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during an emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load ("Load") and then multiplied by the loss factor ("LF") or (b) the current Delivery Year peak load contribution ("PLC") minus the metered load multiplied by the loss factor ("LF"). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

   Minimum of {(comparison load – Load) * LF, PLC – (Load * LF)}

   Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

   - Comparable Day
   - Same Day
   - Customer Baseline
   - Regression Analysis
   - Generation

   Each of these methodologies is described in greater detail in Manual M-19, ***PJM Manual for Load Forecasting and Analysis***, at Attachment A: Load Drop Estimate Guidelines.

ii) For Firm Service Level end-use customers the current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

PLC – (Load * LF)

The capacity compliance of Load Management resources that are registered as Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.3 of PJM Emergency Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

Non-hourly metered Customer Pilot

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period.

Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

Emergency Load Response Participant Aggregation.

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response Program that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response Participant aggregations shall be subject to the following requirements:

i. All End-Use Customers in an aggregation shall be specifically identified;

ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation;

iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;

iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and

v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.

vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

Section(s) of the
PJM Operating Agreement

(Clean Version)

OPERATING AGREEMENT
TABLE OF CONTENTS

1. DEFINITIONS
   - OA Definitions - A - B
   - OA Definitions - C - D
   - OA Definitions - E - F
   - OA Definitions – G - H
   - OA Definitions – I – L
   - OA Definitions – M – N
   - OA Definitions – O – P
   - OA Definitions – Q – R
   - OA Definitions – S – T
   - OA Definitions – U – Z
2. FORMATION, NAME; PLACE OF BUSINESS
   - 2.1 Formation of LLC; Certificate of Formation
   - 2.2 Name of LLC
   - 2.3 Place of Business
   - 2.4 Registered Office and Registered Agent
3. PURPOSES AND POWERS OF LLC
   - 3.1 Purposes
   - 3.2 Powers
4. EFFECTIVE DATE AND TERMINATION
   - 4.1 Effective Date and Termination
   - 4.2 Governing Law
5. WORKING CAPITAL AND CAPITAL CONTRIBUTIONS
   - 5.1 Funding of Working Capital and Capital Contributions
   - 5.2 Contributions to Association
6. TAX STATUS AND DISTRIBUTIONS
   - 6.1 Tax Status
   - 6.2 Return of Capital Contributions
   - 6.3 Liquidating Distribution
7. PJM BOARD
   - 7.1 Composition
   - 7.2 Qualifications
   - 7.3 Term of Office
   - 7.4 Quorum
   - 7.5 Operating and Capital Budgets
   - 7.6 By-laws
   - 7.7 Duties and Responsibilities of the PJM Board
8. MEMBERS COMMITTEE
   - 8.1 Sectors
   - 8.2 Representatives
   - 8.3 Meetings

8.4 Manner of Acting
8.5 Chair and Vice Chair of the Members Committee
8.6 Senior, Standing, and Other Committees
8.7 User Groups
8.8 Powers of the Members Committee
9. OFFICERS
9.1 Election and Term
9.2 President
9.3 Secretary
9.4 Treasurer
9.5 Renewal of Officers; Vacancies
9.6 Compensation
10. OFFICE OF THE INTERCONNECTION
10.1 Establishment
10.2 Processes and Organization
10.3 Confidential Information
10.4 Duties and Responsibilities
11. MEMBERS
11.1 Management Rights
11.2 Other Activities
11.3 Member Responsibilities
11.4 Regional Transmission Expansion Planning Protocol
11.5 Member Right to Petition
11.6 Membership Requirements
11.7 Associate Membership Requirements
12. TRANSFERS OF MEMBERSHIP INTEREST
13. INTERCHANGE
13.1 Interchange Arrangements with Non-Members
13.2 Energy Market
14. METERING
14.1 Installation, Maintenance and Reading of Meters
14.2 Metering Procedures
14.3 Integrated Megawatt-Hours
14.4 Meter Locations
14.5 Metering of Behind The Meter Generation
14A TRANSMISSION LOSSES
14A.1 Description of Transmission Losses
14A.2 Inclusion of State Estimator Transmission Losses
14A.3 Other Losses
15. ENFORCEMENT OF OBLIGATIONS
15.1 Failure to Meet Obligations
15.2 Enforcement of Obligations
15.3 Obligations to a Member in Default
15.4 Obligations of a Member in Default
15.5 No Implied Waiver
15.6 Limitation on Claims

16. LIABILITY AND INDEMNITY
16.1 Members
16.2 LLC Indemnified Parties
16.3 Workers Compensation Claims
16.4 Limitation of Liability
16.5 Resolution of Disputes
16.6 Gross Negligence or Willful Misconduct
16.7 Insurance
17. MEMBER REPRESENTATIONS, WARRANTIES AND COVENANTS
17.1 Representations and Warranties
17.2 Municipal Electric Systems
17.3 Survival
18. MISCELLANEOUS PROVISIONS
18.1 [Reserved.]
18.2 Fiscal and Taxable Year
18.3 Reports
18.4 Bank Accounts; Checks, Notes and Drafts
18.5 Books and Records
18.6 Amendment
18.7 Interpretation
18.8 Severability
18.9 *Force Majeure*
18.10 Further Assurances
18.11 Seal
18.12 Counterparts
18.13 Costs of Meetings
18.14 Notice
18.15 Headings
18.16 No Third-Party Beneficiaries
18.17 Confidentiality
18.18 Termination and Withdrawal
18.18.1 Termination
18.18.2 Withdrawal
18.18.3 Winding Up
RESOLUTION REGARDING ELECTION OF DIRECTORS
SCHEDULE 1 – PJM INTERCHANGE ENERGY MARKET
1. MARKET OPERATIONS
1.1 Introduction
1.2 Cost-Based Offers
1.2A Transmission Losses
1.3 Definitions
1.4 Market Buyers
1.5 Market Sellers
1.5A Economic Load Response Participant
1.6 Office of the Interconnection
1.6A PJMSettlement

1.7 General
1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
1.9 Prescheduling
1.10 Scheduling
1.11 Dispatch
1.12 Dynamic Scheduling
2. CALCULATION OF LOCATIONAL MARGINAL PRICES
2.1 Introduction
2.2 General
2.3 Determination of System Conditions Using the State Estimator
2.4 Determination of Energy Offers Used in Calculating Real-time Prices
2.5 Calculation of Real-time Prices
2.6 Calculation of Day-ahead Prices
2.6A Interface Prices
2.7 Performance Evaluation
3. ACCOUNTING AND BILLING
3.1 Introduction
3.2 Market Buyers
3.3 Market Sellers
3.3A Economic Load Response Participants
3.4 Transmission Customers
3.5 Other Control Areas
3.6 Metering Reconciliation
3.7 Inadvertent Interchange
4. [Reserved For Future Use]
5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES
5.1 Transmission Congestion Charge Calculation
5.2 Transmission Congestion Credit Calculation
5.3 Unscheduled Transmission Service (Loop Flow)
5.4 Transmission Loss Charge Calculation
5.5 Distribution of Total Transmission Loss Charges
6. "MUST-RUN" FOR RELIABILITY GENERATION
6.1 Introduction
6.2 Identification of Facility Outages
6.3 Dispatch for Local Reliability
6.4 Offer Price Caps
6.5 [Reserved]
6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules
6A [Reserved]
6A.1 [Reserved]
6A.2 [Reserved]
6A.3 [Reserved]
7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS
7.1 Auctions of Financial Transmission Rights
7.1A Long-Term Financial Transmission Rights Auctions

7.2 Financial Transmission Rights Characteristics
7.3 Auction Procedures
7.4 Allocation of Auction Revenues
7.5 Simultaneous Feasibility
7.6 New Stage 1 Resources
7.7 Alternate Stage 1 Resources
7.8 Elective Upgrade Auction Revenue Rights
7.9 Residual Auction Revenue Rights
7.10 Financial Settlement
7.11 .....PJMSettlement as Counterparty
8. INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM
8.1 Introduction
8.2 Identification of Transmission Constraints
8.3 Redispatch Procedures
8.4 Locational Marginal Price
8.5 Generator Compensation
8.6 Settlements
8.7 Effective Date
9. [Reserved]
10. [Reserved]
PJM EMERGENCY LOAD RESPONSE PROGRAM
SCHEDULE 2 – COMPONENTS OF COST
SCHEDULE 2 –EXHIBIT A, EXPLANATION OF THE TREATMENT OF THE COSTS OF EMISSION ALLOWANCES
SCHEDULE 3 –ALLOCATION OF THE COST AND EXPENSES OF THE OFFICE OF THE INTERCONNECTION
SCHEDULE 4 –STANDARD FORM OF AGREEMENT TO BECOME A MEMBER OF THE LLC
SCHEDULE 5 –PJM DISPUTE RESOLUTION PROCEDURES
1. DEFINITIONS
1.1 Alternate Dispute Resolution Committee
1.2 MAAC Dispute Resolution Committee
1.3 Related PJM Agreements
2. PURPOSES AND OBJECTIVES
2.1 Common and Uniform Procedures
2.2 Interpretation
3. NEGOTIATION AND MEDIATION
3.1 When Required
3.2 Procedures
3.3 Costs
4. ARBITRATION
4.1 When Required
4.2 Binding Decision
4.3 Initiation
4.4 Selection of Arbitrator(s)

4.5 Procedures
4.6 Summary Disposition and Interim Measures
4.7 Discovery of Facts
4.8 Evidentiary Hearing
4.9 Confidentiality
4.10 Timetable
4.11 Advisory Interpretations
4.12 Decisions
4.13 Costs
4.14 Enforcement
5. ALTERNATE DISPUTE RESOLUTION COMMITTEE
5.1 Membership
5.2 Voting Requirements
5.3 Officers
5.4 Meetings
5.5 Responsibilities
SCHEDULE 6 – REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
1. REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
1.1 Purpose and Objectives
1.2 Conformity with NERC and Other Applicable Criteria
1.3 Establishment of Committees
1.4 Contents of the Regional Transmission Expansion Plan
1.5 Procedure for Development of the Regional Transmission Expansion Plan
1.6 Approval of the Final Regional Transmission Expansion Plan
1.7 Obligation to Build
1.8 Interregional Expansions
1.9 Relationship to the PJM Open Access Transmission Tariff
SCHEDULE 7 – UNDERFREQUENCY RELAY OBLIGATIONS AND CHARGES
1. UNDERFREQUENCY RELAY OBLIGATION
1.1 Application
1.2 Obligations
2. UNDERFREQUENCY RELAY CHARGES
3. DISTRIBUTION OF UNDERFREQUENCY RELAY CHARGES
3.1 Share of Charges
3.2 Allocation by the Office of the Interconnection
SCHEDULE 8 – DELEGATION OF PJM CONTROL AREA RELIABILITY RESPONSIBILITIES
1. DELEGATION
2. NEW PARTIES
3. IMPLEMENTATION OF RELIABILITY ASSURANCE AGREEMENT
SCHEDULE 9B – PJM SOUTH REGION EMERGENCY PROCEDURE CHARGES
1. EMERGENCY PROCEDURE CHARGE
2. DISTRIBUTION OF EMERGENCY PROCEDURE CHARGES
2.1 Complying Parties
2.2 All Parties

SCHEDULE 10 – FORM OF NON-DISCLOSURE AGREEMENT

1. DEFINITIONS
    - 1.1 Affected Member
    - 1.2 Authorized Commission
    - 1.3 Authorized Person
    - 1.4 Confidential Information
    - 1.5 FERC
    - 1.6 Information Request.
    - 1.7 Operating Agreement
    - 1.8 PJM Market Monitor
    - 1.9 PJM Tariff
    - 1.10 Third Party Request.
2. Protection of Confidentiality
    - 2.1 Duty to Not Disclose
    - 2.2 Discussion of Confidential Information with Other Authorized Persons
    - 2.3 Defense Against Third Party Requests
    - 2.4 Care and Use of Confidential Information
    - 2.5 Ownership and Privilege
3. Remedies
    - 3.1 Material Breach
    - 3.2 Judicial Recourse
    - 3.3 Waiver of Monetary Damages
4. Jurisdiction
5. Notices
6. Severability and Survival
7. Representations
8. Third Party Beneficiaries
9. Counterparts
10. Amendment

SCHEDULE 10A – FORM OF CERTIFICATION

1. Definitions
2. Requisite Authority
3. Protection of Confidential Information
4. Defense Against Requests for Disclosure
5. Use and Destruction of Confidential Information
6. Notice of Disclosure of Confidential Information
7. Release of Claims
8. Ownership and Privilege

Exhibit A - Certification List of Authorized Persons

SCHEDULE 11 – ALLOCATION OF COSTS ASSOCIATED WITH NERC PENALTY ASSESSMENTS

1.1 Purpose and Objectives
1.2 Definitions
1.3 Allocation of Costs When PJM is the Registered Entity
1.4 Allocation of Costs When a PJM Member is the Registered Entity
1.5

SCHEDULE 12 – PJM MEMBER LIST
RESOLUTION TO AMEND THE PROCEDURES REQUIRING THE RETENTION OF AN INDEPENDENT CONSULTANT TO PROPOSE A LIST OF CANDIDATES FOR THE BOARD OF MANAGERS ELECTION FOR 2001

1.38.001 Regional Entity.

"Regional Entity" shall mean an organization that NERC has delegated the authority to propose and enforce reliability standards pursuant to the Federal Power Act.

1.38.01 Regional RTEP Project.

"Regional RTEP Project" shall mean a transmission expansion or enhancement rated at 230 kV or above which is required for compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.38.01A Relevant Electric Retail Regulatory Authority:

An entity that has jurisdiction over and establishes prices and policies for competition for providers of retail electric service to end-customers, such as the city council for a municipal utility, the governing board of a cooperative utility, the state public utility commission or any other such entity.

1.38A Regulation Zone.

"Regulation Zone" shall mean any of those one or more geographic areas, each consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, regulation service.

1.39 Related Parties.

"Related Parties" shall mean, solely for purposes of the governance provisions of this Agreement: (i) any generation and transmission cooperative and one of its distribution cooperative members; and (ii) any joint municipal agency and one of its members. For purposes of this Agreement, representatives of state or federal government agencies shall not be deemed Related Parties with respect to each other, and a public body's regulatory authority, if any, over a Member shall not be deemed to make it a Related Party with respect to that Member.

1.40 Reliability Assurance Agreement.

"Reliability Assurance Agreement" shall mean that certain Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region, on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC. No .42, establishing obligations, standards and procedures for maintaining the reliable operation of the PJM Region.

1.40.01 Reserve Sub-zone.

"Reserve Sub-zone" shall mean any of those geographic areas wholly contained within a Reserve Zone, consisting of a combination of a portion of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.40A Reserve Zone.

"Reserve Zone" shall mean any of those geographic areas consisting of a combination of one or more Control Zone(s) as designated by the Office of the Interconnection in the PJM Manuals, relevant to provision of, and requirements for, reserve service.

1.40B [Reserved].

1.40C SERC.

"SERC" or "Southeastern Electric Reliability Council" shall mean the reliability council under section 202 of the Federal Power Act established pursuant to the SERC Agreement dated January 14, 1970, or any successor thereto.

1.41 Sector Votes.

"Sector Votes" shall mean the affirmative and negative votes of each sector of a Senior Standing Committee, as specified in Section 8.4.

1.41A Senior Standing Committees.

"Senior Standing Committees" shall mean the Members Committee, and the Markets, and Reliability Committee, as established in Sections 8.1 and 8.6.

1.41A.01 [Reserved].

1.41A.02 [Reserved].

1.41A.03 [Reserved].

1.41B Standing Committees.

"Standing Committees" shall mean the Members Committee, the committees established and maintained under Section 8.6, and such other committees as the Members Committee may establish and maintain from time to time.

1.42 State.

"State" shall mean the District of Columbia and any State or Commonwealth of the United States.

1.42.01 State Certification.

"State Certification" shall mean the Certification of an Authorized Commission, pursuant to Section 18 of this Agreement, the form of which is appended to this Agreement as Schedule 10A, wherein the Authorized Commission identifies all Authorized Persons employed or retained by such Authorized Commission, a copy of which shall be filed with FERC.

1.42A State Consumer Advocate.

"State Consumer Advocate" shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established,

inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

1.42A.01 Subregional RTEP Project.

"Subregional RTEP Project" shall mean a transmission expansion or enhancement rated below 230 kV which is requiredfor compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.42A.02 Supplemental Project.

"Supplemental Project" shall mean a Regional RTEP Project(s) or Subregional RTEP Project(s), which is not required for compliance with the following PJM criteria: System reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

1.42B [Reserved].

1.43 System.

"System" shall mean the interconnected electric supply system of a Member and its interconnected subsidiaries exclusive of facilities which it may own or control outside of the PJM Region. Each Member may include in its system the electric supply systems of any party or parties other than Members which are within the PJM Region, provided its interconnection agreements with such other party or parties do not conflict with such inclusion.

1.43A Third Party Request.

"Third Party Request" shall mean any request or demand by any entity upon an Authorized Person or an Authorized Commission for release or disclosure of confidential information provided to the Authorized Person or Authorized Commission by the Office of the Interconnection or PJM Market Monitor. A Third Party Request shall include, but shall not be limited to, any subpoena, discovery request, or other request for confidential information made by any: (i) federal, state, or local governmental subdivision, department, official, agency or court, or (ii) arbitration panel, business, company, entity or individual.

1.44 Transmission Facilities.

"Transmission Facilities" shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the transmission system of the PJM Region and integrated into the planning and operation of such to serve all of the power and transmission customers within such region.

1.45 Transmission Owner.

"Transmission Owner" shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities and is a signatory to the PJM Transmission Owners Agreement. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

1.46 [Reserved.]

1.3 Definitions.

1.3.1 Acceleration Request.

"Acceleration Request" shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

1.3.1A Auction Revenue Rights.

"Auction Revenue Rights" or "ARRs" shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

1.3.1B Auction Revenue Rights Credits.

"Auction Revenue Rights Credits" shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

1.3.1B.01 Batch Load Demand Resource.

"Batch Load Demand Resource" shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

1.3.1B.02 Congestion Price.

"Congestion Price" shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.1B.03 Curtailment Service Provider.

"Curtailment Service Provider" or "CSP" shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

1.3.1B.04 Day-ahead Congestion Price.

"Day-ahead Congestion Price" shall mean the Congestion Price resulting from the Day-ahead Energy Market.

1.3.1C Day-ahead Energy Market.

"Day-ahead Energy Market" shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1C.01 Day-ahead Loss Price.

"Day-ahead Loss Price" shall mean the Loss Price resulting from the Day-ahead Energy Market.

1.3.1D Day-ahead Prices.

"Day-ahead Prices" shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

1.3.1D.01 Day-ahead Scheduling Reserves.

"Day-ahead Scheduling Reserves" shall mean thirty-minute reserves as defined by the Reliability*First* Corporation and SERC.

1.3.1D.02 Day-ahead Scheduling Reserves Requirement.

"Day-ahead Scheduling Reserves Requirement" shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

1.3.1D.03 Day-ahead Scheduling Reserves Resources.

"Day-ahead Scheduling Reserves Resources" shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

1.3.1D.04 Day-ahead Scheduling Reserves Market.

"Day-ahead Scheduling Reserves Market" shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

1.3.1D.05 Day-ahead System Energy Price.

"Day-ahead System Energy Price" shall mean the System Energy Price resulting from the Day-ahead Energy Market.

1.3.1E Decrement Bid.

"Decrement Bid" shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

1.3.1E.01 Demand Resource.

"Demand Resource" shall mean a resource with the capability to provide a reduction in demand.

1.3.1F Dispatch Rate.

"Dispatch Rate" shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

1.3.1G Energy Storage Resource.

"Energy Storage Resource" shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancilliary Services markets as a Market Seller.

1.3.2 Equivalent Load.

"Equivalent Load" shall mean the sum of a Market Participant's net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

1.3.2A Economic Load Response Participant.

"Economic Load Response Participant" shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

1.3.2A.01 Economic Minimum.

"Economic Minimum" shall mean the lowest incremental MW output level a unit can achieve while following economic dispatch.

1.3.2B Energy Market Opportunity Cost.

"Energy Market Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a

higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.3 External Market Buyer.

"External Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

1.3.4 External Resource.

"External Resource" shall mean a generation resource located outside the metered boundaries of the PJM Region.

1.3.5 Financial Transmission Right.

"Financial Transmission Right" or "FTR" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

1.3.5A Financial Transmission Right Obligation.

"Financial Transmission Right Obligation" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

1.3.5B Financial Transmission Right Option.

"Financial Transmission Right Option" shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

1.3.6 Generating Market Buyer.

"Generating Market Buyer" shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer's load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

1.3.7 Generator Forced Outage.

"Generator Forced Outage" shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

1.3.8 Generator Maintenance Outage.

"Generator Maintenance Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

1.3.9 Generator Planned Outage.

"Generator Planned Outage" shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

1.3.9A Increment Bid.

"Increment Bid" shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Bid results in scheduled generation at the specified location in the Day-ahead Energy Market.

1.3.9B Interface Pricing Point.

"Interface Pricing Point" shall have the meaning specified in section 2.6A.

1.3.10 Internal Market Buyer.

"Internal Market Buyer" shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

1.3.11 Inadvertent Interchange.

"Inadvertent Interchange" shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

1.3.11.01 Load Management.

"Load Management" shall mean either a Demand Resource ("DR") or an Interruptible Load for Reliability ("ILR") resource, both as defined in the Reliability Assurance Agreement.

1.3.11A Load Reduction Event.

"Load Reduction Event" shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

1.3.11A.01 Location.

"Location" as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

1.3.11B Loss Price.

"Loss Price" shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.12 Market Operations Center.

"Market Operations Center" shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.12A Maximum Emergency.

"Maximum Emergency" shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

1.3.13 Maximum Generation Emergency.

"Maximum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

1.3.14 Minimum Generation Emergency.

"Minimum Generation Emergency" shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

1.3.14A NERC Interchange Distribution Calculator.

"NERC Interchange Distribution Calculator" shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

1.3.14B Net Benefits Test.

"Net Benefits Test" shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

1.3.15 Network Resource.

"Network Resource" shall have the meaning specified in the PJM Tariff.

1.3.16 Network Service User.

"Network Service User" shall mean an entity using Network Transmission Service.

1.3.17 Network Transmission Service.

"Network Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

1.3.17A Non-Regulatory Opportunity Cost.

"Non-Regulatory Opportunity Cost" shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit's lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

1.3.17B Non-Synchronized Reserve.

"Non-Synchronized Reserve" shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

1.3.17C Non-Synchronized Reserve Event.

"Non-Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

1.3.17D Non-Variable Loads.

"Non-Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.18 Normal Maximum Generation.

"Normal Maximum Generation" shall mean the highest output level of a generating resource under normal operating conditions.

1.3.19 Normal Minimum Generation.

"Normal Minimum Generation" shall mean the lowest output level of a generating resource under normal operating conditions.

1.3.20 Offer Data.

"Offer Data" shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

1.3.21 Office of the Interconnection Control Center.

"Office of the Interconnection Control Center" shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

1.3.21A On-Site Generators.

"On-Site Generators" shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

1.3.22 Operating Day.

"Operating Day" shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

1.3.23 Operating Margin.

"Operating Margin" shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

1.3.24 Operating Margin Customer.

"Operating Margin Customer" shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

1.3.25 PJM Interchange.

"PJM Interchange" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.26 PJM Interchange Export.

"PJM Interchange Export" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

1.3.27 PJM Interchange Import.

"PJM Interchange Import" shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service

User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

1.3.28 PJM Open Access Same-time Information System.

"PJM Open Access Same-time Information System" shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

1.3.28A Planning Period Quarter.

"Planning Period Quarter" shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

1.3.28B Planning Period Balance.

"Planning Period Balance" shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

1.3.29 Point-to-Point Transmission Service.

"Point-to-Point Transmission Service" shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

1.3.29A PRD Curve.

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29B PRD Provider.

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29C PRD Reservation Price.

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29D PRD Substation.

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29E Price Responsive Demand.

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

1.3.29F Primary Reserve.

"Primary Reserve" shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

1.3.30 Ramping Capability.

"Ramping Capability" shall mean the sustained rate of change of generator output, in megawatts per minute.

1.3.30.01 Real-time Congestion Price.

"Real-time Congestion Price" shall mean the Congestion Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30.02 Real-time Loss Price.

"Real-time Loss Price" shall mean the Loss Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30A Real-time Prices.

"Real-time Prices" shall mean the Locational Marginal Prices resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.30B Real-time Energy Market.

"Real-time Energy Market" shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

1.3.30B.01 Real-time System Energy Price.

"Real-time System Energy Price" shall mean the System Energy Price resulting from the Office of the Interconnection's dispatch of the PJM Interchange Energy Market in the Operating Day.

1.3.31 Regulation.

"Regulation" shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its

output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

1.3.31.001 Reserve Penalty Factor.

"Reserve Penalty Factor" shall mean the cost, in $/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

1.3.31.01 Residual Auction Revenue Rights.

"Residual Auction Revenue Rights" shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability or a change in any other relevant factor that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2(h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

1.3.31.02 Special Member.

"Special Member" shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response Program.

1.3.31A [Reserved]

1.3.31B [Reserved]

1.3.32 Spot Market Backup.

"Spot Market Backup" shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

1.3.33 Spot Market Energy.

"Spot Market Energy" shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

1.3.33A State Estimator.

"State Estimator" shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

1.3.33B Station Power.

"Station Power" shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

1.3.33B.001 Sub-meter.

"Sub-meter" shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

1.3.33B.01 Synchronized Reserve.

"Synchronized Reserve" shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

1.3.33B.02 Synchronized Reserve Event.

"Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

1.3.33B.03 System Energy Price.

"System Energy Price" shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

1.3.33C Target Allocation.

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

1.3.34 Transmission Congestion Charge.

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

1.3.35 Transmission Congestion Credit.

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

1.3.36 Transmission Customer.

"Transmission Customer" shall mean an entity using Point-to-Point Transmission Service.

1.3.37 Transmission Forced Outage.

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

1.3.37A Transmission Loading Relief.

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

1.3.37B Transmission Loading Relief Customer.

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

1.3.37C Transmission Loss Charge.

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

1.3.38 Transmission Planned Outage.

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

1.3.38A Variable Loads.

"Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

1.3.39 Zonal Base Load.

"Zonal Base Load" shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

1.7 General.

1.7.1 Market Sellers.

Only Market Sellers shall be eligible to submit offers to the Office of the Interconnection for the sale of electric energy or related services in the PJM Interchange Energy Market. Market Sellers shall comply with the prices, terms, and operating characteristics of all Offer Data submitted to and accepted by the PJM Interchange Energy Market.

1.7.2 Market Buyers.

Only Market Buyers shall be eligible to purchase energy or related services in the PJM Interchange Energy Market. Market Buyers shall comply with all requirements for making purchases from the PJM Interchange Energy Market.

1.7.2A Economic Load Response Participants.

Only Economic Load Response Participants shall be eligible to participate in the Real-time Energy Market and the Day-ahead Energy Market by submitting offers to the Office of the Interconnection to reduce demand.

1.7.3 Agents.

A Market Participant may participate in the PJM Interchange Energy Market through an agent, provided that the Market Participant informs the Office of the Interconnection in advance in writing of the appointment of such agent. A Market Participant participating in the PJM Interchange Energy Market through an agent shall be bound by all of the acts or representations of such agent with respect to transactions in the PJM Interchange Energy Market, and shall ensure that any such agent complies with the requirements of this Agreement.

1.7.4 General Obligations of the Market Participants.

(a) In performing its obligations to the Office of the Interconnection hereunder, each Market Participant shall at all times (i) follow Good Utility Practice, (ii) comply with all applicable laws and regulations, (iii) comply with the applicable principles, guidelines, standards and requirements of FERC, NERC and each Applicable Regional Entity, (iv) comply with the procedures established for operation of the PJM Interchange Energy Market and PJM Region and (v) cooperate with the Office of the Interconnection as necessary for the operation of the PJM Region in a safe, reliable manner consistent with Good Utility Practice.

(b) Market Participants shall undertake all operations in or affecting the PJM Interchange Energy Market and the PJM Region including but not limited to compliance with all Emergency procedures, in accordance with the power and authority of the Office of the Interconnection with respect to the operation of the PJM Interchange Energy Market and the PJM Region as established in this Agreement, and as specified in the Schedules to this Agreement and the PJM Manuals. Failure to comply with the foregoing operational requirements shall subject a Market

Participant to such reasonable charges or other remedies or sanctions for non-compliance as may be established by the PJM Board, including legal or regulatory proceedings as authorized by the PJM Board to enforce the obligations of this Agreement.

(c) The Office of the Interconnection may establish such committees with a representative of each Market Participant, and the Market Participants agree to provide appropriately qualified personnel for such committees, as may be necessary for the Office of the Interconnection and PJMSettlement to perform its obligations hereunder.

(d) All Market Participants shall provide to the Office of the Interconnection the scheduling and other information specified in the Schedules to this Agreement, and such other information as the Office of the Interconnection may reasonably require for the reliable and efficient operation of the PJM Region and PJM Interchange Energy Market, and for compliance with applicable regulatory requirements for posting market and related information. Such information shall be provided as much in advance as possible, but in no event later than the deadlines established by the Schedules to this Agreement, or by the Office of the Interconnection in conformance with such Schedules. Such information shall include, but not be limited to, maintenance and other anticipated outages of generation or transmission facilities, scheduling and related information on bilateral transactions and self-scheduled resources, and implementation of active load management, interruption of load, Price Responsive Demand, and other load reduction measures. The Office of the Interconnection shall abide by appropriate requirements for the non-disclosure and protection of any confidential or proprietary information given to the Office of the Interconnection by a Market Participant. Each Market Participant shall maintain or cause to be maintained compatible information and communications systems, as specified by the Office of the Interconnection, required to transmit scheduling, dispatch, or other time-sensitive information to the Office of the Interconnection in a timely manner.

(e) Subject to the requirements for Economic Load Response Participants in section 1.5A above, each Market Participant shall install and operate, or shall otherwise arrange for, metering and related equipment capable of recording and transmitting all voice and data communications reasonably necessary for the Office of the Interconnection and PJMSettlement to perform the services specified in this Agreement. A Market Participant that elects to be separately billed for its PJM Interchange shall, to the extent necessary, be individually metered in accordance with Section 14 of this Agreement, or shall agree upon an allocation of PJM Interchange between it and the Market Participant through whose meters the unmetered Market Participant's PJM Interchange is delivered. The Office of the Interconnection shall be notified of the allocation by the foregoing Market Participants.

(f) Each Market Participant shall operate, or shall cause to be operated, any generating resources owned or controlled by such Market Participant that are within the PJM Region or otherwise supplying energy to or through the PJM Region in a manner that is consistent with the standards, requirements or directions of the Office of the Interconnection and that will permit the Office of the Interconnection to perform its obligations under this Agreement; provided, however, no Market Participant shall be required to take any action that is inconsistent with Good Utility Practice or applicable law.

(g) Each Market Participant shall follow the directions of the Office of the Interconnection to take actions to prevent, manage, alleviate or end an Emergency in a manner consistent with this Agreement and the procedures of the PJM Region as specified in the PJM Manuals.

(h) Each Market Participant shall obtain and maintain all permits, licenses or approvals required for the Market Participant to participate in the PJM Interchange Energy Market in the manner contemplated by this Agreement.

(i) Consistent with Section 36.1.1 of the PJM Tariff, to the extent its generating facility is dispatchable, a Market Participant shall submit an Economic Minimum in the Real-time Energy Market that is no greater than the higher of its physical operating minimum or its Capacity Interconnection Rights, as that term is defined in the PJM Tariff, associated with such generating facility under its Interconnection Service Agreement under Attachment O of the PJM Tariff or a wholesale market participation agreement.

1.7.5 Market Operations Center.

Each Market Participant shall maintain a Market Operations Center, or shall make appropriate arrangements for the performance of such services on its behalf. A Market Operations Center shall meet the performance, equipment, communications, staffing and training standards and requirements specified in this Agreement for the scheduling and completion of transactions in the PJM Interchange Energy Market and the maintenance of the reliable operation of the PJM Region, and shall be sufficient to enable (i) a Market Seller or an Economic Load Response Participant to perform all terms and conditions of its offers to the PJM Interchange Energy Market, and (ii) a Market Buyer or an Economic Load Response Participant to conform to the requirements for purchasing from the PJM Interchange Energy Market.

1.7.6 Scheduling and Dispatching.

(a) The Office of the Interconnection shall schedule and dispatch in real-time generation resources and/or Demand Resources economically on the basis of least-cost, security-constrained dispatch and the prices and operating characteristics offered by Market Sellers, continuing until sufficient generation resources and/or Demand Resources are dispatched to serve the PJM Interchange Energy Market energy purchase requirements under normal system conditions of the Market Buyers (taking into account any reductions to such requirements in accordance with PRD Curves properly submitted by PRD Providers), as well as the requirements of the PJM Region for ancillary services provided by generation resources and/or Demand Resources, in accordance with this Agreement. Such scheduling and dispatch shall recognize transmission constraints on coordinated flowgates external to the Transmission System in accordance with Appendix A to the Joint Operating Agreement between the Midwest Independent Transmission System Operator, Inc. and PJM Interconnection, L.L.C. (PJM Rate Schedule FERC No. 38) and on other such flowgates that are coordinated in accordance with agreements between the LLC and other entities. Scheduling and dispatch shall be conducted in accordance with this Agreement.

(b) The Office of the Interconnection shall undertake to identify any conflict or incompatibility between the scheduling or other deadlines or specifications applicable to the PJM

Interchange Energy Market, and any relevant procedures of another Control Area, or any tariff (including the PJM Tariff). Upon determining that any such conflict or incompatibility exists, the Office of the Interconnection shall propose tariff or procedural changes, and undertake such other efforts as may be appropriate, to resolve any such conflict or incompatibility.

(c) To protect its generation or distribution facilities, or local Transmission Facilities not under the monitoring responsibility and dispatch control of the Office of the Interconnection, an entity may request that the Office of the Interconnection schedule and dispatch generation or reductions in demand to meet a limit on Transmission Facilities different from that which the Office of the Interconnection has determined to be required for reliable operation of the Transmission System. To the extent consistent with its other obligations under this Agreement, the Office of the Interconnection shall schedule and dispatch generation and reductions in demand in accordance with such request. An entity that makes a request pursuant to this section 1.7.6(c) shall be responsible for all generation and other costs resulting from its request that would not have been incurred by operating the Transmission System and scheduling and dispatching generation in the manner that the Office of the Interconnection otherwise has determined to be required for reliable operation of the Transmission System.

1.7.7 Pricing.

The price paid for energy bought and sold in the PJM Interchange Energy Market and for demand reductions will reflect the hourly Locational Marginal Price at each load and generation bus, determined by the Office of the Interconnection in accordance with this Agreement. Transmission Congestion Charges and Transmission Loss Charges, which shall be determined by differences in Congestion Prices and Loss Prices in an hour, shall be calculated by the Office of the Interconnection, and collected by PJMSettlement, and the revenues therefrom shall be disbursed by PJMSettlement in accordance with this Schedule.

1.7.8 Generating Market Buyer Resources.

A Generating Market Buyer may elect to self-schedule its generation resources up to that Generating Market Buyer's Equivalent Load, in accordance with and subject to the procedures specified in this Schedule, and the accounting and billing requirements specified in Section 3 to this Schedule. PJMSettlement shall not be a contracting party with respect to such self-scheduled or self-supplied transactions.

1.7.9 Delivery to an External Market Buyer.

A purchase of Spot Market Energy by an External Market Buyer shall be delivered to a bus or buses at the electrical boundaries of the PJM Region specified by the Office of the Interconnection, or to load in such area that is not served by Network Transmission Service, using Point-to-Point Transmission Service paid for by the External Market Buyer. Further delivery of such energy shall be the responsibility of the External Market Buyer.

1.7.10 Other Transactions.

(a) Bilateral Transactions.

(i) In addition to transactions in the PJM Interchange Energy Market, Market Participants may enter into bilateral contracts for the purchase or sale of electric energy to or from each other or any other entity, subject to the obligations of Market Participants to make Generation Capacity Resources available for dispatch by the Office of the Interconnection. Such bilateral contracts shall be for the physical transfer of energy to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eSchedules and Enhanced Energy Scheduler tools.

(ii) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of energy to a Market Participant inside the PJM Region, title to the energy that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and the further transmission of the energy or further sale of the energy into the PJM Interchange Energy Market shall be transacted by the buyer under the bilateral contract. With respect to all bilateral contracts for the physical transfer of energy to an entity outside the PJM Region, title to the energy shall pass to the buyer at the border of the PJM Region and shall be delivered to the border using transmission service. In no event shall the purchase and sale of energy between Market Participants under a bilateral contract constitute a transaction in the PJM Interchange Energy Market or be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(iii) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of energy reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the megawatt hours of such reported transactions to amounts reflecting the expected load and other physical delivery obligations of the buyer under the bilateral contract.

(iv) All payments and related charges for the energy associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection or PJMSettlement. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(v) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any Spot Market Backup

used to meet the bilateral contract seller's obligation to deliver energy under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eSchedules or Enhanced Energy Scheduler reporting by the Market Participant and (ii) terminate all of the Market Participant's eSchedules and Enhanced Energy Schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the eSchedules and Enhanced Energy Schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection. PJMSettlement shall assign its claims against a seller with respect to a seller's nonpayment for Spot Market Backup to a buyer to the extent that the buyer has made an indemnification payment to PJMSettlement with respect to the seller's nonpayment.

(vi) Bilateral contracts that do not contemplate the physical transfer of energy to or from a Market Participant are not subject to this Schedule, shall not be reported to and coordinated with the Office of the Interconnection, and shall not in any way constitute a transaction in the PJM Interchange Energy Market.

(b) Market Participants shall have Spot Market Backup with respect to all bilateral transactions that contemplate the physical transfer of energy to or from a Market Participant, that are not dynamically scheduled pursuant to Section 1.12 and that are curtailed or interrupted for any reason (except for curtailments or interruptions through active load management for load located within the PJM Region).

(c) To the extent the Office of the Interconnection dispatches a Generating Market Buyer's generation resources, such Generating Market Buyer may elect to net the output of such resources against its hourly Equivalent Load. Such a Generating Market Buyer shall be deemed a buyer from the PJM Interchange Energy Market to the extent of its PJM Interchange Imports, and shall be deemed a seller to the PJM Interchange Energy Market to the extent of its PJM Interchange Exports.

(d) A Market Seller may self-supply Station Power for its generation facility in accordance with the following provisions:

(i) A Market Seller may self-supply Station Power for its generation facility during any month (1) when the net output of such facility is positive, or (2) when the net output of such facility is negative and the Market Seller

during the same month has available at other of its generation facilities positive net output in an amount at least sufficient to offset fully such negative net output. For purposes of this subsection (d), "net output" of a generation facility during any month means the facility's gross energy output, less the Station Power requirements of such facility, during that month. The determination of a generation facility's or a Market Seller's monthly net output under this subsection (d) will apply only to determine whether the Market Seller self-supplied Station Power during the month and will not affect the price of energy sold or consumed by the Market Seller at any bus during any hour during the month. For each hour when a Market Seller has positive net output and delivers energy into the Transmission System, it will be paid the LMP at its bus for that hour for all of the energy delivered. Conversely, for each hour when a Market Seller has negative net output and has received Station Power from the Transmission System, it will pay the LMP at its bus for that hour for all of the energy consumed.

(ii) Transmission Provider will determine the extent to which each affected Market Seller during the month self-supplied its Station Power requirements or obtained Station Power from third-party providers (including affiliates) and will incorporate that determination in its accounting and billing for the month. In the event that a Market Seller self-supplies Station Power during any month in the manner described in subsection (1) of subsection (d)(i) above, Market Seller will not use, and will not incur any charges for, transmission service. In the event, and to the extent, that a Market Seller self-supplies Station Power during any month in the manner described in subsection (2) of subsection (d)(i) above (hereafter referred to as "remote self-supply of Station Power"), Market Seller shall use and pay for transmission service for the transmission of energy in an amount equal to the facility's negative net output from Market Seller's generation facility(ies) having positive net output. Unless the Market Seller makes other arrangements with Transmission Provider in advance, such transmission service shall be provided under Part II of the PJM Tariff and shall be charged the hourly rate under Schedule 8 of the PJM Tariff for Non-Firm Point-to-Point Transmission Service with an election to pay congestion charges, provided, however, that no reservation shall be necessary for such transmission service and the terms and charges under Schedules 1, 1A, 2 through 6, 9 and 10 of the PJM Tariff shall not apply to such service. The amount of energy that a Market Seller transmits in conjunction with remote self-supply of Station Power will not be affected by any other sales, purchases, or transmission of capacity or energy by or for such Market Seller under any other provisions of the PJM Tariff.

(iii) A Market Seller may self-supply Station Power from its generation facilities located outside of the PJM Region during any month only if such

generation facilities in fact run during such month and Market Seller separately has reserved transmission service and scheduled delivery of the energy from such resource in advance into the PJM Region.

1.7.11 Emergencies.

(a) The Office of the Interconnection, with the assistance of the Members' dispatchers as it may request, shall be responsible for monitoring the operation of the PJM Region, for declaring the existence of an Emergency, and for directing the operations of Market Participants as necessary to manage, alleviate or end an Emergency. The standards, policies and procedures of the Office of the Interconnection for declaring the existence of an Emergency, including but not limited to a Minimum Generation Emergency, and for managing, alleviating or ending an Emergency, shall apply to all Members on a non-discriminatory basis. Actions by the Office of the Interconnection and the Market Participants shall be carried out in accordance with this Agreement, the NERC Operating Policies, Applicable Regional Entity reliability principles and standards, Good Utility Practice, and the PJM Manuals. A declaration that an Emergency exists or is likely to exist by the Office of the Interconnection shall be binding on all Market Participants until the Office of the Interconnection announces that the actual or threatened Emergency no longer exists. Consistent with existing contracts, all Market Participants shall comply with all directions from the Office of the Interconnection for the purpose of managing, alleviating or ending an Emergency. The Market Participants shall authorize the Office of the Interconnection and PJMSettlement to purchase or sell energy on their behalf to meet an Emergency, and otherwise to implement agreements with other Control Areas interconnected with the PJM Region for the mutual provision of service to meet an Emergency, in accordance with this Agreement.

(b) To the extent load must be shed to alleviate an Emergency in a Control Zone, the Office of the Interconnection shall, to the maximum extent practicable, direct the shedding of load within such Control Zone. The Office of the Interconnection may shed load in one Control Zone to alleviate an Emergency in another Control Zone under its control only as necessary after having first shed load to the maximum extent practicable in the Control Zone experiencing the Emergency and only to the extent that PJM supports other control areas (not under its control) in those situations where load shedding would be necessary, such as to prevent isolation of facilities within the Eastern Interconnection, to prevent voltage collapse, or to restore system frequency following a system collapse; provided, however, that the Office of the Interconnection may not order a manual load dump in a Control Zone solely to address capacity deficiencies in another Control Zone. This section shall be implemented consistent with the North American Electric Reliability Council and applicable reliability council standards.

1.7.12 Fees and Charges.

Each Market Participant, except for Special Members, shall pay all fees and charges of the Office of the Interconnection for operation of the PJM Interchange Energy Market as determined by and allocated to the Market Participant by the Office of the Interconnection in accordance with Schedule 3.

1.7.13 Relationship to the PJM Region.

The PJM Interchange Energy Market operates within and subject to the requirements for the operation of the PJM Region.

1.7.14 PJM Manuals.

The Office of the Interconnection shall be responsible for maintaining, updating, and promulgating the PJM Manuals as they relate to the operation of the PJM Interchange Energy Market. The PJM Manuals, as they relate to the operation of the PJM Interchange Energy Market, shall conform and comply with this Agreement, NERC operating policies, and Applicable Regional Entity reliability principles, guidelines and standards, and shall be designed to facilitate administration of an efficient energy market within industry reliability standards and the physical capabilities of the PJM Region.

1.7.15 Corrective Action.

Consistent with Good Utility Practice, the Office of the Interconnection shall be authorized to direct or coordinate corrective action, whether or not specified in the PJM Manuals, as necessary to alleviate unusual conditions that threaten the integrity or reliability of the PJM Region, or the regional power system.

1.7.16 Recording.

Subject to the requirements of applicable State or federal law, all voice communications with the Office of the Interconnection Control Center may be recorded by the Office of the Interconnection and any Market Participant communicating with the Office of the Interconnection Control Center, and each Market Participant hereby consents to such recording.

1.7.17 Operating Reserves.

(a) The following procedures shall apply to any generation unit subject to the dispatch of the Office of the Interconnection for which construction commenced before July 9, 1996, or any Demand Resource subject to the dispatch of the Office of the Interconnection.

(b) The Office of the Interconnection shall schedule to the Operating Reserve and load-following objectives of the Control Zones of the PJM Region and the PJM Interchange Energy Market in scheduling generation resources and/or Demand Resources pursuant to this Schedule. A table of Operating Reserve objectives for each Control Zone is calculated and published annually in the PJM Manuals. Reserve levels are probabilistically determined based on the season's historical load forecasting error and forced outage rates.

(c) Nuclear generation resources shall not be eligible for Operating Reserve payments unless: 1) the Office of the Interconnection directs such resources to reduce output, in which case, such units shall be compensated in accordance with section 3.2.3(f) of this Schedule; or 2) the resource submits a request for a risk premium to the Market Monitoring Unit under the

procedures specified in Section II.B of Attachment M - Appendix. A nuclear generation resource (i) must submit a risk premium consistent with its agreement under such process, or, (ii) if it has not agreed with the Market Monitoring Unit on an appropriate risk premium, may submit its own determination of an appropriate risk premium to the Office of the Interconnection, subject to acceptance by the Office of the Interconnection, with or without prior approval from the Commission.

(d) PJMSettlement shall be the Counterparty to the purchases and sales of Operating Reserve in the PJM Interchange Energy Market.

1.7.18 Regulation.

(a) Regulation to meet the Regulation objective of each Regulation Zone shall be supplied from generation resources and/or demand resources located within the metered electrical boundaries of such Regulation Zone. Generating Market Buyers, and Market Sellers offering Regulation, shall comply with applicable standards and requirements for Regulation capability and dispatch specified in the PJM Manuals.

(b) The Office of the Interconnection shall obtain and maintain for each Regulation Zone an amount of Regulation equal to the Regulation objective for such Regulation Zone as specified in the PJM Manuals.

(c) The Regulation range of a generation unit or demand resource shall be at least twice the amount of Regulation assigned as described in the PJM Manuals.

(d) A resource capable of automatic energy dispatch that is also providing Regulation shall have its energy dispatch range reduced by at least twice the amount of the Regulation provided with consideration of the Regulation limits of that resource, as specified in the PJM Manuals.

(e) Qualified Regulation must satisfy the measurement and verification tests described in the PJM Manuals.

1.7.19 Ramping.

A generator dispatched by the Office of the Interconnection pursuant to a control signal appropriate to increase or decrease the generator's megawatt output level shall be able to change output at the ramping rate specified in the Offer Data submitted to the Office of the Interconnection for that generator.

1.7.19A Synchronized Reserve.

(a) Synchronized Reserve shall be supplied from non-emergency generation resources and/or Demand Resources located within the metered boundaries of the PJM Region. All on-line non-emergency generation resources providing energy are deemed to be available to provide Tier 1 Synchronized Reserve and Tier 2 Synchronized Reserve to the Office of the Interconnection, as applicable to the capacity resource's capability to provide these services. During periods for

which the Office of the Interconnection has issued a Primary Reserve Warning, Voltage Reduction Warning or Manual Load Dump Warning as described in Section 2.5(d) below, all other non-emergency generation capacity resources available to provide energy shall have submitted offers for Tier 2 Synchronized Reserves. Generating Market Buyers, and Market Sellers offering Synchronized Reserve shall comply with applicable standards and requirements for Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Primary and Synchronized Reserve equal to the respective Primary and Synchronized Reserve objectives for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Synchronized Reserve capability of a generation resource and Demand Resource shall be the increase in energy output or load reduction achievable by the generation resource and Demand Resource within a continuous 10-minute period.

(d) A generation unit capable of automatic energy dispatch that also is providing Synchronized Reserve shall have its energy dispatch range reduced by the amount of the Synchronized Reserve provided. The amount of Synchronized Reserve provided by a generation unit shall serve to redefine the Normal Maximum Generation energy limit of that generation unit in that the amount of Synchronized Reserve provided shall be subtracted from its Normal Maximum Generation energy limit.

1.7.19A.01 Non-Synchronized Reserve.

(a) Non-Synchronized Reserve shall be supplied from generation resources located within the metered boundaries of the PJM Region. Resources, the entire output of which has been designated as emergency energy, and resources that aren't available to provide energy, are not eligible to provide Non-Synchronized Reserve. All other non-emergency generation capacity resources available to provide energy shall also be available to provide Non-Synchronized Reserve, as applicable to the capacity resource's capability to provide these services. Generating Market Buyers and Market Sellers offering Non-Synchronized Reserve shall comply with applicable standards and requirements for Non-Synchronized Reserve capability and dispatch specified in the PJM Manuals, the Operating Agreement and PJM Tariff.

(b) The Office of the Interconnection shall obtain and maintain for each Reserve Zone and Reserve Sub-zone an amount of Non-Synchronized Reserve such that the sum of the Synchronized Reserve and Non-Synchronized Reserve meets the Primary Reserve objective for such Reserve Zone and Reserve Sub-zone, as specified in the PJM Manuals. The Office of the Interconnection shall create additional Reserve Zones or Reserve Sub-zones to maintain the required amount of reserves in a specific geographic area of the PJM Region as needed for

system reliability. Such needs may arise due to planned and unplanned system events that limit the Office of the Interconnection's ability to deliver reserves to specific geographic area of the PJM Region where reserves are required.

(c) The Non-Synchronized Reserve capability of a generation resource shall be the increase in energy output achievable by the generation resource within a continuous 10-minute period provided that the resource is not synchronized to the system at the initiation of the response.

(d) The Non-Synchronized Reserve capability of a generation resource shall generally be determined based on the startup and notification time, economic minimum and ramp rate of such resource submitted in the Real-time Energy Market for the Operating Day. If the Generating Market Buyer or Market Seller offering the Non-Synchronized Reserve can demonstrate to the Office of the Interconnection that the Non-Synchronized Reserve capability of a generation resource exceeds its calculated value based on market offer data, the Generating Market Buyer or Market Seller and the Office of the Interconnection may agree on a different capability to be used.

(e) All Non-Synchronized Reserve offers shall be for $0.00/MWh.

1.7.19B Bilateral Transactions Regarding Regulation, Synchronized Reserve and Day-ahead Scheduling Reserves.

(a) In addition to transactions in the Regulation market, Synchronized Reserve market, Non-Synchronized Reserve market and Day-ahead Scheduling Reserves Market, Market Participants may enter into bilateral contracts for the purchase or sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from each other or any other entity. Such bilateral contracts shall be for the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant and shall be reported to and coordinated with the Office of the Interconnection in accordance with this Schedule and pursuant to the LLC's rules relating to its eMarket tools.

(b) For purposes of clarity, with respect to all bilateral contracts for the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to a Market Participant in the PJM Region, title to the product that is the subject of the bilateral contract shall pass to the buyer at the source specified for the bilateral contract, and any further transactions associated with such products or further sale of such Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves in the markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, respectively, shall be transacted by the buyer under the bilateral contract. In no event shall the purchase and sale of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves between Market Participants under a bilateral contract constitute a transaction in PJM's markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, or otherwise be construed to define PJMSettlement as a contracting party to any bilateral transactions between Market Participants.

(c) Market Participants that are parties to bilateral contracts for the purchase and sale and physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves reported to and coordinated with the Office of the Interconnection under this Schedule shall use all reasonable efforts, consistent with Good Utility Practice, to limit the amounts of such reported transactions to amounts reflecting the expected requirements for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves of the buyer pursuant to such bilateral contracts.

(d) All payments and related charges for the Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves associated with a bilateral contract shall be arranged between the parties to the bilateral contract and shall not be billed or settled by the Office of the Interconnection. The LLC, PJMSettlement, and the Members will not assume financial responsibility for the failure of a party to perform obligations owed to the other party under a bilateral contract reported and coordinated with the Office of the Interconnection under this Schedule.

(e) A buyer under a bilateral contract shall guarantee and indemnify the LLC, PJMSettlement, and the Members for the costs of any purchases by the seller under the bilateral contract in the markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves used to meet the bilateral contract seller's obligation to deliver Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves under the bilateral contract and for which payment is not made to PJMSettlement by the seller under the bilateral contract, as determined by the Office of the Interconnection. Upon any default in obligations to the LLC or PJMSettlement by a Market Participant, the Office of the Interconnection shall (i) not accept any new eMarket reporting by the Market Participant and (ii) terminate all of the Market Participant's reporting of eMarkets schedules associated with its bilateral contracts previously reported to the Office of the Interconnection for all days where delivery has not yet occurred. All claims regarding a buyer's default to a seller under a bilateral contract shall be resolved solely between the buyer and the seller. In such circumstances, the seller may instruct the Office of the Interconnection to terminate all of the reported eMarkets schedules associated with bilateral contracts between buyer and seller previously reported to the Office of the Interconnection.

(f) Market Participants shall purchase Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves from PJM's markets for Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves, in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason, with respect to all bilateral transactions that contemplate the physical transfer of Regulation, Synchronized Reserve, Non-Synchronized Reserve or Day-ahead Scheduling Reserves to or from a Market Participant.

1.7.20 Communication and Operating Requirements.

(a) Market Participants. Each Market Participant shall have, or shall arrange to have, its transactions in the PJM Interchange Energy Market subject to control by a Market Operations Center, with staffing and communications systems capable of real-time communication with the

Office of the Interconnection during normal and Emergency conditions and of control of the Market Participant's relevant load or facilities sufficient to meet the requirements of the Market Participant's transactions with the PJM Interchange Energy Market, including but not limited to the following requirements as applicable.

(b) Market Sellers selling from generation resources and/or Demand Resources within the PJM Region shall: report to the Office of the Interconnection sources of energy and Demand Resources available for operation; supply to the Office of the Interconnection all applicable Offer Data; report to the Office of the Interconnection generation resources and Demand Resources that are self-scheduled; with respect to generation resources, report to the Office of the Interconnection bilateral sales transactions to buyers not within the PJM Region; confirm to the Office of the Interconnection bilateral sales to Market Buyers within the PJM Region; respond to the Office of the Interconnection's directives to start, shutdown or change output levels of generation units, or change scheduled voltages or reactive output levels of generation units, or reduce load from Demand Resources; continuously maintain all Offer Data concurrent with on-line operating information; and ensure that, where so equipped, generating equipment and Demand Resources are operated with control equipment functioning as specified in the PJM Manuals.

(c) Market Sellers selling from generation resources outside the PJM Region shall: provide to the Office of the Interconnection all applicable Offer Data, including offers specifying amounts of energy available, hours of availability and prices of energy and other services; respond to Office of the Interconnection directives to schedule delivery or change delivery schedules; and communicate delivery schedules to the Market Seller's Control Area.

(d) Market Participants that are Load Serving Entities or purchasing on behalf of Load Serving Entities shall: respond to Office of the Interconnection directives for load management steps; report to the Office of the Interconnection Generation Capacity Resources to satisfy capacity obligations that are available for pool operation; report to the Office of the Interconnection all bilateral purchase transactions; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(e) Market Participants that are not Load Serving Entities or purchasing on behalf of Load Serving Entities shall: provide to the Office of the Interconnection requests to purchase specified amounts of energy for each hour of the Operating Day during which it intends to purchase from the PJM Interchange Energy Market, along with Dispatch Rate levels above which it does not desire to purchase; respond to other Office of the Interconnection directives such as those required during Emergency operation.

(f) Economic Load Response Participants are responsible for maintaining demand reduction information, including the amount and price at which demand may be reduced. The Economic Load Response Participant shall provide this information to the Office of the Interconnection by posting it on the Load Response Program Registration link of the PJM website as required by the PJM Manuals. The Economic Load Response Participant shall notify the Office of the Interconnection of a demand reduction concurrent with, or prior to, the beginning of such demand reduction in accordance with the PJM Manuals. In the event that an Economic Load

Response Participant chooses to measure load reductions using a Customer Baseline Load, the Economic Load Response Participant shall inform the Office of the Interconnection of a change in its operations or the operations of the end-use customer that would affect a relevant Customer Baseline Load as required by the PJM Manuals.

(g) PRD Providers shall be responsible for *automation and supervisory control equipment that satisfy the criteria set forth in the RAA to ensure* automated reductions to their Price Responsive Demand in response to price in accordance with their PRD Curves submitted to the Office of the Interconnection.

1.10 Scheduling.

1.10.1 General.

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-To Congestion transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

1.10.1A Day-ahead Energy Market Scheduling.

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any bilateral transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection whether the transaction is to be included in the Day-ahead Energy Market. Any Market Participant that elects to include a bilateral transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which it will be wholly or partially curtailed rather than pay Transmission Congestion Charges. The foregoing price specification shall apply to the price difference between the specified bilateral transaction source and sink points in the day-ahead scheduling process only. Any Market Participant that elects not to include its bilateral transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur Transmission Congestion Charges in the Real-time Energy Market in order to complete any such

scheduled bilateral transaction. Scheduling of bilateral transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

i) Internal Market Buyers shall submit schedules for all bilateral purchases for delivery within the PJM Region, whether from generation resources inside or outside the PJM Region;

ii) Market Sellers shall submit schedules for bilateral sales to entities outside the PJM Region from generation within the PJM Region that is not dynamically scheduled to such entities pursuant to Section 1.12; and

iii) In addition to the foregoing schedules for bilateral transactions, Market Participants shall submit confirmations of each scheduled bilateral transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region. The foregoing offers:

i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;

ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;

iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;

iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;

v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;

vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the

terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;

vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; and

viii) Shall not exceed an energy offer price of $1,000/megawatt-hour for all generation resources, and for all Demand Resources that have not cleared a Base Residual Auction or an Incremental Auction. Demand Resources that are committed as Capacity Resources may submit an energy offer price of no greater than $1,000/megawatt-hour plus the sum of the applicable Reserve Penalty Factors.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed $100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in $/MW) of the fuel cost increase due to the heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation;

ii. The cost increase (in $/MW) in variable operating and maintenance costs resulting from operating the unit at lower megawatt output incurred from the provision of Regulation; and

iii. An adder of up to $12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding

forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Increment Bids and/or Decrement Bids that apply to the Day-ahead Energy Market only. Such bids must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of 3000 bid/offer segments in the Day-ahead Energy Market, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Bid or Decrement Bid.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts: (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in the Base Residual Auction or one of the Incremental Auctions, or owning or controlling the output of an ILR resource which was certified as specified in Attachment DD of the PJM Tariff, may submit demand reduction bids for the available load reduction capability of the Demand Resource or ILR resource. The submission of demand reduction bids for resource increments that have not cleared in the Base Residual Auction or in one of the Incremental Auctions, or for ILR resources that were not certified, or were not committed in an FRR Capacity Plan, shall be optional, but any such bids must contain the information specified in the PJM Economic Load Response Program to be included in such bids. A Demand Resource that was committed in an FRR Capacity Plan, self-supplied or offered and cleared in a Base Residual Auction or an Incremental Auction may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program, provided however, that in the event of an Emergency, PJM shall require Demand Resources and ILR resources to reduce load notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

1.10.2 Pool-scheduled Resources.

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

1.10.3 Self-scheduled Resources.

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

1.10.4 Capacity Resources.

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

1.10.5 External Resources.

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace

such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

1.10.6 External Market Buyers.

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

1.10.6A Transmission Loading Relief Customers.

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly

integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

1.10.7 Bilateral Transactions.

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

1.10.8 Office of the Interconnection Responsibilities.

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing

determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively.

(c) Following posting of the information specified in Section 1.10.8(b), the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the offer that set the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market. After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the

Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

1.10.9 Hourly Scheduling.

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, a generation rebidding period shall exist from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such

resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

1.11 Dispatch.

The following procedures and principles shall govern the dispatch of the resources available to the Office of the Interconnection.

1.11.1 Resource Output.

The Office of the Interconnection shall have the authority to direct any Market Seller to adjust the output of any pool-scheduled resource increment within the operating characteristics specified in the Market Seller's offer. The Office of the Interconnection may cancel its selection of, or otherwise release, pool-scheduled resources, subject to an obligation to pay any applicable start-up, no-load or cancellation fees. The Office of the Interconnection shall adjust the output of pool-scheduled resource increments as necessary: (a) to maintain reliability, and subject to that constraint, to minimize the cost of supplying the energy, reserves, and other services required by the Market Buyers and the operation of the PJM Region; (b) to balance load and generation, maintain scheduled tie flows, and provide frequency support within the PJM Region; and (c) to minimize unscheduled interchange not frequency related between the PJM Region and other Control Areas.

1.11.2 Operating Basis.

In carrying out the foregoing objectives, the Office of the Interconnection shall conduct the operation of the PJM Region in accordance with the PJM Manuals, and shall: (i) utilize available generating reserves and obtain required replacements; and (ii) monitor the availability of adequate reserves.

1.11.3 Pool-dispatched Resources.

(a) The Office of the Interconnection shall implement the dispatch of energy from pool-scheduled resources with limited energy by direct request. In implementing mandatory or economic use of limited energy resources, the Office of the Interconnection shall use its best efforts to select the most economic hours of operation for limited energy resources, in order to make optimal use of such resources consistent with the dynamic load-following requirements of the PJM Region and the availability of other resources to the Office of the Interconnection.

(b) The Office of the Interconnection shall implement the dispatch of energy from other pool-dispatched resource increments, including generation increments from Capacity Resources the remaining increments of which are self-scheduled, by sending appropriate signals and instructions to the entity controlling such resources, in accordance with the PJM Manuals. Each Market Seller shall ensure that the entity controlling a pool-dispatched resource offered or made available by that Market Seller complies with the energy dispatch signals and instructions transmitted by the Office of the Interconnection.

1.11.3A Maximum Generation Emergency.

If the Office of the Interconnection declares a Maximum Generation Emergency, all deliveries to load that is served by Point-to-Point Transmission Service outside the PJM Region from Generation Capacity Resources committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative may be interrupted in order to serve load in the PJM Region.

1.11.4 Regulation.

(a) A Market Buyer may satisfy its Regulation Obligation from its own generation resources and/or Demand Resources capable of performing Regulation service, by contractual arrangements with other Market Participants able to provide Regulation service, or by purchases from the PJM Interchange Energy Market at the rates set forth in Section 3.2.2. PJMSettlement shall be the Counterparty to the purchases and sales of Regulation service in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Regulation Obligation.

(b) The Office of the Interconnection shall obtain Regulation service from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet Regulation Zone requirements not otherwise satisfied by the Market Buyers. Generation resources or Demand Resources offering to sell Regulation shall be selected to provide Regulation on the basis of each generation resource's and Demand Resource's regulation offer and the estimated opportunity cost of a resource providing regulation and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Regulation, and other ancillary services. Estimated opportunity costs for generation resources shall be determined by the Office of the Interconnection on the basis of the expected value of the energy sales that would be foregone or uneconomic energy that would be produced by the resource in order to provide Regulation, in accordance with procedures specified in the PJM Manuals. Estimated opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch resources for Regulation by sending Regulation signals and instructions to generation resources and/or Demand Resources from which Regulation service has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Regulation dispatch signals and instructions transmitted by the Office of the Interconnection and, in the event of conflict, Regulation dispatch signals and instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4A Synchronized Reserve.

(a) A Market Buyer may satisfy its Synchronized Reserve Obligation from its own generation resources and/or Demand Resources capable of providing Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Synchronized Reserve,

or by purchases from the PJM Synchronized Reserve Market at the rates set forth in Section 3.2.3A. PJMSettlement shall be the Counterparty to the purchases and sales of Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Synchronized Reserve from the least-cost alternatives available from either pool-scheduled or self-scheduled generation resources and/or Demand Resources as needed to meet the Synchronized Reserve requirements of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources offering to sell Synchronized Reserve shall be selected to provide Synchronized Reserve on the basis of each generation resource's and/or Demand Resource's Synchronized Reserve offer and the estimated unit specific opportunity cost of the resource providing Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the generation resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources will be zero.

(c) The Office of the Interconnection shall dispatch generation resources and/or Demand Resources for Synchronized Reserve by sending Synchronized Reserve instructions to generation resources and/or Demand Resources from which Synchronized Reserve has been offered by Market Sellers, in accordance with the PJM Manuals. Market Sellers shall comply with Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.4B Non-Synchronized Reserve.

(a) A Market Buyer may satisfy its Non-Synchronized Reserve Obligation from its own generation resources capable of providing Non-Synchronized Reserve, by contractual arrangements with other Market Participants able to provide Non-Synchronized Reserve, or by purchases from the PJM Non-Synchronized Reserve Market at the rates set forth in Section 3.2.3A.001. PJMSettlement shall be the Counterparty to the purchases and sales of Non-Synchronized Reserve in the PJM Interchange Energy Market; provided that PJMSettlement

shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-supply of generation resources by a Market Buyer to satisfy its Non-Synchronized Reserve Obligation.

(b) The Office of the Interconnection shall obtain Non-Synchronized Reserve from the least-cost alternatives available from either pool-scheduled generation resources as needed to ensure the Primary Reserve requirement of each Reserve Zone and Reserve Sub-zone of the PJM Region not otherwise satisfied by the Market Buyers. Resources eligible to sell Non-Synchronized Reserve shall be selected to provide Non-Synchronized Reserve on the basis of each generation resource's estimated unit specific opportunity cost of the resource providing Non-Synchronized Reserve, and in accordance with the Office of the Interconnection's obligation to minimize the total cost of energy, Operating Reserves, Synchronized Reserve and other ancillary services. Estimated unit specific opportunity costs for generation resources not providing energy because they are providing Non-Synchronized Reserve shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(c) The Office of the Interconnection shall dispatch generation resources for Non-Synchronized Reserve by sending Non-Synchronized Reserve instructions to generation resources from which Non-Synchronized Reserve is available, in accordance with the PJM Manuals. Market Sellers shall comply with Non-Synchronized Reserve dispatch instructions transmitted by the Office of the Interconnection and, in the event of a conflict, Non-Synchronized Reserve dispatch instructions shall take precedence over energy dispatch signals and instructions. Market Sellers shall exert all reasonable efforts to operate, or ensure the operation of, their generation resources supplying load in the PJM Region as close to desired output levels as practical, consistent with Good Utility Practice.

1.11.5 PJM Open Access Same-time Information System.

The Office of the Interconnection shall update the information posted on the PJM Open Access Same-time Information System to reflect its dispatch of generation resources.

2.1 Introduction.

The Office of the Interconnection shall calculate the price of energy at the load buses and generation buses in the PJM Region and at the Interface Pricing Points between adjacent Control Areas and the PJM Region on the basis of Locational Marginal Prices. Locational Marginal Prices determined in accordance with this Section shall be calculated on a day-ahead basis for each hour of the Day-ahead Energy Market, and every five minutes during the Operating Day for the Real-time Energy Market.

2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants and Emergency Load Response Participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response Participants in the Real-time Energy Market. Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5

below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage ("false positives") by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

2.5 Calculation of Real-time Prices.

(a) The Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load (taking account of any applicable and available load reductions indicated on PRD Curves properly submitted by any PRD Provider) at each bus in the PJM Region represented in the State Estimator and each Interface Pricing Point between PJM and an adjacent Control Area, based on the system conditions described by the most recent power flow solution produced by the State Estimator program and utilized in the PJM security-constrained economic dispatch algorithm and the energy offers that are the basis for the Day-ahead Energy Market, or that are determined to be eligible for consideration under Section 2.4 in connection with the real-time dispatch, as applicable. This calculation shall be made by applying a real-time joint optimization of energy and reserves, given actual system conditions, a set of energy offers, a set of reserve offers, a set of Reserve Penalty Factors, and any binding transmission constraints that may exist. In performing this calculation, the Office of the Interconnection shall calculate the cost of serving an increment of load at each bus from each resource associated with an eligible energy offer as the sum of the following components of Locational Marginal Price: (1) System Energy Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a generation resource or decrease an increment of energy being consumed by a Demand Resource, (2) Congestion Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from the resource on transmission line loadings, and (3) Loss Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses. The real-time Locational Marginal Prices at a bus shall be determined through the joint optimization program based on the lowest marginal cost to serve the next increment of load at the bus taking into account the applicable reserve requirements, unit resource constraints, transmission constraints, and marginal loss impact.

(b) If all reserve requirements in every modeled Reserve Zone and Reserve Sub-zone can be met at prices less than or equal to the Reserve Penalty Factors for both the Synchronized Reserves and Primary Reserves requirements, real-time Locational Marginal Prices shall be calculated as described in Section 2.5(a) above and no Reserve Penalty Factor shall apply beyond the normal lost opportunity costs incurred by the reserve requirements. When a reserve requirement cannot be met at a price less than or equal to the Reserve Penalty Factors associated with a Reserve Zone or Reserve Sub-zone, the real-time Locational Marginal Prices shall be calculated by incorporating the applicable Reserve Penalty Factor for the deficient reserve requirement as the lost opportunity cost impact of the deficient reserve requirement, and the components of Locational Marginal Prices referenced in Section 2.5(a) above shall be calculated as described below.

(c) The Office of the Interconnection shall issue day-ahead alerts to PJM Members of the possible need to use emergency procedures during the following Operating Day. Such emergency procedures may be required to alleviate real-time emergency conditions such as a transmission emergency or potential reserve shortage. The alerts issued by the Office of the Interconnection may include, but are not limited to, the Maximum Emergency Generation Alert,

Primary Reserve Alert and/or Voltage Reduction Alert. These alerts shall be issued to keep all affected system personnel informed of the forecasted status of the PJM bulk power system. The Office of the Interconnection shall notify PJM Members of all alerts and the cancellation thereof via the methods described in the PJM Manuals. The alerts shall be issued as soon as practicable to allow PJM Members sufficient time to prepare for such operating conditions. The day-ahead alerts issued by the Office of the Interconnection are for informational purposes only and by themselves will not impact price calculation during the Operating Day.

(d) The Office of the Interconnection shall issue a warning of impending operating reserve shortage and other emergency conditions in real-time to inform members of actual capacity shortages or contingencies that may jeopardize the reliable operation of the PJM bulk power system. Such warnings will generally precede any associated action taken to address the shortage conditions. The Office of the Interconnection shall notify PJM Members of the issuance and cancellation of emergency procedures via the methods described in the PJM Manuals. The warnings that the Office of the Interconnection may issue include, but are not limited to, the Primary Reserve Warning, Voltage Reduction Warning, and Manual Load Dump Warning.

The purpose of the Primary Reserve Warning is to warn members that the available Primary Reserve may be less than the Primary Reserve Requirement. If the Primary Reserve shortage condition was forecasted in both security-constrained economic dispatch solutions as described in Section 2.2(d) above, the Primary Reserve Penalty Factor is incorporated into the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable.

The purpose of the Voltage Reduction Warning is to warn PJM Members that the available Synchronized Reserve may be less than the Synchronized Reserve Requirement and that a voltage reduction may be required. Following the Voltage Reduction Warning, the Office of the Interconnection may issue a Voltage Reduction Action during which it directs PJM Members to initiate a voltage reduction. If the Office of the Interconnection issues a Voltage Reduction Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Voltage Reduction Action has been terminated.

The purpose of the Manual Load Dump Warning is to warn members that dumping load may be necessary to maintain reliability. Following the Manual Load Dump Warning, the Office of the Interconnection may commence a Manual Load Dump Action during which it directs PJM Members to initiate a manual load dump pursuant to the procedures described in the PJM Manuals. If the Office of the Interconnection issues a Manual Load Dump Action for the Reserve Zone or Reserve Sub-Zone the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor are incorporated in the calculation of the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price as applicable. The Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor

will continue to be used in the Synchronized Reserve Market Clearing Price, Non-Synchronized Reserve Market Clearing Price and Locational Marginal Price calculation, as applicable, until the Manual Load Dump Action has been terminated.

Shortage pricing will be terminated in a Reserve Zone or Reserve Sub-Zone when demand and reserve requirements can be fully satisfied with generation and demand response resources and any Voltage Reduction Action and/or Manual Load Dump Action taken for that Reserve Zone or Reserve Sub-Zone has also been terminated.

(e) During the Operating Day, the calculation set forth in (a) shall be performed every five minutes, using the Office of the Interconnection's Locational Marginal Price program, producing a set of Real-time Prices based on system conditions during the preceding interval. The prices produced at five-minute intervals during an hour will be integrated to determine the Real-time Prices for that hour.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

(a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.

(b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.

(d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) tie lines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.

(e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.

(f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

(a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (g) of this section; the amounts, if any, described in subsection (e) of this section; and (iii) the Internal Market Buyer's pro rata share of any performance credits paid to regulating resources calculated in accordance with subsection (f) of this section.

(b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office such that the calculated credit for each increment of Regulation provided by each resource shall be the Regulation market-clearing price.

(c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation zone that shall be calculated in accordance with subsection (f) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.3.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.

(d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(f) The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (f) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capacity Regulation market-clearing price.

(g) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

(h) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

(a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.

(b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:

(i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs

is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).

(ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.

3.2.3 Operating Reserves.

(a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.

(b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy – as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an

Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.

(iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

(c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.

(d) The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such area pursuant to Section 1.12.

(e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy as determined by the Real-time Energy Market and the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b) and less any amounts

credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UB shall not be negative.

(f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG}, or (ii) {(URTLMP – UB) x DAG} where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit, determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the

Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled and operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to {(LMPDMW - AG) x (URTLMP – UB)}, where:

> LMPDMW equals the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;
>
> AG equals the actual hourly integrated output of the unit;
>
> URTLMP equals the real time LMP at the unit's bus;
>
> UB equals the unit offer for that unit for which output is reduced or suspended, determined according to the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule; and
>
> where URTLMP - UB shall not be negative.

In the event the Office of the Interconnection experiences a technical problem or malfunction with its wind forecasting tool that results in an erroneous forecast for a wind resource during a period of time for which the wind resource is eligible for lost opportunity cost, the Office of the Interconnection and the Market Seller will attempt to reach a mutually agreeable forecast value for settlement purposes. If the Office of the Interconnection and the Market Seller do not come to mutual agreement on an acceptable forecast value, the Office of the Interconnection shall utilize the forecast value that it determines is appropriate.

(g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of

this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.

(h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside such region pursuant to Section 1.12.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at interfaces and hubs shall be associated with the Eastern or Western Region if all the buses that define all interfaces or all hubs are located in the region. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

(i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.

(ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of an Operating Reserve shortage in real-time or where PJM initiates

the request for load reductions in real-time in order to avoid an Operating Reserve shortage.

(iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.

(i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

(j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.

(k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are dynamically scheduled to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.

(l) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues an alert that a Maximum Generation Emergency may be declared ("Maximum Generation Emergency Alert"); or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with market-based offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by

Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

(m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

(n) For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 12:00 noon on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than $1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to $1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed $1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of

the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

(i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.

(ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\text{Ramp_Request}_t = (\text{UDStarget}_{t-1} - \text{AOutput}_{t-1}) \Big/ (\text{UDSLAtime}_{t-1})$$

$$\text{RL_Desired}_t = \text{AOutput}_{t-1} + \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1}\right)$$

where:

1. UDStarget = UDS basepoint for the previous UDS case
2. AOutput = Unit's output at case solution time
3. UDSLAtime = UDS look ahead time
4. Case_Eff_time = Time between base point changes
5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramp-limited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its %

off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – Day-Ahead MWh.

- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh – hourly integrated Ramp-Limited Desired MW.

- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh – hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.

- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – UDS LMP Desired MWh.

- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh – Day-Ahead MWh.

- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh and Day-Ahead MWh.

(o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not

follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

(p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

(i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:

(A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.

(B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

(C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.

(ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:

(A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

(B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.

(q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:

(i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

(iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

(iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.

3.2.3A Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone, for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). An Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts if any, described in subsections (g), (h) and (i) of this section.

(b) A Generating Market Buyer supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:

i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price; with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as

calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.

(c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

(d) The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the Synchronized Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Synchronized Reserve Penalty Factor and the Primary Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Primary Reserve Penalty Factor and the Synchronized Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Synchronized Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 2012/2013 Delivery Year;

ii. $400/MWh for the 2013/2014 Delivery Year;

iii. $550/MWh for the 2014/2015 Delivery Year; and

iv. $850/MWh as of the 2015/2016 Delivery Year.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(f) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

(g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.

(h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.

(i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.

(j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled by the owner to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Synchronized Reserve in response to an actual Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Tier 2 Synchronized Reserve during which the event occurred, and the owner of the resource shall incur an additional Synchronized Reserve Obligation in the amount of the shortfall for a period of three consecutive days with the same peak classification (on-peak or off-peak) as the day of the Synchronized Reserve Event at least three business days following the Synchronized Reserve Event. The overall Synchronized Reserve requirement for each Reserve Zone and Reserve Sub-zone of the PJM Region on which the Synchronized Reserve Obligations, except for the additional obligations set forth in this section, are based shall be reduced by the amount of this shortfall for the applicable three-day period.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be

reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

(a) Each Internal Market Buyer that is a Load Serving Entity shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). An Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with paragraph (c) of this section, plus the amounts, if any, described in paragraph (f) of this section.

(b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the operating day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Sub-zone inclusive of opportunity costs associated with meeting the Primary Reserve requirement. When the Primary Reserve requirement in a Reserve Zone or Reserve Sub-zone cannot be met at

a price less than or equal to the Primary Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve will be determined as the Primary Reserve Penalty Factor. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Primary Reserve Penalty Factor for that Reserve Zone or Reserve Sub-zone.

The Primary Reserve Penalty Factors shall each be phased in as described below:

i. $250/MWh for the 2012/2013 Delivery Year;

ii. $400/MWh for the 2013/2014 Delivery Year;

iii. $550/MWh for the 2014/2015 Delivery Year; and

iv. $850/MWh as of the 2015/2016 Delivery Year.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding $1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(e) In determining the credit under subsection (b) to a Generating Market Buyer selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

(f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Internal Market Buyer that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.

(g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and

its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that either has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

(a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.

(b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

(c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:

(i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource’s Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.

(ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

(iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.

(iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

(d) The cost of credits allocated to Day-ahead Scheduling Reserves Resources pursuant to this section shall be charged to Load-Serving Entities in the PJM Region based on load ratio share (net of operating Behind The Meter Generation, but not to be less than zero), provided that a Load-Serving Entity may satisfy its Day-ahead Scheduling Reserves obligation, which is equal to the Day-ahead Scheduling Reserves Requirement multiplied by the Load-Serving Entity's

load ratio share for the PJM Region, through one or any combination of the following: 1) the Day-ahead Scheduling Reserves Market; 2) and bilateral arrangements. The Day-ahead Scheduling Reserve charges allocated pursuant to this section shall reflect any portion of a Load-Serving Entity's Day-ahead Scheduling Reserves obligation that is met by bilateral arrangement(s).

(e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

(a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.

(b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to {(LMPDMW - AG) x (URTLMP - UB)}

where:

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP;

AG equals the actual hourly integrated output of the unit;

URTLMP equals the real time LMP at the unit's bus;

UB equals the unit offer for that unit for which output is reduced or suspended determined according to the real time scheduled offer curve on which the unit was

operating, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UB shall not be negative.

(d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost if either of the following conditions occur:

(i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP – UDALMP) x DAG, or (ii) {(URTLMP – UB) x DAG where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

(e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).

(f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG - LMPDMW) x (UB - URTLMP)}where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

(g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.

(h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

(i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized

Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

(j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).

(k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.

(l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

(m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

(b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of

providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

(c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

(a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors, provided that the Emergency energy is needed to meet demand in the PJM Region.

(b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market

Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

(c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.

(d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

(a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.

(b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

Emergency Operations

PJM will initiate the request for a Load Management event coincident with the declaration of Maximum Emergency Generation and prior to the implementation of Load Management Steps 1 and 2. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) It is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location and/or quantity of load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Participants in the Emergency Load Response Program must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the ***PJM Manual for Emergency Operations***.