



PJM Interconnection, L.L.C.
2750 Monroe Boulevard
Audubon, PA 19403

Chenchao Lu
Associate General Counsel
T: (610) 500-3245 | F: (610) 666-8211
Chenchao.Lu@pjm.com

December 8, 2023

The Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, N.E. Room 1A
Washington, D.C. 20426

*Re: PJM Interconnection L.L.C., Docket No. ER24-98-001
Responses to Deficiency Letter*

Dear Secretary Bose:

PJM Interconnection, L.L.C. (“PJM”) hereby responds to the letter of the Federal Energy Regulatory Commission’s (“Commission”) Office of Energy Market Regulation issued on November 17, 2023¹ seeking additional information concerning PJM’s filing submitted on October 13, 2023 under section 205 of the Federal Power Act.² These responses concern PJM’s October 13 Filing to enhance the rules governing the Market Seller Offer Cap³ by (1) establishing a standardized methodology that can be used to calculate a unit-specific Capacity Performance Quantifiable Risk,⁴ (2) allowing Capacity Market Sellers of resources that will participate in the energy and ancillary service markets, regardless of receiving a capacity commitment, to reflect

¹ *PJM Interconnection, L.L.C.*, Deficiency Letter, Docket No. ER24-98-000 (November 17, 2023) (“Deficiency Letter”).

² *PJM Interconnection, L.L.C.*, Transmittal Letter, Docket No. ER23-98-000 (October 13, 2023) (“October 13 Filing”).

³ For the purpose of this filing, capitalized terms not defined herein shall have the meaning as contained in the Tariff, Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”), or the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region.

⁴ As used in this filing, this term refers to the cost of risk as further described in Tariff, Attachment DD, section 6.8.

their respective cost of risk associated with capacity performance in their capacity market offers, (3) allowing segmented unit-specific offer caps, (4) better aligning the Market Seller Offer Cap rules that may be applied to Planned Generation Capacity Resources with costs they may incur, and (5) providing more flexibility for PJM in approving a unit-specific Market Seller Offer Cap. In addition to these revisions, PJM also proposes in this filing to enhance certain rules related to capacity performance by (1) aligning the eligibility to receive Performance Payments during Performance Assessment Intervals to committed Capacity Resources, (2) clarifying when committed Capacity Resources are excused from Non-Performance Charges, (3) excluding any excused resources from the dominator of the Balancing Ratio, (4) establishing the ability for Market Participants to transfer performance obligations of Capacity Resources before a Performance Assessment Interval, and (5) removing the physical option for FRR Entities that underperform during a Performance Assessment Interval. Finally, through this filing, PJM is also adopting a forward-looking Energy and Ancillary Service (“EAS”) offset for purposes of calculating the Market Seller Offer Cap and Minimum Offer Price Rule (“MOPR”).

PJM appreciates the opportunity to further clarify the proposed revisions to the Open Access Transmission Tariff (“Tariff”) and the Reliability Assurance Agreement (“RAA”).⁵ In considering the additional detail provided in the answers below, PJM urges the Commission to accept the proposed enhancements expeditiously so that the benefits of this proposal can be applied beginning with the next Base Residual Auction currently scheduled to commence on June 12, 2024 without further delay.

⁵ The Tariff is currently located under PJM’s “Intra-PJM Tariffs” eTariff title. *See* PJM Interconnection, L.L.C. - Intra-PJM Tariffs, <https://etariff.ferc.gov/TariffBrowser.aspx?tid=1731>. Terms not otherwise defined herein shall have the same meaning as set forth in the RAA, the Tariff, and the Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”).

I. REQUESTED EFFECTIVE DATE

PJM respectfully renews its request for an effective date of December 12, 2023, for the proposed revisions. Good cause exists to grant PJM's requested effective date. First, the Commission often permits applicants to retain their original requested effective date when a filing is made in good faith to cure a deficiency.⁶ Second, the October 13 Filing provided the required notice as to the timing of the proposed deadlines associated with the proposed enhancements, and this filing gives notice of PJM's desire to retain that date in light of the deficiency letter. As such, no party will be prejudiced by adoption of the originally requested effective date. Third, adoption of the originally requested effective date will allow PJM to begin the transition from the existing capacity market rules in time for the next scheduled Base Residual Auction in June of 2024.

II. ANSWERS TO QUESTIONS IN DEFICIENCY NOTICE

A. Offer Caps

1. PJM proposes to allow sellers to include in their unit-specific offer caps a Capacity Performance Quantifiable Risk ("CPQR") value based on models reviewed by independent third-party entities.⁷ In its transmittal, PJM states that "all CPQR values, including under this alternative approach, must continue to be reviewed by both the Market Monitor and PJM and accepted by PJM as is currently the case."⁸ The proposed Tariff, Attachment DD, section 6.8, however, states that, so long as a seller provides documentation certifying that the CPQR value has undergone independent third party review, such a CPQR value "shall...be considered reasonably supported."⁹ PJM proposes that such reasonable support "shall be sufficient to establish the CQPR."¹⁰ Similarly, PJM proposes to include an option for a seller to calculate a

⁶ See, e.g., *PJM Interconnection, L.L.C.*, 182 FERC ¶ 61,073 (2023) (granting requested effective date following supplemental filing in response to deficiency letter); *Midwest Indep. Transmission Sys. Operator, Inc.*, 105 FERC ¶ 61,076 (2003) (same).

⁷ October 13 Filing at 11-12.

⁸ *Id.* at 12.

⁹ PJM, proposed Tariff, Attach. DD, section 6.8 - Avoidable Cost Definition (3.0.0), section 6.8(a).

¹⁰ *Id.*

CPQR value based on a new standard methodology. The proposed tariff states that CPQR “shall be considered reasonably supported” when based on that formula.¹¹ However, in its transmittal PJM states that, under that option, sell offers from capacity market sellers that are deemed to have market power would “still be reviewed by the Market Monitor and approved by PJM.”¹²

- a. Please clarify whether, per the proposed Tariff language, PJM and/or the Market Monitor will review a CPQR value that has undergone independent third-party review. If so, provide additional details as to what type of review and how submissions will be evaluated.

Answer:

PJM proposed to refine and clarify the existing CPQR provision by adding a sentence to make clear that Capacity Market Sellers may include a CPQR value where sufficient supporting documentation has been provided, including an officer certification that the requested CPQR has been “review[ed] by an independent third party entity with experience in evaluating capacity performance insurance policies to confirm that the proposed valuation of risk is consistent with actuarial practices in the industry.”¹³ Under this proposal, PJM and the Market Monitor would continue to review every CPQR value that is submitted under the unit-specific offer cap process. The addition of this provision is simply intended to clarify documentation that may be used to demonstrate that a requested CPQR was developed in accordance with actuarial practices used in the industry. However, this addition does not alter the opportunity for review of such submittals for reasonableness by the Market Monitor, and ultimately by PJM.

Under the proposed language, Capacity Market Sellers are required to provide supporting documentation, along with an officer certification that the risk model, inputs, and costs of CPQR have been reviewed and confirmed by an “independent third party entity with experience in

¹¹ *Id.*

¹² October 13 Filing at 13.

¹³ Proposed Tariff, Attachment DD, section 6.8(a).

evaluation capacity performance insurance policies.” This proposed provision allows PJM and the Market Monitor to retain their existing and respective roles in reviewing and accepting (or rejecting) a requested CPQR value. Specifically, when a Capacity Market Seller submits a CPQR request, PJM and the Market Monitor would review the supporting documentation – including the requested CPQR value itself – in determining whether to accept or reject the requested value. That is because Capacity Market Sellers that have undergone an independent third-party review will still be required to provide an explanation of the underlying CPQR analysis and assumptions that were used to produce the CPQR value that is submitted, along with evidence that the third-party has thoroughly reviewed such analysis and that such approach is consistent with actuarial practices used in the industry to assess and price the risk. If a requested value is not reasonably supported, PJM could reject such requested CPQR on the grounds that (1) the Capacity Market Seller failed to provide sufficient supporting documentation on the requested value, (2) the independent third party did not conduct a thorough review of the Capacity Market Seller’s CPQR, (3) the entity who agreed that the requested value was consistent with actuarial practices is not actually independent or does not have experience in evaluating capacity performance insurance policies, and/or (4) that the proposed CPQR level is, notwithstanding the opinion of an third party entity, outside the bounds of reasonableness based on similar submittals from other Capacity Market Sellers and information available to PJM after receiving input from the Market Monitor.

In evaluating a requested CPQR value that is based on the Capacity Market Seller’s risk modeling, PJM will review the inputs used by the Capacity Market Seller. For example, PJM will review whether the anticipated number of PAIs used in the Capacity Market Seller’s analysis fall within a range that can be reasonably expected based on PJM’s independent analysis. PJM will also review the resource’s expected performance used in the analysis and compare to its historic

(or class) performance to check for reasonableness, with consideration of any changes that may alter future performance from its historic performance. Further, PJM would compare the financial assumptions provided by a Capacity Market Seller with PJM's own independent analysis, as well as a comparison of other submissions by Capacity Market Sellers of similar resources to determine reasonability. Finally, consistent with the current practice and Tariff requirements, PJM would consider any input provided by the Market Monitor on a requested CPQR value.

In short, the proposed language focuses on providing additional guidance on what would constitute "reasonable support" rather than changing the review process associated with such submittals. The tariff language's focus on what can be submitted to constitute reasonable support is similar to the existing practice where the current language already states that a Capacity Market Seller's CPQR value may be deemed supported if it is based on any "methods or forms of support for its proposed CPQR that shows the CPQR is limited to risks the seller faces from committing a Capacity Resource . . . and that includes supporting documentation (which may include an officer certification) for the identification of such risks and quantification of such costs."¹⁴ The existing language could be interpreted to mean that a CPQR request is reasonably supported whenever a Capacity Market Seller submits an officer certification attesting that a proposed CPQR value is based on a model that shows the CPQR is limited to risks the seller faces from committing a Capacity Resource. Thus, rather than expand the definition of CPQR, PJM's proposed revision simply acts to specify one approach that could be used by a Capacity Market Seller to provide documentary support a CPQR value under the existing Tariff provisions.

Based on the foregoing, PJM's proposed language continues to provide PJM and the

¹⁴ *Id.*

Market Monitor with authority to review a CPQR value even if it has undergone independent third-party review. Notwithstanding, should the Commission believe that additional clarity is needed on this point, PJM would be amendable to revising the proposed Tariff language consistent with PJM's proposal and existing practice. More particularly, PJM could submit a compliance filing, if directed in an order accepting the proposed changes, to amend the language as shown in blackline in place of what was originally proposed:¹⁵

CPQR (Capacity Performance Quantifiable Risk) consists of the quantifiable and reasonably-supported costs of mitigating, *retaining, or otherwise managing* the risks of *Non-Performance Charges* associated with submission of a Capacity Performance Resource offer, such as insurance *quotes or expected* expenses associated with resource non-performance risks. CPQR shall be considered reasonably supported if it is based on actuarial practices generally used by the industry to model or value risk and if it is based on actuarial practices used by the Capacity Market Seller to model or value risk in other aspects of the Capacity Market Seller's business. Such reasonable support shall also include an officer certification that (1) the modeling and valuation of the CPQR was developed in accord with such practices or (2) documentation by an independent third party entity with experience in evaluating capacity performance insurance policies demonstrating that the proposed valuation of risk (including the risk model inputs and costs of CPQR) is consistent with actuarial practices in the industry. Provision of such reasonable support shall be sufficient to establish the CPQR upon acceptance by the Office of the Interconnection. A Capacity Market Seller may use other methods or forms of support for its proposed CPQR that shows the CPQR is limited to risks the seller faces from committing a Capacity Resource hereunder, that quantifies the costs of mitigating such risks, and that includes supporting documentation (which may include an officer certification) for the identification of such risks and quantification of such costs. Such showing shall establish the proposed CPQR upon acceptance by the Office of the Interconnection.

¹⁵ Italicized language below show the pending language that PJM proposed in the October 13 Filing that would remain unchanged if accepted by the Commission.

- b. Please clarify whether PJM would be able to reject a CPQR value reviewed by an independent third-party entity, should PJM find it is not reasonably supported or consistent with the Tariff.

Answer:

Yes, as explained above, PJM retains the right to reject a CPQR value even if it has been reviewed by an independent third-party entity. For instance, PJM may reject a requested CPQR value if the supporting documentation fails to demonstrate that it was completed by an independent third party or if the Capacity Market Seller fails to provide sufficient documentation that demonstrates a thorough review was completed by an independent third party to support the assertion that the Capacity Market Seller's CPQR analysis is consistent with actuarial practices used by industry. Additionally, consistent with existing practice, a Capacity Market Seller's requested CPQR could be rejected as not reasonably supported, notwithstanding the opinion of the third party entity, if PJM determines, with consideration of input from the Market Monitor, that the proposed CPQR level is outside the bounds of reasonableness based on similar submittals from other Capacity Market Sellers.

- c. Please clarify whether the proposed Tariff language provides an opportunity for PJM or the Market Monitor to review a CPQR value calculated under the standard CPQR formula. If so, provide additional details as to what type of review and how submissions will be evaluated.

Answer:

Yes, PJM and the Market Monitor would review the inputs and assumptions used to determine the values used in the formula for calculating the standard CPQR. For example, should a company wish to use a different risk cost, or cost of capital in the formula than the default value used by PJM, such Capacity Market Seller would be expected to provide reasonable support for the use of such alternative value. Likewise, if a Capacity Market Seller wishes to use a confidence interval other than the 95th, the Capacity Market Seller will need to provide sufficient documentation and reasonable support for the use of such alternative value.

- d. PJM’s proposed Tariff states that, for the standard CPQR formula, a seller “may substitute their own estimate of Risk Cost with supporting documentation.”¹⁶ Please provide additional details as to how PJM would evaluate such an estimate.

Answer:

The Commission has previously recognized that “[t]he risk that market sellers face from offering capacity resources under the new capacity market construct requires a complex calculation that depends on the company-specific nature of valuing performance risk and may expand beyond the risk that a resource is subject to Non-Performance Charges in excess of its capacity auction revenue.”¹⁷ As a result, the Commission explained that “the Market Monitor and PJM may not substitute their assessment of costs or risks permitted in the ACR formula for the seller’s unless PJM and the Market Monitor determine the seller has failed to support and justify them.”¹⁸

Therefore, as is the case under the current implementation of the unit-specific offer cap review, Capacity Market Sellers that request a CPQR must substantiate, support, and document the requested value, including any component or input parameters and estimates. PJM would require Capacity Market Sellers that request a different cost of risk to substantiate the cost they provide with supporting documentation. For example, if a Capacity Market Seller requests a cost of risk value based on its own evaluation of the company’s cost of capital, PJM would require such seller to provide documented support for such cost (*e.g.*, SEC Form 10-K, etc.).

Given the complexity and company-specific nature of valuing performance risk, the

¹⁶ PJM, proposed Tariff, Attach. DD, section 6.8 Avoidable Cost Definition (3.0.0), section 6.8(a).

¹⁷ *PJM Interconnection, L.L.C.*, 155 FERC ¶ 61,157, at P 204 (2016) (“Capacity Performance Rehearing Order”).

¹⁸ *Independent Market Monitor for PJM v. PJM Interconnection, L.L.C.*, 178 FERC ¶ 61,121, at P 86 (2022) (“MSOC Rehearing Order”).

Commission previously “decline[d] to provide an exhaustive list of costs that could be included in the CPQR component.”¹⁹ Likewise, consistent with the same rationale, it is also inappropriate to provide an exhaustive list of acceptable documentation that may be used to support the requested cost of risk here. Simply put, it is preferable to avoid being overly prescriptive on acceptable documentation to support a requested CPQR value and avoid ruling out potential documentation that could reasonably support a requested CPQR value.

¹⁹ *Id.* at P 51.

- e. The proposed Tariff modifies the definition of CPQR from costs of “mitigating the risks” of Non-Performance Charges to “mitigating, retaining, or otherwise managing the risks” of Non-Performance Charges. PJM does not discuss this proposed revision in its transmittal letter. Please provide support for this revision.

Answer:

PJM’s proposal to add the term “retaining, or otherwise managing”²⁰ to the existing definition of CPQR simply clarifies that Capacity Market Sellers will be allowed to include costs that are incurred when they mitigate, retain, or otherwise manage the cost of risk of Non-Performance Charges in their capacity offers. This is consistent with the Commission’s previous explanation that CPQR includes “any cost or risk that can be adequately supported by a seller as arising from its need to meet a capacity supply obligation, and is allowable under the Tariff, is acceptable in unit-specific review”²¹ and specifically that the “costs of risk management strategies, in their unit-specific offer cap [are allowable], provided the seller reasonably supports and quantifies such costs.”²² This clarification is appropriate given that “costs of mitigating” may be narrowly read to only refer to risk mitigation measures (*i.e.* risk reduction), and potentially exclude other risk management strategies that are often referred to under different categories such as risk transfer (*e.g.* purchasing insurance and the associated cost of insurance premiums) or risk retention where the seller may self-insure the cost of risk (*i.e.* retain the cost of risk).²³ PJM would implement this provision by requiring a demonstration that the costs specified are directly

²⁰ See Proposed Tariff, Attachment DD, section 6.8(a).

²¹ MSOC Rehearing Order at P 86.

²² MSOC Rehearing Order at P 51.

²³ *Independent Market Monitor for PJM v. PJM Interconnection, L.L.C.*, 176 FERC ¶ 61,137, at P 75 (2021) (clarifying that “sellers can use probabilistic risk modeling to support their unit-specific offers and include expected non-performance penalties in CPQR.”).

connected to “mitigating, retaining, or otherwise managing” the risks of Non-Performance Charges associated with taking on a Capacity Performance obligation.

These proposed clarifications are entirely consistent with the Commission’s prior explanation that CPQR “may include sellers’ quantifiable, reasonably-supported risks attributable to a Capacity Performance obligation.”²⁴ As a result, adding the terms “retaining, or otherwise managing” simply clarifies what is already allowed today based on the Commission’s prior orders. These proposed clarifications do not substantively change the definition of CPQR.

²⁴ *Id.* at P 47.

- f. PJM states that “[w]hile CPQR is the most direct example of a cost that can be avoided by not taking on a capacity commitment, there are others that could also apply.”²⁵ Please clarify how PJM will determine whether a cost is undertaken specifically for a capacity commitment. Please provide examples of other costs that can be avoided by not taking on a capacity commitment.

Answer:

Capacity Market Sellers will be required to provide support for the level or percentage of the different cost components that would be avoided by not taking on a capacity commitment. This is similar to today, where Capacity Market Sellers provide both the total costs of the different cost categories as well as an estimate of the percentage avoidable if such unit were not to operate or take on a capacity commitment for the future year.²⁶ This is also similar to how ISO-NE handles their review of offer caps where sellers must support the going-forward costs that would be avoided by not taking on a capacity obligation when infra-marginal rent is equal to zero.²⁷ For example, a unit that infrequently operates may find it uneconomic to staff their plant twenty four hours a day for seven days a week when only considering net energy and ancillary service revenues, and therefore, would only incur such additional staffing costs if taking on a capacity obligation. This additional cost would be captured in the “avoidable operations and maintenance labor” component of the avoidable cost rate.²⁸

²⁵ October 13 Filing at 22.

²⁶ See Monitoring Analytics, Instructions on Avoidable Cost Rate Template, at 1-2 (2022), https://www.monitoringanalytics.com/tools/docs/IMM_RPM-ACR_Template_Version_14.4_Instructions_20221027.pdf; see also Monitoring Analytics, RPM ACR Template, https://www.monitoringanalytics.com/tools/docs/RPM_ACR_Template_v14.4.xlsx.

²⁷ See ISO-NE FCM Delisting, slide 26 (Feb. 9, 2023), <https://www.iso-ne.com/static-assets/documents/2023/02/20230209-fcm-delisting.pdf>.

²⁸ See Tariff, Attachment DD, section 6.8(a).

Other examples include avoidable fuel availability expenses,²⁹ which reflect avoidable fuel assurance costs that a market seller may only incur if accepting a capacity commitment. This category was specifically added with the Capacity Performance filing to recognize the additional costs that may be incurred for Capacity Market Sellers that wish to firm up their resources to meet Capacity Performance obligations and avoid Non-Performance Charges. Another example is the avoidable project investment recovery rate that a Capacity Market Seller may incur when investing in on-site backup fuel capability that it otherwise would not upgrade absent receiving a capacity commitment.

²⁹ *Id.*

2. PJM states that, for resources for which the Tariff does not contain a default Net CONE value, it is appropriate to “allow the Capacity Market Sellers of such resource to offer the resource into the RPM Auction while allowing the Net CONE of the Reference Resource” to “provide a reasonable estimate for the costs of new entry for this limited group of resources.”³⁰ Please provide an explanation as to why Net CONE for a combined cycle resource would be a reasonable estimate for the costs of these resources.

Answer:

The explanation in the October 13 Filing was made in the context of the market power mitigation framework, where resource class Net CONE values are used as the default level to which new entrant resources are mitigated. While the reference technology Net CONE may not be representative in all contexts of costs of new entry for resources for which the tariff does not contain a default Net CONE, it does provide a reasonable default level to which to mitigate such resources.

Further, there is no evidence that the costs of a competitive new entrant for other resource types that do not have a Tariff-specified default value would be lower than that of the reference technology. Indeed, the question of the relative costs of new entry of a range of resource types was considered in detail in the previous quadrennial review, which found that combined cycle resources had the lowest Net CONE.³¹ Thus, mitigating new resources with no default value to this level is more likely to over-mitigate than under-mitigate; and any over-mitigation is addressed by the Capacity Market Seller requesting a unit-specific offer cap and supporting a higher value. Furthermore, certain newer technologies such as hybrid resources do not have a standard

³⁰ October 13 Filing at 28; *see also* PJM, proposed Tariff, Attach. DD, section 6.5 - Mitigation (3.0.0), section 6.5(a)(ii)(C).

³¹ *See PJM Interconnection, L.L.C.*, Periodic Review of Variable Resource Requirement Curve Shape and Key Parameters, PJM CONE 2026/2027 Report, Docket No. ER22-2984-000 (Sept. 30, 2023).

configuration from which to derive a default value and thus the costs can be highly project-specific making it impractical to establish a default value specific to such technologies.

B. Capacity Performance

3. PJM proposes that “only committed Generation Capacity Resources that outperform their expected performance during a Performance Assessment Interval, up to their *committed level of installed capacity*, are eligible to receive Performance Payments.”³² Similarly, the proposed Tariff states that “Actual Performance shall not exceed the *installed capacity commitment* for the resource.”³³ PJM does not provide proposed definitions for these terms nor are these terms defined in the existing Tariff. However, section 1.2 of Manual 21 defines Installed Capacity as “the summer net capability of a generating unit as determined in accordance with PJM manual M-21, Rules and Procedures for Determination of Generation Capability and within the capacity interconnection right limits of the bus to which it is connected.”³⁴
 - a. Please clarify the meaning of the terms “installed capacity” and “installed capacity commitment” with respect to Tariff, Attachment DD, section 10A, including whether one or both is meant to refer to Installed Capacity as defined in Manual 21 or a different value.

Answer:

Installed capacity commitment and committed level of installed capacity refer to the installed capacity equivalent of the unforced capacity (“UCAP”) commitment. Although related, installed capacity commitment may be different than installed capacity, which is intended to refer to Installed Capacity as defined in Manual 21.³⁵ Less than the entirety of the installed capacity of a resource may, at times, be cleared in an RPM Auction or have a commitment during the Delivery Year.

To provide an example, assume a generator has an installed capacity (“ICAP”) value of 100 MW, and is accredited for 80 MW UCAP, which corresponds to an 80% Accredited UCAP

³² October 13 Filing at 44 (emphasis added).

³³ Proposed Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (13.0.0), section 10A(c) (emphasis added).

³⁴ PJM, *Manual 21: Rules and Procedures for Determination of Generating Capability*, § 1.2 (Installed Capacity (ICAP)) (rev. 18, July 26, 2023), <https://www.pjm.com/~media/documents/manuals/m21.ashx>.

³⁵ See *PJM Interconnection, L.L.C.*, PJM’s Responses to Deficiency Notice, Docket No. ER24-99-001 (Dec. 1, 2023) (describing further detail on the determination of a resource’s installed capacity value).

Factor. Further assume the resource partially clears in the RPM Auctions and is committed for a total of 40 MW UCAP. In this instance, the *installed capacity commitment* and *committed level of installed capacity* is equal to 50 MW ICAP, which is the installed capacity equivalent of the committed UCAP, and calculated by dividing the committed UCAP of 40 MW by the Accredited UCAP Factor of 80%. In this example, the installed capacity commitment of 50 MW is less than the full installed capacity value of 100 MW for the resource.

Further, although these terms are not specifically defined in the existing Tariff, the concept and use of installed capacity commitment is used today in current Tariff provisions and further described in the PJM Manuals. Generally, the provisions that refer to the capacity commitment of a resource either refer to the value in UCAP terms or ICAP terms. For example, the existing provisions in Tariff, Attachment DD, section 7 that describe the assessment of generator rating tests refers to the “...megawatt amount of installed capacity the Market Seller committed...” and “...average of the installed capacity committed for each day...” when assessing testing shortfalls, and PJM Manual 18 further describes this calculation. Another example is the existing language in Tariff, Attachment K – Appendix, section 1.10.1A(d) that describes the energy market must offer obligation of committed capacity resources as “the ICAP equivalent of the Market Seller’s cleared UCAP capacity commitment” PJM’s current “Capacity Exchange” software also allows market participants to view their daily capacity positions in ICAP and UCAP terms, including their committed levels.

- b. PJM proposes to revise Tariff, Attachment DD section 10A(c) to state that PJM will determine a resource's Performance Shortfall "as further detailed in the PJM Manuals." PJM does not discuss this proposal in its transmittal letter. Please support this modification.

There are a number of details involved in the calculation of a resource's Performance Shortfall during a Performance Assessment Interval that are appropriately left to the PJM Manuals and relevant implementation documents outside of the Tariff. For example, PJM provides additional details to Market Participants on the capacity market webpage that describe, *inter alia*, the details of various components that feed into the Performance Shortfall calculation, including the details on how a resource's Actual Performance is adjusted for ancillary service assignments, specifics on the Balancing Ratio calculation and excusals from Non-Performance Charges, and how resource modelling differences across PJM markets is handled.³⁶ By way of illustration, the referenced document provides a section on the calculation of "[e]xcusals due to Security Constrained Economic Dispatch" that details how the Performance Shortfall is adjusted for generation that is not scheduled or scheduled down by PJM, including the description used to determine the amount of excused MW due to economic dispatch, the derivation of inputs used in that equation, as well as an illustrative numerical example.³⁷ As a part of the discussions with stakeholders on capacity market reforms within the critical issue fast path process, there was a desire to include additional implementation details within the PJM Manuals and simply reference the PJM Manual in the Tariff language to those additional implementation details.

Such implementation details are appropriately located outside of the Tariff. To determine whether a provision should be in the Tariff or in the manuals, the Commission applies a "rule of

³⁶ See PJM, Non-Performance Assessment Settlement Summary, <https://www.pjm.com/-/media/markets-ops/rpm/performance-assessment-settlement-summary.ashx>.

³⁷ *Id.*

reason” to determine whether practices affecting rates, terms, or conditions of service must be included in a utility’s tariff and, therefore, filed under FPA section 205.³⁸ Accordingly, “[t]he Commission’s policy, as implemented through the rule of reason, is that only those practices that *significantly* affect rates, terms and conditions fall within the directive of [the FPA].”³⁹ Applying that approach, the Commission understands that “study assumptions and parameters are likely to change over time as planners gain experience in implementing the new planning procedures. Thus, rigid specifications or formulas set out in the Tariff would likely lead to less reliable assessments due to the inability of planners to adapt to changing circumstances.”⁴⁰ Here, leaving numerical examples and other additional implementation details in the PJM Manuals clearly pass the Commission’s rule of reason.

³⁸ See *Preventing Undue Discrimination and Preference in Transmission Service*, Order No. 890, 118 FERC ¶ 61,119, at P 1649 (“The Commission further affirms the use of a ‘rule of reason’ to determine what rules, standards, and practices significantly affect transmission service and, as a result, must be included in the transmission provider’s OATT.”), *order on reh’g*, Order No. 890-A, 121 FERC ¶ 61,297 (2007), *order on reh’g & clarification*, Order No. 890-B, 123 FERC ¶ 61,299 (2008), *order on reh’g & clarification*, Order No. 890-C, 126 FERC ¶ 61,228, *order on clarification*, Order No. 890-D, 129 FERC ¶ 61,126 (2009).

³⁹ *Cal. Indep. Sys. Operator Corp.*, 122 FERC ¶ 61,271, at P 16 (2008) (emphasis added).

⁴⁰ *Sw. Power Pool, Inc.*, 136 FERC ¶ 61,050, at P 37 (2011).

4. In its transmittal letter, PJM states that an offline unit will be included in the performance shortfall calculation unless the unit makes a request to PJM Dispatch to come online and “PJM dispatch *affirmatively denies* that unit’s request to come online.”⁴¹ PJM explains that only resources PJM “affirmatively directs not to come online *due to system constraints or other operational reasons* should be excused from Non-Performance Charges.”⁴²
 - a. PJM’s proposed Tariff revisions, however, do not contain the italicized qualification. Rather, PJM’s proposed Tariff revisions state “a Capacity Resource that is offline during a Performance Assessment Interval shall be included in the calculation of a Performance Shortfall unless the Office of the Interconnection affirmatively denies a request to come online for such resource.”⁴³ Please clarify whether PJM is proposing that offline resources will be excused from Non-Performance Charges if PJM denies their request to come online for any reason, or only for system constraints or other operational reasons.

Answer:

PJM expects that resource owners of requests for offline resources to come online would only be denied for reasons related to system constraints or other operational reasons. Given that there are no other reasons PJM would deny a resource from self-scheduling to come online other than for system constraints or other operational reasons, PJM did not specify these reasons in the Tariff and simply provided this explanation in the filing letter. Notwithstanding, to the extent the Commission deems appropriate, PJM would be amendable to specifying these reasons in the Tariff in a subsequent compliance filing.

⁴¹ October 13 Filing at 36 (emphasis in original).

⁴² *Id.* at 36-37 (emphasis added).

⁴³ Proposed Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (13.0.0), section 10A(d-1).

- b. PJM does not describe how a seller should make the request to come online. Please clarify when a seller would be required to submit the request to come online in order to be excused from Non-Performance Charges.

Answer:

No changes are proposed to resource scheduling, which would be handled in accordance with existing rules. Thus, resource operators may continue to self-schedule or self-commit their resources for operation as they do today. When a resource is scheduled to come online, through self-scheduling or another manner, the current provisions in PJM Manual 14D require that a “[g]enerator must obtain approval from PJM at least 20 minutes prior to synchronizing the facility to, or disconnecting the facility from, the PJM electrical system.”⁴⁴ Resource operators obtain that approval through a phone call to PJM operations where they must notify and request permission for the unit to come online prior to it synchronizing with the PJM system. If a PJM operator directs a resource to not come online, it will be documented in various ways including, depending on the circumstances, SmartLogs (a dispatch logging tool) and/or orally in phone recordings.

⁴⁴See also PJM, *Manual 11: Energy & Ancillary Services Market Operations*, § 2.3.3 (rev. 127, Nov. 15, 2023) (“Generation owners planning to run generation resources scheduled in the Day-ahead Market are required to call the PJM Control Center at least twenty (20) minutes prior to bringing the resource online. Generation owners of self-scheduled generation resources must also provide at least twenty (20) minutes notice.”).

- c. Please clarify whether a seller who requests to self-schedule before the start of a Penalty Assessment Interval (“PAI”), and is denied, would need to request to self-schedule again in order to be excused from Non-Performance Charges. For example, a resource requests to self-schedule for a four-hour period (in either the day-ahead or real-time markets) during which it expects multiple PAIs to occur. PJM subsequently declines their request to self-schedule. In what would have been the third hour of their self-schedule period, PJM's system experiences several PAIs. Is this resource excused from the related Non-Performance Charges?

Answer:

Under PJM’s proposal, a committed Capacity Resource that is offline would be excused from performance obligations during a PAI if a resource operator requests to self-schedule before the start of a PAI and PJM denies such request. This approach would not require resource owners to request to come online every interval to remain excused during the PAI as such an outcome would unduly burden PJM operators and resource operators during a capacity emergency event. Rather, any rejection of a resource operator’s request to come online would excuse the performance of such resource during the PAI until the earlier of (1) the remainder of the Operating Day, (2) when PJM requests the resource to come online, or (3) if applicable, the time that PJM permits the resource to come online when denying a request to come online. After the end of the Operating Day, the resource would no longer be excused from performance and would be expected to perform for any additional PAIs unless PJM again denies the resource owner’s request to self-schedule in the next Operating Day. Excusing resources that are denied to come online through the end of the Operating Day provides an appropriate balance between having resource operators calling PJM to self-schedule every five minutes while providing a reasonable limit for the length of such excusal absent further directive from PJM for the resource to come online prior to the end of the Operating Day. PJM intends to document these additional implementation details in the relevant PJM manuals.

5. PJM's existing Tariff states that, for the 2024/2025 delivery year, a resource shall be considered in the calculation of a Performance Shortfall for a Performance Assessment Interval if the resource is otherwise needed and would have been scheduled, but was not, due solely to "the seller's submission of a market-based offer higher than its cost-based."⁴⁵ PJM proposes to revise Tariff, Attachment DD section 10A(d-1) to eliminate this requirement.⁴⁶ While PJM states that it does not consider the cost-based offer when dispatching a resource if the seller does not have market power,⁴⁷ the existing Tariff language was not limited to sellers with market power.⁴⁸ Please provide additional information regarding why PJM is proposing to eliminate the requirement that a Performance Shortfall for a Performance Assessment Interval applies if "the seller's submission of a market-based offer higher than its cost-based."

Answer:

In October 13 Filing, PJM proposed to remove the exception to the excusal under which resources, or portions thereof, that PJM did not schedule solely due to their market-based offer being higher than their cost-based offer,⁴⁹ as "it would be inappropriate to penalize a Capacity Market Seller when it does not have market power" and has not been mitigated down to their cost-based offer.⁵⁰ A resource that *has not* failed the three pivotal supplier test is not considered to have market power in the energy market. Thus, only resources of Market Sellers that fail the three pivotal supplier test will be offer-capped.⁵¹ Indeed, only resources that have failed the Tariff-stated test for market power in the energy market—the three pivotal supplier test—are presumed

⁴⁵ Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (12.0.0), section 10A(d).

⁴⁶ October 13 Filing at 36; Proposed Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (13.0.0), section 10A(d-1).

⁴⁷ October 13 Filing at 36.

⁴⁸ Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (12.0.0), section 10A(d).

⁴⁹ Proposed Tariff, Attachment DD, section 10A(d-1).

⁵⁰ October 13 Filing at 36.

⁵¹ See Operating Agreement, Schedule 1, section 6.4.1(f)(iii) ("Offer price caps will apply on a generation supplier basis (i.e. not a generating unit by generating unit basis) and only the generation suppliers that fail the three pivotal supplier test with respect to any hour in the relevant period will have their units that are dispatched with respect to the constraint offer capped. . . . A generation supplier's units, including self-scheduled units, are offer capped if, when combined with the two largest other generation suppliers, the generation supplier is pivotal.").

to have market power and are subject to scheduling on their cost-based offers. Consequently, unless a Market Seller fails the market power test stated in the Tariff, PJM would not even be able to consider the cost-based offer in committing and dispatching a resource.⁵² As a result, a resource of a Market Seller that is not considered to have market power and is committed and dispatched on its market-based offer should not be assessed a Non-Performance Charge if it did not operate at MW levels associated with its cost-based offer. PJM was not permitted to commit or dispatch the resource on the cost-based offer, so penalizing such a resource after the fact simply because its cost-based offer may have been cheaper than its market-based offer is inappropriate when the Market Seller is compliant with PJM's energy market rules.⁵³

Furthermore, assessing Non-Performance Charges based on an offer on which the resource was not committed and is not being dispatched can create a perverse incentive to deviate operationally from dispatch instructions that a resource receives from PJM during PAIs. If the level of Non-Performance Charge the resource faces by operating on the schedule on which it was committed and is being dispatched exceeds the profits it stands to collect by operating as directed by PJM, it has the incentive to deviate. Given that such an incentive would be detrimental to reliability, the proposed approach eliminates the incentive to deviate from PJM dispatch instructions.

⁵² Tariff, Attachment K-Appendix, section 6.6(a).

⁵³ This is not to say that PJM's existing approach is unjust and unreasonable. Rather, PJM is exercising its rights under FPA section 205 to revise its Tariff and implement another just and reasonable approach. It is well understood that there may be multiple just and reasonable approaches, and under section 205, the Commission must only evaluate whether the proposal is just and reasonable. *See Neb. Pub. Power Dist. v. FERC*, 957 F.3d 932, 943 (8th Cir. 2020) (recognizing that "courts have made it clear that FERC 'restricts itself to evaluating the confined proposal'" and "[t]herefore, FERC 'need only find the *proposed* rates to be just and reasonable'") (citations omitted); *Cities of Bethany v. FERC*, 727 F.2d 1131, 1136 (D.C. Cir. 1984) (finding that, in determining whether a rate was just and reasonable, the Commission properly did not consider "whether a proposed rate schedule is more or less reasonable than alternative rate designs").

6. In its transmittal letter, PJM states that it proposes “to cap the actual performance for Demand Resources, Price Responsive Demand, and Energy Efficiency Resources to the installed capacity commitment for such resources.”⁵⁴ PJM further explains that this change would “effectively preclude Demand Resources, Price Responsive Demand, and Energy Efficiency Resources from being eligible to receive Performance Payments, regardless of whether such resources have a capacity commitment.”⁵⁵ Please explain how such changes would “effectively preclude” such resources “from being eligible to receive Performance Payments.”⁵⁶ Please also explain whether such changes would also “effectively preclude” such resources from being assessed Non-Performance Charges.

Answer:

Demand Resources, Price Responsive Demand, and Energy Efficiency Resources are expected to perform at committed ICAP⁵⁷ under both the existing rules and PJM’s proposed revisions. However, under PJM’s instant proposal, any performance above committed ICAP would not be considered towards “Actual Performance” for the purpose of bonus eligibility for any resource. The combination of these two design elements result in these resources being unable to over-perform their Expected Performance level. That is, the performance considered in the assessment is limited to no more than the ICAP MW quantity that has accepted a capacity obligation so these resources would therefore be ineligible for bonus performance payments.

Focusing on Demand Resources, and as previously more fully described in the Graf affidavit, there are two ways that Demand Resources could be eligible for a bonus payment under

⁵⁴ October 13 Filing at 44 (citing Proposed Tariff, Attach. DD, section 10A - Charges for Non-Performance and Credits for Performance (13.0.0), section 10A(c)).

⁵⁵ *Id.*

⁵⁶ *Id.*

⁵⁷ The current provisions of the Tariff, Attachment DD, section 10A(c) set the Expected Performance of these resource types as either the “total megawatts of capacity committed...without making adjustment for the Forecast Pool Requirement” or the “Nominal PRD Value committed,” both of which describe the level of committed ICAP for these resource types.

the current Capacity Performance construct: (1) performance of uncommitted capacity, and (2) performance of committed capacity at committed level when the balancing ratio is below one.

Regarding the first point, bonus compensation for performance of all uncommitted resources is proposed to be eliminated for all resources. A Demand Resource only commits to reducing load to the firm service level (“FSL”) and is accredited for the value of this reduction. Any reduction below FSL would be uncommitted capacity as the underlying load did not accept a capacity commitment for such reduction.

With respect to the second point, under the status quo, Demand Resources are already ineligible for bonus compensation for performance above UCAP times Balancing Ratio. For Demand Resources, “Expected Performance,” or the level against which performance is assessed for the purposes of PAI settlements, is set at ICAP (rather than UCAP multiplied by the Balancing Ratio) and PJM does not propose to change this. The rationale for this design choice is that the commitment that Demand Resources take on is to reduce load to the Firm Service Level (“FSL”), not, like Generation Capacity Resources, to provide output up to a certain level. The expected resource adequacy value of such reduction to FSL is assessed in the accreditation and risk analysis, where the load available to curtail is modeled as scaling proportionally with the level of system load. The balancing ratio falling below one during a Performance Assessment Interval corresponds to an event when system load was below the total amount of capacity procured. Because Demand Resource load is modeled as scaling proportionally with system load, the load underlying the Demand Resource would be expected to naturally fall below such load’s peak load contribution during the event. When such a resource curtails load to FSL, the amount of curtailment value actually provided is not equal to UCAP but rather is expected to equal UCAP

times the balancing ratio. Thus, because the Demand Response resource is providing value exactly equal to that which was assumed during accreditation, there is no over-performance to compensate.

The proposed changes would not preclude Demand Resources from being assessed Non-Performance Charges. Demand Resources can under-perform their level of Expected Performance as any other resource. In fact, because *perfect* performance is assumed in the accreditation of Demand Response resources (as described above, 100% ability to reduce load to FSL during the performance window regardless of the level at which that load is consuming), any inability to reduce load to FSL would represent actual under-performance of the committed capacity resource and would be appropriately assessed a Non-Performance Charge.

The changes proposed would also not preclude Price Responsive Demand or Energy Efficiency Resources from being assessed Non-Performance Charges. Similar to Demand Resources, any inability to reduce load to FSL for Price Responsive Demand would represent actual under-performance of the committed capacity and would be appropriately assessed a Non-Performance Charge. For Energy Efficiency Resources, the calculation of Actual Performance is based on the load reduction quantity approved by PJM subsequent to the pre-delivery year submittal of a post-installation measurement and verification report, and therefore would only be subject to a Non-Performance Charge if such load reduction quantity that was approved by PJM fell below the level of committed capacity, in which case, again, it would be appropriate for a non-performance charge to be assessed.

C. Other Issues

7. According to the Commission's regulations, 18 C.F.R. part 35(b), filings to modify rates must include (1) a brief description of the rate change and (2) a statement of the reasons for the rate change. PJM states it proposes a number of clerical and ministerial changes in this filing to account for capacity rules that are no longer applicable or filings with overlapping eTariff records.⁵⁸ PJM, however, does not identify which of the proposed changes are being made for this purpose. Please identify which changes are meant to be clerical, ministerial, or non-substantive and the specific reason for each change.

Answer:

Tariff, Attachment DD, section 4.5 – PJM is cleaning up this provision to remove the reference to “Capacity Performance Transition Incremental Auction” given that this is no longer applicable and was originally included as a transition when Capacity Performance was first adopted. This ministerial update is reflected in blackline below:

The following information submitted to the Office of the Interconnection in connection with any Base Residual Auction, Incremental Auction, or Reliability Backstop Auction, ~~or Capacity Performance Transition Incremental Auction~~ shall be deemed confidential information for purposes of Operating Agreement, section 18.17, Tariff, Attachment M and Tariff, Attachment M - Appendix: (i) the terms and conditions of the Sell Offers and Buy Bids; and (ii) the terms and conditions of any bilateral transactions for Capacity Resources.

Tariff, Attachment DD, section 5.14(c)(3) – PJM is proposing a ministerial update in this section to remove the reference to Short Term Resource Procurement Target given that this term is no longer applicable. Specifically, the definition of “Short-Term Resource Procurement Target” specifies that this term sunset as of May 31, 2018. Accordingly, PJM is proposing to remove this reference in Tariff, Attachment DD, section 5.14(c)(3) as shown in blackline below:

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement;

⁵⁸ October 13 Filing at 62.

~~minus the Short Term Resource Procurement Target~~, to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE, divided by (one minus the pool-wide average EFORd).

Tariff, Attachment DD, section 5.14(c)(8) – PJM is proposing to remove Tariff, Attachment DD, section 5.14(c)(8) in its entirety given that this provision was a requirement to file a supplement or replacement of the New Entry Price Adjustment prior to August 1, 2012. This provision is now obsolete and can be removed from the Tariff in its entirety.

Tariff, Attachment DD, sections 5.14(f)(i) and 5.14(f)(ii) – PJM is proposing a ministerial clean up to remove references to adjustments to account for adders paid to Annual Resources and Extended Summer Demand Resources given that all capacity is now an annual product so there is no adder paid to Annual Resources and Extended Summer Demand Resource was phased out as of May 31, 2018 pursuant to the definition of Extended Summer Demand Resource in the RAA.

Based on the foregoing, PJM proposes the following revisions, as shown in blackline below:

- i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; ~~3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located;~~ 4) an adjustment, if required, to account for Resource Make-Whole Payments; and ~~(54)~~ 5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits, all as determined in accordance with the optimization algorithm.
- ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as

replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) ~~an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity);~~ (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity); and ~~(5)~~ an adjustment, if required to provide sufficient revenue for payment of any PRD Credits. The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

Tariff, Attachment DD, section 6.7(c) – PJM is proposing to remove the language and accompanying tables regarding the default retirement and mothball Avoidable Cost Rates given that the default Market Seller Offer Cap values applicable for all Existing Generation Capacity Resources are now specified and updated in Tariff, Attachment DD, section 6.4. Therefore, the provisions regarding the default retirement and mothball Avoidable Cost Rates are now obsolete and should be stricken from the Tariff.

Tariff, Attachment DD, section 10A(a) – PJM is proposing references to various Delivery Years in this section given that the transition to Capacity Performance no longer applies. Specifically, PJM proposes the following edits, as shown in blackline below:

(a) ~~For the 2018/2019 Delivery Year and any subsequent Delivery Year (and for certain purposes for the 2016/2017 and 2017/2018 Delivery Years as provided in subsections (h) and (i) hereof),~~ Each Capacity Market Seller that commits a Capacity Resource for a Delivery Year (whether through an RPM Auction, a bilateral transaction, or as Locational UCAP), each Locational UCAP Seller that sells Locational UCAP from a Capacity Resource for a Delivery Year, ~~and for the 2022/2023 Delivery Year and subsequent Delivery Years~~ each PRD Provider that commits Price Responsive Demand for a Delivery Year, shall be charged to the extent the performance of each of its committed Capacity Resources or Price Responsive Demand during all or any part of a clock-hour when an Emergency Action is in effect falls short of the expected performance of such resources

Tariff, Attachment DD, section 10A(c) – PJM is proposing to update the term Performance Assessment Hour to Performance Assessment Intervals. Additionally, PJM is removing language

in the Expected Performance and Balancing Ratio sections that pertains the performance of external Generation Capacity Resources being assessed only during Performance Assessment Hours for Emergency Actions declared for the entire PJM Region given that this rule only applied through the 2019/2020 Delivery Year and is now obsolete. Therefore, PJM proposes to update the Expected Performance, Balancing Ratio, and Performance Shortfall descriptions in this section to remove the references to external Generation Capacity Resources being assessed only for Emergency Actions declared for the entire PJM Region. Finally, PJM is removing the language that performance of resources that are partially committed as Capacity Performance and partially committed as Base Capacity Resource being first attributed to the resource's Capacity Performance Resource obligation in this subsection given that Base Capacity Resource no longer exists.

Tariff, Attachment DD, section 10A(f) – PJM is proposing to remove the reference to Base Capacity Resource in this section given that this product no longer exists.

Tariff, Attachment DD, section 10A(h) – PJM is proposing to remove this section in its entirety given that these provisions applied only during the 2016/2017 and 2017/2018 Delivery Years and are now obsolete.

RAA, Schedule 8.1, sections C(1) and G(2)– PJM is proposing to remove the references to Base Capacity Resource in this section given that this product no longer exists.

8. PJM states that, with respect to the energy and ancillary services offset, it “proposes the same approach for determining the net EAS for the Market Seller Offer Cap and the MOPR (with minor updates to certain values) as the Commission has twice accepted for [determining] the net EAS used in the VRR Curve.”⁵⁹ PJM’s proposed language, however, differs from that directed by the Commission in the cited orders. Specifically, the Commission directed PJM to modify the Tariff, Attachment DD, section 5.14(h-1)(2)(B)(ii) as follows:

(g) for nuclear resource type: ~~anticipated refueling schedule~~ an average equivalent availability factor of all PJM nuclear resources to account for refueling outages;⁶⁰

Please explain whether PJM is proposing the same approach previously accepted by the Commission, or a different approach. If the latter, please support the proposed language.

Answer:

PJM is proposing the same approach previously accepted by the Commission for determining the net EAS for the Market Seller Offer Cap and the MOPR. The proposed Tariff redlines inadvertently reflected a prior version and should be corrected. Accordingly, PJM is submitting corrected Tariff sheets to reflect PJM’s proposal as described in the October 13 Filing.

⁵⁹ October 13 Filing at 58 (citing *PJM Interconnection, L.L.C.*, 182 FERC ¶ 61,073 (2023); *PJM Interconnection, L.L.C.*, 173 FERC ¶ 61,134 (2020)).

⁶⁰ *PJM Interconnection, L.L.C.*, 173 FERC ¶ 61,134 (2020).

9. Proposed Tariff Attachment DD section 5.14(h-2)(3)(B)(ii) states, in part:

(ii) Effective with the 2025/2026 Delivery Year and subsequent Delivery Years, the net energy and ancillary services revenue is equal to forecasted net revenues which shall be determined in accordance with the applicable resource type net energy and ancillary services revenue determination methodology set forth in Tariff, Attachment DD, section 5.14(h-2)(2)(A)(ix) through (xvi)...

However, 5.14(h-2)(2)(A) pertains to Conditioned State Support. Please clarify whether that reference is correct or if it should reference Tariff, Attachment DD, section 5.14(h-2)(3)(A)(ix) through (xvi).

Answer:

The proposed Tariff redlines inadvertently referenced the wrong subdivision for determining net energy and ancillary service revenues. As the Commission correctly notes, the reference should be Tariff, Attachment DD, section 5.14(h-2)(3)(A)(ix) through (xvi). Accordingly, PJM is submitting updated Tariff sheets as part of this response to correct this ministerial oversight.

10. Proposed Tariff Attachment DD, section 6.4(a) contains a reference to Tariff Attachment DD, section 6.8(d) in the first paragraph. The currently effective Tariff references 6.8(d-1). Please clarify whether PJM intends to change this reference.

Answer:

The reference to Tariff, Attachment DD, section 6.8(d) should be updated for the 2025/2026 Delivery Year and subsequent Delivery Years to Tariff, Attachment DD, section 6.8(d-1). However, the existing reference to Tariff, Attachment DD, section 6.8(d) should remain in place for the 2024/2025 Delivery Year given that the Third Incremental Auction for this Delivery Year has not yet been conducted and should remain based on a historical looking energy and ancillary service revenue for consistency in the same Delivery Year. PJM is submitting corrected Tariff sheets as part of this answer to reflect PJM's proposal as described in the October 13 Filing.

III. MINISTERIAL CORRECTIONS

As noted in PJM's answer to the Commission's deficiency letter in Docket No. ER24-99-001, the proposed revisions in RAA, Schedule 6, section K, and the parallel provisions of the Tariff, Attachment DD-1, section K contained a conforming change associated with the proposed update to bonus eligibility during PAIs and should have been included in this Docket No. ER24-98-000.⁶¹ Specifically, in ER24-99-000, PJM proposed language that specifies Demand Resources would only be eligible for Bonus Performance prior to the 2025/2026 Delivery Year. Those revisions, however, should have been included in this Docket No. ER24-98-000. To remedy the inadvertent redline omission in this docket, PJM is updating RAA, Schedule 6, section K, and the parallel provisions of the Tariff, Attachment DD-1, section K as part of this filing so that the proposed redlines properly reflect the proposed rule that Demand Resources are only eligible for Bonus Performance prior to the 2025/2026 Delivery Year, consistent with proposed changes detailed in the October 13 Filing.⁶²

In addition to including this update, PJM is also correcting the redlines previously proposed in the October 13 Filing within Tariff, Attachment DD, section 5.14(h-2)(3)(B)(ii). Specifically, the redlines in this section contained a reference to Cleared Capacity Resources with State Subsidy and an incorrect reference to the unit-specific exception section in the last paragraph of this subsection. PJM is updating these references to correct the terminology and citation referenced in this last paragraph.⁶³

⁶¹ See *PJM Interconnection, L.L.C.*, Responses to Deficiency Letter – Capacity Market Reforms to Accommodate the Energy Transition, Docket No. ER24-99-001, at 46 (Dec. 1, 2023) (Answer to Question 14).

⁶² October 13 Filing at 50-54.

⁶³ See proposed Tariff, Attachment DD, section 5.14(h-2)(3)(B)(ii).

These ministerial corrections do not change the substance of what PJM proposed in the October 13 Filing. Nevertheless, to the extent deemed necessary, PJM requests a waiver of the Commission's 60-days' notice requirement to allow for the proposed capacity market reforms in this docket to become effective on December 12, 2023 (*i.e.*, 4 days after the date of this filing). The Commission may allow changes to take effect without requiring the sixty days' notice for good cause.⁶⁴ Here, good cause exists for the Commission to allow the proposed changes to become effective December 12, 2023 given that these clerical revisions to the Tariff and RAA, along with those redlines related to questions 8, 9, and 10 above, are ministerial in nature and/or are consistent with PJM's description of the proposed updates in the October 13 Filing. Therefore, notice of the proposed revisions were already provided in the October 13 Filings and further notice clarifying these updates is provided as part of this filing in advance of the requested effective date. Additionally, the December 12, 2023 deadline to submit a binding notice of intent to offer for the 2025/2026 Base Residual Auction (which is part PJM's proposal in Docket No. ER24-99-000) is necessary to allow adequate time to model such Planned Generation Capacity Resources in the ELCC model and reserve requirement study. PJM must run this analysis and post the results in advance of the Base Residual Auction, and therefore, PJM must start the analysis by the end of each calendar year.

⁶⁴ *Consol. Edison Co. of N.Y., Inc. v. FERC*, 347 F.3d 964, 969 (DC Cir. 2003) (quoting FPA, section 205(d)).

IV. CORRESPONDENCE AND COMMUNICATIONS

Correspondence and communications regarding this filing should be sent to the following individuals:

Craig Glazer
Vice President–Federal Gov’t Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W.
Suite 600
Washington, D.C. 20005
(202) 423-4743
Craig.Glazer@pjm.com

Chenchao Lu
Associate General Counsel
PJM Interconnection, L.L.C.
2750 Monroe Boulevard
Audubon, PA 19403
(610) 666-2255
Chenchao.Lu@pjm.com

V. SERVICE

PJM has served a copy of this filing on all PJM members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. In accordance with the Commission’s regulations,⁶⁵ PJM will post a copy of this filing to the Commission filings section of its internet site, located at the following link: <https://www.pjm.com/library/filing-order.aspx> with a specific link to the newly-filed document, and will send an e-mail on the same date as this filing to all PJM members and all state utility regulatory commissions in the PJM Region⁶⁶ alerting them that this filing has been made by PJM and is available by following such link. PJM also serves the parties listed on the Commission’s official service list for this docket. If the document is not immediately available by using the referenced link, the document will be available through the referenced link within 24 hours of the filing. Also, a copy of this filing will be available on the Commission’s eLibrary website located at the following link: <https://elibrary.ferc.gov/eLibrary/search> in accordance with the Commission’s regulations and

⁶⁵ See 18 C.F.R. §§ 35.2(e) and 385.2010(f)(3).

⁶⁶ PJM already maintains, updates, and regularly uses e-mail lists for all PJM members and affected state commissions.

Order No. 714. PJM also served this on each person designated on the official service list maintained by the Commission for this proceeding.

VI. CONCLUSION

Wherefore, PJM requests that the Commission accept this response to the Commission's deficiency letter.

Craig Glazer
Vice President – Federal Government Policy
PJM Interconnection, L.L.C.
1200 G Street, N.W.
Suite 600
Washington, D.C. 20005
(202) 423-4743
Craig.Glazer@pjm.com

Respectfully submitted,

/s/ Chenchao Lu
Chenchao Lu
Associate General Counsel
PJM Interconnection, L.L.C.
2750 Monroe Boulevard
Audubon, PA 19403
(610) 666-2255
Chenchao.Lu@pjm.com

On behalf of
PJM Interconnection, L.L.C.

CERTIFICATE OF SERVICE

I hereby certify that I have this day served the foregoing document on those parties on the official Service List compiled by the Secretary in these proceedings.

Dated at Audubon, Pennsylvania this 8th day of December, 2023.

/s/ Chenchao Lu
Chenchao Lu
Associate General Counsel
PJM Interconnection, L.L.C.
2750 Monroe Boulevard
Audubon, PA 19403
(610) 666-2255
Chenchao.Lu@pjm.com

Attachment A

Revisions to the PJM

Open Access Transmission Tariff and Reliability Assurance Agreement

(Marked/Redline Format)

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the marginal value of system capacity for the PJM Region, without considering locational constraints, adjusted as necessary by any applicable Locational Price Adders, Annual Resource Price Adders, Extended Summer Resource Price Adders, Limited Resource Price Decrements, Sub-Annual Resource Price Decrements, Base Capacity Demand Resource Price Decrements, and Base Capacity Resource Price Decrements, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

The Locational Price Adder applicable to each cleared Seasonal Capacity Performance Resource is determined during the post-processing of the RPM Auction results consistent with the manner in which the auction clearing algorithm recognizes the contribution of Seasonal Capacity Performance Resource Sell Offers in satisfying an LDA's reliability requirement. For each LDA with a positive Locational Price Adder with respect to the immediate higher level LDA, starting with the lowest level constrained LDAs and moving up, PJM determines the quantity of equally matched Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources located and cleared within that LDA. Up to this quantity, the cleared Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources with the lowest Sell Offer prices will be compensated using the highest Locational Price Adder applicable to such LDA; and any remaining Seasonal Capacity Performance Resources cleared within the LDA are effectively moved to the next higher level constrained LDA, where they are considered in a similar manner for compensation.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. If the Sell Offer price of a cleared Seasonal Capacity Performance Resource exceeds the applicable Capacity Resource Clearing Price, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the difference between the Sell Offer price and Capacity Resource Clearing Price in such RPM Auction. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole Payments required

in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource. When the Capacity Market Seller provides notice of such election, it must specify whether its Sell Offer is contingent upon qualifying for the New Entry Price Adjustment. The Office of the Interconnection shall not clear such contingent Sell Offer if it does not qualify for the New Entry Price Adjustment.

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement, ~~minus the Short Term Resource Procurement Target,~~ to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE₂ divided by (one minus the pool-wide average EFORD).

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with Tariff, Attachment DD, section 5.12(a) and section 5.14(a) above.

- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b) above; or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in Tariff, Attachment DD, section 5.12(a), and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) above that is entitled to compensation pursuant to section 5.14(b) above; and
- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) above shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with section 5.14(b) above. Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in section 5.14(a) above.

6. The failure to submit a Sell Offer consistent with section 5.14(c)(i)-(iii) above in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) above in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Tariff, Attachment DD, section 5.10(a)(ii).

~~8. On or before August 1, 2012, PJM shall file with FERC under FPA section 205, as determined necessary by PJM following a stakeholder process, tariff changes to establish a long-term auction process as a not unduly discriminatory means to provide adequate long-term revenue assurances to support new entry, as a supplement to or replacement of this New Entry Price Adjustment.~~

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under Tariff, Attachment DD, section 5.15, as set forth in that section. PJMSettlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets and other adjustments as described in Tariff, Attachment DD, section 5.14B, Tariff, Attachment DD, section 5.14C, Tariff, Attachment DD, section 5.14D, Tariff, Attachment DD, section 5.14E and Tariff, Attachment DD, section 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; ~~3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources in the LDA for which the zone is located;~~ 43) an adjustment, if required, to account for Resource Make-Whole Payments; and ~~(54)~~ an adjustment, if required to provide sufficient revenue for payment of any PRD Credits, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year

(excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); ~~(3) an adjustment, if required, to account for adders paid to Annual Resources and Extended Summer Demand Resources for all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity);~~ (4) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity); and (5) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits. The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall calculate and post the Final Zonal Capacity Price for each Delivery Year after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted to reflect any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain New Generation Capacity Resources that are not Capacity Resources with State Subsidy for up to the 2022/2023 Delivery Year.

(1) The provisions of this section 5.14(h) shall not be effective after the 2022/2023 Delivery Year. For purposes of this section, the Net Asset Class Costs of New Entry shall be asset-class estimates of competitive, cost-based nominal levelized Cost of New Entry, net of energy and ancillary service revenues. Determination of the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be consistent with the methodology used to determine the Cost of New Entry set forth in Tariff, Attachment DD, section 5.10(a)(iv)(A) of this Attachment. This section only applies to new Generation Capacity Resources that do not receive or are not entitled to receive a State Subsidy, meaning that such resources are not Capacity Resources with State Subsidy. To the extent a new Generation Capacity Resource is a Capacity Resource with State Subsidy, then the provisions in Tariff, Attachment DD, section 5.14(h-1) apply.

The gross Cost of New Entry component of Net Asset Class Cost of New Entry shall be, for purposes of the 2018/2019 Delivery Year and subsequent Delivery Years, the values indicated in the table below for each CONE Area for a combustion turbine generator (“CT”), and a combined cycle generator (“CC”) respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(2) below. For purposes of Incremental Auctions for the 2015/2016, 2016/2017 and 2017/2018 Delivery Years, the MOPR Floor Offer Price shall be the

same as that used in the Base Residual Auction for such Delivery Year. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3) below. Notwithstanding the foregoing, the Net Asset Class Cost of New Entry shall be zero for: (i) Sell Offers based on nuclear, coal or Integrated Gasification Combined Cycle facilities; or (ii) Sell Offers based on hydroelectric, wind, or solar facilities.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4
CT \$/MW-yr	132,200	130,300	128,990	130,300
CC \$/MW-yr	185,700	176,000	172,600	179,400

(2) The gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs in the same manner as set forth for the cost of new entry in Tariff, Attachment DD, section 5.10(a)(iv)(B), provided, however, that the Applicable BLS Composite Index used for CC plants shall be calculated from the three indices referenced in that section but weighted 25% for the wages index, 60% for the construction materials index, and 15% for the turbines index, and provided further that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

(3) For the 2022/2023 Delivery Year, for purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by Tariff, Attachment DD, section 5.10(a)(v-1)(A), provided that the energy and ancillary services revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.501 MMbtu/MWh, the variable operations and maintenance expenses for such resource shall be \$2.11 per MWh, a 10% adder will not be included in the energy offer, and the reactive service revenues shall be \$3,350 per MW-year.

(4) Any Sell Offer that is based on either (i) or (ii), and (iii):

i) a Generation Capacity Resource located in the PJM Region that is submitted in an RPM Auction for a Delivery Year unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM auction for that or any subsequent Delivery Year; or

ii) a Generation Capacity Resource located outside the PJM Region (where such Sell Offer is based solely on such resource) that requires sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region, unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM Auction for that or any subsequent Delivery Year;

iii) in any LDA for which a separate VRR Curve is established for use in the Base Residual Auction for the Delivery Year relevant to the RPM Auction in which such offer is submitted, and that is less than 90 percent of the applicable Net Asset Class Cost of New Entry or, if there is no applicable Net Asset Class Cost of New Entry, less than 70 percent of the Net Asset Class Cost of New Entry for a combustion turbine generator as provided in subsection (h)(1) above shall be set to equal 90 percent of the applicable Net Asset Class Cost of New Entry (or set equal to 70 percent of such cost for a combustion turbine, where there is no otherwise applicable net asset class figure), unless the Capacity Market Seller obtains the prior determination from the Office of the Interconnection described in subsection (5) hereof. This provision applies to Sell Offers submitted in Incremental Auctions conducted after December 19, 2011, provided that the Net Asset Class Cost of New Entry values for any such Incremental Auctions for the 2012-13 or 2013-14 Delivery Years shall be the Net Asset Class Cost of New Entry values posted by the Office of the Interconnection for the Base Residual Auction for the 2014-15 Delivery Year.

(5) Unit-Specific Exception. A Sell Offer meeting the criteria in subsection (4) shall be permitted and shall not be re-set to the price level specified in that subsection if the Capacity Market Seller obtains a determination from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets. The following process and requirements shall apply to requests for such determinations:

i) The Capacity Market Seller may request such a determination by no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer, by submitting simultaneously to the Office of the Interconnection and the Market Monitoring Unit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a preliminary estimate for the relevant Delivery Year of the minimum offer level expected to be established under subsection (4). If the minimum offer level subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the planned generation resource, as well as estimates of offsetting net revenues, or, sufficient data for the Office of the Interconnection and the Market Monitoring Unit to produce such an estimate. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and

administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller's reasonably expected costs of new entry and that the request satisfies all standards for an exception hereunder.

The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above.

For the 2022/2023 Delivery Year, in making such demonstration, the Capacity Market Seller may rely upon revenues projected by well defined, forward-looking dispatch models, designed to generally follow the rules and processes of PJM's energy and ancillary services markets. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of variable operation and maintenance costs, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors and ancillary service capabilities.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices, and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, and plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

iii) A Sell Offer evaluated hereunder shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the minimum offer level prescribed by subsection (4), based on competitive cost advantages relative to the costs estimated for subsection (4), including, without

limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than estimated for subsection (4). Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of an exception hereunder by the Office of the Interconnection.

iv) The Market Monitoring Unit shall review the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. If the Office of the Interconnection determines that the requested Sell Offer is acceptable, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction.

h-1) Minimum Offer Price Rule for Capacity Resources with State Subsidy for the 2022/2023 Delivery Year.

(1) **General Rule.** The provisions of this section 5.14(h-1) shall not be effective after the 2022/2023 Delivery Year. For the 2022/2023 Delivery Year, any Sell Offer based on either a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with a State Subsidy submitted in any RPM Auction shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the Capacity Market Seller qualifies for an exemption with respect to such Capacity Resource with a State Subsidy prior to the submission of such offer.

(A) Effect of Exemption. To the extent a Sell Offer in any RPM Auction is based on a Capacity Resource with State Subsidy that qualifies for any of the exemptions defined in Tariff, Attachment DD, sections 5.14(h-1)(4)-(8), the Sell Offer for such resource shall not be limited by the MOPR Floor Offer Price, unless otherwise specified.

(B) Effect of Exception. To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a Capacity Resource with State Subsidy for which the Capacity Market Seller obtains, prior to the submission of such offer, a resource-specific exception, such offer may include an offer price below the default MOPR Floor Offer Price applicable to such

resource type, but no lower than the resource-specific MOPR Floor Offer Price determined in such exception process.

(C) Process for Establishing a Capacity Resource with a State Subsidy.

(i) By no later than one hundred and twenty (120) days prior to the commencement of the offer period of any RPM Auction conducted for the 2022/2023 Delivery Year, each Capacity Market Seller must certify to the Office of Interconnection, in accordance with the PJM Manuals, whether or not each Capacity Resource (other than Demand Resource and Energy Efficiency Resource) that the Capacity Market Seller intends to offer into the RPM Auction qualifies as a Capacity Resource with a State Subsidy (including by way of Jointly Owned Cross-Subsidized Capacity Resource) and identify (with specificity) any State Subsidy. Capacity Market Sellers that intend to offer a Demand Resource or an Energy Efficiency Resource into the RPM Auction shall certify to the Office of Interconnection, in accordance with the PJM Manuals, whether or not such Demand Resource or Energy Efficiency Resource qualifies as a Capacity Resource with a State Subsidy no later than thirty (30) days prior to the commencement of the offer period of any RPM Auction conducted for the 2022/2023 Delivery Year. All Capacity Market Sellers shall be responsible for each certification irrespective of any guidance developed by the Office of the Interconnection and the Market Monitoring Unit. A Capacity Resource shall be deemed a Capacity Resource with State Subsidy if the Capacity Market Seller fails to timely certify whether or not a Capacity Resource is entitled to a State Subsidy, unless the Capacity Market Seller receives a waiver from the Commission. Notwithstanding, if a Capacity Market Seller submits a timely resource-specific exception pursuant to Tariff, Attachment DD, section 5.14(h-1)(3) for the relevant Delivery Year, and PJM approves the resource-specific MOPR Floor Offer Price, then the Capacity Market Seller may use such floor price regardless of whether it timely certified whether or not the resource is a Capacity Resource with State Subsidy.

(ii) The requirements in subsection (i) above do not apply to Capacity Resources for which the Market Seller designated whether or not it is subject to a State Subsidy and the associated subsidies to which the Capacity Resource is entitled in a prior Delivery Year, unless there has been a change in the set of those State Subsidy(ies), or for those which are eligible for the Demand Resource or Energy Efficiency exemption, Capacity Storage Resource exemption, Self-Supply Entity exemption, or the Renewable Portfolio Standard exemption.

(iii) Once a Capacity Market Seller has certified a Capacity Resource as a Capacity Resource with a State Subsidy, the status of such Capacity Resource will remain unchanged unless and until the Capacity Market Seller (or a subsequent Capacity Market Seller) that owns or controls such Capacity Resource provides a certification of a change in such status, the Office of the Interconnection removes such status, or by FERC order. All Capacity Market Sellers shall have an ongoing obligation to certify to the Office of Interconnection and the Market Monitoring Unit a Capacity Resource's material change in status as a Capacity Resource with State Subsidy within 30 days of such material change, unless such material change occurs within 30 days of the commencement of the offer period of any RPM Auction for the 2022/2023 Delivery Year, in which case the Market Seller must notify PJM no later than 5 days prior to the commencement of the offer period of any RPM Auction for the 2022/2023 Delivery Year. Nothing in this provision shall supersede the requirement for all Capacity Market Sellers to certify to the

Office of Interconnection whether its resource meets the criteria of a Capacity Resource with State Subsidy pursuant to Tariff, Attachment DD, section 5.14(h-1)(1)(C)(i).

(2) **Minimum Offer Price Rule.** Any Sell Offer for a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with State Subsidy that does not qualify for any of the exemptions, as defined in Tariff, Attachment DD, sections 5.14(h-1)(4)-(8), shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the applicable MOPR Floor Offer Price is higher than the applicable Market Seller Offer Cap, in which circumstance the Capacity Resource with State Subsidy must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process to participate in an RPM Auction.

(A) **New Entry MOPR Floor Offer Price.** For a New Entry Capacity Resource with State Subsidy the applicable MOPR Floor Offer Price, based on the net cost of new entry for each resource type, shall be, at the election of the Capacity Market Seller, (i) the resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below or (ii) if applicable, the default New Entry MOPR Floor Offer Price for the applicable resource based on the gross cost of new entry values shown in the table below, net of estimated net energy and ancillary service revenues for the resource type and Zone in which the resource is located.

Resource Type	Gross Cost of New Entry (2022/2023 \$/ MW-day) (Nameplate)
Nuclear	\$2,000
Coal	\$1,068
Combined Cycle	\$320
Combustion Turbine	\$294
Fixed Solar PV	\$271
Tracking Solar PV	\$290
Onshore Wind	\$420
Offshore Wind	\$1,155
Battery Energy Storage	\$532
Diesel Backed Demand Resource	\$254

The gross cost of new entry values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the gross cost of new entry values must be converted to a net cost of new entry by subtracting the estimated net energy and ancillary service revenues, as determined below, from the gross cost of new entry. However, the resultant net cost of new entry of the battery energy storage resource type in the table above must be multiplied by 2.5. The net cost of new entry based on nameplate capacity is then converted to Unforced Capacity (“UCAP”) MW-day. For Delivery Years through the 2022/2023 Delivery Year, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for thermal generation resource types and battery energy storage resource

types, the applicable class average EFORD; for wind and solar generation resource types, the applicable class average capacity value factor; or for Demand Resources and Energy Efficiency Resources, the Forecast Pool Requirement, as applicable to the relevant RPM Auction. For the 2023/2024 Delivery Year and subsequent Delivery Years, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for thermal generation resource types, the applicable class average EFORD; for battery storage, wind, and solar resource types, the applicable ELCC Class Rating; or for Demand Resources and Energy Efficiency Resources, the Forecast Pool Requirement, as applicable to the relevant RPM Auction. The resulting default New Entry MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of the actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

The default New Entry MOPR Floor Offer Price for load-backed Demand Resources (i.e., the MW portion of Demand Resources that is not supported by generation) shall be separately determined for each Locational Deliverability Area as the MW-weighted average offer price of load-backed Demand Resources from the most recent three Base Residual Auctions, where the MW weighting shall be determined based on the portion of each Sell Offer for a load-backed portion of the Demand Resource that is supported by end-use customer locations on the registrations used in the pre-registration process for such Base Residual Auctions, as described in the PJM Manuals.

For generation-backed Demand Resources that are not powered by diesel generators, the default New Entry MOPR Floor Offer Price shall be the default New Entry MOPR Floor Offer Price applicable to their technology type. Generation-backed Demand Resources using a technology type for which there is no default MOPR Floor Offer Price provided in accordance with this section must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below to participate in an RPM Auction.

The default gross cost of new entry for Energy Efficiency Resources shall be \$644/ICAP MW-Day, which shall be offset by projected wholesale energy savings, as well as transmission and distribution savings of \$95/ICAP MW-Day, to determine the default New Entry MOPR Floor Offer Price (Net Cost of New Entry), where the projected wholesale energy savings are determined utilizing the cost and performance data of relevant programs offered by representative energy efficiency programs with sufficiently detailed publicly available data. The wholesale energy savings, in \$/ICAP MW-day, shall be calculated prior to each RPM Auction and be equal to the average annual energy savings of 6,221 MWh/ICAP MW times the weighted average of the annual real-time Forward Hourly LMPs of the Zones of the representative energy efficiency programs, where the weighting is developed from the annual energy savings in the relevant Zones, divided by 365.

To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types except for load-backed Demand Resources and Energy Efficiency Resources, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the “BLS Producer Price Index Turbines and Turbine Generator Sets” component of the

Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the “BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment” when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further by a factor of 1.022 for nuclear, coal, combustion turbine, combine cycle, and generation-backed Demand Resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline in bonus depreciation scheduled under federal corporate tax law. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. The net energy and ancillary services revenue shall be the average of the net energy and ancillary services revenues that the resource is projected to receive from the PJM energy and ancillary service markets for the applicable Delivery Year from three separate simulations, with each such simulation using forward prices shaped using historical data from one of each of the three consecutive calendar years preceding the time of the determination for the RPM Auction to take account of year-to-year variability in such hourly shapes. Each net energy and ancillary services revenue simulation shall be conducted in accordance with the following and the PJM Manuals:

(i) for nuclear resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue determined by the product of [average annual day-ahead Forward Hourly LMPs for such Zone, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus reactive services revenue of \$3,350/MW-year;

(ii) for coal resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh) using day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, and daily forecasted coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$3,350/MW-year;

(iii) for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v-1)(B) for the Reference Resource combustion turbine.

(iv) for combined cycle resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,501 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, plus reactive services revenue of \$3,350/MW-year.

(v) for solar PV resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the

24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time Forward Hourly LMP for such Zone and applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$3,350/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(vi) for onshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time Forward Hourly LMP for such Zone applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$3,350/MW-year;

(vii) for offshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue equal to the product of [the average annual real-time Forward Hourly LMP for such Zone times 8,760 hours times an assumed annual capacity factor of 45%], plus reactive services revenue of \$3,350/MW-year;

(viii) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by the Projected EAS Dispatch of a 1 MW, 4MWh resource, with an 85% roundtrip efficiency, and assumed to be dispatched between 95% and 5% state of charge against day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, plus reactive services revenue of \$3,350/MW-year; and

(ix) for generation-backed Demand Resource, the net energy and ancillary services revenue estimate shall be zero dollars.

New Entry Capacity Resource with State Subsidy for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a resource-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource for the relevant RPM Auction.

(B) Cleared MOPR Floor Offer Prices.

(i) For a Cleared Capacity Resource with State Subsidy, the applicable Cleared MOPR Floor Offer Price shall be, at the election of the Capacity Market Seller, (a) based on the resource-specific MOPR Floor Offer Price, as determined in accordance with Tariff, Attachment DD, section 5.14(h-1)(3) below, or (b) if available, the default Avoidable Cost Rate for the applicable resource type shown in the table below, net of projected PJM market revenues equal to the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with subsection (ii) below.

Existing Resource Type	Default Gross ACR (2022/2023 \$/MW-day) (Nameplate)
Nuclear - single	\$697
Nuclear — dual	\$445
Coal	\$80
Combined Cycle	\$56
Combustion Turbine	\$50
Solar PV (fixed and tracking)	\$40
Wind Onshore	\$83
Diesel-backed Demand Response	\$3
Load-backed Demand Response	\$0
Energy Efficiency	\$0

The default gross Avoidable Cost Rate values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the default Avoidable Cost Rate values must be net of estimated net energy and ancillary service revenues, and then the difference is ultimately converted to Unforced Capacity (“UCAP”) MW-day, where the UCAP MW-day value will be determined based on: for Delivery Years through the 2022/2023 Delivery Year, the resource-specific EFORD for thermal generation resource types, resource-specific capacity value factor for solar and wind generation resource types (based on the ratio of Capacity Interconnection Rights to nameplate capacity, appropriately time-weighted for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction, and for the 2023/2024 Delivery Year and subsequent Delivery Years, the resource-specific EFORD for thermal generation resource types and on the resource-specific Accredited UCAP value for solar and wind resource types (with appropriate time-weighting for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction. The resulting default Cleared MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default Avoidable Cost Rates for Capacity Resources with State Subsidies that have cleared in an RPM Auction for any prior Delivery Year. Such review may include, without limitation, analyses of the avoidable costs of such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default Avoidable Cost Rate values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default Avoidable Cost Rate values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC

by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

For generation-backed Demand Resources that are not powered by diesel generators, the default Cleared MOPR Floor Offer Price shall be the default Cleared MOPR Floor Offer Price applicable to their technology type. Generation-backed Demand Resources using a technology type for which there is no default MOPR Floor Offer Price provided in accordance with this section must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below to participate in an RPM Auction.

Cleared Capacity Resources with State Subsidy for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a resource-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource.

(ii) The net energy and ancillary services revenue is equal to forecasted net revenues which shall be determined in accordance with the applicable resource type net energy and ancillary services revenue determination methodology set forth in Tariff, Attachment DD, section 5.14(h-1)(2)(A)(i) through (ix) and using the subject resource's operating parameters as determined in accordance with the PJM Manuals based on (a) offers submitted in the Day-ahead Energy Market and Real-time Energy Market over the calendar year preceding the time of the determination for the RPM Auction; (b) the resource-specific operating parameters approved, as applicable, in accordance with Operating Agreement, Schedule 1, section 6.6(b) and Operating Agreement, Schedule 2 (including any Fuel Costs, emissions costs, Maintenance Adders, and Operating Costs); (c) the resource's EFORd; (d) Forward Hourly LMPs at the generation bus as determined in accordance with Tariff, Attachment DD, section 5.10(a)(v-1)(C)(6); and (e) the resource's stated annual revenue requirement for reactive services; plus any unit-specific bilateral contract. In addition, the following resource type-specific parameters shall be considered; (f) for combustion turbine, combined cycle, and coal resource types: the installed capacity rating, ramp rate (which shall be equal to the maximum ramp rate included in the resource's energy offers over the most recent previous calendar year preceding the determination for the RPM Auction), and the heat rate as determined as the resource's average heat rate at full load as submitted to the Market Monitoring Unit and the Office of the Interconnection, where for combined cycle resources heat rates will be determined at base load and at peak load (e.g., without duct burners and with duct burners), as applicable; (g) for nuclear resource type: an average equivalent availability factor of all PJM nuclear resources to account for refueling outages; (h) for solar and wind resource types: the resource's output profiles for the most recent three calendar years, as available; and (i) for battery storage resource type: the nameplate capacity rating (on a MW / MWh basis).

To the extent the resource has not achieved commercial operation, the operating parameters used in the simulation of the net energy and ancillary service revenues will be based on the manufacturer's specifications and/or from parameters used for other existing, comparable resources, as developed by the Market Monitoring Unit and the Capacity Market Seller, and accepted by the Office of the Interconnection.

A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Cleared Capacity Resource with State Subsidy based on a net energy and ancillary services revenue determination that does not use the foregoing methodology or parameter inputs stated for that resource type shall, at its election, submit a request for a resource-specific MOPR Floor Offer Price for such Capacity Resource pursuant to Tariff, Attachment DD, section 5.14(h-1)(3) below.

(3) Resource-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with State Subsidy below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a resource-specific exception for such Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the resource-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains approval from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer. The resource-specific MOPR Floor Offer Price determined under this provision shall be based on the resource-specific EFORD for thermal generation resource types, on the resource-specific Accredited UCAP value for ELCC Resources (where for solar and wind generation resource types the Accredited UCAP shall be appropriately time-weighted for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost were the resource to rely solely on revenues exclusive of any State Subsidy. All supporting data must be provided for all requests. The following requirements shall apply to requests for such determinations:

(A) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Capacity Market Seller shall submit the resource-specific exception request to the Office of the Interconnection and the Market Monitoring Unit no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a preliminary estimate for the relevant Delivery Year of the default Minimum Floor Offer Prices, determined pursuant to Tariff, Attachment DD, sections 5.14(h-1)(2)(A) and (B). If the final applicable default Minimum Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(B) For a resource-specific exception for a New Entry Capacity Resource with State Subsidy, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the Capacity Resource, as well as estimates of offsetting net revenues.

The financial modeling assumptions for calculating Cost of New Entry for Generation Capacity Resources and generation-backed Demand Resources shall be: (i) nominal levelization of gross costs, (ii) asset life of twenty years, (iii) no residual value, (iv) all project costs included with no sunk costs excluded, (v) use first year revenues (which may include revenues from the sale of renewable energy credits for purposes other than state-mandated or state-sponsored programs), and (vi) weighted average cost of capital based on the actual cost of capital for the entity proposing to build the Capacity Resource. Notwithstanding the foregoing, a Capacity Market Seller that seeks to utilize an asset life other than twenty years (but no greater than 35 years) shall provide evidence to support the use of a different asset life, including but not limited to, the asset life term for such resource as utilized in the Capacity Market Seller's financial accounting (e.g., independently audited financial statements), or project financing documents for the resource or evidence of actual costs or financing assumptions of recent comparable projects to the extent the seller has not executed project financing for the resource (e.g., independent project engineer opinion or manufacturer's performance guarantee), or opinions of third-party experts regarding the reasonableness of the financing assumptions used for the project itself or in comparable projects. Capacity Market Sellers may also rely on evidence presented in federal filings, such as its FERC Form No. 1 or an SEC Form 10-K, to demonstrate an asset life other than 20 years of similar asset projects.

Supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance ("O&M") contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. In addition to the certification, signed by an officer of the Capacity Market Seller, the request must include a certification that the claimed costs accurately reflect, in all material respects, the seller's reasonably expected costs of new entry and that the request satisfies all standards for a resource-specific exception hereunder. The request also shall identify all revenue sources (exclusive of any State Subsidies) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM's energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations

and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

The default assumptions for calculating resource-specific Cost of New Entry for Energy Efficiency Resources shall be based on, as supported by documentation provided by the Capacity Market Seller: the nominal-levelized annual cost to implement the Energy Efficiency program or to install the Energy Efficiency measure reflective of the useful life of the implemented Energy Efficiency equipment, and the offsetting savings associated with avoided wholesale energy costs and other claimed savings provided by implementing the Energy Efficiency program or installing the Energy Efficiency measure.

The default assumptions for calculating resource-specific Cost of New Entry for load-backed Demand Resources shall be based on, as supported by documentation provided by the Capacity Market Seller, program costs required for the resource to meet the capacity obligations of a Demand Resource, including all fixed operating and maintenance cost and weighted average cost of capital based on the actual cost of capital for the entity proposing to develop the Demand Resource.

For generation-backed Demand Resources, the determination of a resource-specific MOPR Floor Offer Price shall consider all costs associated with the generation unit supporting the Demand Resource, and demand charge management benefits at the retail level (as supported by documentation at the end-use customer level) may also be considered as an additional offset to such costs. Supporting documentation (at the end-use customer level) may include, but is not limited to, historic end-use customer bills and associated analysis that identifies the annual retail avoided cost from the operation of such generation unit.

(C) For a Resource-Specific Exception for a Cleared Capacity Resource with State Subsidy that is a generation resource, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the “Adjustment Factor.” In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller shall, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets

revenues. Such a request shall identify all revenue sources (exclusive of any State Subsidies) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM's energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel sources may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

The resource-specific MOPR Floor Offer Price for a Cleared Capacity Resource with State Subsidy that is a generation-backed Demand Resource will be determined based on all costs associated with the generation unit supporting the Demand Resource, and demand charge management benefits at the retail level (as supported by documentation at the end-use customer level) may also be considered as an additional offset to such costs. Supporting documentation (at the end-use customer level) may include but is not limited to, historic end-use customer bills and associated analysis that identifies the annual retail avoided cost from the operation of such generation unit.

(D) A Sell Offer evaluated at the resource-specific exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the default MOPR Floor Offer Price, based on competitive cost advantages relative to the costs estimated by the default MOPR Floor Offer Price,

including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those estimated by the default MOPR Floor Offer Price. Capacity Market Sellers shall demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of a resource-specific exception by the Office of the Interconnection.

(E) The Capacity Market Seller must submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of the resource-specific exception request and that to the best of his/her knowledge and belief: (1) the information supplied to the Market Monitoring Unit and the Office of Interconnection to support its request for an exception is true and correct; (2) the Capacity Market Seller has disclosed all material facts relevant to the request for the exception; and (3) the request satisfies the criteria for the exception.

(F) The Market Monitoring Unit shall review, in an open and transparent manner with the Capacity Market Seller and the Office of the Interconnection, the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review, in an open and transparent manner, all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. After the Office of the Interconnection determines with the advice and input of Market Monitor, the acceptable minimum Sell Offer, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction, and in making such determination, the Capacity Market Seller may consider the applicable default MOPR Floor Offer Price and may select such default value if it is lower than the resource-specific determination. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on the lower of the applicable default MOPR Floor Offer Price and the resource-specific determination unless and until ordered to do otherwise by FERC.

(4) Competitive Exemption.

(A) A Capacity Resource with State Subsidy may be exempt from the Minimum Offer Price Rule under this subsection 5.14(h-1) in any RPM Auction if the Capacity

Market Seller certifies to the Office of Interconnection, in accordance with the PJM Manuals, that the Capacity Market Seller of such Capacity Resource elects to forego receiving any State Subsidy for the applicable Delivery Year no later than thirty (30) days prior to the commencement of the offer period for the relevant RPM Auction. Notwithstanding the foregoing, the competitive exemption is not available to Capacity Resources with State Subsidy that (A) are owned or offered by Self-Supply Entities unless the Self-Supply Entity certifies, subject to PJM and Market Monitor review, that the Capacity Resource will not accept a State Subsidy, including any financial benefit that is the result of being owned by a regulated utility, such that retail ratepayers are held harmless, (B) are no longer entitled to receive a State Subsidy but are still considered a Capacity Resource with State Subsidy solely because they have not cleared an RPM Auction since last receiving a State Subsidy, or (C) are Jointly Owned Cross-Subsidized Capacity Resources or is the subject of a bilateral transaction (including but not limited to those reported pursuant to Tariff, Attachment DD, section 4.6) and not all Capacity Market Sellers of the supporting facility unanimously elect the competitive exemption and certify that no State Subsidy will be received associated with supporting the resource (unless the underlying Capacity Resource that is the subject of a bilateral transaction has not received, is not receiving, and is not entitled to receive any State Subsidy except those that are assigned (i.e., renewable energy credits) to the off-takers of a bilateral transaction and the Capacity Market Seller of such Capacity Resource can demonstrate and certify that the Capacity Market Seller's rights and obligations of its share of the capacity, energy, and assignable State Subsidy associated with the underlying Capacity Resource are in pro rata shares). A new Generation Capacity Resource that is a Capacity Resource with State Subsidy may elect the competitive exemption; however, in such instance, the applicable MOPR Floor Offer Price will be determined in accordance with the minimum offer price rules for certain new Generation Capacity Resources as provided in Tariff, Attachment DD, section 5.14(h), which apply the minimum offer price rule to the new Generation Capacity Resources located in an LDA where a separate VRR Curve is established as provided in Tariff, Attachment DD, section 5.14(h)(4).

(B) The Capacity Market Seller shall not receive a State Subsidy for any part of the relevant Delivery Year in which it elects a competitive exemption or certifies that it is not a Capacity Resource with State Subsidy.

(5) Self-Supply Entity exemption. A Capacity Resource that was owned, or bilaterally contracted, by a Self-Supply Entity on December 19, 2019, shall be exempt from the Minimum Offer Price Rule if such Capacity Resource remains owned or bilaterally contracted by such Self-Supply Entity and satisfies at least one of the criteria specified below:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or

wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(6) Renewable Portfolio Standard Exemption. A Capacity Resource with State Subsidy shall be exempt from the Minimum Offer Price Rule if such Capacity Resource (1) receives or is entitled to receive State Subsidies through renewable energy credits or equivalent credits associated with a state-mandated or state-sponsored renewable portfolio standard (“RPS”) program or equivalent program as of December 19, 2019 and (2) satisfies at least one of the following criteria:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(7) Demand Resource and Energy Efficiency Resource Exemption.

(A) A Capacity Resource with State Subsidy that is Demand Resource or an Energy Efficiency Resource shall be exempt from the Minimum Offer Price Rule if such Capacity Resource satisfies at least one of the following criteria:

(i) has successfully cleared an RPM Auction prior to December 19, 2019. For purposes of this subsection (A), individual customer location registrations that participated as Demand Resource and cleared in an RPM Auction prior to December 19, 2019, and were submitted to PJM no later than 45 days prior to the BRA for the 2022/2023 Delivery Year shall be deemed eligible for the Demand Resource and Energy Efficiency Resource Exemption; or

(ii) has completed registration on or before December 19, 2019;
or

(iii) is supported by a post-installation measurement and verification report for Energy Efficiency Resources approved by PJM on or before December 19, 2019 (calculated for each installation period, Zone and Sub-Zone by using the greater of the latest approved post-installation measurement and verification report prior to December 19, 2019 or the maximum MW cleared for a Delivery Year across all auctions conducted prior to December 19, 2019).

(B) All registered locations that qualify for the Demand Resource and Energy Efficiency Resource exemption shall continue to remain exempt even if the MW of

nominated capacity increases between RPM Auctions unless any MW increase in the nominated capacity is due to an investment made for the sole purpose of increasing the curtailment capability of the location in the capacity market. In such case, the MW of increased capability will not be qualified for the Demand Resource and Energy Efficiency Resource exemption.

(8) Capacity Storage Resource Exemption. A Capacity Resource with State Subsidy that is a Capacity Storage Resource shall be exempt from the Minimum Offer Price Rule if such Capacity Storage Resource satisfies at least one of the following criteria:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(9) Procedures and Remedies in Cases of Suspected Fraud or Material Misrepresentation or Omissions in Connection with a Capacity Resource with State Subsidy. In the event the Office of the Interconnection, with advice and input from the Market Monitoring Unit, reasonably believes that a certification of a Capacity Resource's status contains fraudulent or material misrepresentations or omissions such that the Capacity Market Seller's Capacity Resource is a Capacity Resource with a State Subsidy (including whether the Capacity Resource is a Jointly Owned Cross-Subsidized Capacity Resource) or does not qualify for a competitive exemption or contains information that is inconsistent with the resource-specific exception, then:

(A) A Capacity Market Seller shall, within five (5) business days upon receipt of the request for additional information, provide any supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate whether such Capacity Resource is a Capacity Resource with State Subsidy or whether the Capacity Market Seller is eligible for the competitive exemption. If the Office of the Interconnection determines that the Capacity Resource's status as a Capacity Resource with State Subsidy is different from that specified by the Capacity Market Seller or is not eligible for a competitive exemption pursuant to subsection (4) above, the Office of the Interconnection shall notify, in writing, the Capacity Market Seller of such determination by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, if the Office of Interconnection determines that the subject resource is a Capacity Resource with State Subsidy or is not eligible for a competitive exemption pursuant to subsection (4) above, such Capacity Resource shall be subject to the Minimum Offer Price Rule, unless and until ordered to do otherwise by FERC.

(B) if the Office of the Interconnection does not provide written notice of suspected fraudulent or material misrepresentation or omission at least sixty-five (65) days before the start of the relevant RPM Auction, then the Office of the Interconnection may file the certification that contains any alleged fraudulent or material misrepresentation or omission with FERC. In such event, if the Office of Interconnection determines that a resource is a Capacity Resource with State Subsidy that is subject to the Minimum Offer Price Rule, the Office of the Interconnection will proceed with administration of the Tariff and market rules on that basis unless and until ordered to do otherwise by FERC. The Office of the Interconnection shall implement any remedies ordered by FERC; and

(C) prior to applying the Minimum Offer Price Rule, the Office of the Interconnection, with advice and input of the Market Monitoring Unit, shall notify the affected Capacity Market Seller and, to the extent practicable, provide the Capacity Market Seller an opportunity to explain the alleged fraudulent or material misrepresentation or omission. Any filing to FERC under this provision shall seek fast track treatment and neither the name nor any identifying characteristics of the Capacity Market Seller or the resource shall be publicly revealed, but otherwise the filing shall be public. The Capacity Market Seller may submit a revised certification for that Capacity Resource for subsequent RPM Auctions, including RPM Auctions held during the pendency of the FERC proceeding. In the event that the Capacity Market Seller is cleared by FERC from such allegations of fraudulent or material misrepresentations or omissions then the certification shall be restored to the extent and in the manner permitted by FERC. The remedies required by this subsection to be requested in any filing to FERC shall not be exclusive of any other remedies or penalties that may be pursued against the Capacity Market Seller.

h-2) Minimum Offer Price Rule Effective with the 2023/2024 Delivery Year

(1) Certification Requirement.

(A) By no later than one hundred and fifty (150) days prior to the commencement of the offer period of any RPM Auction conducted for the 2024/2025 Delivery Year and all subsequent Delivery Years, and by the date posted on the PJM website for the 2023/2024 Delivery Year, each Capacity Market Seller must certify to the Office of Interconnection for each Generation Capacity Resource the Capacity Market Seller intends to offer into the RPM Auction, in accordance with the PJM Manuals:

(i) whether or not the Generation Capacity Resource is receiving or expected to receive Conditioned State Support under any legislative or other governmental policy or program that has been enacted or effective at the time of the certification; and

(ii) whether or not the Capacity Market Seller acknowledges and understands that the Exercise of Buyer-Side Market Power is not permitted in RPM Auctions, and does not intend to submit a Sell Offer for their Generation Capacity Resource as an Exercise of Buyer-Side Market Power.

(B) All Capacity Market Sellers shall be responsible for the accuracy of each certification and its conformance with the Tariff irrespective of any guidance developed by the Office of the Interconnection and the Market Monitoring Unit.

(C) Once a Capacity Market Seller has certified whether or not a Generation Capacity Resource is receiving or expected to receive Conditioned State Support, the certification requirements in subsection (A)(i) above do not apply and the status of such Generation Capacity Resource will remain unchanged unless and until the Capacity Market Seller (or a subsequent Capacity Market Seller of the underlying resource) that owns or controls such Generation Capacity Resource provides a certification of a change in such status, the Office of the Interconnection removes such status, or by FERC order. All Capacity Market Sellers shall have an ongoing obligation to certify to the Office of Interconnection and the Market Monitoring Unit a Generation Capacity Resource's material change in status regarding whether such resource is receiving or expected to receive Conditioned State Support within 30 days of such material change. Nothing in this provision shall supersede the requirement for all Capacity Market Sellers to certify to the Office of Interconnection pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(ii).

(2) Determining Generation Capacity Resources Subject to the Minimum Offer Price Rule.

(A) Conditioned State Support.

(i) If the Office of the Interconnection reasonably believes a government policy or program would provide Conditioned State Support or a Capacity Market Seller certifies that it is receiving or is expected to receive Conditioned State Support associated with a given Generation Capacity Resource, the Office of Interconnection shall submit, pursuant to section 205 of the Federal Power Act, 16 U.S.C. § 824d, a filing at FERC indicating the Office of the Interconnection's intent to classify the government policy or program from which that support is derived as Conditioned State Support (and adding such policy or program to the list in Tariff, Attachment DD-3) and apply the Minimum Offer Price Rule to each Generation Capacity Resource reasonably expected to receive such Conditioned State Support. If FERC has already ruled on whether a specific government program or policy constitutes Conditioned State Support and such policy or program is listed in Tariff, Attachment DD-3, the Office of the Interconnection shall not be required to submit the filing described in the preceding sentence.

(ii) Government policies or programs that do not provide payments or other financial benefit outside of PJM markets and do not provide payment or other financial benefit in exchange for the sale of a FERC-jurisdictional product conditioned on clearing in any RPM Auction do not constitute Conditioned State Support. Examples of such government policies that do not constitute Conditioned State Support may include, but are not limited to: policies designed to procure, incent, or require environmental attributes, whether bundled or unbundled (e.g., Renewable Energy Credits, Zero Emission Credits; Regional Greenhouse Gas Initiative); economic development programs and policies; tax incentives; state retail default service auctions; policies or programs that provide incentives related to fuel supplies; any contract, legally enforceable obligation, or rate pursuant to the Public Utility Regulatory Policies Act or any other state-administered federal regulatory program (e.g., Cross-State Air Pollution Rule). In addition, Conditioned State Support shall not be determined solely based on the business model of the Capacity Market Seller, such that the fact that a Self-Supply Entity is the Capacity Market Seller, for example, is not a basis for determining Conditioned State Support.

(iii) Upon FERC acceptance (whether by order or operation of law) that a government policy or program or contract with a state entity constitutes Conditioned State Support, a Generation Capacity Resource for which a Capacity Market Seller certifies pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(i) that it is receiving Conditioned State Support or is reasonably expected to receive such Conditioned State Support, as identified by the Office of the Interconnection, with the advice and input of the Market Monitoring Unit, will be subject to the provisions of the Minimum Offer Price Rule.

(B) Exercise of Buyer-Side Market Power

(i) If a Capacity Market Seller does not certify that it acknowledges the prohibition of the Exercise of Buyer Side Market Power and the Capacity Market Seller intends to exercise Buyer-Side Market Power for this Generation Capacity Resource, then the underlying Capacity Resource shall be subject to the MOPR pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(i). If the Office of the Interconnection and/or the Market Monitoring Unit reasonably suspects that a certification submitted under Tariff, Attachment DD, section 5.14(h-2)(1)(A)(ii) contains fraudulent or material misrepresentations such that the Capacity Market Seller's Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power or otherwise reasonably suspects that a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power, the Office of the Interconnection and/or the Market Monitoring Unit shall initiate a fact-specific review into the facts and circumstances regarding the Generation Capacity Resource and whether the Capacity Market Seller has the ability and incentive to exercise Buyer-Side Market Power with respect to such Generation Capacity Resource. During such fact-specific review, the Capacity Market Seller will have the opportunity to explain and justify why a Sell Offer for the Generation Capacity Resource would not be an Exercise of Buyer-Side Market Power. The Office of the Interconnection and/or the Market Monitoring Unit shall notify the Capacity Market Seller of the bases for inquiry and initiation of review at least 135 days in advance of the RPM Auction conducted for the 2024/2025 Delivery Year and all subsequent Delivery Years, and by the date posted on the PJM website for the 2023/2024 Delivery Year.

In initiating a review, the Office of the Interconnection and/or the Market Monitoring Unit shall provide the affected Capacity Market Seller, in writing, the basis for its inquiry, including, but not limited to, the Generation Capacity Resource(s), and the purported beneficiary of any price suppression. The Office of the Interconnection and/or the Market Monitoring Unit may request from the Capacity Market Seller additional information and documentation that is reasonably related to the basis for its inquiry, provided that, the Office of the Interconnection and the Market Monitoring Unit shall confer with the Capacity Market Seller in advance of any such requests. The Capacity Market Seller shall provide any additional supporting information and documentation requested by the Office of the Interconnection and/or the Market Monitoring Unit, and any other information and documentation the Capacity Market Seller believes may justify the conduct or action in question as not representing an Exercise of Buyer-Side Market Power, within 15 days or other such timeline as agreed to in writing by the Office of the Interconnection, Market Monitoring Unit and Capacity Market Seller.

The fact-specific review will determine, as necessary, whether a Capacity Market Seller has the ability and incentive to submit a Sell Offer for the Generation Capacity Resource that could be an Exercise of Buyer-Side Market Power, as follows:

(a) To determine whether a Capacity Market Seller may have Buyer Side Market Power associated with the Generation Capacity Resource for the applicable RPM Auction, the Office of the Interconnection and/or the Market Monitoring Unit will perform ex-ante testing to determine the extent to which a shift in the supply curve by a number of megawatts equal to the size of the Generation Capacity Resource would affect RPM Auction clearing prices, where such analysis would reflect expected supply and demand conditions in the region of the market clearing prices and quantities in recent RPM Auctions, would reflect whether the relevant LDAs have been constrained in recent RPM Auctions, and would reflect reasonably expected material changes in an LDA including the modeling of the LDA and expected changes in supply and demand for the applicable Delivery Year. To the extent the foregoing analyses show that the Generation Capacity Resource would have a material effect on RPM Auction clearing prices, the Capacity Market Seller shall be deemed to have the ability to exercise Buyer Side Market Power.

(b) To determine whether the Capacity Market Seller's submission of a Sell Offer at any given price level for such Generation Capacity Resource may constitute an Exercise of Buyer-Side Market Power, the Office of the Interconnection and/or the Market Monitoring Unit shall perform ex-ante testing to determine whether, given the ability to suppress prices identified in the relevant LDAs and the PJM Region, such price suppression would be economically beneficial to the Capacity Market Seller by comparing its expected cost with its economic benefit, and where the expected cost shall reflect the excess economic costs of the resource above expected market revenues, and the expected benefit shall reflect the expected cost savings to the expected net short position (based on estimated capacity obligations and owned and contracted capacity measured on a three-year average basis for the three years starting with the first day of the Delivery Year associated with the RPM Auction in which the Generation Capacity Resource is being offered) in the relevant LDAs and RTO multiplied by the price change resulting from offering the resource uneconomically. In this analysis, the Office of Interconnection and/or the Market Monitoring Unit shall consider whether any capacity obligations in which the capacity costs based on RPM Auction clearing prices are directly passed through to load and consider whether the price of any contracted capacity passes through RPM Auction clearing prices. If the expected benefit outweighs the expected cost, the Capacity Market Seller shall be deemed to have the incentive to exercise Buyer Side Market Power. If a resource offer can be justified, economically or otherwise, without consideration of the benefit to the Capacity Market Seller of the suppressed prices, the Capacity Market Seller shall be deemed not to have the incentive to exercise Buyer Side Market Power with respect to that resource. Out-of-market compensation (such as from renewable energy credits and zero emission credits) that are not tied to either Conditioned State Support or a bilateral contract that directs the submission of an offer to lower market clearing prices may be used to support the economics of the resource under review.

(ii) The following nonexhaustive list of circumstances would preclude an inquiry into or determination regarding an Exercise of Buyer-Side Market Power in the course of a review initiated pursuant to subsection (i) above: (a) the Generation Capacity Resource is a merchant generation supply resources that is not contracted to an entity with a Load

Interest; (b) the Generation Capacity Resource is acquired by or under the contractual control of the Capacity Market Seller through a competitive and non-discriminatory procurement process open to new and existing resources; or (c) the Generation Capacity Resource is owned by or bilaterally contracted to a Self-Supply Seller and such resource is demonstrated as consistent with or included in the Self-Supply Seller's long-range resource plan (e.g., a long-range hedging plan) that is approved or otherwise reviewed and accepted by the RERRA, provided that any such plan approval or contracts do not direct the submission of an uneconomic offer to deliberately lower market clearing prices or for the Capacity Market Seller to otherwise perform an Exercise of Buyer-Side Market Power. In addition, to the extent a Generation Capacity Resource may receive compensation in support of characteristics aligned with well-demonstrated customer preferences, such compensation shall not, in and of itself, be a basis for the determination of Buyer-Side Market Power.

(iii) Based on the foregoing tests and fact-specific review, including the facts and circumstances of the Generation Capacity Resource, the Office of the Interconnection, with the advice and input of the Market Monitoring Unit, shall determine whether a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power. If the Office of the Interconnection, with the advice and input of the Market Monitoring Unit, determines that a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power or the Capacity Market Seller certifies that it intends to exercise Buyer-Side Market Power, then such resource will be subject to the provisions of the Minimum Offer Price Rule. If the resource will be subject to the provisions of the Minimum Offer Price Rule, the Office of the Interconnection shall include in the notice a written explanation for such determination. A Capacity Market Seller that is dissatisfied with the Office of the Interconnection's determination of whether a given Generation Capacity Resource is subject to the Minimum Offer Price Rule may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on its determination hereunder unless FERC by order directs otherwise.

(C) Failure to timely submit a certification. -Any Generation Capacity Resource for which a Capacity Market Seller has not timely submitted the certifications required under Tariff, Attachment DD, section 5.14(h-2)(1) shall be subject to the provisions of the Minimum Offer Price Rule. Notwithstanding the foregoing, if a Capacity Market Seller submits a timely unit-specific exception pursuant to Tariff, Attachment DD, section 5.14(h-2)(4) for the relevant Delivery Year, and PJM approves the unit-specific MOPR Floor Offer Price, then the Capacity Market Seller may use such floor price regardless of whether it timely submitted the foregoing certifications.

(3) **Minimum Offer Price Rule.** Any Sell Offer for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the applicable MOPR Floor Offer Price is higher than the applicable Market Seller Offer Cap, in which circumstance the Capacity Market Seller, to participate in an RPM Auction, must request a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process, and the unit-specific MOPR Floor Offer Price shall establish the offer level for such resource.

(A) New Entry MOPR Floor Offer Price. For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource, or any uprate of such Generation Capacity Resource participating in the generation interconnection process under Tariff, Part IV, Subpart A, that has not cleared an RPM Auction for any Delivery Year, the applicable MOPR Floor Offer Price, based on the net cost of new entry for the resource type, shall be, at the election of the Capacity Market Seller, (i) the unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-2)(4) below or (ii) if applicable, the default New Entry MOPR Floor Offer Price for the applicable resource based on the gross cost of new entry values shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, net of estimated net energy and ancillary service revenues for the resource type and Zone in which the resource is located.

Resource Type	Through the 2025/2026 Delivery Years: Gross Cost of New Entry (2022/2023 \$/ MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Gross Cost of New Entry (2026/2027 \$/ MW-day) (Nameplate)
Nuclear	\$2,000	\$2,568
Coal	\$1,068	\$1,480
Combined Cycle	\$320	\$540
Combustion Turbine	\$294	\$427
Fixed Solar PV	\$271	\$298
Tracking Solar PV	\$290	\$321
Onshore Wind	\$420	\$438
Offshore Wind	\$1,155	\$1,351
Battery Energy Storage	\$532	\$502

The gross cost of new entry values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the gross cost of new entry values must be converted to a net cost of new entry by subtracting the estimated net energy and ancillary service revenues, as determined below, from the gross cost of new entry. However, the resultant net cost of new entry of the battery energy storage resource type in the table above must be multiplied by 2.5. The net cost of new entry based on nameplate capacity is then converted to Unforced Capacity (“UCAP”) MW-day. For the 2023/2024 Delivery Year and subsequent Delivery Years, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for battery storage, wind, and solar resource types, the applicable ELCC Class Rating; or for all other generation resource types, the applicable class average EFORD. The resulting default New Entry MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of the actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default gross costs of new entry in the table above and post the preliminary estimates of the adjusted applicable default New Entry MOPR Floor Offer Prices on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the “BLS Producer Price Index Turbines and Turbine Generator Sets” component of the Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the “BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment” when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further by a factor of 1.022 for nuclear, coal, combustion turbine, and combine cycle resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline in bonus depreciation scheduled under federal corporate tax law. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. Through the 2024/2025 Delivery Years, ~~T~~the net energy and ancillary services revenue is equal to the average of the annual net revenues of the three most recent calendar years preceding the Base Residual Auction, where such annual net revenues shall be determined in accordance with the following and the PJM Manuals:

(i) for nuclear resource type, the net energy and ancillary services revenue estimate shall be determined by the gross energy market revenue determined by the product of [average annual zonal day-ahead LMP, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus an ancillary services revenue of \$3,350/MW-year;

(ii) for coal resource type, the net energy and ancillary services revenue estimate shall be determined by a simulated dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh) using applicable coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$3,350/MW-year. The unit is committed day-ahead in profitable blocks of at least eight hours, and then committed in real-time for profitable hours if not already committed day ahead;

(iii) for combustion turbine resource type, the net energy and ancillary services revenue estimate shall be determined in a manner consistent with the

methodology described in Tariff, Attachment DD, section 5.10(a)(v)(B) for the Reference Resource combustion turbine.

(iv) for combined cycle resource type, the net energy and ancillary services revenue estimate shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,553 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the CC resource continuously during the full peak-hour period, as described in Peak-Hour Dispatch, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary services revenue shall be \$3,350/MW-year.

(v) for solar PV resource type, the net energy and ancillary services revenue estimate shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(vi) for onshore wind resource type, the net energy and ancillary services revenue estimate shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year;

(vii) for offshore wind resource type, the net energy and ancillary services revenue estimate shall be the product of [the average annual zonal real-time LMP times 8,760 hours times an assumed annual capacity factor of 45%], plus an ancillary services revenue of \$3,350/MW-year; and

(viii) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by a simulated dispatch against historical real-time zonal LMPs where the resource is assumed to be dispatched for the four hours of highest LMP of a daily twenty-four hour period if the average LMP of these four hours exceeds 120% of the average LMP of the four lowest LMP hours of the same twenty-four hour period. The net energy market revenues will be determined by the product of [hourly output of 1 MW times the hourly LMP for each hour of assumed discharging] minus the product of [hourly consumption of 1.2 MW times the hourly LMP for each hour of assumed charging] with this net value summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. An 83.3% efficiency

of the battery energy storage resource is reflected by assuming each 1.0 MW of discharge requires 1.2 MW of charge.

For the 2025/2026 Delivery Year and subsequent Delivery Years, the net energy and ancillary services revenue shall be the average of the net energy and ancillary services revenues that the resource is projected to receive from the PJM energy and ancillary service markets for the applicable Delivery Year from three separate simulations, with each such simulation using forward prices shaped using historical data from one of each of the three consecutive calendar years preceding the time of the determination for the RPM Auction to take account of year-to-year variability in such hourly shapes. Each net energy and ancillary services revenue simulation shall be conducted in accordance with the following and the PJM Manuals:

(ix) for nuclear resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue determined by the product of [average annual day-ahead Forward Hourly LMPs for such Zone, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant for the 2025/2026 Delivery Year, or starting with the 2026/2027 Delivery Year and subsequent Delivery Years, \$7.99/MWh for a single unit plant or \$7.74/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus reactive services revenue of \$2,251/MW-year;

(x) for coal resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh for the 2025/2026 Delivery Year, or starting with the 2026/2027 Delivery Year and subsequent Delivery Years, \$10.92/MWh) using day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, and daily forecasted coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$2,217/MW-year;

(xi) for the 2025/2026 Delivery Year, for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a single General Electric Frame 7HA turbine with evaporating cooling, Selective Catalytic Reduction technology, with dual Fuel capability, with the heat rate assumed for the combustion turbine resource shall be 9,134 BTU/kWh, the variable operations and maintenance expenses for such resources, inclusive of Maintenance Adder costs, shall be \$6.93/MWh, plus ancillary services revenue of \$2,199/MW-year. Starting with the 2026/2027 Delivery Year and subsequent Delivery Years, for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a single General Electric Frame 7HA.02 turbine with evaporating cooling, Selective Catalytic Reduction technology, with the heat rate assumed for the combustion turbine resource shall be 9,189 BTU/kWh, the variable operations and maintenance expenses for such resources, inclusive of Maintenance Adder costs, shall be \$1.19/MWh, plus ancillary services revenue of \$3,565/MW-year.

(xii) for combined cycle resource type, for the 2025/2026 Delivery Year, the net energy and ancillary services revenue estimate for each Zone shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,501 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, plus reactive services revenue of \$3,350/MW-year. Starting with the 2026/2027 Delivery Year and subsequent Delivery Years, for combined cycle resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v-1)(B) for the Reference Resource combined cycle.

(xiii) for solar PV resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time Forward Hourly LMP for such Zone and applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$6,791/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(xiv) for onshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time Forward Hourly LMP for such Zone applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$4,027/MW-year;

(xv) for offshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue equal to the product of [the average annual real-time Forward Hourly LMP for such Zone times 8,760 hours times an assumed annual capacity factor of 45%], plus reactive services revenue of \$4,027/MW-year;

(xvi) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by the Projected EAS Dispatch of a 1 MW, 4MWh resource, with an 85% roundtrip efficiency, and assumed to be dispatched between 95% and 5% state of charge against day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, plus reactive services revenue of \$3,903/MW-year.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default gross cost of new entry values. Such review may include, without limitation, analyses of the fixed development, construction, operation, and maintenance costs for such resource types. Based on

the results of such review, PJM shall propose either to modify or retain the default gross cost of new entry values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default gross cost of new entry values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has not previously cleared an RPM Auction for that or any prior Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource for the relevant RPM Auction.

(B) Cleared MOPR Floor Offer Prices.

(i) For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource has previously cleared an RPM Auction for any Delivery Year, the applicable Cleared MOPR Floor Offer Price shall be, at the election of the Capacity Market Seller, (a) based on the unit-specific MOPR Floor Offer Price, as determined in accordance with Tariff, Attachment DD, section 5.14(h-2)(4) below, or (b) if available, the default Avoidable Cost Rate for the applicable resource type shown in the table below, as adjusted for Delivery Years subsequent for the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of projected PJM market revenues equal to, through the 2024/2025 Delivery Year, the resource's historical net energy and ancillary service revenues consistent with Tariff, Attachment DD, section 6.8(d), or starting with the 2025/2026 Delivery Year and subsequent Delivery Years, the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with subsection (ii) below.

Existing Resource Type	Through the 2025/2026 Delivery Years: Default Gross ACR (2022/2023) (\$/MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Default Gross ACR (2026/2027) (\$/ MW-day) Nameplate
Nuclear - single	\$697	\$591
Nuclear - dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV	\$40	\$70

(fixed and tracking)		
Wind Onshore	\$83	\$147

The default gross Avoidable Cost Rate values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the default Avoidable Cost Rate values must be net of estimated net energy and ancillary service revenues, and then the difference is ultimately converted to Unforced Capacity (“UCAP”) MW-day, where the UCAP MW-day value will be determined based on the 2023/2024 Delivery Year and subsequent Delivery Years, the resource-specific Accredited UCAP value for solar and wind resource types (with appropriate time-weighting for any winter Capacity Interconnection Rights) or the resource-specific EFORD for all other generation resource types and on. The resulting default Cleared MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default Avoidable Cost Rates in the table above, and post the adjusted values on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted Avoidable Cost Rates, the Office of the Interconnection shall utilize the 10-year average Handy-Whitman Index in order to adjust the Gross ACR values to account for expected inflation. Updated estimates of the net energy and ancillary service revenues shall be determined on a resource-specific basis in accordance with Tariff, Attachment DD, section 6.8(d) and the PJM Manuals.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default Avoidable Cost Rates for Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) that have cleared in an RPM Auction for any Delivery Year. Such review may include, without limitation, analyses of the avoidable costs of such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default Avoidable Cost Rate values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default Avoidable Cost Rate values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction for any Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource.

(ii) Effective with the 2025/2026 Delivery Year and subsequent Delivery Years, the net energy and ancillary services revenue is equal to forecasted net revenues which shall be determined in

accordance with the applicable resource type net energy and ancillary services revenue determination methodology set forth in Tariff, Attachment DD, section 5.14(h-2)(3)(A)(ix) through (xvi) and using the subject resource's operating parameters as determined in accordance with the PJM Manuals based on (a) offers submitted in the Day-ahead Energy Market and Real-time Energy Market over the calendar year preceding the time of the determination for the RPM Auction; (b) the resource-specific operating parameters approved, as applicable, in accordance with Operating Agreement, Schedule 1, section 6.6(b) and Operating Agreement, Schedule 2 (including any Fuel Costs, emissions costs, Maintenance Adders, and Operating Costs); (c) the resource's Accredited UCAP Factor; (d) Forward Hourly LMPs at the generation bus as determined in accordance with Tariff, Attachment DD, section 5.10(a)(v-1)(C)(6); and (e) the resource's stated annual revenue requirement for reactive services; plus any unit-specific bilateral contract. In addition, the following resource type-specific parameters shall be considered; (f) for combustion turbine, combined cycle, and coal resource types: the installed capacity rating, ramp rate (which shall be equal to the maximum ramp rate included in the resource's energy offers over the most recent previous calendar year preceding the determination for the RPM Auction), and the heat rate as determined as the resource's average heat rate at full load as submitted to the Market Monitoring Unit and the Office of the Interconnection, where for combined cycle resources heat rates will be determined at base load and at peak load (e.g., without duct burners and with duct burners), as applicable; (g) for nuclear resource type: an average equivalent availability factor of all PJM nuclear resources to account for refueling outages; (h) for solar and wind resource types: the resource's output profiles for the most recent three calendar years, as available; and (i) for battery storage resource type: the nameplate capacity rating (on a MW / MWh basis).

To the extent the resource has not achieved commercial operation, the operating parameters used in the simulation of the net energy and ancillary service revenues will be based on the manufacturer's specifications and/or from parameters used for other existing, comparable resources, as developed by the Market Monitoring Unit and the Capacity Market Seller, and accepted by the Office of the Interconnection.

A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a resource that previously cleared an RPM Auction for any Delivery Year based on a net energy and ancillary services revenue determination that does not use the foregoing methodology or parameter inputs stated for that resource type shall, at its election, submit a request for a unit-specific MOPR Floor Offer Price for such Capacity Resource pursuant to Tariff, Attachment DD, section 5.14(h-2)(4) below.

(4) **Unit-Specific Exception.** A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Capacity Resource. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is under a fact-specific review for Buyer-Side Market Power pursuant to Tariff, Attachment DD, section 5.14(h-2)(2)(B)(ii), and where the offer is below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Generation Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the unit-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains approval from the Office of the Interconnection or the Commission, prior to

the RPM Auction in which it seeks to submit the Sell Offer. The unit-specific MOPR Floor Offer Price determined under this provision shall be based on the unit-specific Accredited UCAP value for battery energy storage resource types and for solar and wind generation resource types (appropriately time-weighted for any winter Capacity Interconnection Rights) or on the unit-specific EFORD for all other generation resource types, and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of the resource. All supporting data must be provided for all requests. The following requirements shall apply to requests for such determinations:

(A) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Capacity Market Seller shall submit the unit-specific exception request to the Office of the Interconnection and the Market Monitoring Unit no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a preliminary estimate for the relevant Delivery Year of the default Minimum Floor Offer Prices, determined pursuant to Tariff, Attachment DD, sections 5.14(h-2)(3)(A) and (B). If the final applicable default Minimum Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(B) For a unit-specific exception for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has never cleared an RPM Auction, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the Capacity Resource, as well as estimates of offsetting net revenues.

The financial modeling assumptions for calculating Cost of New Entry for Generation Capacity Resources shall be: (i) nominal levelization of gross costs, (ii) asset life of twenty years, (iii) no residual value, (iv) all project costs included with no sunk costs excluded, (v) use first year revenues (which may include revenues from the sale of renewable energy credits or any other revenues outside of PJM markets that do not constitute Conditioned State Support), and (vi) weighted average cost of capital based on the actual cost of capital for the entity proposing to build the Capacity Resource. Notwithstanding the foregoing, a Capacity Market Seller that seeks to utilize an asset life other than twenty years (but no greater than 35 years) shall provide evidence to support the use of a different asset life, including but not limited to, the asset life term for such resource as utilized in the Capacity Market Seller's financial accounting (e.g., independently audited financial statements), or project financing documents for the resource or evidence of actual costs or financing assumptions of recent comparable projects to the extent the seller has not executed project financing for the resource (e.g., independent project engineer opinion or manufacturer's performance guarantee), or opinions of third-party experts regarding the reasonableness of the financing assumptions used for the project itself or in comparable projects. Capacity Market Sellers may also rely on evidence presented in federal filings, such as its FERC

Form No. 1 or an SEC Form 10-K, to demonstrate an asset life other than 20 years of similar asset projects.

Supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. In addition to the certification, signed by an officer of the Capacity Market Seller, the request must include a certification that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for a unit-specific exception hereunder. The request also shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of compensation outside the PJM market not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. Through the 2024/2025 Delivery Year, in making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well-defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, which may include Maintenance Adders, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller’s forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable. Starting with the 2025/2026 Delivery Year and subsequent Delivery Years, in making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM’s energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of, variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity

factors, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable.
In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

(C) Through the 2024/2025 Delivery Years, Ffor a Unit-Specific Exception for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the “Adjustment Factor.” In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller may, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets revenues. Such a request shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of compensation outside of PJM markets not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well-defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, which may include Maintenance Adders, and emissions allowance prices, and expected environmental or energy policies that affect the seller’s forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

(C-1) Beginning with the 2025/2026 Delivery Year and subsequent Delivery Years, for a Unit-Specific Exception for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the “Adjustment Factor.” In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller shall, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets revenues. Such a request shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of compensation outside of PJM markets not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM’s energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel sources may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific projected energy and ancillary services markets revenues for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

(D) A Sell Offer evaluated at the unit-specific exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, fixed, cost-based offer level is below the default MOPR Floor Offer Price, based on competitive cost advantages relative to the costs estimated by the default MOPR Floor Offer Price, including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those estimated by the default MOPR Floor Offer Price. Capacity Market Sellers shall demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection, and that out-of-market compensation is not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices. Failure to adequately support such claimed cost advantages or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in the elimination of consideration of the unsupported element(s) of a unit-specific exception by the Office of the Interconnection.

(E) The Capacity Market Seller must submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of the unit-specific exception request and that to the best of his/her knowledge and belief: (1) the information supplied to the Market Monitoring Unit and the Office of Interconnection to support its request for an exception is true and correct; (2) the Capacity Market Seller has disclosed all material facts relevant to the request for the exception; and (3) the request satisfies the criteria for the exception.

(F) The Market Monitoring Unit shall review, in an open and transparent manner with the Capacity Market Seller and the Office of the Interconnection, the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review, in an open and transparent manner, all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. After the Office of the Interconnection determines with the advice and input of Market Monitor, the acceptable minimum Sell Offer, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction, and in making such determination, the Capacity Market Seller may consider the applicable default MOPR Floor Offer Price and may select such default value if it is lower than the unit-specific determination. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on the lower of the applicable

default MOPR Floor Offer Price and the unit-specific determination unless and until ordered to do otherwise by FERC.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export ("Export Reserved Capacity") multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) above also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under Tariff, Attachment DD, section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) above times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$$

$$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$$

Where:

"Export Path Import" means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

6.4 Market Seller Offer Caps

(a) The Market Seller Offer Cap, stated in dollars per MW/day of unforced capacity, applicable to price-quantity offers within the Base Offer Segment for an Existing Generation Capacity Resource shall be the Avoidable Cost Rate for such resource, less the Projected PJM Market Revenues for such resource, stated in dollars per MW/day of unforced capacity. A Capacity Market Seller offering above \$0/MW-day must support and obtain approval of a unit-specific Market Seller Offer Cap pursuant to the procedures and standards of subsection (b) of this section 6.4 or may, at its election, if available, utilize a Market Seller Offer Cap determined using the applicable default gross Avoidable Cost Rate for the applicable resource type shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of Projected PJM Market Revenues equal to the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with [\(1\) Tariff, Attachment DD, section 6.8\(d\) through the 2024/2025 Delivery Year or \(2\) Tariff, Attachment DD, section 6.8\(d-1\) for the 2025/2026 Delivery Year and subsequent Delivery Years.](#)

Existing Resource Type	Through the 2025/2026 Delivery Years: Default Gross ACR (2022/2023) (\$/MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Default Gross ACR (2026/2027) (\$/MW-day) (Nameplate)
Nuclear – single	\$697	\$591
Nuclear – dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV (fixed and tracking)	\$40	\$70
Wind Onshore	\$83	\$147

The Market Seller Offer Cap for an Existing Generation Capacity Resource shall be the Opportunity Cost for such resource, if applicable, as determined in accordance with Tariff, Attachment DD, section 6.7.

(b) For each Existing Generation Capacity Resource, a potential Capacity Market Seller must provide to the Market Monitoring Unit and the Office of the Interconnection data and documentation required under section 6.7 below to establish the level of the Market Seller Offer Cap applicable to each resource by no later than one hundred twenty (120) days prior to the commencement of the offer period for the applicable RPM Auction. The Capacity Market Seller must promptly address any concerns identified by the Market Monitoring Unit regarding the data and documentation provided, review the Market Seller Offer Cap proposed by the Market Monitoring Unit, and attempt to reach agreement with the Market Monitoring Unit on the level

of the Market Seller Offer Cap by no later than ninety (90) days prior to the commencement of the offer period for the applicable RPM Auction. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, whether an agreement with the Market Monitoring Unit has been reached or, if no agreement has been reached, specifying the level of Market Seller Offer Cap to which it commits by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction. The Office of the Interconnection shall review the data submitted by the Capacity Market Seller, make a determination whether to accept or reject the requested unit-specific Market Seller Offer Cap, or calculate an alternative unit-specific Market Seller Offer Cap based on the submitted documentation, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination in writing, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction. In the event the Office of the Interconnection rejects the Capacity Market Seller's requested unit-specific Market Seller Offer Cap for a particular Existing Generation Capacity Resource, the Capacity Market Seller of such Capacity Resource may submit an offer up to (1) should one exist, the default gross Avoidable Cost Rate for the applicable resource type net of *Projected PJM Market Revenues* equal to the resource's net energy and ancillary service revenues for the resource type, or (2) the unit-specific Market Seller Offer Cap proposed by the Market Monitoring Unit upon PJM approval of such value, or (3) an alternative unit-specific Market Seller Offer Cap calculated by the Office of the Interconnection based on the submitted documentation. If the Market Monitoring Unit does not provide its determination to the Capacity Market Seller and the Office of the Interconnection by the specified deadline, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction the Office of the Interconnection will make the determination of the level of the Market Seller Offer Cap, which shall be deemed to be final. If the Capacity Market Seller does not notify the Market Monitoring Unit and the Office of the Interconnection of the Market Seller Offer Cap it desires to utilize by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction, it shall be required to utilize a Market Seller Offer Cap determined using the applicable default Avoidable Cost Rate specified in section 6.4(a) above.

Notwithstanding the provisions of Tariff, Attachment M-Appendix, section II.E.2 and this Tariff, Attachment DD, section 6.4(b), no later than eighty (80) days prior to the commencement of the offer period for the auction, the Market Monitoring Unit and the relevant Capacity Market Seller may mutually agree on the value of such Market Seller Offer Cap. Nothing herein shall preclude the Market Monitoring Unit from modifying the Market Seller Offer Cap for a Generation Capacity Resource beyond the eighty-day (80-day) deadline prior to the commencement of the offer period for the auction, through the commencement of the offer period for the auction, so long as the Market Monitoring Unit and the relevant Capacity Market Seller mutually agree with the value of such Market Seller Offer Cap. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, if such an agreement with the Market Monitoring Unit has been reached. The Office of the Interconnection shall review the Market Seller Offer Cap submitted by the Capacity Market Seller and make a determination whether the Market Seller Offer Cap complies with the tariff, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination.

(c) Nothing in this section precludes the Capacity Market Seller from filing a petition with FERC seeking a determination of whether the Sell Offer complies with the requirements of the Tariff.

(d) For any Third Incremental Auction for the 2018/2019 Delivery Year or any subsequent Delivery Year, the Market Seller Offer Cap for an Existing Generation Capacity Resource offering as a Capacity Performance Resource shall be determined pursuant to subsection (a) of this Section 6.4, or if elected by the Capacity Market Seller, shall be equal to 1.1 times the Capacity Resource Clearing Price in the Base Residual Auction for the relevant LDA and Delivery Year.

(e) Effective with the 2025/2026 Delivery Year, Capacity Market Sellers that submit a unit-specific Market Seller Offer Cap by the deadline may request to use and provide support for a segmented offer cap to reflect incremental costs of having a capacity obligation across different segments of their unit. Such request must provide adequate justification for the use of a segmented offer cap with supporting documentation and calculations for the Market Seller Offer Cap of each segment. Segmented Market Seller Offer Caps shall be comprised of multiple Market Seller Offer Caps, each calculated in accordance with Tariff, Attachment DD, section 6.8. If elected by the Capacity Market Seller, the first segment may have a Market Seller Offer Cap reflective of incremental expenses directly required to operate a Generation Capacity Resource that a Generation Owner would not incur if such generating unit were to mothball or retire, in accordance with Tariff, Attachment DD, section 6.8(b). All other offer segments (and, if elected by the Capacity Market Seller, the first segment) shall reflect incremental costs that would be avoided only in the absence of a capacity obligation, in accordance with Tariff, Attachment DD, section 6.8(b).

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of RAA, Schedule 6. Capitalized terms used herein that are not otherwise defined in Tariff, Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of two categories, i.e., Guaranteed Load Drop or Firm Service Level, as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource Registration that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the Demand Resource Registration is linked to a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource Registration must achieve its full load reduction within the following time period:

- (a) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource Registration must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource Registration from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that

Demand Resource Registration is submitted in accordance with Tariff, Attachment K-Appendix. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource Registration is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource Registration is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that submitted the Demand Resource Registration must demonstrate that:

- (i) The manufacturing processes for the Demand Resource Registration require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- (ii) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- (iii) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- (iv) The Demand Resource Registration is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) Business Days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource Registration has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) Business Days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) Business Days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource Registration shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in RAA, Schedule 6, section A-1; RAA, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 30 days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be linked to registrations participating in the Full Program Option or Capacity Only Option of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand

Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand

Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers; and

- assumptions regarding regulatory approval of program(s), if applicable.

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current

(at time of plan submission) Delivery Year and the two preceding Delivery Years; and

- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification;

(b) that the Sell Offer Plan does not include any Critical Natural Gas Infrastructure facilities, and

(c) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM Manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 30 days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 Business Days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 Business Days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 Business Days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

- B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

- C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Tariff, Attachment DD. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Tariff, Attachment DD to the extent it fails to provide the resource in such location consistent with its cleared offer.
- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Tariff, Attachment DD.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resource Registrations in the following ways:

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource Registration information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Load Management events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Values (summer, winter or annual) for each Demand Resource Registration shall be determined consistent with the process described below.

The summer Nominated Value for Firm Service Level customer(s) on a registration will be based on the peak load contribution for the customer(s), as typically determined by the

5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The summer Nominated Value for a registration shall equal the total peak load contribution for the customers on the registration minus the summer Firm Service Level multiplied by the loss factor. The winter Nominated Value for Firm Service Level customer(s) on a registration shall equal the total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The annual Nominated Value for or Firm Service Level customer(s) on a registration shall equal the lesser of i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

The summer Nominated Value for a Guaranteed Load Drop customer on a registration shall equal the summer guaranteed load drop amount, adjusted for system losses and shall not exceed the customer's Peak Load Contribution, as established by the customer's contract with the Curtailment Service Provider. The winter Nominated Value for a Guaranteed Load Drop customer on a registration shall be the winter guaranteed load drop amount, adjusted for system losses, and shall not exceed the customer's Winter Peak Load multiplied by Zonal Winter Weather Adjustment Factor multiplied by the loss factor, as established by the customer's contract with the Curtailment Service Provider. The annual Nominated Value for a Guaranteed Load Drop customer on a registration shall be the lesser of the i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

Customer-specific Demand Resource Registration information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Each Demand Resource Registration should be linked to a Demand Resource. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource Registration information, to verify the amount of load management available and to set a summer, winter, or annual Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider in the designated PJM electronic system, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for which such Demand Resource Registration is effective. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone,

based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

The daily Nominated Value for the Delivery Year for a Limited Demand Resource, Extended Summer Demand Resource, Base Capacity Demand Resource, and Annual Demand Resource without a Capacity Performance commitment shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource. For the 2017/2018 and 2018/2019 Delivery Years, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the sum of the annual Nominated Values of the registrations linked to such Demand Resource. For the 2019/2020 Delivery Year, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource. Effective with the 2020/2021 Delivery Year, the daily Nominated Value of a Demand Resource with a Capacity Performance commitment (which may consist of an Annual Demand Resource with a Capacity Performance commitment and/or Summer Period Demand Resource with a Capacity Performance commitment) shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource for the summer period of June through October and May of the Delivery Year, and shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource for the non-summer period of November through April of the Delivery Year.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Load Management events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resource Registrations dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable prior to the 2025/2026 Delivery Year, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in RAA, Article 1, subject to the following requirements:

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-

interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Load reduction compliance is averaged over the Load Management Event for a Demand Resource Registration linked to a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource without a Capacity Performance commitment or determined on an hourly basis for a Demand Resource Registration linked to a Base Capacity Demand Resource or Annual Demand Resource with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for a Demand Resource Registration without a Base or Capacity Performance commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute. The registered capacity commitment for a Demand Resource Registration with a Base or Capacity Performance commitment is not prorated based on the number of minutes dispatched during the clock hours. The actual hourly load reduction for the hour ending that includes a Performance Assessment Interval(s) is flat-profiled over the set of dispatch intervals in the hour in accordance with the PJM Manuals.

A Demand Resource Registration may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero.

Compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a committed Limited Demand Resource, Extended Summer Demand Resource, and Annual Demand Resource without a Capacity Performance commitment to determine a net compliance position for the event for each Provider by Compliance Aggregation Area and such net compliance position shall be allocated to the underlying registrations, in accordance with PJM Manuals. Load Management Event deficiencies shall be as further determined in accordance with Tariff, Attachment DD, section 11 and PJM Manuals.

For a Performance Assessment Interval, compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a Provider’s Base Capacity Demand Resource or to an Annual Demand Resource with a Capacity Performance commitment to determine the Actual Performance for such Demand Resource in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals. The Expected Performance for such Demand Resource shall be equal to the Provider’s committed capacity on the Demand Resource, adjusted to account for any linked registrations that were not dispatched by PJM. A Provider’s Demand Resources’ initial Performance Shortfalls shall be netted for all the seller’s Demand Resources in the Emergency Action Area to determine a net Emergency Action Area Performance Shortfall which is then allocated to

the Capacity Market Seller's Demand Resources in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.
 - For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
 - For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
 - For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all

days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Tariff, Attachment Q. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a

BRA may elect a New Entry Price Adjustment on the same terms as set forth in Tariff, Attachment DD, section 5.14(c).

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.
8. For Incremental Auctions conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, if a Relevant Electric Retail Regulatory Authority receives FERC authorization to qualify or prohibit Energy Efficiency Resource participation in a specific area(s) of the PJM Region, the following process applies:
 - (a) The Office of the Interconnection will publicly post a reference to the FERC authorization of a Relevant Electric Retail Regulatory Authority order, ordinance or resolution that qualifies or prohibits Energy Efficiency Resource participation, the applicable electric distribution company(ies), and the applicable auction(s) and/or Delivery Year(s).
 - (b) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all resources that are located in the jurisdiction of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation within the Zone or LDA, as required, and those outside of the area but within the Zone or LDA, as required.
 - (c) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all Energy Efficiency Resources to be offered as part of its Energy Efficiency measurement and verification plan and

certified post-installation measurement and verification report. The Office of Interconnection will provide a list to the relevant electric distribution company for the specific area(s) to review for compliance with the Relevant Electric Retail Regulatory Authority of Capacity Market Sellers that are:

- (i) offering Energy Efficiency Resources in an RPM Auction within two (2) Business Days after the deadline for submitting an energy efficiency measurement and verification plan for such RPM Auction; and
- (ii) certifying Energy Efficiency Resources with a Delivery Year post-installation measurement and verification report, within two (2) Business Days of receipt of such Delivery Year post-installation measurement and verification report. The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource.

(d) The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation and provide a response to the Office of the Interconnection within five (5) Business Days after receiving the list of Capacity Market Sellers offering Energy Efficiency Resources. The Office of the Interconnection will not allow a Capacity Market Seller to offer or certify Energy Efficiency Resources if an electric distribution company denies such Capacity Market Seller to deliver Energy Efficiency Resources in compliance with rules of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation.

- (9) For Incremental Auctions that will be conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, a Capacity Market Seller of Energy Efficiency Resources that cannot satisfy its RPM obligations in any Delivery Year due to the prohibition of participation by a Relevant Electric Retail Regulatory Authority authorized by FERC to prohibit participation of such resources may be relieved of its Capacity Resource Deficiency Charge by notifying the Office of the Interconnection by no later than seven (7) calendar days prior to the posting of the planning parameters for the Third Incremental Auction of that Delivery Year. After providing such notice, the affected Capacity Market Seller may elect to be relieved of its RPM commitment, and shall not be required to obtain replacement capacity for the resource, and no charges shall be assessed by the Office of the

Interconnection for the Capacity Market Seller's deficiency in satisfying its RPM obligation for the resource for such Delivery Year. In such case, however, the Capacity Market Seller shall not be entitled to, nor be paid, any RPM revenues for such resource for that Delivery Year. The Office of the Interconnection will apply corresponding adjustments to the quantity of Buy Bids or Sell Offers in the Incremental Auctions for such Delivery Years in accordance with Tariff, Attachment DD, sections 5.12(b)(ii) and 5.12(b)(iii).

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of two categories, i.e., Guaranteed Load Drop or Firm Service Level, as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource Registration that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the Demand Resource Registration is linked to a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource Registration must achieve its full load reduction within the following time period:

- (a) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource Registration must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource Registration from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that Demand Resource Registration is submitted in accordance with Tariff, Attachment K-Appendix. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service

Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource Registration is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource Registration is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that submitted the Demand Resource Registration must demonstrate that:

- (i) The manufacturing processes for the Demand Resource Registration require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- (ii) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- (iii) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- (iv) The Demand Resource Registration is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) Business Days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource Registration has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) Business Days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) Business Days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource Registration shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in RAA, Schedule 6, section A-1; RAA, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 30 days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be linked to registrations participating in the Full Program Option or Capacity Only Option of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the

Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers; and
- assumptions regarding regulatory approval of program(s), if applicable.

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and

- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification;

(b) that the Sell Offer Plan does not include any Critical Natural Gas Infrastructure facilities, and

(c) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM Manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 30 days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 Business Days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 Business Days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 Business Days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

- C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Tariff, Attachment DD. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Tariff, Attachment DD to the extent it fails to provide the resource in such location consistent with its cleared offer.
- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Tariff, Attachment DD.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the

Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resource Registrations in the following ways:

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource Registration information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Load Management events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Values (summer, winter or annual) for each Demand Resource Registration shall be determined consistent with the process described below.

The summer Nominated Value for Firm Service Level customer(s) on a registration will be based on the peak load contribution for the customer(s), as typically determined by the 5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The summer Nominated Value for a registration shall equal the total peak load contribution for the customers on the registration minus the summer Firm

Service Level multiplied by the loss factor. The winter Nominated Value for Firm Service Level customer(s) on a registration shall equal the total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The annual Nominated Value for or Firm Service Level customer(s) on a registration shall equal the lesser of i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

The summer Nominated Value for a Guaranteed Load Drop customer on a registration shall equal the summer guaranteed load drop amount, adjusted for system losses and shall not exceed the customer's Peak Load Contribution, as established by the customer's contract with the Curtailment Service Provider. The winter Nominated Value for a Guaranteed Load Drop customer on a registration shall be the winter guaranteed load drop amount, adjusted for system losses, and shall not exceed the customer's Winter Peak Load multiplied by Zonal Winter Weather Adjustment Factor multiplied by the loss factor, as established by the customer's contract with the Curtailment Service Provider. The annual Nominated Value for a Guaranteed Load Drop customer on a registration shall be the lesser of the i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

Customer-specific Demand Resource Registration information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Each Demand Resource Registration should be linked to a Demand Resource. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource Registration information, to verify the amount of load management available and to set a summer, winter, or annual Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider in the designated PJM electronic system, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for which such Demand Resource Registration is effective. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

The daily Nominated Value for the Delivery Year for a Limited Demand Resource, Extended Summer Demand Resource, Base Capacity Demand Resource, and Annual Demand Resource without a Capacity Performance commitment shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource. For the 2017/2018 and 2018/2019 Delivery Years, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the sum of the annual Nominated Values of the registrations linked to such Demand Resource. For the 2019/2020 Delivery Year, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource. Effective with the 2020/2021 Delivery Year, the daily Nominated Value of a Demand Resource with a Capacity Performance commitment (which may consist of an Annual Demand Resource with a Capacity Performance commitment and/or Summer Period Demand Resource with a Capacity Performance commitment) shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource for the summer period of June through October and May of the Delivery Year, and shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource for the non-summer period of November through April of the Delivery Year.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Load Management events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resource Registrations dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable prior to the 2025/2026 Delivery Year, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in RAA, Article 1, subject to the following requirements:

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Load reduction compliance is averaged over the Load Management Event for a Demand Resource Registration linked to a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource without a Capacity Performance commitment or determined on an hourly basis for a Demand Resource Registration linked to a Base

Capacity Demand Resource or Annual Demand Resource with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for a Demand Resource Registration without a Base or Capacity Performance commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute. The registered capacity commitment for a Demand Resource Registration with a Base or Capacity Performance commitment is not prorated based on the number of minutes dispatched during the clock hours. The actual hourly load reduction for the hour ending that includes a Performance Assessment Interval(s) is flat-profiled over the set of dispatch intervals in the hour in accordance with the PJM Manuals.

A Demand Resource Registration may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero.

Compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a committed Limited Demand Resource, Extended Summer Demand Resource, and Annual Demand Resource without a Capacity Performance commitment to determine a net compliance position for the event for each Provider by Compliance Aggregation Area and such net compliance position shall be allocated to the underlying registrations, in accordance with PJM Manuals. Load Management Event deficiencies shall be as further determined in accordance with Tariff, Attachment DD, section 11 and PJM Manuals.

For a Performance Assessment Interval, compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a Provider’s Base Capacity Demand Resource or to an Annual Demand Resource with a Capacity Performance commitment to determine the Actual Performance for such Demand Resource in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals. The Expected Performance for such Demand Resource shall be equal to the Provider’s committed capacity on the Demand Resource, adjusted to account for any linked registrations that were not dispatched by PJM. A Provider’s Demand Resources’ initial Performance Shortfalls shall be netted for all the seller’s Demand Resources in the Emergency Action Area to determine a net Emergency Action Area Performance Shortfall which is then allocated to the Capacity Market Seller’s Demand Resources in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.
 - For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
 - For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
 - For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year

that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Tariff, Attachment Q. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in Tariff, Attachment DD, section 5.14(c).
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection,

by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.
8. For Incremental Auctions conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, if a Relevant Electric Retail Regulatory Authority receives FERC authorization to qualify or prohibit Energy Efficiency Resource participation in a specific area(s) of the PJM Region, the following process applies:
 - (a) The Office of the Interconnection will publicly post a reference to the FERC authorization of a Relevant Electric Retail Regulatory Authority order, ordinance or resolution that qualifies or prohibits Energy Efficiency Resource participation, the applicable electric distribution company(ies), and the applicable auction(s) and/or Delivery Year(s).
 - (b) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all resources that are located in the jurisdiction of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation within the Zone or LDA, as required, and those outside of the area but within the Zone or LDA, as required.
 - (c) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all Energy Efficiency Resources to be offered as part of its Energy Efficiency measurement and verification plan and certified post-installation measurement and verification report. The Office of Interconnection will provide a list to the relevant electric distribution company for the specific area(s) to review for compliance with the Relevant Electric Retail Regulatory Authority of Capacity Market Sellers that are:

- (i) offering Energy Efficiency Resources in an RPM Auction within two (2) Business Days after the deadline for submitting an energy efficiency measurement and verification plan for such RPM Auction; and
 - (ii) certifying Energy Efficiency Resources with a Delivery Year post-installation measurement and verification report, within two (2) Business Days of receipt of such Delivery Year post-installation measurement and verification report. The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource.
- (d) The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation and provide a response to the Office of the Interconnection within five (5) Business Days after receiving the list of Capacity Market Sellers offering Energy Efficiency Resources. The Office of the Interconnection will not allow a Capacity Market Seller to offer or certify Energy Efficiency Resources if an electric distribution company denies such Capacity Market Seller to deliver Energy Efficiency Resources in compliance with rules of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation.
- (9) For Incremental Auctions that will be conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, a Capacity Market Seller of Energy Efficiency Resources that cannot satisfy its RPM obligations in any Delivery Year due to the prohibition of participation by a Relevant Electric Retail Regulatory Authority authorized by FERC to prohibit participation of such resources may be relieved of its Capacity Resource Deficiency Charge by notifying the Office of the Interconnection by no later than seven (7) calendar days prior to the posting of the planning parameters for the Third Incremental Auction of that Delivery Year. After providing such notice, the affected Capacity Market Seller may elect to be relieved of its RPM commitment, and shall not be required to obtain replacement capacity for the resource, and no charges shall be assessed by the Office of the Interconnection for the Capacity Market Seller's deficiency in satisfying its RPM obligation for the resource for such Delivery Year. In such case, however, the Capacity Market Seller shall not be entitled to, nor be paid, any RPM revenues for such resource for that Delivery Year. The Office of the Interconnection will apply

corresponding adjustments to the quantity of Buy Bids or Sell Offers in the Incremental Auctions for such Delivery Years in accordance with Tariff, Attachment DD, sections 5.12(b)(ii) and 5.12(b)(iii).

Attachment B

Revisions to the PJM

Open Access Transmission Tariff and Reliability Assurance Agreement

(Clean Format)

5.14 Clearing Prices and Charges

a) Capacity Resource Clearing Prices

For each Base Residual Auction and Incremental Auction, the Office of the Interconnection shall calculate a clearing price to be paid for each megawatt-day of Unforced Capacity that clears in such auction. The Capacity Resource Clearing Price for each LDA will be the marginal value of system capacity for the PJM Region, without considering locational constraints, adjusted as necessary by any applicable Locational Price Adders, Annual Resource Price Adders, Extended Summer Resource Price Adders, Limited Resource Price Decrements, Sub-Annual Resource Price Decrements, Base Capacity Demand Resource Price Decrements, and Base Capacity Resource Price Decrements, all as determined by the Office of the Interconnection based on the optimization algorithm. If a Capacity Resource is located in more than one Locational Deliverability Area, it shall be paid the highest Locational Price Adder in any applicable LDA in which the Sell Offer for such Capacity Resource cleared. The Annual Resource Price Adder is applicable for Annual Resources only. The Extended Summer Resource Price Adder is applicable for Annual Resources and Extended Summer Demand Resources.

The Locational Price Adder applicable to each cleared Seasonal Capacity Performance Resource is determined during the post-processing of the RPM Auction results consistent with the manner in which the auction clearing algorithm recognizes the contribution of Seasonal Capacity Performance Resource Sell Offers in satisfying an LDA's reliability requirement. For each LDA with a positive Locational Price Adder with respect to the immediate higher level LDA, starting with the lowest level constrained LDAs and moving up, PJM determines the quantity of equally matched Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources located and cleared within that LDA. Up to this quantity, the cleared Summer-Period Capacity Performance Resources and Winter-Period Capacity Performance Resources with the lowest Sell Offer prices will be compensated using the highest Locational Price Adder applicable to such LDA; and any remaining Seasonal Capacity Performance Resources cleared within the LDA are effectively moved to the next higher level constrained LDA, where they are considered in a similar manner for compensation.

b) Resource Make-Whole Payments

If a Sell Offer specifies a minimum block, and only a portion of such block is needed to clear the market in a Base Residual or Incremental Auction, the MW portion of such Sell Offer needed to clear the market shall clear, and such Sell Offer shall set the marginal value of system capacity. In addition, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the Capacity Resource Clearing Price in such auction times the difference between the Sell Offer's minimum block MW quantity and the Sell Offer's cleared MW quantity. If the Sell Offer price of a cleared Seasonal Capacity Performance Resource exceeds the applicable Capacity Resource Clearing Price, the Capacity Market Seller shall receive a Resource Make-Whole Payment equal to the difference between the Sell Offer price and Capacity Resource Clearing Price in such RPM Auction. The cost for any such Resource Make-Whole Payments required in a Base Residual Auction or Incremental Auction for adjustment of prior capacity commitments shall be collected pro rata from all LSEs in the LDA in which such payments were made, based on their Daily Unforced Capacity Obligations. The cost for any such Resource Make-Whole Payments required

in an Incremental Auction for capacity replacement shall be collected from all Capacity Market Buyers in the LDA in which such payments were made, on a pro-rata basis based on the MWs purchased in such auction.

c) New Entry Price Adjustment

A Capacity Market Seller that submits a Sell Offer based on a Planned Generation Capacity Resource that clears in the BRA for a Delivery Year may, at its election, submit Sell Offers with a New Entry Price Adjustment in the BRAs for the two immediately succeeding Delivery Years if:

1. Such Capacity Market Seller provides notice of such election at the time it submits its Sell Offer for such resource in the BRA for the first Delivery Year for which such resource is eligible to be considered a Planned Generation Capacity Resource. When the Capacity Market Seller provides notice of such election, it must specify whether its Sell Offer is contingent upon qualifying for the New Entry Price Adjustment. The Office of the Interconnection shall not clear such contingent Sell Offer if it does not qualify for the New Entry Price Adjustment.

2. All or any part of a Sell Offer from the Planned Generation Capacity Resource submitted in accordance with section 5.14(c)(1) is the marginal Sell Offer that sets the Capacity Resource Clearing Price for the LDA.

3. Acceptance of all or any part of a Sell Offer that meets the conditions in section 5.14(c)(1)-(2) in the BRA increases the total Unforced Capacity committed in the BRA (including any minimum block quantity) for the LDA in which such Resource will be located from a megawatt quantity below the LDA Reliability Requirement to a megawatt quantity at or above a megawatt quantity at the price-quantity point on the VRR Curve at which the price is 0.40 times the applicable Net CONE, divided by (one minus the pool-wide average EFORD).

4. Such Capacity Market Seller submits Sell Offers in the BRA for the two immediately succeeding Delivery Years for the entire Unforced Capacity of such Generation Capacity Resource committed in the first BRA under section 5.14(c)(1)-(2) equal to the lesser of: A) the price in such seller's Sell Offer for the BRA in which such resource qualified as a Planned Generation Capacity Resource that satisfies the conditions in section 5.14(c)(1)-(3); or B) 0.90 times the Net CONE applicable in the first BRA in which such Planned Generation Capacity Resource meeting the conditions in section 5.14(c)(1)-(3) cleared, on an Unforced Capacity basis, for such LDA.

5. If the Sell Offer is submitted consistent with section 5.14(c)(1)-(4) the foregoing conditions, then:

- (i) in the first Delivery Year, the Resource sets the Capacity Resource Clearing Price for the LDA and all cleared resources in the LDA receive the Capacity Resource Clearing Price set by the Sell Offer as the marginal offer, in accordance with Tariff, Attachment DD, section 5.12(a) and section 5.14(a) above.

- (ii) in either of the subsequent two BRAs, if any part of the Sell Offer from the Resource clears, it shall receive the Capacity Resource Clearing Price for such LDA for its cleared capacity and for any additional minimum block quantity pursuant to section 5.14(b) above; or
- (iii) if the Resource does not clear, it shall be deemed resubmitted at the highest price per MW-day at which the megawatt quantity of Unforced Capacity of such Resource that cleared the first-year BRA will clear the subsequent-year BRA pursuant to the optimization algorithm described in Tariff, Attachment DD, section 5.12(a), and
- (iv) the resource with its Sell Offer submitted shall clear and shall be committed to the PJM Region in the amount cleared, plus any additional minimum-block quantity from its Sell Offer for such Delivery Year, but such additional amount shall be no greater than the portion of a minimum-block quantity, if any, from its first-year Sell Offer satisfying section 5.14(c)(1)-(3) above that is entitled to compensation pursuant to section 5.14(b) above; and
- (v) the Capacity Resource Clearing Price, and the resources cleared, shall be re-determined to reflect the resubmitted Sell Offer. In such case, the Resource for which the Sell Offer is submitted pursuant to section 5.14(c)(1)-(4) above shall be paid for the entire committed quantity at the Sell Offer price that it initially submitted in such subsequent BRA. The difference between such Sell Offer price and the Capacity Resource Clearing Price (as well as any difference between the cleared quantity and the committed quantity), will be treated as a Resource Make-Whole Payment in accordance with section 5.14(b) above. Other capacity resources that clear the BRA in such LDA receive the Capacity Resource Clearing Price as determined in section 5.14(a) above.

6. The failure to submit a Sell Offer consistent with section 5.14(c)(i)-(iii) above in the BRA for Delivery Year 3 shall not retroactively revoke the New Entry Price Adjustment for Delivery Year 2. However, the failure to submit a Sell Offer consistent with section 5.14(c)(4) above in the BRA for Delivery Year 2 shall make the resource ineligible for the New Entry Pricing Adjustment for Delivery Years 2 and 3.

7. For each Delivery Year that the foregoing conditions are satisfied, the Office of the Interconnection shall maintain and employ in the auction clearing for such LDA a separate VRR Curve, notwithstanding the outcome of the test referenced in Tariff, Attachment DD, section 5.10(a)(ii).

d) Qualifying Transmission Upgrade Payments

A Capacity Market Seller that submitted a Sell Offer based on a Qualifying Transmission Upgrade that clears in the Base Residual Auction shall receive a payment equal to the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA into which the Qualifying

Transmission Upgrade is to increase Capacity Emergency Transfer Limit, less the Capacity Resource Clearing Price, including any Locational Price Adder, of the LDA from which the upgrade was to provide such increased CETL, multiplied by the megawatt quantity of increased CETL cleared from such Sell Offer. Such payments shall be reflected in the Locational Price Adder determined as part of the Final Zonal Capacity Price for the Zone associated with such LDAs, and shall be funded through a reduction in the Capacity Transfer Rights allocated to Load-Serving Entities under Tariff, Attachment DD, section 5.15, as set forth in that section. PJMSettlement shall be the Counterparty to any cleared capacity transaction resulting from a Sell Offer based on a Qualifying Transmission Upgrade.

e) Locational Reliability Charge

In accordance with the Reliability Assurance Agreement, each LSE shall incur a Locational Reliability Charge (subject to certain offsets and other adjustments as described in Tariff, Attachment DD, section 5.14B, Tariff, Attachment DD, section 5.14C, Tariff, Attachment DD, section 5.14D, Tariff, Attachment DD, section 5.14E and Tariff, Attachment DD, section 5.15) equal to such LSE's Daily Unforced Capacity Obligation in a Zone during such Delivery Year multiplied by the applicable Final Zonal Capacity Price in such Zone. PJMSettlement shall be the Counterparty to the LSEs' obligations to pay, and payments of, Locational Reliability Charges.

f) The Office of the Interconnection shall determine Zonal Capacity Prices in accordance with the following, based on the optimization algorithm:

i) The Office of the Interconnection shall calculate and post the Preliminary Zonal Capacity Prices for each Delivery Year following the Base Residual Auction for such Delivery Year. The Preliminary Zonal Capacity Price for each Zone shall be the sum of: 1) the marginal value of system capacity for the PJM Region, without considering locational constraints; 2) the Locational Price Adder, if any, for the LDA in which such Zone is located; provided however, that if the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA; 3) an adjustment, if required, to account for Resource Make-Whole Payments; and 4) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits, all as determined in accordance with the optimization algorithm.

ii) The Office of the Interconnection shall calculate and post the Adjusted Zonal Capacity Price following each Incremental Auction. The Adjusted Zonal Capacity Price for each Zone shall equal the sum of: (1) the average marginal value of system capacity weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (2) the average Locational Price Adder weighted by the Unforced Capacity cleared in all auctions previously conducted for such Delivery Year (excluding any Unforced Capacity cleared as replacement capacity); (3) an adjustment, if required, to account for Resource Make-Whole Payments for all actions previously conducted (excluding any Resource Make-Whole Payments to be charged to the buyers of replacement capacity); and (4) an adjustment, if required to provide sufficient revenue for payment of any PRD Credits. The Adjusted Zonal Capacity Price may decrease if Unforced Capacity is decommitted or the Resource Clearing Price decreases in an Incremental Auction.

iii) The Office of the Interconnection shall calculate and post the Final Zonal Capacity Price for each Delivery Year after the final auction is held for such Delivery Year, as set forth above. The Final Zonal Capacity Price for each Zone shall equal the Adjusted Zonal Capacity Price, as further adjusted to reflect any decreases in the Nominated Demand Resource Value of any existing Demand Resource cleared in the Base Residual Auction and Second Incremental Auction.

g) Resource Substitution Charge

Each Capacity Market Buyer in an Incremental Auction securing replacement capacity shall pay a Resource Substitution Charge equal to the Capacity Resource Clearing Price resulting from such auction multiplied by the megawatt quantity of Unforced Capacity purchased by such Market Buyer in such auction.

h) Minimum Offer Price Rule for Certain New Generation Capacity Resources that are not Capacity Resources with State Subsidy for up to the 2022/2023 Delivery Year.

(1) The provisions of this section 5.14(h) shall not be effective after the 2022/2023 Delivery Year. For purposes of this section, the Net Asset Class Costs of New Entry shall be asset-class estimates of competitive, cost-based nominal levelized Cost of New Entry, net of energy and ancillary service revenues. Determination of the gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be consistent with the methodology used to determine the Cost of New Entry set forth in Tariff, Attachment DD, section 5.10(a)(iv)(A) of this Attachment. This section only applies to new Generation Capacity Resources that do not receive or are not entitled to receive a State Subsidy, meaning that such resources are not Capacity Resources with State Subsidy. To the extent a new Generation Capacity Resource is a Capacity Resource with State Subsidy, then the provisions in Tariff, Attachment DD, section 5.14(h-1) apply.

The gross Cost of New Entry component of Net Asset Class Cost of New Entry shall be, for purposes of the 2018/2019 Delivery Year and subsequent Delivery Years, the values indicated in the table below for each CONE Area for a combustion turbine generator (“CT”), and a combined cycle generator (“CC”) respectively, and shall be adjusted for subsequent Delivery Years in accordance with subsection (h)(2) below. For purposes of Incremental Auctions for the 2015/2016, 2016/2017 and 2017/2018 Delivery Years, the MOPR Floor Offer Price shall be the same as that used in the Base Residual Auction for such Delivery Year. The estimated energy and ancillary service revenues for each type of plant shall be determined as described in subsection (h)(3) below. Notwithstanding the foregoing, the Net Asset Class Cost of New Entry shall be zero for: (i) Sell Offers based on nuclear, coal or Integrated Gasification Combined Cycle facilities; or (ii) Sell Offers based on hydroelectric, wind, or solar facilities.

	CONE Area 1	CONE Area 2	CONE Area 3	CONE Area 4
CT \$/MW-yr	132,200	130,300	128,990	130,300
CC \$/MW-yr	185,700	176,000	172,600	179,400

(2) The gross Cost of New Entry component of the Net Asset Class Cost of New Entry shall be adjusted to reflect changes in generating plant construction costs in the same manner as set forth for the cost of new entry in Tariff, Attachment DD, section 5.10(a)(iv)(B), provided, however, that the Applicable BLS Composite Index used for CC plants shall be calculated from the three indices referenced in that section but weighted 25% for the wages index, 60% for the construction materials index, and 15% for the turbines index, and provided further that nothing herein shall preclude the Office of the Interconnection from filing to change the Net Asset Class Cost of New Entry for any Delivery Year pursuant to appropriate filings with FERC under the Federal Power Act.

(3) For the 2022/2023 Delivery Year, for purposes of this provision, the net energy and ancillary services revenue estimate for a combustion turbine generator shall be that determined by Tariff, Attachment DD, section 5.10(a)(v-1)(A), provided that the energy and ancillary services revenue estimate for each CONE Area shall be based on the Zone within such CONE Area that has the highest energy revenue estimate calculated under the methodology in that subsection. The net energy and ancillary services revenue estimate for a combined cycle generator shall be determined in the same manner as that prescribed for a combustion turbine generator in the previous sentence, except that the heat rate assumed for the combined cycle resource shall be 6.501 MMbtu/MWh, the variable operations and maintenance expenses for such resource shall be \$2.11 per MWh, a 10% adder will not be included in the energy offer, and the reactive service revenues shall be \$3,350 per MW-year.

(4) Any Sell Offer that is based on either (i) or (ii), and (iii):

i) a Generation Capacity Resource located in the PJM Region that is submitted in an RPM Auction for a Delivery Year unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM auction for that or any subsequent Delivery Year; or

ii) a Generation Capacity Resource located outside the PJM Region (where such Sell Offer is based solely on such resource) that requires sufficient transmission investment for delivery to the PJM Region to indicate a long-term commitment to providing capacity to the PJM Region, unless a Sell Offer based on that resource has cleared an RPM Auction for that or any prior Delivery Year, or until a Sell Offer based on that resource clears an RPM Auction for that or any subsequent Delivery Year;

iii) in any LDA for which a separate VRR Curve is established for use in the Base Residual Auction for the Delivery Year relevant to the RPM Auction in which such offer is submitted, and that is less than 90 percent of the applicable Net Asset Class Cost of New Entry or, if there is no applicable Net Asset Class Cost of New Entry, less than 70 percent of the Net Asset Class Cost of New Entry for a combustion turbine generator as provided in subsection (h)(1) above shall be set to equal 90 percent of the applicable Net Asset Class Cost of New Entry (or set equal to 70 percent of such cost for a combustion turbine, where there is no otherwise applicable net asset class figure), unless the Capacity Market Seller obtains the prior determination from the Office of the Interconnection described in subsection (5) hereof. This provision applies to Sell Offers

submitted in Incremental Auctions conducted after December 19, 2011, provided that the Net Asset Class Cost of New Entry values for any such Incremental Auctions for the 2012-13 or 2013-14 Delivery Years shall be the Net Asset Class Cost of New Entry values posted by the Office of the Interconnection for the Base Residual Auction for the 2014-15 Delivery Year.

(5) Unit-Specific Exception. A Sell Offer meeting the criteria in subsection (4) shall be permitted and shall not be re-set to the price level specified in that subsection if the Capacity Market Seller obtains a determination from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer, that such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of new entry were the resource to rely solely on revenues from PJM-administered markets. The following process and requirements shall apply to requests for such determinations:

i) The Capacity Market Seller may request such a determination by no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer, by submitting simultaneously to the Office of the Interconnection and the Market Monitoring Unit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a preliminary estimate for the relevant Delivery Year of the minimum offer level expected to be established under subsection (4). If the minimum offer level subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

ii) As more fully set forth in the PJM Manuals, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the planned generation resource, as well as estimates of offsetting net revenues, or, sufficient data for the Office of the Interconnection and the Market Monitoring Unit to produce such an estimate. Estimates of costs or revenues shall be supported at a level of detail comparable to the cost and revenue estimates used to support the Net Asset Class Cost of New Entry established under this section 5.14(h). As more fully set forth in the PJM Manuals, supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. Such documentation also shall identify and support any sunk costs that the Capacity Market Seller has reflected as a reduction to its Sell Offer. The request shall include a certification, signed by an officer of the Capacity Market Seller, that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for an exception hereunder.

The request also shall identify all revenue sources relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above.

For the 2022/2023 Delivery Year, in making such demonstration, the Capacity Market Seller may rely upon revenues projected by well defined, forward-looking dispatch models, designed to generally follow the rules and processes of PJM's energy and ancillary services markets. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of variable operation and maintenance costs, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors and ancillary service capabilities.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices, and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, and plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

iii) A Sell Offer evaluated hereunder shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the minimum offer level prescribed by subsection (4), based on competitive cost advantages relative to the costs estimated for subsection (4), including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than estimated for subsection (4). Capacity Market Sellers shall be asked to demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination

required in this section will result in denial of an exception hereunder by the Office of the Interconnection.

iv) The Market Monitoring Unit shall review the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. If the Office of the Interconnection determines that the requested Sell Offer is acceptable, the Capacity Market Seller Shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction.

h-1) Minimum Offer Price Rule for Capacity Resources with State Subsidy for the 2022/2023 Delivery Year.

(1) **General Rule.** The provisions of this section 5.14(h-1) shall not be effective after the 2022/2023 Delivery Year. For the 2022/2023 Delivery Year, any Sell Offer based on either a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with a State Subsidy submitted in any RPM Auction shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the Capacity Market Seller qualifies for an exemption with respect to such Capacity Resource with a State Subsidy prior to the submission of such offer.

(A) Effect of Exemption. To the extent a Sell Offer in any RPM Auction is based on a Capacity Resource with State Subsidy that qualifies for any of the exemptions defined in Tariff, Attachment DD, sections 5.14(h-1)(4)-(8), the Sell Offer for such resource shall not be limited by the MOPR Floor Offer Price, unless otherwise specified.

(B) Effect of Exception. To the extent a Sell Offer in any RPM Auction for any Delivery Year is based on a Capacity Resource with State Subsidy for which the Capacity Market Seller obtains, prior to the submission of such offer, a resource-specific exception, such offer may include an offer price below the default MOPR Floor Offer Price applicable to such resource type, but no lower than the resource-specific MOPR Floor Offer Price determined in such exception process.

(C) Process for Establishing a Capacity Resource with a State Subsidy.

(i) By no later than one hundred and twenty (120) days prior to the commencement of the offer period of any RPM Auction conducted for the 2022/2023 Delivery Year, each Capacity Market Seller must certify to the Office of Interconnection, in accordance with the PJM Manuals, whether or not each Capacity Resource (other than Demand Resource and

Energy Efficiency Resource) that the Capacity Market Seller intends to offer into the RPM Auction qualifies as a Capacity Resource with a State Subsidy (including by way of Jointly Owned Cross-Subsidized Capacity Resource) and identify (with specificity) any State Subsidy. Capacity Market Sellers that intend to offer a Demand Resource or an Energy Efficiency Resource into the RPM Auction shall certify to the Office of Interconnection, in accordance with the PJM Manuals, whether or not such Demand Resource or Energy Efficiency Resource qualifies as a Capacity Resource with a State Subsidy no later than thirty (30) days prior to the commencement of the offer period of any RPM Auction conducted for the 2022/2023 Delivery Year. All Capacity Market Sellers shall be responsible for each certification irrespective of any guidance developed by the Office of the Interconnection and the Market Monitoring Unit. A Capacity Resource shall be deemed a Capacity Resource with State Subsidy if the Capacity Market Seller fails to timely certify whether or not a Capacity Resource is entitled to a State Subsidy, unless the Capacity Market Seller receives a waiver from the Commission. Notwithstanding, if a Capacity Market Seller submits a timely resource-specific exception pursuant to Tariff, Attachment DD, section 5.14(h-1)(3) for the relevant Delivery Year, and PJM approves the resource-specific MOPR Floor Offer Price, then the Capacity Market Seller may use such floor price regardless of whether it timely certified whether or not the resource is a Capacity Resource with State Subsidy.

(ii) The requirements in subsection (i) above do not apply to Capacity Resources for which the Market Seller designated whether or not it is subject to a State Subsidy and the associated subsidies to which the Capacity Resource is entitled in a prior Delivery Year, unless there has been a change in the set of those State Subsidy(ies), or for those which are eligible for the Demand Resource or Energy Efficiency exemption, Capacity Storage Resource exemption, Self-Supply Entity exemption, or the Renewable Portfolio Standard exemption.

(iii) Once a Capacity Market Seller has certified a Capacity Resource as a Capacity Resource with a State Subsidy, the status of such Capacity Resource will remain unchanged unless and until the Capacity Market Seller (or a subsequent Capacity Market Seller) that owns or controls such Capacity Resource provides a certification of a change in such status, the Office of the Interconnection removes such status, or by FERC order. All Capacity Market Sellers shall have an ongoing obligation to certify to the Office of Interconnection and the Market Monitoring Unit a Capacity Resource's material change in status as a Capacity Resource with State Subsidy within 30 days of such material change, unless such material change occurs within 30 days of the commencement of the offer period of any RPM Auction for the 2022/2023 Delivery Year, in which case the Market Seller must notify PJM no later than 5 days prior to the commencement of the offer period of any RPM Auction for the 2022/2023 Delivery Year. Nothing in this provision shall supersede the requirement for all Capacity Market Sellers to certify to the Office of Interconnection whether its resource meets the criteria of a Capacity Resource with State Subsidy pursuant to Tariff, Attachment DD, section 5.14(h-1)(1)(C)(i).

(2) **Minimum Offer Price Rule.** Any Sell Offer for a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with State Subsidy that does not qualify for any of the exemptions, as defined in Tariff, Attachment DD, sections 5.14(h-1)(4)-(8), shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the applicable MOPR Floor Offer Price is higher than the applicable Market Seller Offer Cap, in which circumstance the Capacity Resource with State Subsidy must seek a resource-specific value

determined in accordance with the resource-specific MOPR Floor Offer Price process to participate in an RPM Auction.

(A) **New Entry MOPR Floor Offer Price.** For a New Entry Capacity Resource with State Subsidy the applicable MOPR Floor Offer Price, based on the net cost of new entry for each resource type, shall be, at the election of the Capacity Market Seller, (i) the resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below or (ii) if applicable, the default New Entry MOPR Floor Offer Price for the applicable resource based on the gross cost of new entry values shown in the table below, net of estimated net energy and ancillary service revenues for the resource type and Zone in which the resource is located.

Resource Type	Gross Cost of New Entry (2022/2023 \$/ MW-day) (Nameplate)
Nuclear	\$2,000
Coal	\$1,068
Combined Cycle	\$320
Combustion Turbine	\$294
Fixed Solar PV	\$271
Tracking Solar PV	\$290
Onshore Wind	\$420
Offshore Wind	\$1,155
Battery Energy Storage	\$532
Diesel Backed Demand Resource	\$254

The gross cost of new entry values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the gross cost of new entry values must be converted to a net cost of new entry by subtracting the estimated net energy and ancillary service revenues, as determined below, from the gross cost of new entry. However, the resultant net cost of new entry of the battery energy storage resource type in the table above must be multiplied by 2.5. The net cost of new entry based on nameplate capacity is then converted to Unforced Capacity (“UCAP”) MW-day. For Delivery Years through the 2022/2023 Delivery Year, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for thermal generation resource types and battery energy storage resource types, the applicable class average EFORD; for wind and solar generation resource types, the applicable class average capacity value factor; or for Demand Resources and Energy Efficiency Resources, the Forecast Pool Requirement, as applicable to the relevant RPM Auction. For the 2023/2024 Delivery Year and subsequent Delivery Years, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for thermal generation resource types, the applicable class average EFORD; for battery storage, wind, and solar resource types, the applicable ELCC Class Rating; or for Demand Resources and Energy Efficiency Resources, the Forecast Pool Requirement, as applicable to the relevant RPM Auction. The resulting default New Entry MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for

the Capacity Resource regardless of the actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

The default New Entry MOPR Floor Offer Price for load-backed Demand Resources (i.e., the MW portion of Demand Resources that is not supported by generation) shall be separately determined for each Locational Deliverability Area as the MW-weighted average offer price of load-backed Demand Resources from the most recent three Base Residual Auctions, where the MW weighting shall be determined based on the portion of each Sell Offer for a load-backed portion of the Demand Resource that is supported by end-use customer locations on the registrations used in the pre-registration process for such Base Residual Auctions, as described in the PJM Manuals.

For generation-backed Demand Resources that are not powered by diesel generators, the default New Entry MOPR Floor Offer Price shall be the default New Entry MOPR Floor Offer Price applicable to their technology type. Generation-backed Demand Resources using a technology type for which there is no default MOPR Floor Offer Price provided in accordance with this section must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below to participate in an RPM Auction.

The default gross cost of new entry for Energy Efficiency Resources shall be \$644/ICAP MW-Day, which shall be offset by projected wholesale energy savings, as well as transmission and distribution savings of \$95/ICAP MW-Day, to determine the default New Entry MOPR Floor Offer Price (Net Cost of New Entry), where the projected wholesale energy savings are determined utilizing the cost and performance data of relevant programs offered by representative energy efficiency programs with sufficiently detailed publicly available data. The wholesale energy savings, in \$/ICAP MW-day, shall be calculated prior to each RPM Auction and be equal to the average annual energy savings of 6,221 MWh/ICAP MW times the weighted average of the annual real-time Forward Hourly LMPs of the Zones of the representative energy efficiency programs, where the weighting is developed from the annual energy savings in the relevant Zones, divided by 365.

To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types except for load-backed Demand Resources and Energy Efficiency Resources, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the “BLS Producer Price Index Turbines and Turbine Generator Sets” component of the Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the “BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment” when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further by a factor of 1.022 for nuclear, coal, combustion turbine, combine cycle, and generation-backed Demand Resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline in bonus depreciation scheduled under federal corporate tax law. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement,

Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. The net energy and ancillary services revenue shall be the average of the net energy and ancillary services revenues that the resource is projected to receive from the PJM energy and ancillary service markets for the applicable Delivery Year from three separate simulations, with each such simulation using forward prices shaped using historical data from one of each of the three consecutive calendar years preceding the time of the determination for the RPM Auction to take account of year-to-year variability in such hourly shapes. Each net energy and ancillary services revenue simulation shall be conducted in accordance with the following and the PJM Manuals:

(i) for nuclear resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue determined by the product of [average annual day-ahead Forward Hourly LMPs for such Zone, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus reactive services revenue of \$3,350/MW-year;

(ii) for coal resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh) using day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, and daily forecasted coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$3,350/MW-year;

(iii) for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v-1)(B) for the Reference Resource combustion turbine.

(iv) for combined cycle resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,501 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, plus reactive services revenue of \$3,350/MW-year.

(v) for solar PV resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time Forward Hourly LMP for such Zone and applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$3,350/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(vi) for onshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each

of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time Forward Hourly LMP for such Zone applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$3,350/MW-year;

(vii) for offshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue equal to the product of [the average annual real-time Forward Hourly LMP for such Zone times 8,760 hours times an assumed annual capacity factor of 45%], plus reactive services revenue of \$3,350/MW-year;

(viii) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by the Projected EAS Dispatch of a 1 MW, 4MWh resource, with an 85% roundtrip efficiency, and assumed to be dispatched between 95% and 5% state of charge against day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, plus reactive services revenue of \$3,350/MW-year; and

(ix) for generation-backed Demand Resource, the net energy and ancillary services revenue estimate shall be zero dollars.

New Entry Capacity Resource with State Subsidy for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a resource-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource for the relevant RPM Auction.

(B) Cleared MOPR Floor Offer Prices.

(i) For a Cleared Capacity Resource with State Subsidy, the applicable Cleared MOPR Floor Offer Price shall be, at the election of the Capacity Market Seller, (a) based on the resource-specific MOPR Floor Offer Price, as determined in accordance with Tariff, Attachment DD, section 5.14(h-1)(3) below, or (b) if available, the default Avoidable Cost Rate for the applicable resource type shown in the table below, net of projected PJM market revenues equal to the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with subsection (ii) below.

Existing Resource Type	Default Gross ACR (2022/2023 (\$/MW-day) (Nameplate)
Nuclear - single	\$697
Nuclear – dual	\$445
Coal	\$80
Combined Cycle	\$56
Combustion Turbine	\$50
Solar PV (fixed and tracking)	\$40
Wind Onshore	\$83

Diesel-backed Demand Response	\$3
Load-backed Demand Response	\$0
Energy Efficiency	\$0

The default gross Avoidable Cost Rate values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the default Avoidable Cost Rate values must be net of estimated net energy and ancillary service revenues, and then the difference is ultimately converted to Unforced Capacity (“UCAP”) MW-day, where the UCAP MW-day value will be determined based on: for Delivery Years through the 2022/2023 Delivery Year, the resource-specific EFORD for thermal generation resource types, resource-specific capacity value factor for solar and wind generation resource types (based on the ratio of Capacity Interconnection Rights to nameplate capacity, appropriately time-weighted for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction, and for the 2023/2024 Delivery Year and subsequent Delivery Years, the resource-specific EFORD for thermal generation resource types and on the resource-specific Accredited UCAP value for solar and wind resource types (with appropriate time-weighting for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction. The resulting default Cleared MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default Avoidable Cost Rates for Capacity Resources with State Subsidies that have cleared in an RPM Auction for any prior Delivery Year. Such review may include, without limitation, analyses of the avoidable costs of such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default Avoidable Cost Rate values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default Avoidable Cost Rate values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

For generation-backed Demand Resources that are not powered by diesel generators, the default Cleared MOPR Floor Offer Price shall be the default Cleared MOPR Floor Offer Price applicable to their technology type. Generation-backed Demand Resources using a technology type for which there is no default MOPR Floor Offer Price provided in accordance with this section must seek a resource-specific value determined in accordance with the resource-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-1)(3) below to participate in an RPM Auction.

Cleared Capacity Resources with State Subsidy for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a resource-

specific value determined in accordance with the resource-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a resource-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource.

(ii) The net energy and ancillary services revenue is equal to forecasted net revenues which shall be determined in accordance with the applicable resource type net energy and ancillary services revenue determination methodology set forth in Tariff, Attachment DD, section 5.14(h-1)(2)(A)(i) through (ix) and using the subject resource's operating parameters as determined in accordance with the PJM Manuals based on (a) offers submitted in the Day-ahead Energy Market and Real-time Energy Market over the calendar year preceding the time of the determination for the RPM Auction; (b) the resource-specific operating parameters approved, as applicable, in accordance with Operating Agreement, Schedule 1, section 6.6(b) and Operating Agreement, Schedule 2 (including any Fuel Costs, emissions costs, Maintenance Adders, and Operating Costs); (c) the resource's EFORd; (d) Forward Hourly LMPs at the generation bus as determined in accordance with Tariff, Attachment DD, section 5.10(a)(v-1)(C)(6); and (e) the resource's stated annual revenue requirement for reactive services; plus any unit-specific bilateral contract. In addition, the following resource type-specific parameters shall be considered; (f) for combustion turbine, combined cycle, and coal resource types: the installed capacity rating, ramp rate (which shall be equal to the maximum ramp rate included in the resource's energy offers over the most recent previous calendar year preceding the determination for the RPM Auction), and the heat rate as determined as the resource's average heat rate at full load as submitted to the Market Monitoring Unit and the Office of the Interconnection, where for combined cycle resources heat rates will be determined at base load and at peak load (e.g., without duct burners and with duct burners), as applicable; (g) for nuclear resource type: an average equivalent availability factor of all PJM nuclear resources to account for refueling outages; (h) for solar and wind resource types: the resource's output profiles for the most recent three calendar years, as available; and (i) for battery storage resource type: the nameplate capacity rating (on a MW / MWh basis).

To the extent the resource has not achieved commercial operation, the operating parameters used in the simulation of the net energy and ancillary service revenues will be based on the manufacturer's specifications and/or from parameters used for other existing, comparable resources, as developed by the Market Monitoring Unit and the Capacity Market Seller, and accepted by the Office of the Interconnection.

A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Cleared Capacity Resource with State Subsidy based on a net energy and ancillary services revenue determination that does not use the foregoing methodology or parameter inputs stated for that resource type shall, at its election, submit a request for a resource-specific MOPR Floor Offer Price for such Capacity Resource pursuant to Tariff, Attachment DD, section 5.14(h-1)(3) below.

(3) Resource-Specific Exception. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a New Entry Capacity Resource with State Subsidy or a Cleared Capacity Resource with State Subsidy below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a resource-specific exception for such Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the resource-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains

approval from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer. The resource-specific MOPR Floor Offer Price determined under this provision shall be based on the resource-specific EFORD for thermal generation resource types, on the resource-specific Accredited UCAP value for ELCC Resources (where for solar and wind generation resource types the Accredited UCAP shall be appropriately time-weighted for any winter Capacity Interconnection Rights), or the Forecast Pool Requirement for Demand Resources and Energy Efficiency Resources, as applicable to the relevant RPM Auction and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost were the resource to rely solely on revenues exclusive of any State Subsidy. All supporting data must be provided for all requests. The following requirements shall apply to requests for such determinations:

(A) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Capacity Market Seller shall submit the resource-specific exception request to the Office of the Interconnection and the Market Monitoring Unit no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a preliminary estimate for the relevant Delivery Year of the default Minimum Floor Offer Prices, determined pursuant to Tariff, Attachment DD, sections 5.14(h-1)(2)(A) and (B). If the final applicable default Minimum Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(B) For a resource-specific exception for a New Entry Capacity Resource with State Subsidy, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the Capacity Resource, as well as estimates of offsetting net revenues.

The financial modeling assumptions for calculating Cost of New Entry for Generation Capacity Resources and generation-backed Demand Resources shall be: (i) nominal levelization of gross costs, (ii) asset life of twenty years, (iii) no residual value, (iv) all project costs included with no sunk costs excluded, (v) use first year revenues (which may include revenues from the sale of renewable energy credits for purposes other than state-mandated or state-sponsored programs), and (vi) weighted average cost of capital based on the actual cost of capital for the entity proposing to build the Capacity Resource. Notwithstanding the foregoing, a Capacity Market Seller that seeks to utilize an asset life other than twenty years (but no greater than 35 years) shall provide evidence to support the use of a different asset life, including but not limited to, the asset life term for such resource as utilized in the Capacity Market Seller's financial accounting (e.g., independently audited financial statements), or project financing documents for the resource or evidence of actual costs or financing assumptions of recent comparable projects to the extent the seller has not executed project financing for the resource (e.g., independent project engineer opinion or manufacturer's performance guarantee), or opinions of third-party experts regarding the

reasonableness of the financing assumptions used for the project itself or in comparable projects. Capacity Market Sellers may also rely on evidence presented in federal filings, such as its FERC Form No. 1 or an SEC Form 10-K, to demonstrate an asset life other than 20 years of similar asset projects.

Supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance (“O&M”) contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. In addition to the certification, signed by an officer of the Capacity Market Seller, the request must include a certification that the claimed costs accurately reflect, in all material respects, the seller’s reasonably expected costs of new entry and that the request satisfies all standards for a resource-specific exception hereunder. The request also shall identify all revenue sources (exclusive of any State Subsidies) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM’s energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the

Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

The default assumptions for calculating resource-specific Cost of New Entry for Energy Efficiency Resources shall be based on, as supported by documentation provided by the Capacity Market Seller: the nominal-levelized annual cost to implement the Energy Efficiency program or to install the Energy Efficiency measure reflective of the useful life of the implemented Energy Efficiency equipment, and the offsetting savings associated with avoided wholesale energy costs and other claimed savings provided by implementing the Energy Efficiency program or installing the Energy Efficiency measure.

The default assumptions for calculating resource-specific Cost of New Entry for load-backed Demand Resources shall be based on, as supported by documentation provided by the Capacity Market Seller, program costs required for the resource to meet the capacity obligations of a Demand Resource, including all fixed operating and maintenance cost and weighted average cost of capital based on the actual cost of capital for the entity proposing to develop the Demand Resource.

For generation-backed Demand Resources, the determination of a resource-specific MOPR Floor Offer Price shall consider all costs associated with the generation unit supporting the Demand Resource, and demand charge management benefits at the retail level (as supported by documentation at the end-use customer level) may also be considered as an additional offset to such costs. Supporting documentation (at the end-use customer level) may include, but is not limited to, historic end-use customer bills and associated analysis that identifies the annual retail avoided cost from the operation of such generation unit.

(C) For a Resource-Specific Exception for a Cleared Capacity Resource with State Subsidy that is a generation resource, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the "Adjustment Factor." In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller shall, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets revenues. Such a request shall identify all revenue sources (exclusive of any State Subsidies) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM's energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel sources may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices.

Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

The resource-specific MOPR Floor Offer Price for a Cleared Capacity Resource with State Subsidy that is a generation-backed Demand Resource will be determined based on all costs associated with the generation unit supporting the Demand Resource, and demand charge management benefits at the retail level (as supported by documentation at the end-use customer level) may also be considered as an additional offset to such costs. Supporting documentation (at the end-use customer level) may include but is not limited to, historic end-use customer bills and associated analysis that identifies the annual retail avoided cost from the operation of such generation unit.

(D) A Sell Offer evaluated at the resource-specific exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, cost-based, fixed, net cost of new entry is below the default MOPR Floor Offer Price, based on competitive cost advantages relative to the costs estimated by the default MOPR Floor Offer Price, including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those estimated by the default MOPR Floor Offer Price. Capacity Market Sellers shall demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection. Failure to adequately support such costs or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in denial of a resource-specific exception by the Office of the Interconnection.

(E) The Capacity Market Seller must submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of the resource-specific exception request and that to the best of his/her knowledge and belief: (1) the

information supplied to the Market Monitoring Unit and the Office of Interconnection to support its request for an exception is true and correct; (2) the Capacity Market Seller has disclosed all material facts relevant to the request for the exception; and (3) the request satisfies the criteria for the exception.

(F) The Market Monitoring Unit shall review, in an open and transparent manner with the Capacity Market Seller and the Office of the Interconnection, the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review, in an open and transparent manner, all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. After the Office of the Interconnection determines with the advice and input of Market Monitor, the acceptable minimum Sell Offer, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction, and in making such determination, the Capacity Market Seller may consider the applicable default MOPR Floor Offer Price and may select such default value if it is lower than the resource-specific determination. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on the lower of the applicable default MOPR Floor Offer Price and the resource-specific determination unless and until ordered to do otherwise by FERC.

(4) Competitive Exemption.

(A) A Capacity Resource with State Subsidy may be exempt from the Minimum Offer Price Rule under this subsection 5.14(h-1) in any RPM Auction if the Capacity Market Seller certifies to the Office of Interconnection, in accordance with the PJM Manuals, that the Capacity Market Seller of such Capacity Resource elects to forego receiving any State Subsidy for the applicable Delivery Year no later than thirty (30) days prior to the commencement of the offer period for the relevant RPM Auction. Notwithstanding the foregoing, the competitive exemption is not available to Capacity Resources with State Subsidy that (A) are owned or offered by Self-Supply Entities unless the Self-Supply Entity certifies, subject to PJM and Market Monitor review, that the Capacity Resource will not accept a State Subsidy, including any financial benefit that is the result of being owned by a regulated utility, such that retail ratepayers are held harmless, (B) are no longer entitled to receive a State Subsidy but are still considered a Capacity Resource with State Subsidy solely because they have not cleared an RPM Auction since last receiving a State Subsidy, or (C) are Jointly Owned Cross-Subsidized Capacity Resources or is the subject of a bilateral transaction (including but not limited to those reported pursuant to Tariff, Attachment DD, section 4.6) and not all Capacity Market Sellers of the supporting facility unanimously elect the competitive exemption and certify that no State Subsidy will be received associated with

supporting the resource (unless the underlying Capacity Resource that is the subject of a bilateral transaction has not received, is not receiving, and is not entitled to receive any State Subsidy except those that are assigned (i.e., renewable energy credits) to the off-takers of a bilateral transaction and the Capacity Market Seller of such Capacity Resource can demonstrate and certify that the Capacity Market Seller's rights and obligations of its share of the capacity, energy, and assignable State Subsidy associated with the underlying Capacity Resource are in pro rata shares). A new Generation Capacity Resource that is a Capacity Resource with State Subsidy may elect the competitive exemption; however, in such instance, the applicable MOPR Floor Offer Price will be determined in accordance with the minimum offer price rules for certain new Generation Capacity Resources as provided in Tariff, Attachment DD, section 5.14(h), which apply the minimum offer price rule to the new Generation Capacity Resources located in an LDA where a separate VRR Curve is established as provided in Tariff, Attachment DD, section 5.14(h)(4).

(B) The Capacity Market Seller shall not receive a State Subsidy for any part of the relevant Delivery Year in which it elects a competitive exemption or certifies that it is not a Capacity Resource with State Subsidy.

(5) Self-Supply Entity exemption. A Capacity Resource that was owned, or bilaterally contracted, by a Self-Supply Entity on December 19, 2019, shall be exempt from the Minimum Offer Price Rule if such Capacity Resource remains owned or bilaterally contracted by such Self-Supply Entity and satisfies at least one of the criteria specified below:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(6) Renewable Portfolio Standard Exemption. A Capacity Resource with State Subsidy shall be exempt from the Minimum Offer Price Rule if such Capacity Resource (1) receives or is entitled to receive State Subsidies through renewable energy credits or equivalent credits associated with a state-mandated or state-sponsored renewable portfolio standard ("RPS") program or equivalent program as of December 19, 2019 and (2) satisfies at least one of the following criteria:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market

participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(7) Demand Resource and Energy Efficiency Resource Exemption.

(A) A Capacity Resource with State Subsidy that is Demand Resource or an Energy Efficiency Resource shall be exempt from the Minimum Offer Price Rule if such Capacity Resource satisfies at least one of the following criteria:

(i) has successfully cleared an RPM Auction prior to December 19, 2019. For purposes of this subsection (A), individual customer location registrations that participated as Demand Resource and cleared in an RPM Auction prior to December 19, 2019, and were submitted to PJM no later than 45 days prior to the BRA for the 2022/2023 Delivery Year shall be deemed eligible for the Demand Resource and Energy Efficiency Resource Exemption; or

(ii) has completed registration on or before December 19, 2019;
or

(iii) is supported by a post-installation measurement and verification report for Energy Efficiency Resources approved by PJM on or before December 19, 2019 (calculated for each installation period, Zone and Sub-Zone by using the greater of the latest approved post-installation measurement and verification report prior to December 19, 2019 or the maximum MW cleared for a Delivery Year across all auctions conducted prior to December 19, 2019).

(B) All registered locations that qualify for the Demand Resource and Energy Efficiency Resource exemption shall continue to remain exempt even if the MW of nominated capacity increases between RPM Auctions unless any MW increase in the nominated capacity is due to an investment made for the sole purpose of increasing the curtailment capability of the location in the capacity market. In such case, the MW of increased capability will not be qualified for the Demand Resource and Energy Efficiency Resource exemption.

(8) Capacity Storage Resource Exemption. A Capacity Resource with State Subsidy that is a Capacity Storage Resource shall be exempt from the Minimum Offer Price Rule if such Capacity Storage Resource satisfies at least one of the following criteria:

(A) has successfully cleared an RPM Auction prior to December 19, 2019;

(B) is the subject of an interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market

participation agreement executed by the interconnection customer on or before December 19, 2019; or

(C) is the subject of an unexecuted interconnection construction service agreement, interim interconnection service agreement, interconnection service agreement or wholesale market participation agreement filed by PJM with the Commission on or before December 19, 2019.

(9) Procedures and Remedies in Cases of Suspected Fraud or Material Misrepresentation or Omissions in Connection with a Capacity Resource with State Subsidy. In the event the Office of the Interconnection, with advice and input from the Market Monitoring Unit, reasonably believes that a certification of a Capacity Resource's status contains fraudulent or material misrepresentations or omissions such that the Capacity Market Seller's Capacity Resource is a Capacity Resource with a State Subsidy (including whether the Capacity Resource is a Jointly Owned Cross-Subsidized Capacity Resource) or does not qualify for a competitive exemption or contains information that is inconsistent with the resource-specific exception, then:

(A) A Capacity Market Seller shall, within five (5) business days upon receipt of the request for additional information, provide any supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate whether such Capacity Resource is a Capacity Resource with State Subsidy or whether the Capacity Market Seller is eligible for the competitive exemption. If the Office of the Interconnection determines that the Capacity Resource's status as a Capacity Resource with State Subsidy is different from that specified by the Capacity Market Seller or is not eligible for a competitive exemption pursuant to subsection (4) above, the Office of the Interconnection shall notify, in writing, the Capacity Market Seller of such determination by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, if the Office of Interconnection determines that the subject resource is a Capacity Resource with State Subsidy or is not eligible for a competitive exemption pursuant to subsection (4) above, such Capacity Resource shall be subject to the Minimum Offer Price Rule, unless and until ordered to do otherwise by FERC.

(B) if the Office of the Interconnection does not provide written notice of suspected fraudulent or material misrepresentation or omission at least sixty-five (65) days before the start of the relevant RPM Auction, then the Office of the Interconnection may file the certification that contains any alleged fraudulent or material misrepresentation or omission with FERC. In such event, if the Office of Interconnection determines that a resource is a Capacity Resource with State Subsidy that is subject to the Minimum Offer Price Rule, the Office of the Interconnection will proceed with administration of the Tariff and market rules on that basis unless and until ordered to do otherwise by FERC. The Office of the Interconnection shall implement any remedies ordered by FERC; and

(C) prior to applying the Minimum Offer Price Rule, the Office of the Interconnection, with advice and input of the Market Monitoring Unit, shall notify the affected Capacity Market Seller and, to the extent practicable, provide the Capacity Market Seller an opportunity to explain the alleged fraudulent or material misrepresentation or omission. Any filing

to FERC under this provision shall seek fast track treatment and neither the name nor any identifying characteristics of the Capacity Market Seller or the resource shall be publicly revealed, but otherwise the filing shall be public. The Capacity Market Seller may submit a revised certification for that Capacity Resource for subsequent RPM Auctions, including RPM Auctions held during the pendency of the FERC proceeding. In the event that the Capacity Market Seller is cleared by FERC from such allegations of fraudulent or material misrepresentations or omissions then the certification shall be restored to the extent and in the manner permitted by FERC. The remedies required by this subsection to be requested in any filing to FERC shall not be exclusive of any other remedies or penalties that may be pursued against the Capacity Market Seller.

h-2) Minimum Offer Price Rule Effective with the 2023/2024 Delivery Year

(1) Certification Requirement.

(A) By no later than one hundred and fifty (150) days prior to the commencement of the offer period of any RPM Auction conducted for the 2024/2025 Delivery Year and all subsequent Delivery Years, and by the date posted on the PJM website for the 2023/2024 Delivery Year, each Capacity Market Seller must certify to the Office of Interconnection for each Generation Capacity Resource the Capacity Market Seller intends to offer into the RPM Auction, in accordance with the PJM Manuals:

(i) whether or not the Generation Capacity Resource is receiving or expected to receive Conditioned State Support under any legislative or other governmental policy or program that has been enacted or effective at the time of the certification; and

(ii) whether or not the Capacity Market Seller acknowledges and understands that the Exercise of Buyer-Side Market Power is not permitted in RPM Auctions, and does not intend to submit a Sell Offer for their Generation Capacity Resource as an Exercise of Buyer-Side Market Power.

(B) All Capacity Market Sellers shall be responsible for the accuracy of each certification and its conformance with the Tariff irrespective of any guidance developed by the Office of the Interconnection and the Market Monitoring Unit.

(C) Once a Capacity Market Seller has certified whether or not a Generation Capacity Resource is receiving or expected to receive Conditioned State Support, the certification requirements in subsection (A)(i) above do not apply and the status of such Generation Capacity Resource will remain unchanged unless and until the Capacity Market Seller (or a subsequent Capacity Market Seller of the underlying resource) that owns or controls such Generation Capacity Resource provides a certification of a change in such status, the Office of the Interconnection removes such status, or by FERC order. All Capacity Market Sellers shall have an ongoing obligation to certify to the Office of Interconnection and the Market Monitoring Unit a Generation Capacity Resource's material change in status regarding whether such resource is receiving or expected to receive Conditioned State Support within 30 days of such material change. Nothing in this provision shall supersede the requirement for all Capacity Market Sellers to certify to the Office of Interconnection pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(ii).

(2) Determining Generation Capacity Resources Subject to the Minimum Offer Price Rule.

(A) Conditioned State Support.

(i) If the Office of the Interconnection reasonably believes a government policy or program would provide Conditioned State Support or a Capacity Market Seller certifies that it is receiving or is expected to receive Conditioned State Support associated with a given Generation Capacity Resource, the Office of Interconnection shall submit, pursuant to section 205 of the Federal Power Act, 16 U.S.C. § 824d, a filing at FERC indicating the Office of the Interconnection's intent to classify the government policy or program from which that support is derived as Conditioned State Support (and adding such policy or program to the list in Tariff, Attachment DD-3) and apply the Minimum Offer Price Rule to each Generation Capacity Resource reasonably expected to receive such Conditioned State Support. If FERC has already ruled on whether a specific government program or policy constitutes Conditioned State Support and such policy or program is listed in Tariff, Attachment DD-3, the Office of the Interconnection shall not be required to submit the filing described in the preceding sentence.

(ii) Government policies or programs that do not provide payments or other financial benefit outside of PJM markets and do not provide payment or other financial benefit in exchange for the sale of a FERC-jurisdictional product conditioned on clearing in any RPM Auction do not constitute Conditioned State Support. Examples of such government policies that do not constitute Conditioned State Support may include, but are not limited to: policies designed to procure, incent, or require environmental attributes, whether bundled or unbundled (e.g., Renewable Energy Credits, Zero Emission Credits; Regional Greenhouse Gas Initiative); economic development programs and policies; tax incentives; state retail default service auctions; policies or programs that provide incentives related to fuel supplies; any contract, legally enforceable obligation, or rate pursuant to the Public Utility Regulatory Policies Act or any other state-administered federal regulatory program (e.g., Cross-State Air Pollution Rule). In addition, Conditioned State Support shall not be determined solely based on the business model of the Capacity Market Seller, such that the fact that a Self-Supply Entity is the Capacity Market Seller, for example, is not a basis for determining Conditioned State Support.

(iii) Upon FERC acceptance (whether by order or operation of law) that a government policy or program or contract with a state entity constitutes Conditioned State Support, a Generation Capacity Resource for which a Capacity Market Seller certifies pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(i) that it is receiving Conditioned State Support or is reasonably expected to receive such Conditioned State Support, as identified by the Office of the Interconnection, with the advice and input of the Market Monitoring Unit, will be subject to the provisions of the Minimum Offer Price Rule.

(B) Exercise of Buyer-Side Market Power

(i) If a Capacity Market Seller does not certify that it acknowledges the prohibition of the Exercise of Buyer Side Market Power and the Capacity Market Seller intends to exercise Buyer-Side Market Power for this Generation Capacity Resource, then the underlying

Capacity Resource shall be subject to the MOPR pursuant to Tariff, Attachment DD, section 5.14(h-2)(1)(A)(i). If the Office of the Interconnection and/or the Market Monitoring Unit reasonably suspects that a certification submitted under Tariff, Attachment DD, section 5.14(h-2)(1)(A)(ii) contains fraudulent or material misrepresentations such that the Capacity Market Seller's Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power or otherwise reasonably suspects that a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power, the Office of the Interconnection and/or the Market Monitoring Unit shall initiate a fact-specific review into the facts and circumstances regarding the Generation Capacity Resource and whether the Capacity Market Seller has the ability and incentive to exercise Buyer-Side Market Power with respect to such Generation Capacity Resource. During such fact-specific review, the Capacity Market Seller will have the opportunity to explain and justify why a Sell Offer for the Generation Capacity Resource would not be an Exercise of Buyer-Side Market Power. The Office of the Interconnection and/or the Market Monitoring Unit shall notify the Capacity Market Seller of the bases for inquiry and initiation of review at least 135 days in advance of the RPM Auction conducted for the 2024/2025 Delivery Year and all subsequent Delivery Years, and by the date posted on the PJM website for the 2023/2024 Delivery Year.

In initiating a review, the Office of the Interconnection and/or the Market Monitoring Unit shall provide the affected Capacity Market Seller, in writing, the basis for its inquiry, including, but not limited to, the Generation Capacity Resource(s), and the purported beneficiary of any price suppression. The Office of the Interconnection and/or the Market Monitoring Unit may request from the Capacity Market Seller additional information and documentation that is reasonably related to the basis for its inquiry, provided that, the Office of the Interconnection and the Market Monitoring Unit shall confer with the Capacity Market Seller in advance of any such requests. The Capacity Market Seller shall provide any additional supporting information and documentation requested by the Office of the Interconnection and/or the Market Monitoring Unit, and any other information and documentation the Capacity Market Seller believes may justify the conduct or action in question as not representing an Exercise of Buyer-Side Market Power, within 15 days or other such timeline as agreed to in writing by the Office of the Interconnection, Market Monitoring Unit and Capacity Market Seller.

The fact-specific review will determine, as necessary, whether a Capacity Market Seller has the ability and incentive to submit a Sell Offer for the Generation Capacity Resource that could be an Exercise of Buyer-Side Market Power, as follows:

(a) To determine whether a Capacity Market Seller may have Buyer Side Market Power associated with the Generation Capacity Resource for the applicable RPM Auction, the Office of the Interconnection and/or the Market Monitoring Unit will perform ex-ante testing to determine the extent to which a shift in the supply curve by a number of megawatts equal to the size of the Generation Capacity Resource would affect RPM Auction clearing prices, where such analysis would reflect expected supply and demand conditions in the region of the market clearing prices and quantities in recent RPM Auctions, would reflect whether the relevant LDAs have been constrained in recent RPM Auctions, and would reflect reasonably expected material changes in an LDA including the modeling of the LDA and expected changes in supply and demand for the applicable Delivery Year. To the extent the foregoing analyses show that the Generation Capacity Resource would have a material effect on RPM Auction clearing

prices, the Capacity Market Seller shall be deemed to have the ability to exercise Buyer Side Market Power.

(b) To determine whether the Capacity Market Seller's submission of a Sell Offer at any given price level for such Generation Capacity Resource may constitute an Exercise of Buyer-Side Market Power, the Office of the Interconnection and/or the Market Monitoring Unit shall perform ex-ante testing to determine whether, given the ability to suppress prices identified in the relevant LDAs and the PJM Region, such price suppression would be economically beneficial to the Capacity Market Seller by comparing its expected cost with its economic benefit, and where the expected cost shall reflect the excess economic costs of the resource above expected market revenues, and the expected benefit shall reflect the expected cost savings to the expected net short position (based on estimated capacity obligations and owned and contracted capacity measured on a three-year average basis for the three years starting with the first day of the Delivery Year associated with the RPM Auction in which the Generation Capacity Resource is being offered) in the relevant LDAs and RTO multiplied by the price change resulting from offering the resource uneconomically. In this analysis, the Office of Interconnection and/or the Market Monitoring Unit shall consider whether any capacity obligations in which the capacity costs based on RPM Auction clearing prices are directly passed through to load and consider whether the price of any contracted capacity passes through RPM Auction clearing prices. If the expected benefit outweighs the expected cost, the Capacity Market Seller shall be deemed to have the incentive to exercise Buyer Side Market Power. If a resource offer can be justified, economically or otherwise, without consideration of the benefit to the Capacity Market Seller of the suppressed prices, the Capacity Market Seller shall be deemed not to have the incentive to exercise Buyer Side Market Power with respect to that resource. Out-of-market compensation (such as from renewable energy credits and zero emission credits) that are not tied to either Conditioned State Support or a bilateral contract that directs the submission of an offer to lower market clearing prices may be used to support the economics of the resource under review.

(ii) The following nonexhaustive list of circumstances would preclude an inquiry into or determination regarding an Exercise of Buyer-Side Market Power in the course of a review initiated pursuant to subsection (i) above: (a) the Generation Capacity Resource is a merchant generation supply resources that is not contracted to an entity with a Load Interest; (b) the Generation Capacity Resource is acquired by or under the contractual control of the Capacity Market Seller through a competitive and non-discriminatory procurement process open to new and existing resources; or (c) the Generation Capacity Resource is owned by or bilaterally contracted to a Self-Supply Seller and such resource is demonstrated as consistent with or included in the Self-Supply Seller's long-range resource plan (e.g., a long-range hedging plan) that is approved or otherwise reviewed and accepted by the RERRA, provided that any such plan approval or contracts do not direct the submission of an uneconomic offer to deliberately lower market clearing prices or for the Capacity Market Seller to otherwise perform an Exercise of Buyer-Side Market Power. In addition, to the extent a Generation Capacity Resource may receive compensation in support of characteristics aligned with well-demonstrated customer preferences, such compensation shall not, in and of itself, be a basis for the determination of Buyer-Side Market Power.

(iii) Based on the foregoing tests and fact-specific review, including the facts and circumstances of the Generation Capacity Resource, the Office of the

Interconnection, with the advice and input of the Market Monitoring Unit, shall determine whether a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power. If the Office of the Interconnection, with the advice and input of the Market Monitoring Unit, determines that a Generation Capacity Resource may be the subject of a Sell Offer that would be an Exercise of Buyer-Side Market Power or the Capacity Market Seller certifies that it intends to exercise Buyer-Side Market Power, then such resource will be subject to the provisions of the Minimum Offer Price Rule. If the resource will be subject to the provisions of the Minimum Offer Price Rule, the Office of the Interconnection shall include in the notice a written explanation for such determination. A Capacity Market Seller that is dissatisfied with the Office of the Interconnection's determination of whether a given Generation Capacity Resource is subject to the Minimum Offer Price Rule may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on its determination hereunder unless FERC by order directs otherwise.

(C) Failure to timely submit a certification. Any Generation Capacity Resource for which a Capacity Market Seller has not timely submitted the certifications required under Tariff, Attachment DD, section 5.14(h-2)(1) shall be subject to the provisions of the Minimum Offer Price Rule. Notwithstanding the foregoing, if a Capacity Market Seller submits a timely unit-specific exception pursuant to Tariff, Attachment DD, section 5.14(h-2)(4) for the relevant Delivery Year, and PJM approves the unit-specific MOPR Floor Offer Price, then the Capacity Market Seller may use such floor price regardless of whether it timely submitted the foregoing certifications.

(3) **Minimum Offer Price Rule.** Any Sell Offer for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) shall have an offer price no lower than the applicable MOPR Floor Offer Price, unless the applicable MOPR Floor Offer Price is higher than the applicable Market Seller Offer Cap, in which circumstance the Capacity Market Seller, to participate in an RPM Auction, must request a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process, and the unit-specific MOPR Floor Offer Price shall establish the offer level for such resource.

(A) New Entry MOPR Floor Offer Price. For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource, or any uprate of such Generation Capacity Resource participating in the generation interconnection process under Tariff, Part IV, Subpart A, that has not cleared an RPM Auction for any Delivery Year, the applicable MOPR Floor Offer Price, based on the net cost of new entry for the resource type, shall be, at the election of the Capacity Market Seller, (i) the unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process in Tariff, Attachment DD, section 5.14(h-2)(4) below or (ii) if applicable, the default New Entry MOPR Floor Offer Price for the applicable resource based on the gross cost of new entry values shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, net of estimated net energy and ancillary service revenues for the resource type and Zone in which the resource is located.

Resource Type	Through the 2025/2026 Delivery Years: Gross Cost of New Entry (2022/2023 \$/ MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Gross Cost of New Entry (2026/2027 \$/ MW-day) (Nameplate)
Nuclear	\$2,000	\$2,568
Coal	\$1,068	\$1,480
Combined Cycle	\$320	\$540
Combustion Turbine	\$294	\$427
Fixed Solar PV	\$271	\$298
Tracking Solar PV	\$290	\$321
Onshore Wind	\$420	\$438
Offshore Wind	\$1,155	\$1,351
Battery Energy Storage	\$532	\$502

The gross cost of new entry values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the gross cost of new entry values must be converted to a net cost of new entry by subtracting the estimated net energy and ancillary service revenues, as determined below, from the gross cost of new entry. However, the resultant net cost of new entry of the battery energy storage resource type in the table above must be multiplied by 2.5. The net cost of new entry based on nameplate capacity is then converted to Unforced Capacity (“UCAP”) MW-day. For the 2023/2024 Delivery Year and subsequent Delivery Years, to determine the applicable UCAP MW-day value, the net cost of new entry is adjusted as follows: for battery storage, wind, and solar resource types, the applicable ELCC Class Rating; or for all other generation resource types, the applicable class average EFORD. The resulting default New Entry MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of the actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default gross costs of new entry in the table above and post the preliminary estimates of the adjusted applicable default New Entry MOPR Floor Offer Prices on its website, by no later than one hundred fifty (150) days prior to the commencement of the offer period for each Base Residual Auction. To determine the adjusted applicable default New Entry MOPR Floor Offer Prices for all resource types, the Office of the Interconnection shall adjust the gross costs of new entry utilizing, for combustion turbine and combined cycle resource types, the same Applicable BLS Composite Index applied for such Delivery Year to adjust the CONE value used to determine the Variable Resource Requirement Curve, in accordance with Tariff, Attachment DD, section 5.10(a)(iv), and for all other resource types, the “BLS Producer Price Index Turbines and Turbine Generator Sets” component of the Applicable BLS Composite Index used to determine the Variable Resource Requirement Curve shall be replaced with the “BLS Producer Price Index Final Demand, Goods Less Food & Energy, Private Capital Equipment” when adjusting the gross costs of new entry. The resultant value shall then be then adjusted further by a factor of 1.022 for nuclear, coal, combustion turbine, and combine cycle resource types or 1.01 for solar, wind, and storage resource types to reflect the annual decline in bonus depreciation

scheduled under federal corporate tax law. Updated estimates of the net energy and ancillary service revenues for each default resource type and applicable Zone, which shall include, but are not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2 shall then be subtracted from the adjusted gross costs of new entry to determine the adjusted New Entry MOPR Floor Offer Price. Through the 2024/2025 Delivery Years, the net energy and ancillary services revenue is equal to the average of the annual net revenues of the three most recent calendar years preceding the Base Residual Auction, where such annual net revenues shall be determined in accordance with the following and the PJM Manuals:

(i) for nuclear resource type, the net energy and ancillary services revenue estimate shall be determined by the gross energy market revenue determined by the product of [average annual zonal day-ahead LMP, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times \$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus an ancillary services revenue of \$3,350/MW-year;

(ii) for coal resource type, the net energy and ancillary services revenue estimate shall be determined by a simulated dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh) using applicable coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$3,350/MW-year. The unit is committed day-ahead in profitable blocks of at least eight hours, and then committed in real-time for profitable hours if not already committed day ahead;

(iii) for combustion turbine resource type, the net energy and ancillary services revenue estimate shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v)(B) for the Reference Resource combustion turbine.

(iv) for combined cycle resource type, the net energy and ancillary services revenue estimate shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,553 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, the Peak-Hour Dispatch scenario for both the Day-Ahead and Real-Time Energy Markets shall be modified to dispatch the CC resource continuously during the full peak-hour period, as described in Peak-Hour Dispatch, for each such period that the resource is economic (using the test set forth in such section), rather than only during the four-hour blocks within such period that such resource is economic, and the ancillary services revenue shall be \$3,350/MW-year.

(v) for solar PV resource type, the net energy and ancillary services revenue estimate shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-

hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(vi) for onshore wind resource type, the net energy and ancillary services revenue estimate shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time zonal LMP applicable to such hour with this product summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year;

(vii) for offshore wind resource type, the net energy and ancillary services revenue estimate shall be the product of [the average annual zonal real-time LMP times 8,760 hours times an assumed annual capacity factor of 45%], plus an ancillary services revenue of \$3,350/MW-year; and

(viii) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by a simulated dispatch against historical real-time zonal LMPs where the resource is assumed to be dispatched for the four hours of highest LMP of a daily twenty-four hour period if the average LMP of these four hours exceeds 120% of the average LMP of the four lowest LMP hours of the same twenty-four hour period. The net energy market revenues will be determined by the product of [hourly output of 1 MW times the hourly LMP for each hour of assumed discharging] minus the product of [hourly consumption of 1.2 MW times the hourly LMP for each hour of assumed charging] with this net value summed across all of the hours of an annual period, plus an ancillary services revenue of \$3,350/MW-year. An 83.3% efficiency of the battery energy storage resource is reflected by assuming each 1.0 MW of discharge requires 1.2 MW of charge.

For the 2025/2026 Delivery Year and subsequent Delivery Years, the net energy and ancillary services revenue shall be the average of the net energy and ancillary services revenues that the resource is projected to receive from the PJM energy and ancillary service markets for the applicable Delivery Year from three separate simulations, with each such simulation using forward prices shaped using historical data from one of each of the three consecutive calendar years preceding the time of the determination for the RPM Auction to take account of year-to-year variability in such hourly shapes. Each net energy and ancillary services revenue simulation shall be conducted in accordance with the following and the PJM Manuals:

(ix) for nuclear resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue determined by the product of [average annual day-ahead Forward Hourly LMPs for such Zone, times 8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources] minus the total annual cost to produce energy determined by the product of [8,760 hours times the annual average equivalent availability factor of all PJM nuclear resources times

\$9.02/MWh for a single unit plant or \$7.66/MWh for a multi-unit plant for the 2025/2026 Delivery Year, or starting with the 2026/2027 Delivery Year and subsequent Delivery Years, \$7.99/MWh for a single unit plant or \$7.74/MWh for a multi-unit plant] where these hourly cost rates include fuel costs and variable operation and maintenance expenses, inclusive of Maintenance Adder costs, plus reactive services revenue of \$2,251/MW-year;

(x) for coal resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a 650 MW coal unit (with heat rate of 8,638 BTU/kWh and variable operations and maintenance variable operation and maintenance expenses, inclusive of Maintenance Adder costs, of \$9.50/MWh for the 2025/2026 Delivery Year, or starting with the 2026/2027 Delivery Year and subsequent Delivery Years, \$10.92/MWh) using day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, and daily forecasted coal prices, as set forth in the PJM Manuals, plus reactive services revenue of \$2,217/MW-year;

(xi) for the 2025/2026 Delivery Year, for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a single General Electric Frame 7HA turbine with evaporating cooling, Selective Catalytic Reduction technology, with dual Fuel capability, with the heat rate assumed for the combustion turbine resource shall be 9,134 BTU/kWh, the variable operations and maintenance expenses for such resources, inclusive of Maintenance Adder costs, shall be \$6.93/MWh, plus ancillary services revenue of \$2,199/MW-year. Starting with the 2026/2027 Delivery Year and subsequent Delivery Years, for combustion turbine resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the Projected EAS Dispatch of a single General Electric Frame 7HA.02 turbine with evaporating cooling, Selective Catalytic Reduction technology, with the heat rate assumed for the combustion turbine resource shall be 9,189 BTU/kWh, the variable operations and maintenance expenses for such resources, inclusive of Maintenance Adder costs, shall be \$1.19/MWh, plus ancillary services revenue of \$3,565/MW-year.

(xii) for combined cycle resource type, for the 2025/2026 Delivery Year, the net energy and ancillary services revenue estimate for each Zone shall be determined in the same manner as that prescribed for a combustion turbine resource type, except that the heat rate assumed for the combined cycle resource shall be 6,501 BTU/kwh, the variable operations and maintenance expenses for such resource, inclusive of Maintenance Adder costs, shall be \$2.11/MWh, plus reactive services revenue of \$3,350/MW-year. Starting with the 2026/2027 Delivery Year and subsequent Delivery Years, for combined cycle resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined in a manner consistent with the methodology described in Tariff, Attachment DD, section 5.10(a)(v-1)(B) for the Reference Resource combined cycle.

(xiii) for solar PV resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a solar resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual net energy market revenues are determined by multiplying the solar output level of each hour by the real-time Forward Hourly LMP for such Zone and applicable to such hour with

this product summed across all of the hours of an annual period, plus reactive services revenue of \$6,791/MW-year. Two separate solar resource models are used, one model for a fixed panel resource and a second model for a tracking panel resource;

(xiv) for onshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined using a wind resource model that provides the average MW output level, expressed as a percentage of nameplate rating, by hour of day (for each of the 24-hours of a day) and by calendar month (for each of the twelve months of a year). The annual energy market revenues are determined by multiplying the wind output level of each hour by the real-time Forward Hourly LMP for such Zone applicable to such hour with this product summed across all of the hours of an annual period, plus reactive services revenue of \$4,027/MW-year;

(xv) for offshore wind resource type, the net energy and ancillary services revenue estimate for each Zone shall be determined by the gross energy market revenue equal to the product of [the average annual real-time Forward Hourly LMP for such Zone times 8,760 hours times an assumed annual capacity factor of 45%], plus reactive services revenue of \$4,027/MW-year;

(xvi) for Capacity Storage Resource, the net energy and ancillary services revenue estimate shall be estimated by the Projected EAS Dispatch of a 1 MW, 4MWh resource, with an 85% roundtrip efficiency, and assumed to be dispatched between 95% and 5% state of charge against day-ahead and real-time Forward Hourly LMPs for such Zone and Forward Hourly Ancillary Service Prices, plus reactive services revenue of \$3,903/MW-year.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default gross cost of new entry values. Such review may include, without limitation, analyses of the fixed development, construction, operation, and maintenance costs for such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default gross cost of new entry values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default gross cost of new entry values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has not previously cleared an RPM Auction for that or any prior Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource for the relevant RPM Auction.

(B) Cleared MOPR Floor Offer Prices.

(i) For a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and for which a Sell Offer based on that resource has previously cleared an RPM Auction for any Delivery Year, the applicable Cleared MOPR Floor Offer Price shall be, at the election of the Capacity Market Seller, (a) based on the unit-specific MOPR Floor Offer Price, as determined in accordance with Tariff, Attachment DD, section 5.14(h-2)(4) below, or (b) if available, the default Avoidable Cost Rate for the applicable resource type shown in the table below, as adjusted for Delivery Years subsequent for the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of projected PJM market revenues equal to, through the 2024/2025 Delivery Year, the resource's historical net energy and ancillary service revenues consistent with Tariff, Attachment DD, section 6.8(d), or starting with the 2025/2026 Delivery Year and subsequent Delivery Years, the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with subsection (ii) below.

Existing Resource Type	Through the 2025/2026 Delivery Years: Default Gross ACR (2022/2023) (\$/MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Default Gross ACR (2026/2027) (\$/ MW-day) Nameplate
Nuclear - single	\$697	\$591
Nuclear - dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV (fixed and tracking)	\$40	\$70
Wind Onshore	\$83	\$147

The default gross Avoidable Cost Rate values in the table above are expressed in dollars per MW-day in terms of nameplate megawatts. For purposes of submitting a Sell Offer, the default Avoidable Cost Rate values must be net of estimated net energy and ancillary service revenues, and then the difference is ultimately converted to Unforced Capacity ("UCAP") MW-day, where the UCAP MW-day value will be determined based on the 2023/2024 Delivery Year and subsequent Delivery Years, the resource-specific Accredited UCAP value for solar and wind resource types (with appropriate time-weighting for any winter Capacity Interconnection Rights) or the resource-specific EFORD for all other generation resource types and on. The resulting default Cleared MOPR Floor Offer price in UCAP/MW-day terms shall be applied to each MW offered for the Capacity Resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource.

Commencing with the Base Residual Auction for the 2023/2024 Delivery Year, the Office of the Interconnection shall adjust the default Avoidable Cost Rates in the table above, and post the adjusted values on its website, by no later than one hundred fifty (150) days prior to the

commencement of the offer period for each Base Residual Auction. To determine the adjusted Avoidable Cost Rates, the Office of the Interconnection shall utilize the 10-year average Handy-Whitman Index in order to adjust the Gross ACR values to account for expected inflation. Updated estimates of the net energy and ancillary service revenues shall be determined on a resource-specific basis in accordance with Tariff, Attachment DD, section 6.8(d) and the PJM Manuals.

Beginning with the Delivery Year that commences June 1, 2022, and continuing no later than for every fourth Delivery Year thereafter, the Office of the Interconnection shall review the default Avoidable Cost Rates for Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) that have cleared in an RPM Auction for any Delivery Year. Such review may include, without limitation, analyses of the avoidable costs of such resource types. Based on the results of such review, PJM shall propose either to modify or retain the default Avoidable Cost Rate values stated in the table above. The Office of the Interconnection shall post publicly and solicit stakeholder comment regarding the proposal. If, as a result of this process, changes to the default Avoidable Cost Rate values are proposed, the Office of the Interconnection shall file such proposed modifications with the FERC by October 1, prior to the conduct of the Base Residual Auction for the first Delivery Year in which the new values would be applied.

Any Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction for any Delivery Year and for which there is no default MOPR Floor Offer Price provided in accordance with this section, including hybrid resources, must seek a unit-specific value determined in accordance with the unit-specific MOPR Floor Offer Price process below to participate in an RPM Auction. Failure to obtain a unit-specific MOPR Floor Offer Price will result in the Office of the Interconnection rejecting any Sell Offer based on such resource.

(ii) Effective with the 2025/2026 Delivery Year and subsequent Delivery Years, the net energy and ancillary services revenue is equal to forecasted net revenues which shall be determined in accordance with the applicable resource type net energy and ancillary services revenue determination methodology set forth in Tariff, Attachment DD, section 5.14(h-2)(3)(A)(ix) through (xvi) and using the subject resource's operating parameters as determined in accordance with the PJM Manuals based on (a) offers submitted in the Day-ahead Energy Market and Real-time Energy Market over the calendar year preceding the time of the determination for the RPM Auction; (b) the resource-specific operating parameters approved, as applicable, in accordance with Operating Agreement, Schedule 1, section 6.6(b) and Operating Agreement, Schedule 2 (including any Fuel Costs, emissions costs, Maintenance Adders, and Operating Costs); (c) the resource's Accredited UCAP Factor; (d) Forward Hourly LMPs at the generation bus as determined in accordance with Tariff, Attachment DD, section 5.10(a)(v-1)(C)(6); and (e) the resource's stated annual revenue requirement for reactive services; plus any unit-specific bilateral contract. In addition, the following resource type-specific parameters shall be considered; (f) for combustion turbine, combined cycle, and coal resource types: the installed capacity rating, ramp rate (which shall be equal to the maximum ramp rate included in the resource's energy offers over the most recent previous calendar year preceding the determination for the RPM Auction), and the heat rate as determined as the resource's average heat rate at full load as submitted to the Market Monitoring Unit and the Office of the Interconnection, where for combined cycle resources heat rates will be determined at base load and at peak load (e.g., without duct burners and with duct

burners), as applicable; (g) for nuclear resource type: an average equivalent availability factor of all PJM nuclear resources to account for refueling outages; (h) for solar and wind resource types: the resource's output profiles for the most recent three calendar years, as available; and (i) for battery storage resource type: the nameplate capacity rating (on a MW / MWh basis).

To the extent the resource has not achieved commercial operation, the operating parameters used in the simulation of the net energy and ancillary service revenues will be based on the manufacturer's specifications and/or from parameters used for other existing, comparable resources, as developed by the Market Monitoring Unit and the Capacity Market Seller, and accepted by the Office of the Interconnection.

A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a resource that previously cleared an RPM Auction for any Delivery Year based on a net energy and ancillary services revenue determination that does not use the foregoing methodology or parameter inputs stated for that resource type shall, at its election, submit a request for a unit-specific MOPR Floor Offer Price for such Capacity Resource pursuant to Tariff, Attachment DD, section 5.14(h-2)(4) below.

(4) **Unit-Specific Exception.** A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Capacity Resource. A Capacity Market Seller intending to submit a Sell Offer in any RPM Auction for a Generation Capacity Resource that is under a fact-specific review for Buyer-Side Market Power pursuant to Tariff, Attachment DD, section 5.14(h-2)(2)(B)(ii), and where the offer is below the applicable default MOPR Floor Offer Price may, at its election, submit a request for a unit-specific exception for such Generation Capacity Resource. A Sell Offer below the default MOPR Floor Offer Price, but no lower than the unit-specific MOPR Floor Offer Price, shall be permitted if the Capacity Market Seller obtains approval from the Office of the Interconnection or the Commission, prior to the RPM Auction in which it seeks to submit the Sell Offer. The unit-specific MOPR Floor Offer Price determined under this provision shall be based on the unit-specific Accredited UCAP value for battery energy storage resource types and for solar and wind generation resource types (appropriately time-weighted for any winter Capacity Interconnection Rights) or on the unit-specific EFORD for all other generation resource types, and shall be applied to each MW offered by the resource regardless of actual Sell Offer quantity and regardless of whether the Sell Offer is for a Seasonal Capacity Performance Resource. Such Sell Offer is permissible because it is consistent with the competitive, cost-based, fixed, net cost of the resource. All supporting data must be provided for all requests. The following requirements shall apply to requests for such determinations:

(A) The Capacity Market Seller shall submit a written request with all of the required documentation as described below and in the PJM Manuals. For such purpose, the Capacity Market Seller shall submit the unit-specific exception request to the Office of the Interconnection and the Market Monitoring Unit no later than one hundred twenty (120) days prior to the commencement of the offer period for the RPM Auction in which it seeks to submit its Sell Offer. For such purpose, the Office of the Interconnection shall post, by no later than one hundred fifty (150) days prior to the commencement of the offer period for the relevant RPM Auction, a

preliminary estimate for the relevant Delivery Year of the default Minimum Floor Offer Prices, determined pursuant to Tariff, Attachment DD, sections 5.14(h-2)(3)(A) and (B). If the final applicable default Minimum Floor Offer Price subsequently established for the relevant Delivery Year is less than the Sell Offer, the Sell Offer shall be permitted and no exception shall be required.

(B) For a unit-specific exception for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has never cleared an RPM Auction, the Capacity Market Seller must include in its request for an exception under this subsection documentation to support the fixed development, construction, operation, and maintenance costs of the Capacity Resource, as well as estimates of offsetting net revenues.

The financial modeling assumptions for calculating Cost of New Entry for Generation Capacity Resources shall be: (i) nominal levelization of gross costs, (ii) asset life of twenty years, (iii) no residual value, (iv) all project costs included with no sunk costs excluded, (v) use first year revenues (which may include revenues from the sale of renewable energy credits or any other revenues outside of PJM markets that do not constitute Conditioned State Support), and (vi) weighted average cost of capital based on the actual cost of capital for the entity proposing to build the Capacity Resource. Notwithstanding the foregoing, a Capacity Market Seller that seeks to utilize an asset life other than twenty years (but no greater than 35 years) shall provide evidence to support the use of a different asset life, including but not limited to, the asset life term for such resource as utilized in the Capacity Market Seller's financial accounting (e.g., independently audited financial statements), or project financing documents for the resource or evidence of actual costs or financing assumptions of recent comparable projects to the extent the seller has not executed project financing for the resource (e.g., independent project engineer opinion or manufacturer's performance guarantee), or opinions of third-party experts regarding the reasonableness of the financing assumptions used for the project itself or in comparable projects. Capacity Market Sellers may also rely on evidence presented in federal filings, such as its FERC Form No. 1 or an SEC Form 10-K, to demonstrate an asset life other than 20 years of similar asset projects.

Supporting documentation for project costs may include, as applicable and available, a complete project description; environmental permits; vendor quotes for plant or equipment; evidence of actual costs of recent comparable projects; bases for electric and gas interconnection costs and any cost contingencies; bases and support for property taxes, insurance, operations and maintenance ("O&M") contractor costs, and other fixed O&M and administrative or general costs; financing documents for construction-period and permanent financing or evidence of recent debt costs of the seller for comparable investments; and the bases and support for the claimed capitalization ratio, rate of return, cost-recovery period, inflation rate, or other parameters used in financial modeling. In addition to the certification, signed by an officer of the Capacity Market Seller, the request must include a certification that the claimed costs accurately reflect, in all material respects, the seller's reasonably expected costs of new entry and that the request satisfies all standards for a unit-specific exception hereunder. The request also shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of

compensation outside the PJM market not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. Through the 2024/2025 Delivery Year, in making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well-defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, which may include Maintenance Adders, energy demand, emissions allowance prices, and expected environmental or energy policies that affect the seller's forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable. Starting with the 2025/2026 Delivery Year and subsequent Delivery Years, in making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM's energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel prices may be used. The model shall also contain estimates of, variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of net revenues should be consistent with Operating Agreement, Schedule 2, including, but not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific Energy & Ancillary Services Offset value for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

(C) Through the 2024/2025 Delivery Years, for a Unit-Specific Exception for a Generation Capacity Resource that is subject to the provisions of the Minimum

Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the “Adjustment Factor.” In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller may, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets revenues. Such a request shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of compensation outside of PJM markets not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon forecasts of competitive electricity prices in the PJM Region based on well-defined models that include fully documented estimates of future fuel prices, variable operation and maintenance expenses, energy demand, which may include Maintenance Adders, and emissions allowance prices, and expected environmental or energy policies that affect the seller’s forecast of electricity prices in such region, employing input data from sources readily available to the public. Documentation for net revenues also may include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

(C-1) Beginning with the 2025/2026 Delivery Year and subsequent Delivery Years, for a Unit-Specific Exception for a Generation Capacity Resource that is subject to the provisions of the Minimum Offer Price Rule pursuant to Tariff, Attachment DD, section 5.14(h-2)(2) and that has previously cleared an RPM Auction, the Capacity Market Seller shall submit a Sell Offer consistent with the unit-specific Market Seller Offer Cap process pursuant to Tariff, Attachment DD, section 6.8; except that the 10% uncertainty adder may not be included in the “Adjustment Factor.” In addition and notwithstanding the requirements of Tariff, Attachment DD, section 6.8, the Capacity Market Seller shall, at its election, include in its request for an exception under this subsection documentation to support projected energy and ancillary services markets revenues. Such a request shall identify all revenue sources (exclusive of any Conditioned State Support or bilateral contracts that direct submission of an offer to lower RPM Auction clearing prices) relied upon in the Sell Offer to offset the claimed fixed costs, including, without limitation, long-term power supply contracts, tolling agreements, evidence of compensation outside of PJM markets not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices, or tariffs on file with state regulatory agencies, and shall demonstrate that such offsetting revenues are consistent, over a reasonable time period identified by the Capacity Market Seller, with the standard prescribed above. In making such demonstration, the Capacity Market Seller may rely upon revenues projected by well-defined, forward-looking dispatch models designed to generally follow the rules and processes of PJM’s

energy and ancillary services market. Such models must utilize publicly available forward prices for electricity and fuel in the PJM Region. Any modifications made to the forward electricity and fuel prices must similarly use publicly available data. Alternative forward prices for fuel may be used if accompanied by contractual evidence showing the applicability of the alternative fuel price. Where forward fuel markets are not available, publicly available estimates of future fuel sources may be used. The model shall also contain estimates of variable operation and maintenance expenses, which may include Maintenance Adders, and emissions allowance prices. Documentation for net revenues also must include, as available and applicable, plant performance and capability information, including heat rate, start-up times and costs, forced outage rates, planned outage schedules, maintenance cycle, fuel costs and other variable operations and maintenance expenses, capacity factors, and ancillary service capabilities. Any evaluation of revenues should include, but would not be not limited to, consideration of Fuel Costs, Maintenance Adders and Operating Costs, as applicable, pursuant to Operating Agreement, Schedule 2.

In the alternative, the Capacity Market Seller may request that the Market Monitoring Unit, subject to acceptance by the Office of Interconnection, produce a resource-specific projected energy and ancillary services markets revenues for such resource using the Forward Hourly LMPs, Forward Hourly Ancillary Service Prices and either Forward Daily Natural Gas Prices for combustion turbines and combined cycle resources, or forecasted fuel prices for other resource types, plus plant parameters and capability information specific to the dispatch of the resource, as outlined above. In addition to the documentation identified herein and in the PJM Manuals, the Capacity Market Seller shall provide any additional supporting information reasonably requested by the Office of the Interconnection or the Market Monitoring Unit to evaluate the Sell Offer. Requests for additional documentation will not extend the deadline by which the Office of the Interconnection or the Market Monitoring Unit must provide their determinations of the Minimum Offer Price Rule exception request.

(D) A Sell Offer evaluated at the unit-specific exception shall be permitted if the information provided reasonably demonstrates that the Sell Offer's competitive, fixed, cost-based offer level is below the default MOPR Floor Offer Price, based on competitive cost advantages relative to the costs estimated by the default MOPR Floor Offer Price, including, without limitation, competitive cost advantages resulting from the Capacity Market Seller's business model, financial condition, tax status, access to capital or other similar conditions affecting the applicant's costs, or based on net revenues that are reasonably demonstrated hereunder to be higher than those estimated by the default MOPR Floor Offer Price. Capacity Market Sellers shall demonstrate that claimed cost advantages or sources of net revenue that are irregular or anomalous, that do not reflect arm's-length transactions, or that are not in the ordinary course of the Capacity Market Seller's business are consistent with the standards of this subsection, and that out-of-market compensation is not tied to Conditioned State Support or a bilateral contract that directs submission of an offer to lower RPM Auction clearing prices. Failure to adequately support such claimed cost advantages or revenues so as to enable the Office of the Interconnection to make the determination required in this section will result in the elimination of consideration of the unsupported element(s) of a unit-specific exception by the Office of the Interconnection.

(E) The Capacity Market Seller must submit a sworn, notarized certification of a duly authorized officer, certifying that the officer has personal knowledge of the

unit-specific exception request and that to the best of his/her knowledge and belief: (1) the information supplied to the Market Monitoring Unit and the Office of Interconnection to support its request for an exception is true and correct; (2) the Capacity Market Seller has disclosed all material facts relevant to the request for the exception; and (3) the request satisfies the criteria for the exception.

(F) The Market Monitoring Unit shall review, in an open and transparent manner with the Capacity Market Seller and the Office of the Interconnection, the information and documentation in support of the request and shall provide its findings whether the proposed Sell Offer is acceptable, in accordance with the standards and criteria hereunder, in writing, to the Capacity Market Seller and the Office of the Interconnection by no later than ninety (90) days prior to the commencement of the offer period for such auction. The Office of the Interconnection shall also review, in an open and transparent manner, all exception requests and documentation and shall provide in writing to the Capacity Market Seller, and the Market Monitoring Unit, its determination whether the requested Sell Offer is acceptable and if not it shall calculate and provide to such Capacity Market Seller, a minimum Sell Offer based on the data and documentation received, by no later than sixty-five (65) days prior to the commencement of the offer period for the relevant RPM Auction. After the Office of the Interconnection determines with the advice and input of Market Monitor, the acceptable minimum Sell Offer, the Capacity Market Seller shall notify the Market Monitoring Unit and the Office of the Interconnection, in writing, of the minimum level of Sell Offer to which it agrees to commit by no later than sixty (60) days prior to the commencement of the offer period for the relevant RPM Auction, and in making such determination, the Capacity Market Seller may consider the applicable default MOPR Floor Offer Price and may select such default value if it is lower than the unit-specific determination. A Capacity Market Seller that is dissatisfied with any determination hereunder may seek any remedies available to it from FERC; provided, however, that the Office of the Interconnection will proceed with administration of the Tariff and market rules based on the lower of the applicable default MOPR Floor Offer Price and the unit-specific determination unless and until ordered to do otherwise by FERC.

i) Capacity Export Charges and Credits

(1) Charge

Each Capacity Export Transmission Customer shall incur for each day of each Delivery Year a Capacity Export Charge equal to the Reserved Capacity of Long-Term Firm Transmission Service used for such export ("Export Reserved Capacity") multiplied by (the Final Zonal Capacity Price for such Delivery Year for the Zone encompassing the interface with the Control Area to which such capacity is exported minus the Final Zonal Capacity Price for such Delivery Year for the Zone in which the resources designated for export are located, but not less than zero). If more than one Zone forms the interface with such Control Area, then the amount of Reserved Capacity described above shall be apportioned among such Zones for purposes of the above calculation in proportion to the flows from such resource through each such Zone directly to such interface under CETO/CETL analysis conditions, as determined by the Office of the Interconnection using procedures set forth in the PJM Manuals. The amount of the Reserved Capacity that is associated with a fully controllable facility that crosses such interface shall be completely apportioned to the Zone within which such facility terminates.

(2) Credit

To recognize the value of firm Transmission Service held by any such Capacity Export Transmission Customer, such customer assessed a charge under section 5.14(i)(1) above also shall receive a credit, comparable to the Capacity Transfer Rights provided to Load-Serving Entities under Tariff, Attachment DD, section 5.15. Such credit shall be equal to the locational capacity price difference specified in section 5.14(i)(1) above times the Export Customer's Allocated Share determined as follows:

Export Customer's Allocated Share equals

$$(\text{Export Path Import} * \text{Export Reserved Capacity}) /$$

$$(\text{Export Reserved Capacity} + \text{Daily Unforced Capacity Obligations of all LSEs in such Zone}).$$

Where:

“Export Path Import” means the megawatts of Unforced Capacity imported into the export interface Zone from the Zone in which the resource designated for export is located.

If more than one Zone forms the interface with such Control Area, then the amount of Export Reserved Capacity shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

(3) Distribution of Revenues

Any revenues collected from the Capacity Export Charge with respect to any capacity export for a Delivery Year, less the credit provided in subsection (i)(2) for such Delivery Year, shall be distributed to the Load Serving Entities in the export-interface Zone that were assessed a

Locational Reliability Charge for such Delivery Year, pro rata based on the Daily Unforced Capacity Obligations of such Load-serving Entities in such Zone during such Delivery Year. If more than one Zone forms the interface with such Control Area, then the revenues shall be apportioned among such Zones for purposes of the above calculation in the same manner as set forth in subsection (i)(1) above.

6.4 Market Seller Offer Caps

(a) The Market Seller Offer Cap, stated in dollars per MW/day of unforced capacity, applicable to price-quantity offers within the Base Offer Segment for an Existing Generation Capacity Resource shall be the Avoidable Cost Rate for such resource, less the Projected PJM Market Revenues for such resource, stated in dollars per MW/day of unforced capacity. A Capacity Market Seller offering above \$0/MW-day must support and obtain approval of a unit-specific Market Seller Offer Cap pursuant to the procedures and standards of subsection (b) of this section 6.4 or may, at its election, if available, utilize a Market Seller Offer Cap determined using the applicable default gross Avoidable Cost Rate for the applicable resource type shown in the table below, as adjusted for Delivery Years subsequent to the 2022/2023 or 2026/2027 Delivery Year, as applicable, to reflect changes in avoidable costs, net of Projected PJM Market Revenues equal to the resource's net energy and ancillary service revenues for the resource type, as determined in accordance with (1) Tariff, Attachment DD, section 6.8(d) through the 2024/2025 Delivery Year or (2) Tariff, Attachment DD, section 6.8(d-1) for the 2025/2026 Delivery Year and subsequent Delivery Years.

Existing Resource Type	Through the 2025/2026 Delivery Years: Default Gross ACR (2022/2023) (\$/MW-day) (Nameplate)	For the 2026/2027 Delivery Year and Subsequent Delivery Years: Default Gross ACR (2026/2027) (\$/MW-day) (Nameplate)
Nuclear – single	\$697	\$591
Nuclear – dual	\$445	\$537
Coal	\$80	\$94
Combined Cycle	\$56	\$113
Combustion Turbine	\$50	\$52
Steam Oil & Gas	NA	\$64
Solar PV (fixed and tracking)	\$40	\$70
Wind Onshore	\$83	\$147

The Market Seller Offer Cap for an Existing Generation Capacity Resource shall be the Opportunity Cost for such resource, if applicable, as determined in accordance with Tariff, Attachment DD, section 6.7.

(b) For each Existing Generation Capacity Resource, a potential Capacity Market Seller must provide to the Market Monitoring Unit and the Office of the Interconnection data and documentation required under section 6.7 below to establish the level of the Market Seller Offer Cap applicable to each resource by no later than one hundred twenty (120) days prior to the commencement of the offer period for the applicable RPM Auction. The Capacity Market Seller must promptly address any concerns identified by the Market Monitoring Unit regarding the data and documentation provided, review the Market Seller Offer Cap proposed by the Market

Monitoring Unit, and attempt to reach agreement with the Market Monitoring Unit on the level of the Market Seller Offer Cap by no later than ninety (90) days prior to the commencement of the offer period for the applicable RPM Auction. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, whether an agreement with the Market Monitoring Unit has been reached or, if no agreement has been reached, specifying the level of Market Seller Offer Cap to which it commits by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction. The Office of the Interconnection shall review the data submitted by the Capacity Market Seller, make a determination whether to accept or reject the requested unit-specific Market Seller Offer Cap, or calculate an alternative unit-specific Market Seller Offer Cap based on the submitted documentation, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination in writing, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction. In the event the Office of the Interconnection rejects the Capacity Market Seller's requested unit-specific Market Seller Offer Cap for a particular Existing Generation Capacity Resource, the Capacity Market Seller of such Capacity Resource may submit an offer up to (1) should one exist, the default gross Avoidable Cost Rate for the applicable resource type net of *Projected PJM Market Revenues* equal to the resource's net energy and ancillary service revenues for the resource type, or (2) the unit-specific Market Seller Offer Cap proposed by the Market Monitoring Unit upon PJM approval of such value, or (3) an alternative unit-specific Market Seller Offer Cap calculated by the Office of the Interconnection based on the submitted documentation. If the Market Monitoring Unit does not provide its determination to the Capacity Market Seller and the Office of the Interconnection by the specified deadline, by no later than sixty-five (65) days prior to the commencement of the offer period for the applicable RPM Auction the Office of the Interconnection will make the determination of the level of the Market Seller Offer Cap, which shall be deemed to be final. If the Capacity Market Seller does not notify the Market Monitoring Unit and the Office of the Interconnection of the Market Seller Offer Cap it desires to utilize by no later than eighty (80) days prior to the commencement of the offer period for the applicable RPM Auction, it shall be required to utilize a Market Seller Offer Cap determined using the applicable default Avoidable Cost Rate specified in section 6.4(a) above.

Notwithstanding the provisions of Tariff, Attachment M-Appendix, section II.E.2 and this Tariff, Attachment DD, section 6.4(b), no later than eighty (80) days prior to the commencement of the offer period for the auction, the Market Monitoring Unit and the relevant Capacity Market Seller may mutually agree on the value of such Market Seller Offer Cap. Nothing herein shall preclude the Market Monitoring Unit from modifying the Market Seller Offer Cap for a Generation Capacity Resource beyond the eighty-day (80-day) deadline prior to the commencement of the offer period for the auction, through the commencement of the offer period for the auction, so long as the Market Monitoring Unit and the relevant Capacity Market Seller mutually agree with the value of such Market Seller Offer Cap. The Capacity Market Seller shall notify the Market Monitoring Unit in writing, with a copy to the Office of the Interconnection, if such an agreement with the Market Monitoring Unit has been reached. The Office of the Interconnection shall review the Market Seller Offer Cap submitted by the Capacity Market Seller and make a determination whether the Market Seller Offer Cap complies with the tariff, and notify the Capacity Market Seller and the Market Monitoring Unit of its determination.

(c) Nothing in this section precludes the Capacity Market Seller from filing a petition with FERC seeking a determination of whether the Sell Offer complies with the requirements of the Tariff.

(d) For any Third Incremental Auction for the 2018/2019 Delivery Year or any subsequent Delivery Year, the Market Seller Offer Cap for an Existing Generation Capacity Resource offering as a Capacity Performance Resource shall be determined pursuant to subsection (a) of this Section 6.4, or if elected by the Capacity Market Seller, shall be equal to 1.1 times the Capacity Resource Clearing Price in the Base Residual Auction for the relevant LDA and Delivery Year.

(e) Effective with the 2025/2026 Delivery Year, Capacity Market Sellers that submit a unit-specific Market Seller Offer Cap by the deadline may request to use and provide support for a segmented offer cap to reflect incremental costs of having a capacity obligation across different segments of their unit. Such request must provide adequate justification for the use of a segmented offer cap with supporting documentation and calculations for the Market Seller Offer Cap of each segment. Segmented Market Seller Offer Caps shall be comprised of multiple Market Seller Offer Caps, each calculated in accordance with Tariff, Attachment DD, section 6.8. If elected by the Capacity Market Seller, the first segment may have a Market Seller Offer Cap reflective of incremental expenses directly required to operate a Generation Capacity Resource that a Generation Owner would not incur if such generating unit were to mothball or retire, in accordance with Tariff, Attachment DD, section 6.8(b). All other offer segments (and, if elected by the Capacity Market Seller, the first segment) shall reflect incremental costs that would be avoided only in the absence of a capacity obligation, in accordance with Tariff, Attachment DD, section 6.8(b).

ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of RAA, Schedule 6. Capitalized terms used herein that are not otherwise defined in Tariff, Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of two categories, i.e., Guaranteed Load Drop or Firm Service Level, as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource Registration that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the Demand Resource Registration is linked to a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource Registration must achieve its full load reduction within the following time period:

- (a) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource Registration must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource Registration from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that

Demand Resource Registration is submitted in accordance with Tariff, Attachment K-Appendix. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource Registration is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource Registration is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that submitted the Demand Resource Registration must demonstrate that:

- (i) The manufacturing processes for the Demand Resource Registration require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- (ii) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- (iii) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- (iv) The Demand Resource Registration is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) Business Days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource Registration has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) Business Days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) Business Days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource Registration shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in RAA, Schedule 6, section A-1; RAA, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 30 days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be linked to registrations participating in the Full Program Option or Capacity Only Option of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand

Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand

Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers; and

- assumptions regarding regulatory approval of program(s), if applicable.

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current

(at time of plan submission) Delivery Year and the two preceding Delivery Years; and

- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification;

(b) that the Sell Offer Plan does not include any Critical Natural Gas Infrastructure facilities, and

(c) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM Manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 30 days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 Business Days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 Business Days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 Business Days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

- B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

- C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Tariff, Attachment DD. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Tariff, Attachment DD to the extent it fails to provide the resource in such location consistent with its cleared offer.
- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Tariff, Attachment DD.

- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resource Registrations in the following ways:
- Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.
- Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.
- H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:
- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
 - Supplemental status reports, detailing Demand Resources available, as requested by PJM;
 - Entry of customer-specific Demand Resource Registration information, for planning and verification purposes, into the designated PJM electronic system.
 - Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
 - Load drop estimates for all Load Management events and test events, prepared in accordance with the PJM Manuals.
- I. The Nominated Values (summer, winter or annual) for each Demand Resource Registration shall be determined consistent with the process described below.

The summer Nominated Value for Firm Service Level customer(s) on a registration will be based on the peak load contribution for the customer(s), as typically determined by the

5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The summer Nominated Value for a registration shall equal the total peak load contribution for the customers on the registration minus the summer Firm Service Level multiplied by the loss factor. The winter Nominated Value for Firm Service Level customer(s) on a registration shall equal the total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The annual Nominated Value for or Firm Service Level customer(s) on a registration shall equal the lesser of i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

The summer Nominated Value for a Guaranteed Load Drop customer on a registration shall equal the summer guaranteed load drop amount, adjusted for system losses and shall not exceed the customer's Peak Load Contribution, as established by the customer's contract with the Curtailment Service Provider. The winter Nominated Value for a Guaranteed Load Drop customer on a registration shall be the winter guaranteed load drop amount, adjusted for system losses, and shall not exceed the customer's Winter Peak Load multiplied by Zonal Winter Weather Adjustment Factor multiplied by the loss factor, as established by the customer's contract with the Curtailment Service Provider. The annual Nominated Value for a Guaranteed Load Drop customer on a registration shall be the lesser of the i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

Customer-specific Demand Resource Registration information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Each Demand Resource Registration should be linked to a Demand Resource. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource Registration information, to verify the amount of load management available and to set a summer, winter, or annual Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider in the designated PJM electronic system, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for which such Demand Resource Registration is effective. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone,

based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

The daily Nominated Value for the Delivery Year for a Limited Demand Resource, Extended Summer Demand Resource, Base Capacity Demand Resource, and Annual Demand Resource without a Capacity Performance commitment shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource. For the 2017/2018 and 2018/2019 Delivery Years, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the sum of the annual Nominated Values of the registrations linked to such Demand Resource. For the 2019/2020 Delivery Year, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource. Effective with the 2020/2021 Delivery Year, the daily Nominated Value of a Demand Resource with a Capacity Performance commitment (which may consist of an Annual Demand Resource with a Capacity Performance commitment and/or Summer Period Demand Resource with a Capacity Performance commitment) shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource for the summer period of June through October and May of the Delivery Year, and shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource for the non-summer period of November through April of the Delivery Year.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Load Management events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resource Registrations dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable prior to the 2025/2026 Delivery Year, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in RAA, Article 1, subject to the following requirements:

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-

interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Load reduction compliance is averaged over the Load Management Event for a Demand Resource Registration linked to a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource without a Capacity Performance commitment or determined on an hourly basis for a Demand Resource Registration linked to a Base Capacity Demand Resource or Annual Demand Resource with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for a Demand Resource Registration without a Base or Capacity Performance commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute. The registered capacity commitment for a Demand Resource Registration with a Base or Capacity Performance commitment is not prorated based on the number of minutes dispatched during the clock hours. The actual hourly load reduction for the hour ending that includes a Performance Assessment Interval(s) is flat-profiled over the set of dispatch intervals in the hour in accordance with the PJM Manuals.

A Demand Resource Registration may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero.

Compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a committed Limited Demand Resource, Extended Summer Demand Resource, and Annual Demand Resource without a Capacity Performance commitment to determine a net compliance position for the event for each Provider by Compliance Aggregation Area and such net compliance position shall be allocated to the underlying registrations, in accordance with PJM Manuals. Load Management Event deficiencies shall be as further determined in accordance with Tariff, Attachment DD, section 11 and PJM Manuals.

For a Performance Assessment Interval, compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a Provider’s Base Capacity Demand Resource or to an Annual Demand Resource with a Capacity Performance commitment to determine the Actual Performance for such Demand Resource in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals. The Expected Performance for such Demand Resource shall be equal to the Provider’s committed capacity on the Demand Resource, adjusted to account for any linked registrations that were not dispatched by PJM. A Provider’s Demand Resources’ initial Performance Shortfalls shall be netted for all the seller’s Demand Resources in the Emergency Action Area to determine a net Emergency Action Area Performance Shortfall which is then allocated to

the Capacity Market Seller's Demand Resources in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.
 - For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
 - For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
 - For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all

days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Tariff, Attachment Q. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a

BRA may elect a New Entry Price Adjustment on the same terms as set forth in Tariff, Attachment DD, section 5.14(c).

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.
8. For Incremental Auctions conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, if a Relevant Electric Retail Regulatory Authority receives FERC authorization to qualify or prohibit Energy Efficiency Resource participation in a specific area(s) of the PJM Region, the following process applies:
 - (a) The Office of the Interconnection will publicly post a reference to the FERC authorization of a Relevant Electric Retail Regulatory Authority order, ordinance or resolution that qualifies or prohibits Energy Efficiency Resource participation, the applicable electric distribution company(ies), and the applicable auction(s) and/or Delivery Year(s).
 - (b) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all resources that are located in the jurisdiction of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation within the Zone or LDA, as required, and those outside of the area but within the Zone or LDA, as required.
 - (c) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all Energy Efficiency Resources to be offered as part of its Energy Efficiency measurement and verification plan and

certified post-installation measurement and verification report. The Office of Interconnection will provide a list to the relevant electric distribution company for the specific area(s) to review for compliance with the Relevant Electric Retail Regulatory Authority of Capacity Market Sellers that are:

- (i) offering Energy Efficiency Resources in an RPM Auction within two (2) Business Days after the deadline for submitting an energy efficiency measurement and verification plan for such RPM Auction; and
- (ii) certifying Energy Efficiency Resources with a Delivery Year post-installation measurement and verification report, within two (2) Business Days of receipt of such Delivery Year post-installation measurement and verification report. The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource.

(d) The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation and provide a response to the Office of the Interconnection within five (5) Business Days after receiving the list of Capacity Market Sellers offering Energy Efficiency Resources. The Office of the Interconnection will not allow a Capacity Market Seller to offer or certify Energy Efficiency Resources if an electric distribution company denies such Capacity Market Seller to deliver Energy Efficiency Resources in compliance with rules of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation.

- (9) For Incremental Auctions that will be conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, a Capacity Market Seller of Energy Efficiency Resources that cannot satisfy its RPM obligations in any Delivery Year due to the prohibition of participation by a Relevant Electric Retail Regulatory Authority authorized by FERC to prohibit participation of such resources may be relieved of its Capacity Resource Deficiency Charge by notifying the Office of the Interconnection by no later than seven (7) calendar days prior to the posting of the planning parameters for the Third Incremental Auction of that Delivery Year. After providing such notice, the affected Capacity Market Seller may elect to be relieved of its RPM commitment, and shall not be required to obtain replacement capacity for the resource, and no charges shall be assessed by the Office of the

Interconnection for the Capacity Market Seller's deficiency in satisfying its RPM obligation for the resource for such Delivery Year. In such case, however, the Capacity Market Seller shall not be entitled to, nor be paid, any RPM revenues for such resource for that Delivery Year. The Office of the Interconnection will apply corresponding adjustments to the quantity of Buy Bids or Sell Offers in the Incremental Auctions for such Delivery Years in accordance with Tariff, Attachment DD, sections 5.12(b)(ii) and 5.12(b)(iii).

SCHEDULE 6

PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of two categories, i.e., Guaranteed Load Drop or Firm Service Level, as further specified in section G below and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource Registration that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the Demand Resource Registration is linked to a Limited Demand Resource, an Extended Summer Demand Resource, a Base Capacity Demand Resource, a Summer-Period Demand Resource or an Annual Demand Resource.

2. A Demand Resource Registration must achieve its full load reduction within the following time period:

- (a) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource Registration must be able to fully respond to a Load Management Event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource Registration from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that Demand Resource Registration is submitted in accordance with Tariff, Attachment K-Appendix. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management Event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service

Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource Registration is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource Registration is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that submitted the Demand Resource Registration must demonstrate that:

- (i) The manufacturing processes for the Demand Resource Registration require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- (ii) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- (iii) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- (iv) The Demand Resource Registration is comprised of mass market residential customers or Small Commercial Customers which collectively cannot be notified of a Load Management Event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) Business Days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource Registration has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) Business Days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) Business Days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource Registration shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in RAA, Schedule 6, section A-1; RAA, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 30 days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be linked to registrations participating in the Full Program Option or Capacity Only Option of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the

Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers; and
- assumptions regarding regulatory approval of program(s), if applicable.

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and

- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification;

(b) that the Sell Offer Plan does not include any Critical Natural Gas Infrastructure facilities, and

(c) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM Manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 30 days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 Business Days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 Business Days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 Business Days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

for the Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement, and for the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the product of the Nominated Value of the Demand Resource times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

- C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Tariff, Attachment DD. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Tariff, Attachment DD to the extent it fails to provide the resource in such location consistent with its cleared offer.
- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Tariff, Attachment DD.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the

Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resource Registrations in the following ways:

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource Registration information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event or Provider initiated test event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Load Management events and test events, prepared in accordance with the PJM Manuals.

I. The Nominated Values (summer, winter or annual) for each Demand Resource Registration shall be determined consistent with the process described below.

The summer Nominated Value for Firm Service Level customer(s) on a registration will be based on the peak load contribution for the customer(s), as typically determined by the 5CP methodology utilized by the electric distribution company to determine ICAP obligation values. The summer Nominated Value for a registration shall equal the total peak load contribution for the customers on the registration minus the summer Firm

Service Level multiplied by the loss factor. The winter Nominated Value for Firm Service Level customer(s) on a registration shall equal the total Winter Peak Load for customers on the registration multiplied by Zonal Winter Weather Adjustment Factor minus winter Firm Service level and then the result is multiplied by the loss factor. The annual Nominated Value for or Firm Service Level customer(s) on a registration shall equal the lesser of i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

The summer Nominated Value for a Guaranteed Load Drop customer on a registration shall equal the summer guaranteed load drop amount, adjusted for system losses and shall not exceed the customer's Peak Load Contribution, as established by the customer's contract with the Curtailment Service Provider. The winter Nominated Value for a Guaranteed Load Drop customer on a registration shall be the winter guaranteed load drop amount, adjusted for system losses, and shall not exceed the customer's Winter Peak Load multiplied by Zonal Winter Weather Adjustment Factor multiplied by the loss factor, as established by the customer's contract with the Curtailment Service Provider. The annual Nominated Value for a Guaranteed Load Drop customer on a registration shall be the lesser of the i) summer Nominated Value or ii) winter Nominated Value. Effective with the 2019/2020 Delivery Year, an annual Nominated Value for a registration is no longer calculated.

Customer-specific Demand Resource Registration information (EDC account number, peak load contribution, Winter Peak Load, notification period, etc.) will be entered into the designated PJM electronic system to establish nominated values. Each Demand Resource Registration should be linked to a Demand Resource. Additional data may be required, as defined in sections J and K and the PJM Manuals.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource Registration information, to verify the amount of load management available and to set a summer, winter, or annual Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider in the designated PJM electronic system, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), Winter Peak Load, contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for which such Demand Resource Registration is effective. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an "unrestricted" peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

The daily Nominated Value for the Delivery Year for a Limited Demand Resource, Extended Summer Demand Resource, Base Capacity Demand Resource, and Annual Demand Resource without a Capacity Performance commitment shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource. For the 2017/2018 and 2018/2019 Delivery Years, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the sum of the annual Nominated Values of the registrations linked to such Demand Resource. For the 2019/2020 Delivery Year, the daily Nominated Value for the Delivery Year for an Annual Demand Resource with a Capacity Performance commitment shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource. Effective with the 2020/2021 Delivery Year, the daily Nominated Value of a Demand Resource with a Capacity Performance commitment (which may consist of an Annual Demand Resource with a Capacity Performance commitment and/or Summer Period Demand Resource with a Capacity Performance commitment) shall equal the sum of the summer Nominated Values of the registrations linked to such Demand Resource for the summer period of June through October and May of the Delivery Year, and shall equal the lesser of (i) the sum of the summer Nominated Values of the registrations linked to such Demand Resource or (ii) the sum of the winter Nominated Values of the registrations linked to such Demand Resource for the non-summer period of November through April of the Delivery Year.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Load Management events and Curtailment Service Provider initiated tests. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider's Demand Resource Registrations dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event and Curtailment Service Provider initiated test during the compliance period.

Compliance is measured for Market Participant Bonus Performance, as applicable prior to the 2025/2026 Delivery Year, and Non-Performance Charges. Non-Performance Charges are assessed for the defined obligation period of each Demand Resource as defined in RAA, Article 1, subject to the following requirements:

Compliance is checked on an individual customer basis for Firm Service Level, by comparing actual load during the event to the firm service level. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

Summer (June through October and the following May of a Delivery Year)- End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Winter (November through April of a Delivery Year)- End use customer's Winter Peak Load ("WPL") multiplied by Zonal Winter Weather Adjustment Factor ("ZWWAF") multiplied by LF, minus the metered load ("Load") multiplied by the LF. The calculation is represented by:

$$(WPL * ZWWAF * LF) - (Load * LF)$$

Compliance is checked on an individual customer basis for Guaranteed Load Drop. Current load for a statistical sample of end-use customers may be used for compliance for residential non-interval metered registrations in accordance with the PJM Manuals and subject to PJM approval. Guaranteed Load Drop compliance will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management Event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) For a summer event, the PLC minus the Load multiplied by the LF. A summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC. For a non-summer event, the WPL multiplied the ZWWAF multiplied by LF, minus the Load multiplied by the LF. A non-summer load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the WPL multiplied by the ZWWAF multiplied by LF.
- (ii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management Event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.
- (iii) Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers are described in greater detail in Manual M-19, PJM Manual for Load Forecasting and Analysis, at Attachment A: Load Drop Estimate Guidelines.

Load reduction compliance is averaged over the Load Management Event for a Demand Resource Registration linked to a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource without a Capacity Performance commitment or determined on an hourly basis for a Demand Resource Registration linked to a Base

Capacity Demand Resource or Annual Demand Resource with a Capacity Performance commitment, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., “partial dispatch compliance hour”). The registered capacity commitment for a Demand Resource Registration without a Base or Capacity Performance commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute. The registered capacity commitment for a Demand Resource Registration with a Base or Capacity Performance commitment is not prorated based on the number of minutes dispatched during the clock hours. The actual hourly load reduction for the hour ending that includes a Performance Assessment Interval(s) is flat-profiled over the set of dispatch intervals in the hour in accordance with the PJM Manuals.

A Demand Resource Registration may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero.

Compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a committed Limited Demand Resource, Extended Summer Demand Resource, and Annual Demand Resource without a Capacity Performance commitment to determine a net compliance position for the event for each Provider by Compliance Aggregation Area and such net compliance position shall be allocated to the underlying registrations, in accordance with PJM Manuals. Load Management Event deficiencies shall be as further determined in accordance with Tariff, Attachment DD, section 11 and PJM Manuals.

For a Performance Assessment Interval, compliance will be totaled over all dispatched registrations for FSL and GLD customers linked to a Provider’s Base Capacity Demand Resource or to an Annual Demand Resource with a Capacity Performance commitment to determine the Actual Performance for such Demand Resource in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals. The Expected Performance for such Demand Resource shall be equal to the Provider’s committed capacity on the Demand Resource, adjusted to account for any linked registrations that were not dispatched by PJM. A Provider’s Demand Resources’ initial Performance Shortfalls shall be netted for all the seller’s Demand Resources in the Emergency Action Area to determine a net Emergency Action Area Performance Shortfall which is then allocated to the Capacity Market Seller’s Demand Resources in accordance with Tariff, Attachment DD, section 10A, and PJM Manuals.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak summer and winter periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value.
 - For Delivery Years through May 31, 2018 for all Energy Efficiency Resources not committed as a Capacity Performance Resource, the seller's proposed Nominated Energy Efficiency Value shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday;
 - For the 2018/2019 and 2019/2020 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Base Capacity Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday; and
 - For the 2018/2019 Delivery Year and subsequent Delivery Years and for any Annual Energy Efficiency Resource committed as a Capacity Performance Resource for the 2016/2017 and 2017/2018 Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Annual Energy Efficiency Resources, shall be the expected average load reduction, for all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday, between the hour ending 15:00 EPT and the hour ending 18:00 EPT. In addition, the expected average load reduction for all days from January 1 through February 28, inclusive, of such Delivery Year

that is not a weekend or federal holiday, between the hour ending 8:00 EPT and the hour ending 9:00 EPT and between the hour ending 19:00 EPT and the hour ending 20:00 EPT shall not be less than the Nominated Energy Efficiency Value; and

- For the 2020/2021 Delivery Year and subsequent Delivery Years, the seller's proposed Nominated Energy Efficiency Value for any Summer-Period Energy Efficiency Resource shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday.

The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Tariff, Attachment Q. For Delivery Years through May 31, 2018, or for FRR Capacity Plans for Delivery Years through May 31, 2019, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement. For the 2018/2019 Delivery Year and subsequent Delivery Years, or for FRR Capacity Plans for the 2019/2020 Delivery Year and subsequent Delivery Years, the Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency Value times the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in Tariff, Attachment DD, section 5.14(c).
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection,

by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.
8. For Incremental Auctions conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, if a Relevant Electric Retail Regulatory Authority receives FERC authorization to qualify or prohibit Energy Efficiency Resource participation in a specific area(s) of the PJM Region, the following process applies:
 - (a) The Office of the Interconnection will publicly post a reference to the FERC authorization of a Relevant Electric Retail Regulatory Authority order, ordinance or resolution that qualifies or prohibits Energy Efficiency Resource participation, the applicable electric distribution company(ies), and the applicable auction(s) and/or Delivery Year(s).
 - (b) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all resources that are located in the jurisdiction of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation within the Zone or LDA, as required, and those outside of the area but within the Zone or LDA, as required.
 - (c) A Capacity Market Seller that intends to offer or certify Energy Efficiency Resources must identify and itemize all Energy Efficiency Resources to be offered as part of its Energy Efficiency measurement and verification plan and certified post-installation measurement and verification report. The Office of Interconnection will provide a list to the relevant electric distribution company for the specific area(s) to review for compliance with the Relevant Electric Retail Regulatory Authority of Capacity Market Sellers that are:

- (i) offering Energy Efficiency Resources in an RPM Auction within two (2) Business Days after the deadline for submitting an energy efficiency measurement and verification plan for such RPM Auction; and
 - (ii) certifying Energy Efficiency Resources with a Delivery Year post-installation measurement and verification report, within two (2) Business Days of receipt of such Delivery Year post-installation measurement and verification report. The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource.
- (d) The relevant electric distribution company for the specific area(s) shall review for compliance with rules from a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation and provide a response to the Office of the Interconnection within five (5) Business Days after receiving the list of Capacity Market Sellers offering Energy Efficiency Resources. The Office of the Interconnection will not allow a Capacity Market Seller to offer or certify Energy Efficiency Resources if an electric distribution company denies such Capacity Market Seller to deliver Energy Efficiency Resources in compliance with rules of a Relevant Electric Retail Regulatory Authority authorized by FERC to qualify or prohibit Energy Efficiency Resource participation.
- (9) For Incremental Auctions that will be conducted for the 2019/2020 and 2020/2021 Delivery Years, and for RPM Auctions for the 2021/2022 Delivery Year and subsequent Delivery Years, a Capacity Market Seller of Energy Efficiency Resources that cannot satisfy its RPM obligations in any Delivery Year due to the prohibition of participation by a Relevant Electric Retail Regulatory Authority authorized by FERC to prohibit participation of such resources may be relieved of its Capacity Resource Deficiency Charge by notifying the Office of the Interconnection by no later than seven (7) calendar days prior to the posting of the planning parameters for the Third Incremental Auction of that Delivery Year. After providing such notice, the affected Capacity Market Seller may elect to be relieved of its RPM commitment, and shall not be required to obtain replacement capacity for the resource, and no charges shall be assessed by the Office of the Interconnection for the Capacity Market Seller's deficiency in satisfying its RPM obligation for the resource for such Delivery Year. In such case, however, the Capacity Market Seller shall not be entitled to, nor be paid, any RPM revenues for such resource for that Delivery Year. The Office of the Interconnection will apply

corresponding adjustments to the quantity of Buy Bids or Sell Offers in the Incremental Auctions for such Delivery Years in accordance with Tariff, Attachment DD, sections 5.12(b)(ii) and 5.12(b)(iii).