

GUIDELINES FOR CRYPTO MINING FACILITIES THAT PARTICIPATE AS ECONOMIC DR IN THE ENERGY MARKETS

Effective for Load Reductions that start on January 1, 2026

The goal is to differentiate curtailment activity which is part of normal operations to save on the customer's retail electricity bill and curtailment activity only conducted because of revenue from the wholesale electricity market. It is expected, if hourly cost to mine > hourly mining revenue then the customer would likely not mine and therefore likely curtail electricity instead of losing money to mine. Since it is difficult to determine whether or not these facilities reduce load as part of normal operations to save on their electricity bill, PJM hourly settlements in the energy market will only be paid when hourly cost to mine < hourly mining revenue.

CSP may not participate as Economic DR with crypto mining machines beyond their planned retirement date (determined independent from revenue received from PJM wholesale market) with the intention to prolong the life of the machine by not using the machine and collecting revenue from the PJM wholesale market. CSP should not participate in energy market with crypto mining machines that are older than 5 years from the manufactured date unless approved by PJM.

Estimated hourly crypto revenue may be based on a publicly available formula for crypto revenue calculation or internal source where the CSP provides support for the calculation. Revenue calculation must include site specific machine efficiency. If there is a one-time cost associated with each load reduction ("shutdown cost"), CSP may use shutdown cost field in Markets Gateway. If the site wants to include shutdown cost and participates in synch reserve market, CSP must go through formal shutdown cost approval process per Manual 15 Section 1.8.

Estimate hourly cost to mine should include avoided costs from the load reduction, specifically - total hourly electricity cost for the load reduction (including avoided cooling/heating) plus any avoided water cost. Estimated electricity cost includes supply and distribution charges as well as any other applicable energy based adders.

This guideline will evolve as there is more experience with these facilities in the market.

Settlement Process

In order to qualify for a PJM energy payment, the CSP should submit only settlement hours when hourly cost to mine is lower than hourly mining revenue. If some hours do not qualify for settlement, then CSP must notify PJM and PJM will remove such hours before the CSP submits the settlement.

If customer is on fixed retail rate, then non-hourly approach to calculate revenue is possible. Please reach out to PJM for more details.

If retail rate is block and index, then retail energy cost should be based on weighted average (see example 1 weighted avg rate calculation) of index and fixed rate plus other KWH charges from the bill.

One of the two settlement approaches can be applied for crypto mining facilities.

- 1) Single tenant or Multi-tenant facility

Load reductions for an hour either qualify or do not qualify (see example 1 settlement qualification).

GUIDELINES FOR CRYPTO MINING FACILITIES THAT PARTICIPATE AS ECONOMIC DR IN THE ENERGY MARKETS

Example 1. Weighted average rate calculation for block and index rate and settlement qualification criteria.

	B	C	D
15	Weighted avg electricity rate calculation		
16	CBL MW	100	
17	hedge MW	40	
18	index MW	60	=C16-C17
19	reduction	80	
20	LMP	\$ 50.00	
21	fixed rate \$/MWh	\$ 40.00	
22	other energy adders from the bill \$/MWh	\$ 15.00	
23	weighted avg rate	\$ 62.50	=(MIN(C18,C19)*C20+MAX(0,(C19-C18))*C21)/C19+C22
24			
25	Settlement qualification		
26	hourly revenue	\$ 5,500.00	
27	CBL MW	100	
28	reduction MW	80	
29	retail rate (\$/MWh)	\$ 62.50	
30	total hourly water cost	\$ 300.00	
31	hourly revenue for reduced MWs	\$ 4,400.00	=C26*C28/C27
32	hourly electricity cost for reduced MWs	\$ 5,000.00	=C29*C28
33	hourly water cost for reduced MWs	\$ 240.00	=C30*C28/C27
34	total hourly retail cost for reduced load	\$ 5,240.00	=C33+C32
35	qualified for DR payment	no	=IF(C34>C31,"no","yes")

2) Multi-tenant facility where each tenant has a different retail electricity rate.

When there are multiple tenants (subloads) at the location (EDC account number) some of them may reduce load for PJM purposes and others as normal operations to reduce their electricity cost in the same hour. In such cases only part of the load reduction may qualify for DR compensation. Based on the current DR Hub configuration the only way to handle this type of scenario is to use Manual CBL. Below is a step by step process for multi-tenant facility for manually handling settlements in DRHUB.

1. CSP calculates reduction based on 3+2 CBL methodology – please see Manual 11 for the calculation. The CSP should manage the offer so that the registration will not clear for 36 continuous hours such that there are enough hours to calculate a new CBL based on current information. It is not intended that this methodology will be accurate for multiple days of load reductions where the load reductions are for 24 hours during the day. Note, the 3+2 CBL calculation will be based on the event and not limited to the day if an event spans more than 1 day.
2. If any of the non-participating tenants have a load drop due to normal operations (peak shaving including ramping down/up hours, maintenance, weather conditions, etc.) after the start of the event for the participating tenant, then CSP must subtract that load drop from total calculated reduction in step 1.
3. CSP works with tenants to identify the tenant load, load reduction, block and index. To find the reduction for each tenant, CSP must use one of the following 2 approaches: (1) use submetered data from each tenant and apply methodology from step 1 above, or (2) distribute reduction to each tenant up to the tenant's offer MWs. If there is an

GUIDELINES FOR CRYPTO MINING FACILITIES THAT PARTICIPATE AS ECONOMIC DR IN THE ENERGY MARKETS

overperformance – it should be distributed proportionally amongst all participating tenants based on their offer MWs.

4. CSP calculates hourly cost to mine for reduced MWs for each tenant (see calculation guidance in example 1).
5. CSP calculates total qualified reduction which equals to the sum of all tenant reductions that have hourly cost to mine < hourly mining revenue (see calculation guidance in example 2).
6. CSP calculates Manual CBL values which equal to actual load plus calculated in step 5 reduction.
7. CSP enters hourly load and CBL values calculated in step 6 into Manual CBL template (<https://pjm.com/-/media/etools/dr-hub/economic-energy-manual-example.ashx>) and uploads to DR Hub. Note – the Manual CBL will reflect the actual load reductions that qualify.

Example 2. Calculate total qualified reduction with multiple tenants and block and index rate (this example is the guidance for the customer - do not need to provide tenant details to PJM)

	B	C	D	E	F	G	H	I
		Load MW	Block MW	Index MW	Customer distributed total reduction between clients	Total hourly retail cost for reduced load	Hourly revenue for reduced MWs	Qualified reduction
13								
14	1 subload	10	5	5	5	\$ 280.50	\$ 288	5
15	2 subload	20	15	5	14	\$ 867.70	\$ 805	0
16	3 subload	10	0	10	1	\$ 40.00	\$ 58	1
17	total	40	20	20	20			6
18								
19								
20								
21	LMP	fixed rate \$/MWH	other MWH adders from the bill \$/MWH	hourly water cost	hourly O&M cost	Hourly revenue		
22	\$ 40	\$ 50	\$ 15	\$ 10	\$ 1	\$ 2,300		

	B	C	D	E	F	G	H	I
		Load MW	Block MW	Index MW	Customer distributed total reduction between clients	Total hourly retail cost for reduced load	Hourly revenue for reduced MWs	Qualified reduction
13								
14	1 subload	10	5	=C14-D14	5	=(MIN(E14,F14)*B\$22+MAX(0,(F14-E14))*C\$22)+D22*F14+(E22+F22)*F14/C14	=G\$22*F14/C\$17	=IF(G14<H14,F14,0)
15	2 subload	20	15	=C15-D15	14	=(MIN(E15,F15)*B\$22+MAX(0,(F15-E15))*C\$22)+D22*F15+(E22+F22)*F15/C15	=G\$22*F15/C\$17	=IF(G15<H15,F15,0)
16	3 subload	10	0	=C16-D16	1	=(MIN(E16,F16)*B\$22+MAX(0,(F16-E16))*C\$22)+D24*F16+(E24+F24)*F16/C16	=G\$22*F16/C\$17	=IF(G16<H16,F16,0)
17	total	=SUM(C14:C16)	=SUM(D14:D16)	=SUM(E14:E16)	=SUM(F14:F16)			=SUM(I14:I16)

For both options, CSP shall verify they only submitted settlements for load reductions that were not done for normal operations (e.g.: manage their electricity cost) and submit estimated hourly mining revenue and hourly cost to mine support information in the requested format. CSP bears full responsibility for any issues with the customer and PJM will refer any questionable activity to IMM and/or FERC Office of Enforcement as needed. Settlement hours may only be submitted for the portion of the load done for PJM and not done as part of normal operations.